

**Actuated Valves Product**  
**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**



Industrial grade Weir-type design, excellent for throttling and use with viscous fluids or slurries.

- Compact, Light Weight Design
- True Union Socket/Thread, SR Thread, or Spigot End Connections - sizes 1/2"-2" Pressure Rated to 235 psi @ 73°F (23°C)
- Flanged Ends (& PTFE diaphragms) - sizes 1/2" - 2" Pressure Rated to 150 psi @ 73°F (23°C)
- Corrosion Resistant Plastic Housing
- Stainless Steel Hardware
- 90 psi Operating Pressure
- Linear Action Operation with Preset Stops
- Air-Air, Air-Spring Closed, or Optional Air-Spring Open

NOTE: "Socket" valves include standard plastic thread end connectors.

**PVC - EPDM O-ring and EPDM Diaphragm**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91121H850-005 191.69	93121H850-005 191.69	94021H850-005 185.94	95021H850-005 220.49	550
3/4 Air to Air	91121H850-007 204.99	93121H850-007 204.99	94021H850-007 198.83	95021H850-007 237.12	550
1 Air to Air	91121H850-010 216.06	93121H850-010 216.06	94021H850-010 209.59	95021H850-010 251.53	550
1-1/4 Air to Air	91121H850-012 339.34	93121H850-012 339.34	94021H850-012 329.15	95021H850-012 312.46	550
1-1/2 Air to Air	91121H850-015 341.27	93121H850-015 341.27	94021H850-015 331.03	95021H850-015 394.46	550
2 Air to Air	91121H850-020 415.52	93121H850-020 415.52	94021H850-020 403.04	95021H850-020 477.56	550
1/2 Air to Spring Close	91121J850-005 273.68	93121J850-005 273.68	94021J850-005 265.47	95021J850-005 316.89	550
3/4 Air to Spring Close	91121J850-007 304.71	93121J850-007 304.71	94021J850-007 295.57	95021J850-007 339.06	550
1 Air to Spring Close	91121J850-010 353.46	93121J850-010 353.46	94021J850-010 342.86	95021J850-010 360.12	550
1-1/4 Air to Spring Close	91121J850-012 435.45	93121J850-012 435.45	94021J850-012 489.03	95021J850-012 450.97	550
1-1/2 Air to Spring Close	91121J850-015 504.16	93121J850-015 504.16	94021J850-015 488.64	95021J850-015 540.72	550
2 Air to Spring Close	91121J850-020 617.18	93121J850-020 617.18	94021J850-020 598.66	95021J850-020 689.20	550
1/2 Air to Spring Open	91121K850-005 191.69	93121K850-005 191.69	94021K850-005 185.94	95021K850-005 220.49	550
3/4 Air to Spring Open	91121K850-007 204.99	93121K850-007 204.99	94021K850-007 198.83	95021K850-007 237.12	550
1 Air to Spring Open	91121K850-010 216.06	93121K850-010 216.06	94021K850-010 209.59	95021K850-010 251.53	550
1-1/4 Air to Spring Open	91121K850-012 271.46	93121K850-012 271.46	94021K850-012 263.33	95021K850-012 312.46	550
1-1/2 Air to Spring Open	91121K850-015 341.27	93121K850-015 341.27	94021K850-015 331.03	95021K850-015 394.46	550
2 Air to Spring Open	91121K850-020 415.52	93121K850-020 415.52	94021K850-020 403.04	95021K850-020 477.56	550

**PVC - FKM O-ring and FKM Diaphragm**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91231H850-005 212.99	93231H850-005 212.99	94031H850-005 206.60	95031H850-005 245.00	550
3/4 Air to Air	91231H850-007 227.77	93231H850-007 227.77	94031H850-007 220.93	95031H850-007 263.46	550
1 Air to Air	91231H850-010 240.07	93231H850-010 240.07	94031H850-010 232.87	95031H850-010 279.46	550



Actuated Valves Product

**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

PVC - FKM O-ring and FKM Diaphragm (continued)

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1-1/4 Air to Air	91231H850-012 399.21	93231H850-012 399.21	94031H850-012 387.24	95031H850-012 367.60	550
1-1/2 Air to Air	91231H850-015 401.49	93231H850-015 401.49	94031H850-015 389.45	95031H850-015 464.06	550
2 Air to Air	91231H850-020 488.84	93231H850-020 488.84	94031H850-020 474.17	95031H850-020 561.84	550
1/2 Air to Spring Close	91231J850-005 304.08	93231J850-005 304.08	94031J850-005 294.97	95031J850-005 352.12	550
3/4 Air to Spring Close	91231J850-007 338.57	93231J850-007 338.57	94031J850-007 328.41	95031J850-007 376.73	550
1 Air to Spring Close	91231J850-010 392.73	93231J850-010 392.73	94031J850-010 380.96	95031J850-010 400.13	550
1-1/4 Air to Spring Close	91231J850-012 512.29	93231J850-012 512.29	94031J850-012 496.93	95031J850-012 530.55	550
1-1/2 Air to Spring Close	91231J850-015 593.12	93231J850-015 593.12	94031J850-015 575.34	95031J850-015 636.15	550
2 Air to Spring Close	91231J850-020 726.08	93231J850-020 726.08	94031J850-020 704.31	95031J850-020 810.81	550
1/2 Air to Spring Open	91231K850-005 212.99	93231K850-005 212.99	94031K850-005 206.60	95031K850-005 245.00	550
3/4 Air to Spring Open	91231K850-007 227.77	93231K850-007 227.77	94031K850-007 220.93	95031K850-007 263.46	550
1 Air to Spring Open	91231K850-010 240.07	93231K850-010 240.07	94031K850-010 232.87	95031K850-010 279.46	550
1-1/4 Air to Spring Open	91231K850-012 319.38	93231K850-012 319.38	94031K850-012 309.80	95031K850-012 367.60	550
1-1/2 Air to Spring Open	91231K850-015 401.49	93231K850-015 401.49	94031K850-015 389.45	95031K850-015 464.06	550
2 Air to Spring Open	91231K850-020 488.84	93231K850-020 488.84	94031K850-020 474.17	95031K850-020 561.84	550

PVC - EPDM O-ring and EPDM Backed PTFE Diaphragm

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91151H850-005 257.06	93151H850-005 257.06	94051H850-005 249.35	95051H850-005 319.12	550
3/4 Air to Air	91151H850-007 275.91	93151H850-007 275.91	94051H850-007 267.62	95051H850-007 318.01	550
1 Air to Air	91151H850-010 294.74	93151H850-010 294.74	94051H850-010 285.89	95051H850-010 336.84	550
1-1/4 Air to Air	91151H850-012 367.86	93151H850-012 367.86	94051H850-012 356.83	95051H850-012 418.83	550
1-1/2 Air to Air	91151H850-015 463.16	93151H850-015 463.16	94051H850-015 449.26	95051H850-015 529.64	550
2 Air to Air	91151H850-020 557.34	93151H850-020 557.34	94051H850-020 540.62	95051H850-020 640.44	550
1/2 Air to Spring Close	91151J850-005 341.27	93151J850-005 341.27	94051J850-005 331.03	95051J850-005 414.40	550
3/4 Air to Spring Close	91151J850-007 365.65	93151J850-007 365.65	94051J850-007 354.68	95051J850-007 438.78	550
1 Air to Spring Close	91151J850-010 388.92	93151J850-010 388.92	94051J850-010 377.25	95051J850-010 466.48	550
1-1/4 Air to Spring Close	91151J850-012 488.64	93151J850-012 488.64	94051J850-012 473.98	95051J850-012 585.04	550
1-1/2 Air to Spring Close	91151J850-015 585.04	93151J850-015 585.04	94051J850-015 567.49	95051J850-015 726.87	550

**Actuated Valves Product**  
**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**



**PVC - EPDM O-ring and EPDM Backed PTFE Diaphragm (continued)**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
2 Air to Spring Close	91151J850-020 <b>744.60</b>	93151J850-020 <b>744.60</b>	94051J850-020 <b>722.26</b>	95051J850-020 <b>891.97</b>	550
1/2 Air to Spring Open	91151K850-005 <b>257.06</b>	93151K850-005 <b>257.06</b>	94051K850-005 <b>249.35</b>	95051K850-005 <b>298.06</b>	550
3/4 Air to Spring Open	91151K850-007 <b>275.91</b>	93151K850-007 <b>275.91</b>	94051K850-007 <b>267.62</b>	95051K850-007 <b>319.12</b>	550
1 Air to Spring Open	91151K850-010 <b>294.74</b>	93151K850-010 <b>294.74</b>	94051K850-010 <b>285.89</b>	95051K850-010 <b>335.74</b>	550
1-1/4 Air to Spring Open	91151K850-012 <b>367.86</b>	93151K850-012 <b>367.86</b>	94051K850-012 <b>356.83</b>	95051K850-012 <b>423.27</b>	550
1-1/2 Air to Spring Open	91151K850-015 <b>463.16</b>	93151K850-015 <b>463.16</b>	94051K850-015 <b>449.26</b>	95051K850-015 <b>529.64</b>	550
2 Air to Spring Open	91151K850-020 <b>557.34</b>	93151K850-020 <b>557.34</b>	94051K850-020 <b>540.62</b>	95051K850-020 <b>641.55</b>	550

**PVC - FKM O-ring and EPDM Backed PTFE Diaphragm**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91251H850-005 <b>285.63</b>	93251H850-005 <b>285.63</b>	---	---	550
3/4 Air to Air	91251H850-007 <b>306.56</b>	93251H850-007 <b>306.56</b>	---	---	550
1 Air to Air	91251H850-010 <b>327.49</b>	93251H850-010 <b>327.49</b>	---	---	550
1-1/4 Air to Air	91251H850-012 <b>408.75</b>	93251H850-012 <b>408.75</b>	---	---	550
1-1/2 Air to Air	91251H850-015 <b>514.61</b>	93251H850-015 <b>514.61</b>	---	---	550
2 Air to Air	91251H850-020 <b>619.27</b>	93251H850-020 <b>619.27</b>	---	---	550
1/2 Air to Spring Close	91251J850-005 <b>379.19</b>	93251J850-005 <b>379.19</b>	---	---	550
3/4 Air to Spring Close	91251J850-007 <b>406.28</b>	93251J850-007 <b>406.28</b>	---	---	550
1 Air to Spring Close	91251J850-010 <b>432.14</b>	93251J850-010 <b>432.14</b>	---	---	550
1-1/4 Air to Spring Close	91251J850-012 <b>542.94</b>	93251J850-012 <b>542.94</b>	---	---	550
1-1/2 Air to Spring Close	91251J850-015 <b>650.05</b>	93251J850-015 <b>650.05</b>	---	---	550
2 Air to Spring Close	91251J850-020 <b>827.34</b>	93251J850-020 <b>827.34</b>	---	---	550
1/2 Air to Spring Open	91251K850-005 <b>285.63</b>	93251K850-005 <b>285.63</b>	---	---	550
3/4 Air to Spring Open	91251K850-007 <b>306.56</b>	93251K850-007 <b>306.56</b>	---	---	550
1 Air to Spring Open	91251K850-010 <b>327.49</b>	93251K850-010 <b>327.49</b>	---	---	550
1-1/4 Air to Spring Open	91251K850-012 <b>408.75</b>	93251K850-012 <b>408.75</b>	---	---	550
1-1/2 Air to Spring Open	91251K850-015 <b>514.61</b>	93251K850-015 <b>514.61</b>	---	---	550
2 Air to Spring Open	91251K850-020 <b>619.27</b>	93251K850-020 <b>619.27</b>	---	---	550



Actuated Valves Product

**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

**CPVC - EPDM O-ring and EPDM Diaphragm**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91122H850-005 275.91	93122H850-005 275.91	94022H850-005 267.03	95022H850-005 316.89	552
3/4 Air to Air	91122H850-007 296.96	93122H850-007 296.96	94022H850-007 286.98	95022H850-007 339.06	552
1 Air to Air	91122H850-010 314.68	93122H850-010 314.68	94022H850-010 304.71	95022H850-010 359.00	552
1-1/4 Air to Air	91122H850-012 391.14	93122H850-012 391.14	94022H850-012 378.95	95022H850-012 448.76	552
1-1/2 Air to Air	91122H850-015 493.07	93122H850-015 493.07	94022H850-015 478.67	95022H850-015 565.09	552
2 Air to Air	91122H850-020 597.23	93122H850-020 597.23	94022H850-020 579.51	95022H850-020 688.08	552
1/2 Air to Spring Close	91122J850-005 394.46	93122J850-005 394.46	94022J850-005 383.38	95022J850-005 453.19	552
3/4 Air to Spring Close	91122J850-007 442.11	93122J850-007 442.11	94022J850-007 428.81	95022J850-007 485.32	552
1 Air to Spring Close	91122J850-010 515.23	93122J850-010 515.23	94022J850-010 499.73	95022J850-010 513.02	552
1-1/4 Air to Spring Close	91122J850-012 630.47	93122J850-012 630.47	94022J850-012 611.63	95022J850-012 641.55	552
1-1/2 Air to Spring Close	91122J850-015 724.65	93122J850-015 724.65	94022J850-015 702.49	95022J850-015 807.76	552
2 Air to Spring Close	91122J850-020 911.92	93122J850-020 911.92	94022J850-020 884.21	95022J850-020 983.94	552
1/2 Air to Spring Open	91122K850-005 275.91	93122K850-005 275.91	94022K850-005 267.03	95022K850-005 316.89	552
3/4 Air to Spring Open	91122K850-007 296.96	93122K850-007 296.96	94022K850-007 286.98	95022K850-007 339.06	552
1 Air to Spring Open	91122K850-010 314.68	93122K850-010 314.68	94022K850-010 304.71	95022K850-010 359.00	552
1-1/4 Air to Spring Open	91122K850-012 391.14	93122K850-012 391.14	94022K850-012 378.95	95022K850-012 448.76	552
1-1/2 Air to Spring Open	91122K850-015 493.07	93122K850-015 493.07	94022K850-015 478.67	95022K850-015 565.09	552
2 Air to Spring Open	91122K850-020 597.23	93122K850-020 597.23	94022K850-020 579.51	95022K850-020 688.08	552

**CPVC - FKM O-ring and FKM Diaphragm**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91232H850-005 344.60	93232H850-005 344.60	94032H850-005 334.62	95032H850-005 352.36	552
3/4 Air to Air	91232H850-007 370.08	93232H850-007 370.08	94032H850-007 359.00	95032H850-007 376.73	552
1 Air to Air	91232H850-010 393.35	93232H850-010 393.35	94032H850-010 381.17	95032H850-010 398.89	552
1-1/4 Air to Air	91232H850-012 488.64	93232H850-012 488.64	94032H850-012 473.13	95032H850-012 527.42	552
1-1/2 Air to Air	91232H850-015 616.06	93232H850-015 616.06	94032H850-015 598.34	95032H850-015 664.82	552
2 Air to Air	91232H850-020 745.71	93232H850-020 745.71	94032H850-020 723.55	95032H850-020 809.97	552
1/2 Air to Spring Close	91232J850-005 493.07	93232J850-005 493.07	94032J850-005 478.67	95032J850-005 532.97	552
3/4 Air to Spring Close	91232J850-007 551.80	93232J850-007 551.80	94032J850-007 535.18	95032J850-007 570.64	552

**Actuated Valves Product**  
**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**



**CPVC - FKM O-ring and FKM Diaphragm (continued)**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1 Air to Spring Close	91232J850-010 <b>643.77</b>	93232J850-010 <b>643.77</b>	94032J850-010 <b>624.93</b>	95032J850-010 <b>602.77</b>	552
1-1/4 Air to Spring Close	91232J850-012 <b>787.81</b>	93232J850-012 <b>787.81</b>	94032J850-012 <b>764.55</b>	95032J850-012 <b>754.57</b>	552
1-1/2 Air to Spring Close	91232J850-015 <b>905.26</b>	93232J850-015 <b>905.26</b>	94032J850-015 <b>878.67</b>	95032J850-015 <b>949.59</b>	552
2 Air to Spring Close	91232J850-020 <b>1139.06</b>	93232J850-020 <b>1139.06</b>	94032J850-020 <b>1104.71</b>	95032J850-020 <b>1156.79</b>	552
1/2 Air to Spring Open	91232K850-005 <b>344.60</b>	93232K850-005 <b>344.60</b>	94032K850-005 <b>334.62</b>	95032K850-005 <b>373.41</b>	552
3/4 Air to Spring Open	91232K850-007 <b>370.08</b>	93232K850-007 <b>370.08</b>	94032K850-007 <b>359.00</b>	95032K850-007 <b>398.89</b>	552
1 Air to Spring Open	91232K850-010 <b>393.35</b>	93232K850-010 <b>393.35</b>	94032K850-010 <b>381.17</b>	95032K850-010 <b>422.16</b>	552
1-1/4 Air to Spring Open	91232K850-012 <b>488.64</b>	93232K850-012 <b>488.64</b>	94032K850-012 <b>473.13</b>	95032K850-012 <b>527.42</b>	552
1-1/2 Air to Spring Open	91232K850-015 <b>616.06</b>	93232K850-015 <b>616.06</b>	94032K850-015 <b>598.34</b>	95032K850-015 <b>664.82</b>	552
2 Air to Spring Open	91232K850-020 <b>745.71</b>	93232K850-020 <b>745.71</b>	94032K850-020 <b>723.55</b>	95032K850-020 <b>809.97</b>	552

**CPVC - EPDM O-ring and EPDM Backed PTFE Diaphragm**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91152H850-005 <b>372.29</b>	93152H850-005 <b>372.29</b>	94052H850-005 <b>361.22</b>	95052H850-005 <b>372.29</b>	552
3/4 Air to Air	91152H850-007 <b>398.89</b>	93152H850-007 <b>398.89</b>	94052H850-007 <b>386.71</b>	95052H850-007 <b>457.62</b>	552
1 Air to Air	91152H850-010 <b>419.95</b>	93152H850-010 <b>419.95</b>	94052H850-010 <b>406.65</b>	95052H850-010 <b>483.11</b>	552
1-1/4 Air to Air	91152H850-012 <b>529.64</b>	93152H850-012 <b>529.64</b>	94052H850-012 <b>513.02</b>	95052H850-012 <b>610.53</b>	552
1-1/2 Air to Air	91152H850-015 <b>662.60</b>	93152H850-015 <b>662.60</b>	94052H850-015 <b>642.66</b>	95052H850-015 <b>764.55</b>	552
2 Air to Air	91152H850-020 <b>802.22</b>	93152H850-020 <b>802.22</b>	94052H850-020 <b>777.84</b>	95052H850-020 <b>922.99</b>	552
1/2 Air to Spring Close	91152J850-005 <b>496.40</b>	93152J850-005 <b>496.40</b>	94052J850-005 <b>480.88</b>	95052J850-005 <b>531.85</b>	552
3/4 Air to Spring Close	91152J850-007 <b>531.85</b>	93152J850-007 <b>531.85</b>	94052J850-007 <b>516.35</b>	95052J850-007 <b>652.63</b>	552
1 Air to Spring Close	91152J850-010 <b>552.91</b>	93152J850-010 <b>552.91</b>	94052J850-010 <b>536.28</b>	95052J850-010 <b>690.31</b>	552
1-1/4 Air to Spring Close	91152J850-012 <b>704.71</b>	93152J850-012 <b>704.71</b>	94052J850-012 <b>683.65</b>	95052J850-012 <b>873.13</b>	552
1-1/2 Air to Spring Close	91152J850-015 <b>837.67</b>	93152J850-015 <b>837.67</b>	94052J850-015 <b>813.29</b>	95052J850-015 <b>1092.52</b>	552
2 Air to Spring Close	91152J850-020 <b>1069.25</b>	93152J850-020 <b>1069.25</b>	94052J850-020 <b>1037.12</b>	95052J850-020 <b>1317.45</b>	552
1/2 Air to Spring Open	91152K850-005 <b>372.29</b>	93152K850-005 <b>372.29</b>	94052K850-005 <b>361.22</b>	95052K850-005 <b>372.29</b>	552
3/4 Air to Spring Open	91152K850-007 <b>398.89</b>	93152K850-007 <b>398.89</b>	94052K850-007 <b>386.71</b>	95052K850-007 <b>457.62</b>	552
1 Air to Spring Open	91152K850-010 <b>419.95</b>	93152K850-010 <b>419.95</b>	94052K850-010 <b>406.65</b>	95052K850-010 <b>483.11</b>	552
1-1/4 Air to Spring Open	91152K850-012 <b>529.64</b>	93152K850-012 <b>529.64</b>	94052K850-012 <b>513.02</b>	95052K850-012 <b>610.53</b>	552



Actuated Valves Product

**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

CPVC - EPDM O-ring and EPDM Backed PTFE Diaphragm (continued)

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1-1/2 Air to Spring Open	91152K850-015 <b>662.60</b>	93152K850-015 <b>662.60</b>	94052K850-015 <b>642.66</b>	95052K850-015 <b>764.55</b>	552
2 Air to Spring Open	91152K850-020 <b>802.22</b>	93152K850-020 <b>802.22</b>	94052K850-020 <b>777.84</b>	95052K850-020 <b>922.99</b>	552

**Actuated Valves Product**  
**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**



**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

**CPVC - FKM O-ring and EPDM Backed PTFE Diaphragm**

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	91252H850-005 431.02	93252H850-005 431.02	552
3/4 Air to Air	91252H850-007 463.16	93252H850-007 463.16	552
1 Air to Air	91252H850-010 490.86	93252H850-010 490.86	552
1-1/4 Air to Air	91252H850-012 610.53	93252H850-012 610.53	552
1-1/2 Air to Air	91252H850-015 770.08	93252H850-015 770.08	552
2 Air to Air	91252H850-020 932.97	93252H850-020 932.97	552
1/2 Air to Spring Close	91252J850-005 617.18	93252J850-005 617.18	552
3/4 Air to Spring Close	91252J850-007 690.31	93252J850-007 690.31	552
1 Air to Spring Close	91252J850-010 805.54	93252J850-010 805.54	552
1-1/4 Air to Spring Close	91252J850-012 985.04	93252J850-012 985.04	552
1-1/2 Air to Spring Close	91252J850-015 1131.31	93252J850-015 1131.31	552
2 Air to Spring Close	91252J850-020 1423.82	93252J850-020 1423.82	552
1/2 Air to Spring Open	91252K850-005 431.02	93252K850-005 431.02	552
3/4 Air to Spring Open	91252K850-007 463.16	93252K850-007 463.16	552
1 Air to Spring Open	91252K850-010 490.86	93252K850-010 490.86	552
1-1/4 Air to Spring Open	91252K850-012 610.53	93252K850-012 610.53	552
1-1/2 Air to Spring Open	91252K850-015 770.08	93252K850-015 770.08	552
2 Air to Spring Open	91252K850-020 932.97	93252K850-020 932.97	552

**Polypropylene - EPDM O-ring and EPDM Diaphragm SR Thread**

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93123H850-005 230.47	554
3/4 Air to Air	---	93123H850-007 249.31	554
1 Air to Air	---	93123H850-010 260.39	554
1-1/4 Air to Air	---	93123H850-012 330.19	554
1-1/2 Air to Air	---	93123H850-015 414.40	554
2 Air to Air	---	93123H850-020 499.73	554
1/2 Air to Spring Close	---	93123J850-005 312.46	554
3/4 Air to Spring Close	---	93123J850-007 359.00	554
1 Air to Spring Close	---	93123J850-010 407.76	554

**Polypropylene - EPDM O-ring and EPDM Diaphragm SR Thread (continued)**

Size	Socket	SR Thread	Prod Code
1-1/4 Air to Spring Close	---	93123J850-012 465.38	554
1-1/2 Air to Spring	---	93123J850-015 568.42	554
2 Air to Spring Close	---	93123J850-020 699.17	554
1/2 Air to Spring Open	---	93123K850-005 230.47	554
3/4 Air to Spring Open	---	93123K850-007 249.31	554
1 Air to Spring Open	---	93123K850-010 260.39	554
1-1/4 Air to Spring Open	---	93123K850-012 330.19	554
1-1/2 Air to Spring Open	---	93123K850-015 414.40	554
2 Air to Spring Open	---	93123K850-020 499.73	554

**Polypropylene - FKM O-ring and FKM Diaphragm SR Thread**

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93233H850-005 365.65	554
3/4 Air to Air	---	93233H850-007 395.57	554
1 Air to Air	---	93233H850-010 413.29	554
1-1/4 Air to Air	---	93233H850-012 524.09	554
1-1/2 Air to Air	---	93233H850-015 658.17	554
2 Air to Air	---	93233H850-020 793.35	554
1/2 Air to Spring Close	---	93233J850-005 496.40	554
3/4 Air to Spring Close	---	93233J850-007 569.53	554
1 Air to Spring Close	---	93233J850-010 647.09	554
1-1/4 Air to Spring Close	---	93233J850-012 739.06	554
1-1/2 Air to Spring Close	---	93233J850-015 901.94	554
2 Air to Spring Close	---	93233J850-020 1110.25	554
1/2 Air to Spring Open	---	93233K850-005 365.65	554
3/4 Air to Spring Open	---	93233K850-007 395.57	554
1 Air to Spring Open	---	93233K850-010 413.29	554
1-1/4 Air to Spring Open	---	93233K850-012 524.09	554
1-1/2 Air to Spring Open	---	93233K850-015 658.17	554
2 Air to Spring Open	---	93233K850-020 793.35	554



**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

**Polypropylene - EPDM O-ring and EPDM Backed PTFE Diaphragm SR Thread**

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93153H850-005 383.38	554
3/4 Air to Air	---	93153H850-007 397.78	554
1 Air to Air	---	93153H850-010 414.40	554
1-1/4 Air to Air	---	93153H850-012 572.85	554
1-1/2 Air to Air	---	93153H850-015 689.20	554
2 Air to Air	---	93153H850-020 839.88	554
1/2 Air to Spring Close	---	93153J850-005 397.78	554
3/4 Air to Spring Close	---	93153J850-007 424.38	554
1 Air to Spring Close	---	93153J850-010 452.07	554
1-1/4 Air to Spring Close	---	93153J850-012 562.88	554
1-1/2 Air to Spring Close	---	93153J850-015 674.79	554
2 Air to Spring Close	---	93153J850-020 863.16	554
1/2 Air to Spring Open	---	93153K850-005 383.38	554
3/4 Air to Spring Open	---	93153K850-007 397.78	554
1 Air to Spring Open	---	93153K850-010 414.40	554
1-1/4 Air to Spring Open	---	93153K850-012 572.85	554
1-1/2 Air to Spring Open	---	93153K850-015 689.20	554
2 Air to Spring Open	---	93153K850-020 839.88	554

**Polypropylene - FKM O-ring and EPDM Backed PTFE Diaphragm SR Thread**

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93253H850-005 445.43	554
3/4 Air to Air	---	93253H850-007 462.05	554
1 Air to Air	---	93253H850-010 481.99	554
1-1/4 Air to Air	---	93253H850-012 665.93	554
1-1/2 Air to Air	---	93253H850-015 801.11	554
2 Air to Air	---	93253H850-020 976.18	554
1/2 Air to Spring Close	---	93253J850-005 462.05	554

**Polypropylene - FKM O-ring and EPDM Backed PTFE Diaphragm SR Thread (continued)**

Size	Socket	SR Thread	Prod Code
3/4 Air to Spring Close	---	93253J850-007 493.07	554
1 Air to Spring Close	---	93253J850-010 525.21	554
1-1/4 Air to Spring Close	---	93253J850-012 654.85	554
1-1/2 Air to Spring Close	---	93253J850-015 784.48	554
2 Air to Spring Close	---	93253J850-020 1003.87	554
1/2 Air to Spring Open	---	93253K850-005 445.43	554
3/4 Air to Spring Open	---	93253K850-007 462.05	554
1 Air to Spring Open	---	93253K850-010 481.99	554
1-1/4 Air to Spring Open	---	93253K850-012 665.93	554
1-1/2 Air to Spring Open	---	93253K850-015 801.11	554
2 Air to Spring Open	---	93253K850-020 976.18	554