



## Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing



Industrial grade Weir-type design, excellent for throttling and use with viscous fluids or slurries.

- Compact, Light Weight Design
- True Union Socket/Thread, SR Thread, or Spigot End Connections - sizes 1/2"-2" Pressure Rated to 235 psi @ 73°F (23°C)
- Flanged Ends (& PTFE diaphragms) - sizes 1/2" - 2" Pressure Rated to 150 psi @ 73°F (23°C)
- Corrosion Resistant Plastic Housing
- Stainless Steel Hardware
- 90 psi Operating Pressure
- Linear Action Operation with Preset Stops
- Air-Air, Air-Spring Closed, or Optional Air-Spring Open

NOTE: "Socket" valves include standard plastic thread end connectors.

### PVC - EPDM O-ring and EPDM Diaphragm

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91121H850-005* CALL	93121H850-005* CALL	94021H850-005* CALL	95021H850-005* CALL	550
3/4 Air to Air	91121H850-007* CALL	93121H850-007* CALL	94021H850-007* CALL	95021H850-007* CALL	550
1 Air to Air	91121H850-010* CALL	93121H850-010* CALL	94021H850-010* CALL	95021H850-010* CALL	550
1-1/4 Air to Air	91121H850-012* CALL	93121H850-012* CALL	94021H850-012* CALL	95021H850-012* CALL	550
1-1/2 Air to Air	91121H850-015* CALL	93121H850-015* CALL	94021H850-015* CALL	95021H850-015* CALL	550
2 Air to Air	91121H850-020* CALL	93121H850-020* CALL	94021H850-020* CALL	95021H850-020* CALL	550
1/2 Air to Spring Close	91121J850-005* CALL	93121J850-005* CALL	94021J850-005* CALL	95021J850-005* CALL	550
3/4 Air to Spring Close	91121J850-007* CALL	93121J850-007* CALL	94021J850-007* CALL	95021J850-007* CALL	550
1 Air to Spring Close	91121J850-010* CALL	93121J850-010* CALL	94021J850-010* CALL	95021J850-010* CALL	550
1-1/4 Air to Spring Close	91121J850-012* CALL	93121J850-012* CALL	94021J850-012* CALL	95021J850-012* CALL	550
1-1/2 Air to Spring Close	91121J850-015* CALL	93121J850-015* CALL	94021J850-015* CALL	95021J850-015* CALL	550
2 Air to Spring Close	91121J850-020* CALL	93121J850-020* CALL	94021J850-020* CALL	95021J850-020* CALL	550
1/2 Air to Spring Open	91121K850-005* CALL	93121K850-005* CALL	94021K850-005* CALL	95021K850-005* CALL	550
3/4 Air to Spring Open	91121K850-007* CALL	93121K850-007* CALL	94021K850-007* CALL	95021K850-007* CALL	550
1 Air to Spring Open	91121K850-010* CALL	93121K850-010* CALL	94021K850-010* CALL	95021K850-010* CALL	550
1-1/4 Air to Spring Open	91121K850-012* CALL	93121K850-012* CALL	94021K850-012* CALL	95021K850-012* CALL	550
1-1/2 Air to Spring Open	91121K850-015* CALL	93121K850-015* CALL	94021K850-015* CALL	95021K850-015* CALL	550
2 Air to Spring Open	91121K850-020* CALL	93121K850-020* CALL	94021K850-020* CALL	95021K850-020* CALL	550

### PVC - FKM O-ring and FKM Diaphragm

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91231H850-005* CALL	93231H850-005* CALL	94031H850-005* CALL	95031H850-005* CALL	550
3/4 Air to Air	91231H850-007* CALL	93231H850-007* CALL	94031H850-007* CALL	95031H850-007* CALL	550
1 Air to Air	91231H850-010* CALL	93231H850-010* CALL	94031H850-010* CALL	95031H850-010* CALL	550

Actuated Valves Product  
**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**



**PVC - FKM O-ring and FKM Diaphragm (continued)**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1-1/4 Air to Air	91231H850-012* CALL	93231H850-012* CALL	94031H850-012* CALL	95031H850-012* CALL	550
1-1/2 Air to Air	91231H850-015* CALL	93231H850-015* CALL	94031H850-015* CALL	95031H850-015* CALL	550
2 Air to Air	91231H850-020* CALL	93231H850-020* CALL	94031H850-020* CALL	95031H850-020* CALL	550
1/2 Air to Spring Close	91231J850-005* CALL	93231J850-005* CALL	94031J850-005* CALL	95031J850-005* CALL	550
3/4 Air to Spring Close	91231J850-007* CALL	93231J850-007* CALL	94031J850-007* CALL	95031J850-007* CALL	550
1 Air to Spring Close	91231J850-010* CALL	93231J850-010* CALL	94031J850-010* CALL	95031J850-010* CALL	550
1-1/4 Air to Spring Close	91231J850-012* CALL	93231J850-012* CALL	94031J850-012* CALL	95031J850-012* CALL	550
1-1/2 Air to Spring Close	91231J850-015* CALL	93231J850-015* CALL	94031J850-015* CALL	95031J850-015* CALL	550
2 Air to Spring Close	91231J850-020* CALL	93231J850-020* CALL	94031J850-020* CALL	95031J850-020* CALL	550
1/2 Air to Spring Open	91231K850-005* CALL	93231K850-005* CALL	94031K850-005* CALL	95031K850-005* CALL	550
3/4 Air to Spring Open	91231K850-007* CALL	93231K850-007* CALL	94031K850-007* CALL	95031K850-007* CALL	550
1 Air to Spring Open	91231K850-010* CALL	93231K850-010* CALL	94031K850-010* CALL	95031K850-010* CALL	550
1-1/4 Air to Spring Open	91231K850-012* CALL	93231K850-012* CALL	94031K850-012* CALL	95031K850-012* CALL	550
1-1/2 Air to Spring Open	91231K850-015* CALL	93231K850-015* CALL	94031K850-015* CALL	95031K850-015* CALL	550
2 Air to Spring Open	91231K850-020* CALL	93231K850-020* CALL	94031K850-020* CALL	95031K850-020* CALL	550

**PVC - EPDM O-ring and EPDM Backed PTFE Diaphragm**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91151H850-005* CALL	93151H850-005* CALL	94051H850-005* CALL	95051H850-005* CALL	550
3/4 Air to Air	91151H850-007* CALL	93151H850-007* CALL	94051H850-007* CALL	95051H850-007* CALL	550
1 Air to Air	91151H850-010* CALL	93151H850-010* CALL	94051H850-010* CALL	95051H850-010* CALL	550
1-1/4 Air to Air	91151H850-012* CALL	93151H850-012* CALL	94051H850-012* CALL	95051H850-012* CALL	550
1-1/2 Air to Air	91151H850-015* CALL	93151H850-015* CALL	94051H850-015* CALL	95051H850-015* CALL	550
2 Air to Air	91151H850-020* CALL	93151H850-020* CALL	94051H850-020* CALL	95051H850-020* CALL	550
1/2 Air to Spring Close	91151J850-005* CALL	93151J850-005* CALL	94051J850-005* CALL	95051J850-005* CALL	550
3/4 Air to Spring Close	91151J850-007* CALL	93151J850-007* CALL	94051J850-007* CALL	95051J850-007* CALL	550
1 Air to Spring Close	91151J850-010* CALL	93151J850-010* CALL	94051J850-010* CALL	95051J850-010* CALL	550
1-1/4 Air to Spring Close	91151J850-012* CALL	93151J850-012* CALL	94051J850-012* CALL	95051J850-012* CALL	550
1-1/2 Air to Spring Close	91151J850-015* CALL	93151J850-015* CALL	94051J850-015* CALL	95051J850-015* CALL	550



Actuated Valves Product

**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

**PVC - EPDM O-ring and EPDM Backed PTFE Diaphragm (continued)**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
2 Air to Spring Close	91151J850-020* CALL	93151J850-020* CALL	94051J850-020* CALL	95051J850-020* CALL	550
1/2 Air to Spring Open	91151K850-005* CALL	93151K850-005* CALL	94051K850-005* CALL	95051K850-005* CALL	550
3/4 Air to Spring Open	91151K850-007* CALL	93151K850-007* CALL	94051K850-007* CALL	95051K850-007* CALL	550
1 Air to Spring Open	91151K850-010* CALL	93151K850-010* CALL	94051K850-010* CALL	95051K850-010* CALL	550
1-1/4 Air to Spring Open	91151K850-012* CALL	93151K850-012* CALL	94051K850-012* CALL	95051K850-012* CALL	550
1-1/2 Air to Spring Open	91151K850-015* CALL	93151K850-015* CALL	94051K850-015* CALL	95051K850-015* CALL	550
2 Air to Spring Open	91151K850-020* CALL	93151K850-020* CALL	94051K850-020* CALL	95051K850-020* CALL	550

**PVC - FKM O-ring and EPDM Backed PTFE Diaphragm**

Size	Socket	SR Thread	Flanged	Spigot	Prod Code
1/2 Air to Air	91251H850-005* CALL	93251H850-005* CALL	---	---	550
3/4 Air to Air	91251H850-007* CALL	93251H850-007* CALL	---	---	550
1 Air to Air	91251H850-010* CALL	93251H850-010* CALL	---	---	550
1-1/4 Air to Air	91251H850-012* CALL	93251H850-012* CALL	---	---	550
1-1/2 Air to Air	91251H850-015* CALL	93251H850-015* CALL	---	---	550
2 Air to Air	91251H850-020* CALL	93251H850-020* CALL	---	---	550
1/2 Air to Spring Close	91251J850-005* CALL	93251J850-005* CALL	---	---	550
3/4 Air to Spring Close	91251J850-007* CALL	93251J850-007* CALL	---	---	550
1 Air to Spring Close	91251J850-010* CALL	93251J850-010* CALL	---	---	550
1-1/4 Air to Spring Close	91251J850-012* CALL	93251J850-012* CALL	---	---	550
1-1/2 Air to Spring Close	91251J850-015* CALL	93251J850-015* CALL	---	---	550
2 Air to Spring Close	91251J850-020* CALL	93251J850-020* CALL	---	---	550
1/2 Air to Spring Open	91251K850-005* CALL	93251K850-005* CALL	---	---	550
3/4 Air to Spring Open	91251K850-007* CALL	93251K850-007* CALL	---	---	550
1 Air to Spring Open	91251K850-010* CALL	93251K850-010* CALL	---	---	550
1-1/4 Air to Spring Open	91251K850-012* CALL	93251K850-012* CALL	---	---	550
1-1/2 Air to Spring Open	91251K850-015* CALL	93251K850-015* CALL	---	---	550
2 Air to Spring Open	91251K850-020* CALL	93251K850-020* CALL	---	---	550

**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**



**CPVC - EPDM O-ring and EPDM Diaphragm**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91122H850-005* CALL	93122H850-005* CALL	94022H850-005* CALL	95022H850-005* CALL	552
3/4 Air to Air	91122H850-007* CALL	93122H850-007* CALL	94022H850-007* CALL	95022H850-007* CALL	552
1 Air to Air	91122H850-010* CALL	93122H850-010* CALL	94022H850-010* CALL	95022H850-010* CALL	552
1-1/4 Air to Air	91122H850-012* CALL	93122H850-012* CALL	94022H850-012* CALL	95022H850-012* CALL	552
1-1/2 Air to Air	91122H850-015* CALL	93122H850-015* CALL	94022H850-015* CALL	95022H850-015* CALL	552
2 Air to Air	91122H850-020* CALL	93122H850-020* CALL	94022H850-020* CALL	95022H850-020* CALL	552
1/2 Air to Spring Close	91122J850-005* CALL	93122J850-005* CALL	94022J850-005* CALL	95022J850-005* CALL	552
3/4 Air to Spring Close	91122J850-007* CALL	93122J850-007* CALL	94022J850-007* CALL	95022J850-007* CALL	552
1 Air to Spring Close	91122J850-010* CALL	93122J850-010* CALL	94022J850-010* CALL	95022J850-010* CALL	552
1-1/4 Air to Spring Close	91122J850-012* CALL	93122J850-012* CALL	94022J850-012* CALL	95022J850-012* CALL	552
1-1/2 Air to Spring Close	91122J850-015* CALL	93122J850-015* CALL	94022J850-015* CALL	95022J850-015* CALL	552
2 Air to Spring Close	91122J850-020* CALL	93122J850-020* CALL	94022J850-020* CALL	95022J850-020* CALL	552
1/2 Air to Spring Open	91122K850-005* CALL	93122K850-005* CALL	94022K850-005* CALL	95022K850-005* CALL	552
3/4 Air to Spring Open	91122K850-007* CALL	93122K850-007* CALL	94022K850-007* CALL	95022K850-007* CALL	552
1 Air to Spring Open	91122K850-010* CALL	93122K850-010* CALL	94022K850-010* CALL	95022K850-010* CALL	552
1-1/4 Air to Spring Open	91122K850-012* CALL	93122K850-012* CALL	94022K850-012* CALL	95022K850-012* CALL	552
1-1/2 Air to Spring Open	91122K850-015* CALL	93122K850-015* CALL	94022K850-015* CALL	95022K850-015* CALL	552
2 Air to Spring Open	91122K850-020* CALL	93122K850-020* CALL	94022K850-020* CALL	95022K850-020* CALL	552

**CPVC - FKM O-ring and FKM Diaphragm**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91232H850-005* CALL	93232H850-005* CALL	94032H850-005* CALL	95032H850-005* CALL	552
3/4 Air to Air	91232H850-007* CALL	93232H850-007* CALL	94032H850-007* CALL	95032H850-007* CALL	552
1 Air to Air	91232H850-010* CALL	93232H850-010* CALL	94032H850-010* CALL	95032H850-010* CALL	552
1-1/4 Air to Air	91232H850-012* CALL	93232H850-012* CALL	94032H850-012* CALL	95032H850-012* CALL	552
1-1/2 Air to Air	91232H850-015* CALL	93232H850-015* CALL	94032H850-015* CALL	95032H850-015* CALL	552
2 Air to Air	91232H850-020* CALL	93232H850-020* CALL	94032H850-020* CALL	95032H850-020* CALL	552
1/2 Air to Spring Close	91232J850-005* CALL	93232J850-005* CALL	94032J850-005* CALL	95032J850-005* CALL	552
3/4 Air to Spring Close	91232J850-007* CALL	93232J850-007* CALL	94032J850-007* CALL	95032J850-007* CALL	552



**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

**CPVC - FKM O-ring and FKM Diaphragm (continued)**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1 Air to Spring Close	91232J850-010* CALL	93232J850-010* CALL	94032J850-010* CALL	95032J850-010* CALL	552
1-1/4 Air to Spring Close	91232J850-012* CALL	93232J850-012* CALL	94032J850-012* CALL	95032J850-012* CALL	552
1-1/2 Air to Spring Close	91232J850-015* CALL	93232J850-015* CALL	94032J850-015* CALL	95032J850-015* CALL	552
2 Air to Spring Close	91232J850-020* CALL	93232J850-020* CALL	94032J850-020* CALL	95032J850-020* CALL	552
1/2 Air to Spring Open	91232K850-005* CALL	93232K850-005* CALL	94032K850-005* CALL	95032K850-005* CALL	552
3/4 Air to Spring Open	91232K850-007* CALL	93232K850-007* CALL	94032K850-007* CALL	95032K850-007* CALL	552
1 Air to Spring Open	91232K850-010* CALL	93232K850-010* CALL	94032K850-010* CALL	95032K850-010* CALL	552
1-1/4 Air to Spring Open	91232K850-012* CALL	93232K850-012* CALL	94032K850-012* CALL	95032K850-012* CALL	552
1-1/2 Air to Spring Open	91232K850-015* CALL	93232K850-015* CALL	94032K850-015* CALL	95032K850-015* CALL	552
2 Air to Spring Open	91232K850-020* CALL	93232K850-020* CALL	94032K850-020* CALL	95032K850-020* CALL	552

**CPVC - EPDM O-ring and EPDM Backed PTFE Diaphragm**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91152H850-005* CALL	93152H850-005* CALL	94052H850-005* CALL	95052H850-005* CALL	552
3/4 Air to Air	91152H850-007* CALL	93152H850-007* CALL	94052H850-007* CALL	95052H850-007* CALL	552
1 Air to Air	91152H850-010* CALL	93152H850-010* CALL	94052H850-010* CALL	95052H850-010* CALL	552
1-1/4 Air to Air	91152H850-012* CALL	93152H850-012* CALL	94052H850-012* CALL	95052H850-012* CALL	552
1-1/2 Air to Air	91152H850-015* CALL	93152H850-015* CALL	94052H850-015* CALL	95052H850-015* CALL	552
2 Air to Air	91152H850-020* CALL	93152H850-020* CALL	94052H850-020* CALL	95052H850-020* CALL	552
1/2 Air to Spring Close	91152J850-005* CALL	93152J850-005* CALL	94052J850-005* CALL	95052J850-005* CALL	552
3/4 Air to Spring Close	91152J850-007* CALL	93152J850-007* CALL	94052J850-007* CALL	95052J850-007* CALL	552
1 Air to Spring Close	91152J850-010* CALL	93152J850-010* CALL	94052J850-010* CALL	95052J850-010* CALL	552
1-1/4 Air to Spring Close	91152J850-012* CALL	93152J850-012* CALL	94052J850-012* CALL	95052J850-012* CALL	552
1-1/2 Air to Spring Close	91152J850-015* CALL	93152J850-015* CALL	94052J850-015* CALL	95052J850-015* CALL	552
2 Air to Spring Close	91152J850-020* CALL	93152J850-020* CALL	94052J850-020* CALL	95052J850-020* CALL	552
1/2 Air to Spring Open	91152K850-005* CALL	93152K850-005* CALL	94052K850-005* CALL	95052K850-005* CALL	552
3/4 Air to Spring Open	91152K850-007* CALL	93152K850-007* CALL	94052K850-007* CALL	95052K850-007* CALL	552
1 Air to Spring Open	91152K850-010* CALL	93152K850-010* CALL	94052K850-010* CALL	95052K850-010* CALL	552
1-1/4 Air to Spring Open	91152K850-012* CALL	93152K850-012* CALL	94052K850-012* CALL	95052K850-012* CALL	552

Actuated Valves Product  
**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**



**CPVC - EPDM O-ring and EPDM Backed PTFE Diaphragm (continued)**

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
<b>1-1/2 Air to Spring Open</b>	91152K850-015*	93152K850-015*	94052K850-015*	95052K850-015*	552
	<b>CALL</b>	<b>CALL</b>	<b>CALL</b>	<b>CALL</b>	
<b>2 Air to Spring Open</b>	91152K850-020*	93152K850-020*	94052K850-020*	95052K850-020*	552
	<b>CALL</b>	<b>CALL</b>	<b>CALL</b>	<b>CALL</b>	





**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

**CPVC - FKM O-ring and EPDM Backed PTFE Diaphragm**

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	91252H850-005* CALL	93252H850-005* CALL	552
3/4 Air to Air	91252H850-007* CALL	93252H850-007* CALL	552
1 Air to Air	91252H850-010* CALL	93252H850-010* CALL	552
1-1/4 Air to Air	91252H850-012* CALL	93252H850-012* CALL	552
1-1/2 Air to Air	91252H850-015* CALL	93252H850-015* CALL	552
2 Air to Air	91252H850-020* CALL	93252H850-020* CALL	552
1/2 Air to Spring Close	91252J850-005* CALL	93252J850-005* CALL	552
3/4 Air to Spring Close	91252J850-007* CALL	93252J850-007* CALL	552
1 Air to Spring Close	91252J850-010* CALL	93252J850-010* CALL	552
1-1/4 Air to Spring Close	91252J850-012* CALL	93252J850-012* CALL	552
1-1/2 Air to Spring Close	91252J850-015* CALL	93252J850-015* CALL	552
2 Air to Spring Close	91252J850-020* CALL	93252J850-020* CALL	552
1/2 Air to Spring Open	91252K850-005* CALL	93252K850-005* CALL	552
3/4 Air to Spring Open	91252K850-007* CALL	93252K850-007* CALL	552
1 Air to Spring Open	91252K850-010* CALL	93252K850-010* CALL	552
1-1/4 Air to Spring Open	91252K850-012* CALL	93252K850-012* CALL	552
1-1/2 Air to Spring Open	91252K850-015* CALL	93252K850-015* CALL	552
2 Air to Spring Open	91252K850-020* CALL	93252K850-020* CALL	552

**Polypropylene - EPDM O-ring and EPDM Diaphragm SR Thread**

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93123H850-005* CALL	554
3/4 Air to Air	---	93123H850-007* CALL	554
1 Air to Air	---	93123H850-010* CALL	554
1-1/4 Air to Air	---	93123H850-012* CALL	554
1-1/2 Air to Air	---	93123H850-015* CALL	554
2 Air to Air	---	93123H850-020* CALL	554
1/2 Air to Spring Close	---	93123J850-005* CALL	554
3/4 Air to Spring Close	---	93123J850-007* CALL	554
1 Air to Spring Close	---	93123J850-010* CALL	554

**Polypropylene - EPDM O-ring and EPDM Diaphragm SR Thread (continued)**

Size	Socket	SR Thread	Prod Code
1-1/4 Air to Spring Close	---	93123J850-012* CALL	554
1-1/2 Air to Spring	---	93123J850-015* CALL	554
2 Air to Spring Close	---	93123J850-020* CALL	554
1/2 Air to Spring Open	---	93123K850-005* CALL	554
3/4 Air to Spring Open	---	93123K850-007* CALL	554
1 Air to Spring Open	---	93123K850-010* CALL	554
1-1/4 Air to Spring Open	---	93123K850-012* CALL	554
1-1/2 Air to Spring Open	---	93123K850-015* CALL	554
2 Air to Spring Open	---	93123K850-020* CALL	554

**Polypropylene - FKM O-ring and FKM Diaphragm SR Thread**

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93233H850-005* CALL	554
3/4 Air to Air	---	93233H850-007* CALL	554
1 Air to Air	---	93233H850-010* CALL	554
1-1/4 Air to Air	---	93233H850-012* CALL	554
1-1/2 Air to Air	---	93233H850-015* CALL	554
2 Air to Air	---	93233H850-020* CALL	554
1/2 Air to Spring Close	---	93233J850-005* CALL	554
3/4 Air to Spring Close	---	93233J850-007* CALL	554
1 Air to Spring Close	---	93233J850-010* CALL	554
1-1/4 Air to Spring Close	---	93233J850-012* CALL	554
1-1/2 Air to Spring Close	---	93233J850-015* CALL	554
2 Air to Spring Close	---	93233J850-020* CALL	554
1/2 Air to Spring Open	---	93233K850-005* CALL	554
3/4 Air to Spring Open	---	93233K850-007* CALL	554
1 Air to Spring Open	---	93233K850-010* CALL	554
1-1/4 Air to Spring Open	---	93233K850-012* CALL	554
1-1/2 Air to Spring Open	---	93233K850-015* CALL	554
2 Air to Spring Open	---	93233K850-020* CALL	554

**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**



**Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing**

**Polypropylene - EPDM O-ring and EPDM Backed PTFE Diaphragm SR Thread**

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93153H850-005* CALL	554
3/4 Air to Air	---	93153H850-007* CALL	554
1 Air to Air	---	93153H850-010* CALL	554
1-1/4 Air to Air	---	93153H850-012* CALL	554
1-1/2 Air to Air	---	93153H850-015* CALL	554
2 Air to Air	---	93153H850-020* CALL	554
1/2 Air to Spring Close	---	93153J850-005* CALL	554
3/4 Air to Spring Close	---	93153J850-007* CALL	554
1 Air to Spring Close	---	93153J850-010* CALL	554
1-1/4 Air to Spring Close	---	93153J850-012* CALL	554
1-1/2 Air to Spring Close	---	93153J850-015* CALL	554
2 Air to Spring Close	---	93153J850-020* CALL	554
1/2 Air to Spring Open	---	93153K850-005* CALL	554
3/4 Air to Spring Open	---	93153K850-007* CALL	554
1 Air to Spring Open	---	93153K850-010* CALL	554
1-1/4 Air to Spring Open	---	93153K850-012* CALL	554
1-1/2 Air to Spring Open	---	93153K850-015* CALL	554
2 Air to Spring Open	---	93153K850-020* CALL	554

**Polypropylene - FKM O-ring and EPDM Backed PTFE Diaphragm SR Thread**

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93253H850-005* CALL	554
3/4 Air to Air	---	93253H850-007* CALL	554
1 Air to Air	---	93253H850-010* CALL	554
1-1/4 Air to Air	---	93253H850-012* CALL	554
1-1/2 Air to Air	---	93253H850-015* CALL	554
2 Air to Air	---	93253H850-020* CALL	554
1/2 Air to Spring Close	---	93253J850-005* CALL	554

**Polypropylene - FKM O-ring and EPDM Backed PTFE Diaphragm SR Thread (continued)**

Size	Socket	SR Thread	Prod Code
3/4 Air to Spring Close	---	93253J850-007* CALL	554
1 Air to Spring Close	---	93253J850-010* CALL	554
1-1/4 Air to Spring Close	---	93253J850-012* CALL	554
1-1/2 Air to Spring Close	---	93253J850-015* CALL	554
2 Air to Spring Close	---	93253J850-020* CALL	554
1/2 Air to Spring Open	---	93253K850-005* CALL	554
3/4 Air to Spring Open	---	93253K850-007* CALL	554
1 Air to Spring Open	---	93253K850-010* CALL	554
1-1/4 Air to Spring Open	---	93253K850-012* CALL	554
1-1/2 Air to Spring Open	---	93253K850-015* CALL	554
2 Air to Spring Open	---	93253K850-020* CALL	554