



Actuated Valves Product

Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing



Industrial grade Weir-type design, excellent for throttling and use with viscous fluids or slurries.

- Compact, Light Weight Design
- True Union Socket/Thread, SR Thread, or Spigot End Connections - sizes 1/2"-2" Pressure Rated to 235 psi @ 73°F (23°C)
- Flanged Ends (& PTFE diaphragms) - sizes 1/2" - 2" Pressure Rated to 150 psi @ 73°F (23°C)
- Corrosion Resistant Plastic Housing
- Stainless Steel Hardware
- 90 psi Operating Pressure
- Linear Action Operation with Preset Stops
- Air-Air, Air-Spring Closed, or Optional Air-Spring Open

NOTE: "Socket" valves include standard plastic thread end connectors.

PVC - EPDM O-ring and EPDM Diaphragm

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91121H850-005 201.78	93121H850-005 201.78	94021H850-005 195.73	95021H850-005 232.09	550
3/4 Air to Air	91121H850-007 215.78	93121H850-007 215.78	94021H850-007 209.29	95021H850-007 249.60	550
1 Air to Air	91121H850-010 227.43	93121H850-010 227.43	94021H850-010 220.62	95021H850-010 264.77	550
1-1/4 Air to Air	91121H850-012 357.20	93121H850-012 357.20	94021H850-012 346.47	95021H850-012 328.91	550
1-1/2 Air to Air	91121H850-015 359.23	93121H850-015 359.23	94021H850-015 348.45	95021H850-015 415.22	550
2 Air to Air	91121H850-020 437.39	93121H850-020 437.39	94021H850-020 424.25	95021H850-020 502.69	550
1/2 Air to Spring Close	91121J850-005 288.08	93121J850-005 288.08	94021J850-005 279.44	95021J850-005 333.57	550
3/4 Air to Spring Close	91121J850-007 320.75	93121J850-007 320.75	94021J850-007 311.13	95021J850-007 356.91	550
1 Air to Spring Close	91121J850-010 372.06	93121J850-010 372.06	94021J850-010 360.91	95021J850-010 379.07	550
1-1/4 Air to Spring Close	91121J850-012 458.37	93121J850-012 458.37	94021J850-012 514.77	95021J850-012 474.71	550
1-1/2 Air to Spring Close	91121J850-015 530.69	93121J850-015 530.69	94021J850-015 514.36	95021J850-015 569.18	550
2 Air to Spring Close	91121J850-020 649.66	93121J850-020 649.66	94021J850-020 630.17	95021J850-020 725.47	550
1/2 Air to Spring Open	91121K850-005 201.78	93121K850-005 201.78	94021K850-005 195.73	95021K850-005 232.09	550
3/4 Air to Spring Open	91121K850-007 215.78	93121K850-007 215.78	94021K850-007 209.29	95021K850-007 249.60	550
1 Air to Spring Open	91121K850-010 227.43	93121K850-010 227.43	94021K850-010 220.62	95021K850-010 264.77	550
1-1/4 Air to Spring Open	91121K850-012 285.75	93121K850-012 285.75	94021K850-012 277.19	95021K850-012 328.91	550
1-1/2 Air to Spring Open	91121K850-015 359.23	93121K850-015 359.23	94021K850-015 348.45	95021K850-015 415.22	550
2 Air to Spring Open	91121K850-020 437.39	93121K850-020 437.39	94021K850-020 424.25	95021K850-020 502.69	550

PVC - FKM O-ring and FKM Diaphragm

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91231H850-005 224.20	93231H850-005 224.20	94031H850-005 217.47	95031H850-005 257.89	550
3/4 Air to Air	91231H850-007 239.76	93231H850-007 239.76	94031H850-007 232.56	95031H850-007 277.33	550
1 Air to Air	91231H850-010 252.71	93231H850-010 252.71	94031H850-010 245.13	95031H850-010 294.17	550

Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing



PVC - FKM O-ring and FKM Diaphragm (continued)

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1-1/4 Air to Air	91231H850-012 420.22	93231H850-012 420.22	94031H850-012 407.62	95031H850-012 386.95	550
1-1/2 Air to Air	91231H850-015 422.62	93231H850-015 422.62	94031H850-015 409.95	95031H850-015 488.48	550
2 Air to Air	91231H850-020 514.57	93231H850-020 514.57	94031H850-020 499.13	95031H850-020 591.41	550
1/2 Air to Spring Close	91231J850-005 320.08	93231J850-005 320.08	94031J850-005 310.49	95031J850-005 370.65	550
3/4 Air to Spring Close	91231J850-007 356.39	93231J850-007 356.39	94031J850-007 345.69	95031J850-007 396.56	550
1 Air to Spring Close	91231J850-010 413.40	93231J850-010 413.40	94031J850-010 401.01	95031J850-010 421.19	550
1-1/4 Air to Spring Close	91231J850-012 539.25	93231J850-012 539.25	94031J850-012 523.08	95031J850-012 558.47	550
1-1/2 Air to Spring Close	91231J850-015 624.34	93231J850-015 624.34	94031J850-015 605.62	95031J850-015 669.63	550
2 Air to Spring Close	91231J850-020 764.29	93231J850-020 764.29	94031J850-020 741.38	95031J850-020 853.48	550
1/2 Air to Spring Open	91231K850-005 224.20	93231K850-005 224.20	94031K850-005 217.47	95031K850-005 257.89	550
3/4 Air to Spring Open	91231K850-007 239.76	93231K850-007 239.76	94031K850-007 232.56	95031K850-007 277.33	550
1 Air to Spring Open	91231K850-010 252.71	93231K850-010 252.71	94031K850-010 245.13	95031K850-010 294.17	550
1-1/4 Air to Spring Open	91231K850-012 336.19	93231K850-012 336.19	94031K850-012 326.11	95031K850-012 386.95	550
1-1/2 Air to Spring Open	91231K850-015 422.62	93231K850-015 422.62	94031K850-015 409.95	95031K850-015 488.48	550
2 Air to Spring Open	91231K850-020 514.57	93231K850-020 514.57	94031K850-020 499.13	95031K850-020 591.41	550

PVC - EPDM O-ring and EPDM Backed PTFE Diaphragm

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91151H850-005 270.59	93151H850-005 270.59	94051H850-005 262.47	95051H850-005 335.92	550
3/4 Air to Air	91151H850-007 290.43	93151H850-007 290.43	94051H850-007 281.71	95051H850-007 334.75	550
1 Air to Air	91151H850-010 310.25	93151H850-010 310.25	94051H850-010 300.94	95051H850-010 354.57	550
1-1/4 Air to Air	91151H850-012 387.22	93151H850-012 387.22	94051H850-012 375.61	95051H850-012 440.87	550
1-1/2 Air to Air	91151H850-015 487.54	93151H850-015 487.54	94051H850-015 472.91	95051H850-015 557.52	550
2 Air to Air	91151H850-020 586.67	93151H850-020 586.67	94051H850-020 569.07	95051H850-020 674.15	550
1/2 Air to Spring Close	91151J850-005 359.23	93151J850-005 359.23	94051J850-005 348.45	95051J850-005 436.21	550
3/4 Air to Spring Close	91151J850-007 384.89	93151J850-007 384.89	94051J850-007 373.35	95051J850-007 461.87	550
1 Air to Spring Close	91151J850-010 409.39	93151J850-010 409.39	94051J850-010 397.11	95051J850-010 491.03	550
1-1/4 Air to Spring Close	91151J850-012 514.36	93151J850-012 514.36	94051J850-012 498.93	95051J850-012 615.83	550
1-1/2 Air to Spring Close	91151J850-015 615.83	93151J850-015 615.83	94051J850-015 597.36	95051J850-015 765.13	550



Actuated Valves Product

Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing

PVC - EPDM O-ring and EPDM Backed PTFE Diaphragm (continued)

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
2 Air to Spring Close	91151J850-020 783.79	93151J850-020 783.79	94051J850-020 760.27	95051J850-020 938.92	550
1/2 Air to Spring Open	91151K850-005 270.59	93151K850-005 270.59	94051K850-005 262.47	95051K850-005 313.75	550
3/4 Air to Spring Open	91151K850-007 290.43	93151K850-007 290.43	94051K850-007 281.71	95051K850-007 335.92	550
1 Air to Spring Open	91151K850-010 310.25	93151K850-010 310.25	94051K850-010 300.94	95051K850-010 353.41	550
1-1/4 Air to Spring Open	91151K850-012 387.22	93151K850-012 387.22	94051K850-012 375.61	95051K850-012 445.55	550
1-1/2 Air to Spring Open	91151K850-015 487.54	93151K850-015 487.54	94051K850-015 472.91	95051K850-015 557.52	550
2 Air to Spring Open	91151K850-020 586.67	93151K850-020 586.67	94051K850-020 569.07	95051K850-020 675.32	550

PVC - FKM O-ring and EPDM Backed PTFE Diaphragm

Size	Socket	SR Thread	Flanged	Spigot	Prod Code
1/2 Air to Air	91251H850-005 300.66	93251H850-005 300.66	---	---	550
3/4 Air to Air	91251H850-007 322.69	93251H850-007 322.69	---	---	550
1 Air to Air	91251H850-010 344.73	93251H850-010 344.73	---	---	550
1-1/4 Air to Air	91251H850-012 430.26	93251H850-012 430.26	---	---	550
1-1/2 Air to Air	91251H850-015 541.69	93251H850-015 541.69	---	---	550
2 Air to Air	91251H850-020 651.86	93251H850-020 651.86	---	---	550
1/2 Air to Spring Close	91251J850-005 399.15	93251J850-005 399.15	---	---	550
3/4 Air to Spring Close	91251J850-007 427.66	93251J850-007 427.66	---	---	550
1 Air to Spring Close	91251J850-010 454.88	93251J850-010 454.88	---	---	550
1-1/4 Air to Spring Close	91251J850-012 571.52	93251J850-012 571.52	---	---	550
1-1/2 Air to Spring Close	91251J850-015 684.26	93251J850-015 684.26	---	---	550
2 Air to Spring Close	91251J850-020 870.88	93251J850-020 870.88	---	---	550
1/2 Air to Spring Open	91251K850-005 300.66	93251K850-005 300.66	---	---	550
3/4 Air to Spring Open	91251K850-007 322.69	93251K850-007 322.69	---	---	550
1 Air to Spring Open	91251K850-010 344.73	93251K850-010 344.73	---	---	550
1-1/4 Air to Spring Open	91251K850-012 430.26	93251K850-012 430.26	---	---	550
1-1/2 Air to Spring Open	91251K850-015 541.69	93251K850-015 541.69	---	---	550
2 Air to Spring Open	91251K850-020 651.86	93251K850-020 651.86	---	---	550

Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing



CPVC - EPDM O-ring and EPDM Diaphragm

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91122H850-005 290.43	93122H850-005 290.43	94022H850-005 281.08	95022H850-005 333.57	552
3/4 Air to Air	91122H850-007 312.59	93122H850-007 312.59	94022H850-007 302.08	95022H850-007 356.91	552
1 Air to Air	91122H850-010 331.24	93122H850-010 331.24	94022H850-010 320.75	95022H850-010 377.89	552
1-1/4 Air to Air	91122H850-012 411.73	93122H850-012 411.73	94022H850-012 398.89	95022H850-012 472.38	552
1-1/2 Air to Air	91122H850-015 519.02	93122H850-015 519.02	94022H850-015 503.86	95022H850-015 594.83	552
2 Air to Air	91122H850-020 628.66	93122H850-020 628.66	94022H850-020 610.01	95022H850-020 724.29	552
1/2 Air to Spring Close	91122J850-005 415.22	93122J850-005 415.22	94022J850-005 403.56	95022J850-005 477.04	552
3/4 Air to Spring Close	91122J850-007 465.38	93122J850-007 465.38	94022J850-007 451.38	95022J850-007 510.86	552
1 Air to Spring Close	91122J850-010 542.35	93122J850-010 542.35	94022J850-010 526.03	95022J850-010 540.02	552
1-1/4 Air to Spring Close	91122J850-012 663.65	93122J850-012 663.65	94022J850-012 643.82	95022J850-012 675.32	552
1-1/2 Air to Spring Close	91122J850-015 762.79	93122J850-015 762.79	94022J850-015 739.46	95022J850-015 850.27	552
2 Air to Spring Close	91122J850-020 959.92	93122J850-020 959.92	94022J850-020 930.75	95022J850-020 1035.73	552
1/2 Air to Spring Open	91122K850-005 290.43	93122K850-005 290.43	94022K850-005 281.08	95022K850-005 333.57	552
3/4 Air to Spring Open	91122K850-007 312.59	93122K850-007 312.59	94022K850-007 302.08	95022K850-007 356.91	552
1 Air to Spring Open	91122K850-010 331.24	93122K850-010 331.24	94022K850-010 320.75	95022K850-010 377.89	552
1-1/4 Air to Spring Open	91122K850-012 411.73	93122K850-012 411.73	94022K850-012 398.89	95022K850-012 472.38	552
1-1/2 Air to Spring Open	91122K850-015 519.02	93122K850-015 519.02	94022K850-015 503.86	95022K850-015 594.83	552
2 Air to Spring Open	91122K850-020 628.66	93122K850-020 628.66	94022K850-020 610.01	95022K850-020 724.29	552

CPVC - FKM O-ring and FKM Diaphragm

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91232H850-005 362.74	93232H850-005 362.74	94032H850-005 352.23	95032H850-005 370.91	552
3/4 Air to Air	91232H850-007 389.56	93232H850-007 389.56	94032H850-007 377.89	95032H850-007 396.56	552
1 Air to Air	91232H850-010 414.05	93232H850-010 414.05	94032H850-010 401.23	95032H850-010 419.88	552
1-1/4 Air to Air	91232H850-012 514.36	93232H850-012 514.36	94032H850-012 498.03	95032H850-012 555.18	552
1-1/2 Air to Air	91232H850-015 648.48	93232H850-015 648.48	94032H850-015 629.83	95032H850-015 699.81	552
2 Air to Air	91232H850-020 784.96	93232H850-020 784.96	94032H850-020 761.63	95032H850-020 852.60	552
1/2 Air to Spring Close	91232J850-005 519.02	93232J850-005 519.02	94032J850-005 503.86	95032J850-005 561.02	552
3/4 Air to Spring Close	91232J850-007 580.84	93232J850-007 580.84	94032J850-007 563.35	95032J850-007 600.67	552



Actuated Valves Product

Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing

CPVC - FKM O-ring and FKM Diaphragm (continued)

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1 Air to Spring Close	91232J850-010 677.65	93232J850-010 677.65	94032J850-010 657.82	95032J850-010 634.49	552
1-1/4 Air to Spring Close	91232J850-012 829.27	93232J850-012 829.27	94032J850-012 804.79	95032J850-012 794.28	552
1-1/2 Air to Spring Close	91232J850-015 952.91	93232J850-015 952.91	94032J850-015 924.92	95032J850-015 999.57	552
2 Air to Spring Close	91232J850-020 1199.01	93232J850-020 1199.01	94032J850-020 1162.85	95032J850-020 1217.67	552
1/2 Air to Spring Open	91232K850-005 362.74	93232K850-005 362.74	94032K850-005 352.23	95032K850-005 393.06	552
3/4 Air to Spring Open	91232K850-007 389.56	93232K850-007 389.56	94032K850-007 377.89	95032K850-007 419.88	552
1 Air to Spring Open	91232K850-010 414.05	93232K850-010 414.05	94032K850-010 401.23	95032K850-010 444.38	552
1-1/4 Air to Spring Open	91232K850-012 514.36	93232K850-012 514.36	94032K850-012 498.03	95032K850-012 555.18	552
1-1/2 Air to Spring Open	91232K850-015 648.48	93232K850-015 648.48	94032K850-015 629.83	95032K850-015 699.81	552
2 Air to Spring Open	91232K850-020 784.96	93232K850-020 784.96	94032K850-020 761.63	95032K850-020 852.60	552

CPVC - EPDM O-ring and EPDM Backed PTFE Diaphragm

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1/2 Air to Air	91152H850-005 391.88	93152H850-005 391.88	94052H850-005 380.23	95052H850-005 391.88	552
3/4 Air to Air	91152H850-007 419.88	93152H850-007 419.88	94052H850-007 407.06	95052H850-007 481.71	552
1 Air to Air	91152H850-010 442.05	93152H850-010 442.05	94052H850-010 428.05	95052H850-010 508.54	552
1-1/4 Air to Air	91152H850-012 557.52	93152H850-012 557.52	94052H850-012 540.02	95052H850-012 642.66	552
1-1/2 Air to Air	91152H850-015 697.47	93152H850-015 697.47	94052H850-015 676.48	95052H850-015 804.79	552
2 Air to Air	91152H850-020 844.44	93152H850-020 844.44	94052H850-020 818.78	95052H850-020 971.57	552
1/2 Air to Spring Close	91152J850-005 522.53	93152J850-005 522.53	94052J850-005 506.19	95052J850-005 559.84	552
3/4 Air to Spring Close	91152J850-007 559.84	93152J850-007 559.84	94052J850-007 543.53	95052J850-007 686.98	552
1 Air to Spring Close	91152J850-010 582.01	93152J850-010 582.01	94052J850-010 564.51	95052J850-010 726.64	552
1-1/4 Air to Spring Close	91152J850-012 741.80	93152J850-012 741.80	94052J850-012 719.63	95052J850-012 919.08	552
1-1/2 Air to Spring Close	91152J850-015 881.76	93152J850-015 881.76	94052J850-015 856.09	95052J850-015 1150.02	552
2 Air to Spring Close	91152J850-020 1125.53	93152J850-020 1125.53	94052J850-020 1091.71	95052J850-020 1386.79	552
1/2 Air to Spring Open	91152K850-005 391.88	93152K850-005 391.88	94052K850-005 380.23	95052K850-005 391.88	552
3/4 Air to Spring Open	91152K850-007 419.88	93152K850-007 419.88	94052K850-007 407.06	95052K850-007 481.71	552
1 Air to Spring Open	91152K850-010 442.05	93152K850-010 442.05	94052K850-010 428.05	95052K850-010 508.54	552
1-1/4 Air to Spring Open	91152K850-012 557.52	93152K850-012 557.52	94052K850-012 540.02	95052K850-012 642.66	552

Actuated Valves Product
Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing



CPVC - EPDM O-ring and EPDM Backed PTFE Diaphragm (continued)

Size	Socket	SR Thread	Spigot	Flanged	Prod Code
1-1/2 Air to Spring Open	91152K850-015	93152K850-015	94052K850-015	95052K850-015	552
	697.47	697.47	676.48	804.79	
2 Air to Spring Open	91152K850-020	93152K850-020	94052K850-020	95052K850-020	552
	844.44	844.44	818.78	971.57	



Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing

Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing

CPVC - FKM O-ring and EPDM Backed PTFE Diaphragm

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	91252H850-005 453.71	93252H850-005 453.71	552
3/4 Air to Air	91252H850-007 487.54	93252H850-007 487.54	552
1 Air to Air	91252H850-010 516.69	93252H850-010 516.69	552
1-1/4 Air to Air	91252H850-012 642.66	93252H850-012 642.66	552
1-1/2 Air to Air	91252H850-015 810.61	93252H850-015 810.61	552
2 Air to Air	91252H850-020 982.07	93252H850-020 982.07	552
1/2 Air to Spring Close	91252J850-005 649.66	93252J850-005 649.66	552
3/4 Air to Spring Close	91252J850-007 726.64	93252J850-007 726.64	552
1 Air to Spring Close	91252J850-010 847.94	93252J850-010 847.94	552
1-1/4 Air to Spring Close	91252J850-012 1036.88	93252J850-012 1036.88	552
1-1/2 Air to Spring Close	91252J850-015 1190.85	93252J850-015 1190.85	552
2 Air to Spring Close	91252J850-020 1498.76	93252J850-020 1498.76	552
1/2 Air to Spring Open	91252K850-005 453.71	93252K850-005 453.71	552
3/4 Air to Spring Open	91252K850-007 487.54	93252K850-007 487.54	552
1 Air to Spring Open	91252K850-010 516.69	93252K850-010 516.69	552
1-1/4 Air to Spring Open	91252K850-012 642.66	93252K850-012 642.66	552
1-1/2 Air to Spring Open	91252K850-015 810.61	93252K850-015 810.61	552
2 Air to Spring Open	91252K850-020 982.07	93252K850-020 982.07	552

Polypropylene - EPDM O-ring and EPDM Diaphragm SR Thread

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93123H850-005 235.17	554
3/4 Air to Air	---	93123H850-007 254.40	554
1 Air to Air	---	93123H850-010 265.70	554
1-1/4 Air to Air	---	93123H850-012 336.93	554
1-1/2 Air to Air	---	93123H850-015 422.86	554
2 Air to Air	---	93123H850-020 509.93	554
1/2 Air to Spring Close	---	93123J850-005 318.84	554
3/4 Air to Spring Close	---	93123J850-007 366.33	554
1 Air to Spring Close	---	93123J850-010 416.08	554

Polypropylene - EPDM O-ring and EPDM Diaphragm SR Thread (continued)

Size	Socket	SR Thread	Prod Code
1-1/4 Air to Spring Close	---	93123J850-012 474.88	554
1-1/2 Air to Spring	---	93123J850-015 580.02	554
2 Air to Spring Close	---	93123J850-020 713.44	554
1/2 Air to Spring Open	---	93123K850-005 235.17	554
3/4 Air to Spring Open	---	93123K850-007 254.40	554
1 Air to Spring Open	---	93123K850-010 265.70	554
1-1/4 Air to Spring Open	---	93123K850-012 336.93	554
1-1/2 Air to Spring Open	---	93123K850-015 422.86	554
2 Air to Spring Open	---	93123K850-020 509.93	554

Polypropylene - FKM O-ring and FKM Diaphragm SR Thread

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93233H850-005 373.11	554
3/4 Air to Air	---	93233H850-007 403.64	554
1 Air to Air	---	93233H850-010 421.72	554
1-1/4 Air to Air	---	93233H850-012 534.79	554
1-1/2 Air to Air	---	93233H850-015 671.60	554
2 Air to Air	---	93233H850-020 809.54	554
1/2 Air to Spring Close	---	93233J850-005 506.53	554
3/4 Air to Spring Close	---	93233J850-007 581.15	554
1 Air to Spring Close	---	93233J850-010 660.30	554
1-1/4 Air to Spring Close	---	93233J850-012 754.14	554
1-1/2 Air to Spring Close	---	93233J850-015 920.35	554
2 Air to Spring Close	---	93233J850-020 1132.91	554
1/2 Air to Spring Open	---	93233K850-005 373.11	554
3/4 Air to Spring Open	---	93233K850-007 403.64	554
1 Air to Spring Open	---	93233K850-010 421.72	554
1-1/4 Air to Spring Open	---	93233K850-012 534.79	554
1-1/2 Air to Spring Open	---	93233K850-015 671.60	554
2 Air to Spring Open	---	93233K850-020 809.54	554

Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing



Unitized Actuated Diaphragm Valve - Pneumatic with Plastic Housing

Polypropylene - EPDM O-ring and EPDM Backed PTFE Diaphragm SR Thread

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93153H850-005 391.20	554
3/4 Air to Air	---	93153H850-007 405.90	554
1 Air to Air	---	93153H850-010 422.86	554
1-1/4 Air to Air	---	93153H850-012 584.54	554
1-1/2 Air to Air	---	93153H850-015 703.27	554
2 Air to Air	---	93153H850-020 857.02	554
1/2 Air to Spring Close	---	93153J850-005 405.90	554
3/4 Air to Spring Close	---	93153J850-007 433.04	554
1 Air to Spring Close	---	93153J850-010 461.30	554
1-1/4 Air to Spring Close	---	93153J850-012 574.37	554
1-1/2 Air to Spring Close	---	93153J850-015 688.56	554
2 Air to Spring Close	---	93153J850-020 880.78	554
1/2 Air to Spring Open	---	93153K850-005 391.20	554
3/4 Air to Spring Open	---	93153K850-007 405.90	554
1 Air to Spring Open	---	93153K850-010 422.86	554
1-1/4 Air to Spring Open	---	93153K850-012 584.54	554
1-1/2 Air to Spring Open	---	93153K850-015 703.27	554
2 Air to Spring Open	---	93153K850-020 857.02	554

Polypropylene - FKM O-ring and EPDM Backed PTFE Diaphragm SR Thread

Size	Socket	SR Thread	Prod Code
1/2 Air to Air	---	93253H850-005 454.52	554
3/4 Air to Air	---	93253H850-007 471.48	554
1 Air to Air	---	93253H850-010 491.83	554
1-1/4 Air to Air	---	93253H850-012 679.52	554
1-1/2 Air to Air	---	93253H850-015 817.46	554
2 Air to Air	---	93253H850-020 996.10	554
1/2 Air to Spring Close	---	93253J850-005 471.48	554

Polypropylene - FKM O-ring and EPDM Backed PTFE Diaphragm SR Thread (continued)

Size	Socket	SR Thread	Prod Code
3/4 Air to Spring Close	---	93253J850-007 503.13	554
1 Air to Spring Close	---	93253J850-010 535.93	554
1-1/4 Air to Spring Close	---	93253J850-012 668.21	554
1-1/2 Air to Spring Close	---	93253J850-015 800.49	554
2 Air to Spring Close	---	93253J850-020 1024.36	554
1/2 Air to Spring Open	---	93253K850-005 454.52	554
3/4 Air to Spring Open	---	93253K850-007 471.48	554
1 Air to Spring Open	---	93253K850-010 491.83	554
1-1/4 Air to Spring Open	---	93253K850-012 679.52	554
1-1/2 Air to Spring Open	---	93253K850-015 817.46	554
2 Air to Spring Open	---	93253K850-020 996.10	554