



**Double Containment Product**  
**Isolation Couplers & Termination Fittings**

**Isolation Couplers**

**DC Isolation Coupler CPVC Sch 80 x CPVC Sch 80 (continued)**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCDB-C015-C040	<b>1-1/2X4</b>	1	4	470	294.56
DCDB-C020-C040	<b>2X4</b>	1	4	470	329.80
DCDB-C030-C060	<b>3X6</b>	1	4	470	427.67
DCDB-C040-C080	<b>4X8</b>	1	4	470	436.18
DCDB-C060-C100	<b>6X10</b>	1	0	470	729.17

**DC Isolation Coupler CPVC Sch 80 x PVC Sch 40 Clear**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCDB-C005-G020	<b>1/2X2</b>	1	5	470	123.43
DCDB-C007-G030	<b>3/4X3</b>	1	5	470	135.84
DCDB-C010-G030	<b>1X3</b>	1	5	470	282.23
DCDB-C015-G040	<b>1-1/2X4</b>	1	4	470	385.96
DCDB-C020-G040	<b>2X4</b>	1	4	470	422.04
DCDB-C030-G060	<b>3X6</b>	1	5	470	448.51

**Termination Fittings**



DC Termination Fittings are a special configuration for starting or stopping the containment portion of a system. Termination Fittings consist of a reducer coupling to accept the Containment pipe that is pre-fabricated to an internal extender coupling for connection to existing Carrier system. See *Double Containment Design & Installation Guide* for proper installation.

Centralizers are used inside the Containment piping system, but not inside fittings, installed on Carrier pipe and must be ordered separately according to same Carrier x Containment size and pipe schedule selected.

**DC Termination Fitting PVC Sch 40 x PVC Sch 40**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCTM-A005-A020	<b>1/2X2</b>	8	0	470	127.21
DCTM-A007-A030	<b>3/4X3</b>	7	0	470	133.85
DCTM-A010-A030	<b>1X3</b>	9	0	470	140.19
DCTM-A015-A040	<b>1-1/2X4</b>	4	0	470	151.33
DCTM-A020-A040	<b>2X4</b>	5	0	470	158.87
DCTM-A030-A060	<b>3X6</b>	1	2	470	216.75
DCTM-A040-A080	<b>4X8</b>	1	2	470	282.72
DCTM-A060-A100	<b>6X10</b>	1	2	470	535.27
DCTM-A080-A120	<b>8X12</b>	1	2	470	865.86

**DC Termination Fitting PVC Sch 40 x PVC Sch 40 Clear**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCTM-A005-G020	<b>1/2X2</b>	1	8	470	165.56

**DC Termination Fitting PVC Sch 40 x PVC Sch 40 Clear (continued)**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCTM-A007-G030	<b>3/4X3</b>	7	0	470	270.93
DCTM-A010-G030	<b>1X3</b>	1	9	470	271.91
DCTM-A015-G040	<b>1-1/2X4</b>	1	4	470	341.47
DCTM-A020-G040	<b>2X4</b>	1	4	470	349.12
DCTM-A030-G060	<b>3X6</b>	1	2	470	541.66
DCTM-A040-G080	<b>4X8</b>	1	3	470	864.81

**DC Termination Fitting PVC Sch 80 x PVC Sch 40**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCTM-B005-A020	<b>1/2X2</b>	8	0	470	139.55
DCTM-B007-A030	<b>3/4X3</b>	9	0	470	155.87
DCTM-B010-A030	<b>1X3</b>	8	0	470	156.34
DCTM-B015-A040	<b>1-1/2X4</b>	4	0	470	178.29
DCTM-B020-A040	<b>2X4</b>	5	0	470	186.38
DCTM-B030-A060	<b>3X6</b>	1	4	470	291.01
DCTM-B040-A080	<b>4X8</b>	1	3	470	372.28
DCTM-B060-A100	<b>6X10</b>	1	0	470	708.82
DCTM-B080-A120	<b>8X12</b>	1	3	470	1052.24

**DC Termination Fitting PVC Sch 80 x PVC Sch 40 Clear**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCTM-B005-G020	<b>1/2X2</b>	9	0	470	182.96
DCTM-B007-G030	<b>3/4X3</b>	10	0	470	291.78
DCTM-B010-G030	<b>1X3</b>	8	0	470	292.24
DCTM-B015-G040	<b>1-1/2X4</b>	4	0	470	372.20
DCTM-B020-G040	<b>2X4</b>	5	0	470	379.67
DCTM-B030-G060	<b>3X6</b>	1	2	470	622.04
DCTM-B040-G080	<b>4X8</b>	1	3	470	1091.95

**DC Termination Fitting PVC Sch 80 x PVC Sch 80**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCTM-B005-B020	<b>1/2X2</b>	10	0	470	158.31
DCTM-B007-B030	<b>3/4X3</b>	8	0	470	197.22
DCTM-B010-B030	<b>1X3</b>	8	0	470	197.68
DCTM-B015-B040	<b>1-1/2X4</b>	4	0	470	226.25
DCTM-B020-B040	<b>2X4</b>	4	0	470	234.33
DCTM-B030-B060	<b>3X6</b>	1	2	470	380.64
DCTM-B040-B080	<b>4X8</b>	1	2	470	473.56
DCTM-B060-B100	<b>6X10</b>	1	2	470	1082.16
DCTM-B080-B120	<b>8X12</b>	1	3	470	1304.52

**DC Termination Fitting CPVC Sch 80 x PVC Sch 40**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCTM-C005-A020	<b>1/2X2</b>	8	0	470	140.42
DCTM-C007-A030	<b>3/4X3</b>	1	8	470	157.65
DCTM-C010-A030	<b>1X3</b>	8	0	470	164.58
DCTM-C015-A040	<b>1-1/2X4</b>	4	0	470	198.20
DCTM-C020-A040	<b>2X4</b>	3	0	470	212.21
DCTM-C030-A060	<b>3X6</b>	1	2	470	340.16
DCTM-C040-A080	<b>4X8</b>	1	3	470	442.06
DCTM-C060-A100	<b>6X10</b>	1	0	470	895.39
DCTM-C080-A120	<b>8X12</b>	1	3	470	1891.66

Double Containment Product  
**Termination Fittings & Centralizers**



**Termination Fittings**

**DC Termination Fitting CPVC Sch 80 x Sch 80 Gray**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCTM-C005-B020	1/2X2	8	0	470	159.19
DCTM-C007-B030	3/4X3	8	0	470	199.00
DCTM-C010-B030	1X3	8	0	470	205.89
DCTM-C015-B040	1-1/2X4	4	0	470	246.14
DCTM-C020-B040	2X4	1	4	470	260.16
DCTM-C030-B060	3X6	1	2	470	429.67
DCTM-C040-B080	4X8	1	3	470	543.32
DCTM-C060-B100	6X10	1	2	470	1269.89
DCTM-C080-B120	8X12	1	3	470	2143.77

**DC Termination Fitting CPVC Sch 80 x PVC Sch 40 Clear**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCTM-C005-G020	1/2X2	8	0	470	189.98
DCTM-C007-G030	3/4X3	10	0	470	313.73
DCTM-C010-G030	1X3	9	0	470	325.89
DCTM-C015-G040	1-1/2X4	10	0	470	427.63
DCTM-C020-G040	2X4	3	0	470	441.65
DCTM-C030-G060	3X6	1	15	470	747.46
DCTM-C040-G080	4X8	1	3	470	1131.75

**DC Termination Fitting CPVC Sch 80 x CPVC Sch 80**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
DCTM-C005-C020	1/2X2	9	0	470	238.48
DCTM-C007-C030	3/4X3	8	0	470	243.71
DCTM-C010-C030	1X3	4	0	470	250.59
DCTM-C015-C040	1-1/2X4	4	0	470	317.19
DCTM-C020-C040	2X4	4	0	470	331.17
DCTM-C030-C060	3X6	1	3	470	599.86
DCTM-C040-C080	4X8	1	2	470	1072.38
DCTM-C060-C100	6X10	1	2	470	1632.14
DCTM-C080-C120	8X12	1	3	470	2624.13

**Centralizers**



Centralizers are a simple slip-on design that are positioned and held in place by a few wraps of clean-room adhesive on each side. Centralizers hold the Carrier piping centrally located within the Containment piping and are designed with an annular space for routing of leak detection cable, if used. See *Double Containment Design & Installation Guide* for proper installation. The following Spacing Chart can be used as a guide for determining the quantity of Centralizers needed, based on temperature and Carrier pipe size and schedule selected.

**Centralizers**

**RECOMMENDED MINIMUM CENTRALIZER SUPPORT SPACING (ft.) \***

Carrier Size (in.)	PVC SCHEDULE 40 CARRIER Temperature °F				
	60°	80°	100°	120°	140°
1/2	4-1/2	4-1/2	4	2-1/2	2-1/2
3/4	5	4-1/2	4	2-1/2	2-1/2
1	5-1/2	5	4-1/2	3	2-1/2
1-1/2	6	5-1/2	5	3-1/2	3
2	6	5-1/2	5	3-1/2	3
3	7	7	6	4	3-1/2
4	7-1/2	7	6-1/2	4-1/2	4
6	8-1/2	8	7-1/2	5	4-1/2
8	9	8-1/2	8	5	4-1/2
10	10	9	8-1/2	5-1/2	5
12	11-1/2	10-1/2	9-1/2	6-1/2	5-1/2

Carrier Size (in.)	PVC SCHEDULE 80 CARRIER Temperature °F				
	60°	80°	100°	120°	140°
1/2	5	4-1/2	4-1/2	3	2-1/2
3/4	5-1/2	5	4-1/2	3	2-1/2
1	6	5-1/2	5	3-1/2	3
1-1/2	6-1/2	6	5-1/2	3-1/2	3-1/2
2	7	6-1/2	6	4	3-1/2
3	8	7-1/2	7	4-1/2	4
4	9	8-1/2	7-1/2	5	4-1/2
6	10	9-1/2	9	6	5
8	11	10-1/2	9-1/2	6-1/2	5-1/2
10	12	11	10	7	6
12	5-1/2	13	12	10-1/2	7-1/2

Carrier Size (in.)	CPVC SCHEDULE 80 CARRIER Temperature °F					
	73°	100°	120°	140°	160°	180°
1/2	5-1/2	5	4-1/2	4-1/2	3	2-1/2
3/4	5-1/2	5-1/2	5	4-1/2	3	2-1/2
1	6	6	5-1/2	5	3-1/2	2
1-1/2	7	6-1/2	6	5-1/2	3-1/2	3-1/2
2	7	7	6-1/2	6	4	3-1/2
3	8	8	7-1/2	7	4-1/2	4
4	9	8-1/2	8	7-1/2	5	4-1/2
6	10	9-1/2	9	8	5-1/2	5
8	11	10-1/2	10	9	6	5-1/2
10	11-1/2	11	10-1/2	9-1/2	6-1/2	6
12	12-1/2	12	11-1/2	10-1/2	7-1/2	6-1/2

**Note:** Specified minimum spacing can also be used for system support according to the secondary Containment pipe size and schedule used. Where practical, system support should correspond to internal carrier support (centralizers) to minimize concentrated point loads.

**Note:** Data furnished is based on raw material manufacturer's information. This information can be considered a reliable recommendation, but not a guarantee. Actual service conditions and system parameters should be evaluated by qualified personnel.

**DC Centralizer IPS O.D. x Sch 40 White I.D.**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Carrier x Containment</b>					
DCCT-H005-A020	1/2X2	55	330	470	14.66