



PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



PRODUCT

Contact Spears® for any Information not found.




Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Tees

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

TEE (Socket x Socket x Socket)

	6	3701-060 116.54	3901-060 269.48
	6X2	3701-528 100.71	3901-528 151.01
	6X3	3701-530 105.78	3901-530 158.12
	6X4	3701-532 110.64	3901-532 164.16
	8	3701-080 189.84	3901-080 321.71
	8X2	3701-578 118.41	3901-578 211.51
	8X3	3701-580 124.17	3901-580 238.31
	8X4	3701-582 127.55	3901-582 243.62
	8X6	3701-585 138.40	3901-585 252.93
	10	3701-100 369.23	3901-100 501.78
	10X2	3701-621 192.76	3901-621 298.43
	10X3	3701-623 196.33	3901-623 325.04
	10X4	3701-624 201.13	3901-624 367.71
	10X6	3701-626 245.85	3901-626 449.32
	10X8	3701-628 329.59	3901-628 470.85
	12	3701-120 490.71	3901-120 743.11
	12X2	3701-661 257.35	3901-661 369.58
	12X3	3701-663 261.15	3901-663 430.71
	12X4	3701-664 267.72	3901-664 489.34
	12X6	3701-666 310.95	3901-666 569.33
12X8	3701-668 371.41	3901-668 626.84	
12X10	3701-670 423.23	3901-670 635.05	
14	3701-140 964.59	3901-140 1241.67	
14X2	3701-691 408.13	3901-691 654.45	
14X3	3701-693 451.72	3901-693 732.20	
14X4	3701-694 503.61	3901-694 805.84	

TEE (Socket x Socket x Socket) (continued)


Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP
14X6	3701-696 591.03	3901-696 945.67
14X8	3701-698 704.67	3901-698 1133.01
14X10	3701-700 801.01	3901-700 1191.92
14X12	3701-702 947.58	3901-702 1203.49
16	3701-160 1365.40	3901-160 1956.12
16X2	3701-751 581.98	3901-751 839.04
16X3	3701-753 588.36	3901-753 928.06
16X4	3701-754 624.56	3901-754 999.23
16X6	3701-756 675.58	3901-756 1080.84
16X8	3701-758 790.88	3901-758 1266.11
16X10	3701-760 994.16	3901-760 1417.55
16X12	3701-762 1128.88	3901-762 1797.08
16X14	3701-764 1339.73	3901-764 1858.28
18	3701-180 1696.84	3901-180 2111.91
18X4	3701-784 997.40	3901-784 1159.69
18X6	3701-786 1013.19	3901-786 1312.28
18X8	3701-788 1054.77	3901-788 1361.41
18X10	3701-790 1188.84	3901-790 1375.72
18X12	3701-792 1266.49	3901-792 1691.18
18X14	3701-794 1358.41	3901-794 1944.79
18X16	3701-796 1458.03	3901-796 1987.24
20	3701-200 2259.68	3901-200 3039.14
20X4	3701-814 1205.44	3901-814 1610.09
20X6	3701-816 1275.55	3901-816 1815.75
20X8	3701-818 1347.84	3901-818 2229.95
20X10	3701-820 1446.47	3901-820 2303.86
20X12	3701-822 1531.62	3901-822 2433.54



Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings




Tees

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400	
	Part Number MSRP	Part Number MSRP	
	20X14	3701-824 1652.83	3901-824 2646.92
	20X16	3701-826 1760.01	3901-826 2695.20
	20X18	3701-828 1941.35	3901-828 2913.97
	24	3701-240 2815.19	3901-240 3645.26
	24X4	3701-904 1659.87	3901-904 1996.06
	24X6	3701-906 1744.75	3901-906 2251.09
	24X8	3701-908 1851.04	3901-908 2435.12
	24X10	3701-910 1955.56	3901-910 2649.68
	24X12	3701-912 2060.67	3901-912 2788.15
	24X14	3701-914 2201.79	3901-914 3091.48
	24X16	3701-916 2328.91	3901-916 3190.04
	24X18	3701-918 2530.18	3901-918 3345.66
	24X20	3701-920 2716.49	3901-920 3499.60


TEE (Socket x Socket x Socket) (continued)

Non 90° Ells

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400	
	Part Number MSRP	Part Number MSRP	
	4	3711-040 41.13	3911-040 55.93
	6	3711-060 66.07	3911-060 104.56
	8	3711-080 111.69	3911-080 171.15
	10	3711-100 168.54	3911-100 303.33
	12	3711-120 266.62	3911-120 443.33
	14	3711-140 419.17	3911-140 678.69
	16	3711-160 571.40	3911-160 907.22
	18	3711-180 639.49	3911-180 1171.17
	20	3711-200 848.25	3911-200 1501.41
	24	3711-240 1516.51	3911-240 1718.56
	Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP	


11-1/4° ELBOW (Socket x Socket)

90° Ells

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400	
	Part Number MSRP	Part Number MSRP	
	6	3706-060 115.05	3906-060 148.94
	8	3706-080 159.83	3906-080 250.15
	10	3706-100 252.65	3906-100 493.81
	12	3706-120 388.64	3906-120 720.11
	14	3706-140 520.49	3906-140 1059.49
	16	3706-160 771.87	3906-160 1317.69
	18	3706-180 1147.99	3906-180 1696.33
	20	3706-200 1291.21	3906-200 2000.03
	24	3706-240 1614.71	3906-240 2992.62

90° Elbow (Socket x Socket)

15° ELBOW (Socket x Socket)

	4	3718-040 41.13	3918-040 55.93
	6	3718-060 66.07	3918-060 104.56
	8	3718-080 111.69	3918-080 171.15
	10	3718-100 168.54	3918-100 303.33
	12	3718-120 266.62	3918-120 443.33
	14	3718-140 419.17	3918-140 678.69
	16	3718-160 571.40	3918-160 907.22
	18	3718-180 639.49	3918-180 1171.17
	20	3718-200 848.25	3918-200 1501.41
	24	3718-240 1516.51	3918-240 1718.56



Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Non 90° Ells


Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

22-1/2° Elbow (Socket x Socket)

	4	3716-040 41.13	3916-040 55.93
	6	3716-060 66.07	3916-060 104.56
	8	3716-080 111.69	3916-080 171.15
	10	3716-100 168.54	3916-100 303.33
	12	3716-120 266.62	3916-120 443.33
	14	3716-140 419.17	3916-140 678.69
	16	3716-160 571.40	3916-160 907.22
	18	3716-180 686.21	3916-180 1171.17
	20	3716-200 848.25	3916-200 1501.41
	24	3716-240 1516.51	3916-240 1718.56

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

22-1/2° Street Ell (Spigot x Socket)

	6	3742-060 72.67	3942-060 114.98
	8	3742-080 122.85	3942-080 188.25
	10	3742-100 185.38	3942-100 333.67
	12	3742-120 293.27	3942-120 487.67
	14	3742-140 461.07	3942-140 746.57
	16	3742-160 453.78	3942-160 997.94
	18	3742-180 754.83	3942-180 1286.63
	20	3742-200 1149.99	3942-200 1767.57
	24	3742-240 1784.12	3942-240 2022.27


Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

30° Elbow (Socket x Socket)

	4	3715-040 41.13	3915-040 55.93
	6	3715-060 66.07	3915-060 104.56
	8	3715-080 111.69	3915-080 171.15


Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

30° Elbow (Socket x Socket) (continued)

	10	3715-100 168.54	3915-100 303.33
	12	3715-120 266.62	3915-120 443.33
	14	3715-140 419.17	3915-140 678.69
	16	3715-160 571.40	3915-160 907.22
	18	3715-180 686.21	3915-180 1171.17
	20	3715-200 848.25	3915-200 1501.41
	24	3715-240 1516.51	3915-240 1718.56


Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

45° Elbow (Socket x Socket)

	6	3717-060 106.79	3917-060 175.23
	8	3717-080 127.87	3917-080 188.29
	10	3717-100 210.32	3917-100 344.93
	12	3717-120 295.38	3917-120 493.09
	14	3717-140 512.16	3917-140 708.63
	16	3717-160 632.38	3917-160 917.65
	18	3717-180 729.78	3917-180 1241.33
	20	3717-200 996.44	3917-200 1559.17
	24	3717-240 1324.03	3917-240 1835.55

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

45° STREET ELL (Spigot x Socket)

	4	3727-040 100.47	3927-040 122.94
	6	3727-060 106.79	3927-060 175.23
	8	3727-080 127.87	3927-080 188.29
	10	3727-100 210.32	3927-100 344.93
	12	3727-120 295.38	3927-120 493.09
	14	3727-140 512.16	3927-140 708.63
	16	3727-160 632.38	3927-160 917.65


Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings




Non 90° Ells

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP


45° STREET ELL (Spigot x Socket) (continued)

	18	3727-180 729.78	3927-180 1241.33
	20	3727-200 996.44	3927-200 1559.17
	24	3727-240 1324.03	3927-240 1835.55
Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400	
	Part Number MSRP	Part Number MSRP	

60° ELBOW (Socket x Socket)

	6	3724-060 127.62	3924-060 186.16
	8	3724-080 182.08	3924-080 312.74
	10	3724-100 305.13	3924-100 586.19
	12	3724-120 399.78	3924-120 862.77
	14	3724-140 732.80	3924-140 1253.71
	16	3724-160 890.94	3924-160 1523.31
	18	3724-180 1144.59	3924-180 1696.33
	20	3724-200 1221.01	3924-200 3378.46
	24	3724-240 1573.16	3924-240 5921.93
Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400	
	Part Number MSRP	Part Number MSRP	


90° STREET ELL (Spigot x Socket)

	4	---	3909-040 140.14
	6	3709-060 122.13	3909-060 166.07
	8	3709-080 168.00	3909-080 273.49
	10	3709-100 280.72	3909-100 542.07
	12	3709-120 409.11	3909-120 796.41
	14	3709-140 565.74	3909-140 1163.83
	16	3709-160 879.91	3909-160 1445.39
	18	3709-180 1272.57	3909-180 1861.40
	20	3709-200 1434.48	3909-200 2196.24
	24	3709-240 1793.78	3909-240 2346.36


Couplings

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

COUPLING (Socket x Socket)

	8	3729-080 72.92	3929-080 161.42
	10	3729-100 89.66	3929-100 175.80
	12	3729-120 131.99	3929-120 202.64
	14	3729-140 214.33	3929-140 405.21
	16	3729-160 239.05	3929-160 481.75
	18	3729-180 407.66	3929-180 949.59
	20	3729-200 711.17	3929-200 1170.80
	24	3729-240 987.67	3929-240 2019.72
	Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP	


REPAIR COUPLING (Gasket x Gasket)

	4	3728-040 70.67	3928-040 82.57
	6	3728-060 98.31	3928-060 116.36
	8	3728-080 154.75	3928-080 196.84
	10	3728-100 204.17	3928-100 275.43
	12	3728-120 256.14	3928-120 350.02
	14	3728-140 444.46	3928-140 775.04
	16	3728-160 654.84	3928-160 1162.79
	18	3728-180 856.07	3928-180 1511.54
	20	3728-200 1329.37	3928-200 1813.86
	24	3728-240 1802.95	3928-240 2446.61

Reducer Couplings

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

REDUCER COUPLING (Socket x Socket)

	6X2	3729-528 106.04	3929-528 183.86
	6X3	3729-530 104.38	3929-530 135.82
	6X4	3729-532 37.87	3929-532 89.36




Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Reducer Couplings


Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

REDUCER COUPLING (Socket x Socket) (continued)

	8X2	3729-578 178.37	3929-578 248.39
	8X3	3729-580 165.13	3929-580 217.09
	8X4	3729-582 93.87	3929-582 171.56
	8X6	3729-585 80.68	3929-585 157.88
	10X4	3729-624 211.83	3929-624 403.03
	10X6	3729-626 197.41	3929-626 321.58
	10X8	3729-628 138.17	3929-628 171.88
	12X4	3729-664 398.29	3929-664 579.08
	12X6	3729-666 302.00	3929-666 477.46
	12X8	3729-668 265.79	3929-668 414.33
	12X10	3729-670 201.13	3929-670 254.49
	14X4	3729-694 640.96	3929-694 783.55
	14X6	3729-696 620.52	3929-696 699.88
	14X8	3729-698 449.17	3929-698 688.42
	14X10	3729-700 379.36	3929-700 581.19
	14X12	3729-702 336.89	3929-702 371.54
	16X4	3729-754 686.02	3929-754 1151.38
	16X6	3729-756 631.89	3929-756 1079.43
	16X8	3729-758 574.99	3929-758 1019.47
	16X10	3729-760 513.52	3929-760 708.78
	16X12	3729-762 466.20	3929-762 651.57
	16X14	3729-764 404.32	3929-764 549.29
	18X6	3729-786 1141.97	3929-786 1664.12
	18X8	3729-788 968.57	3929-788 1539.96
18X10	3729-790 903.76	3929-790 1415.22	
18X12	3729-792 846.17	3929-792 1182.77	


Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

REDUCER COUPLING (Socket x Socket) (continued)

	18X14	3729-794 780.37	3929-794 1145.33
	18X16	3729-796 582.94	3929-796 978.99
	20X6	3729-816 1430.35	3929-816 2340.06
	20X8	3729-818 1385.24	3929-818 2312.98
	20X10	3729-820 1214.44	3929-820 2295.79
	20X12	3729-822 1197.80	3929-822 2153.01
	20X14	3729-824 1183.01	3929-824 2135.89
	20X16	3729-826 1116.02	3929-826 1710.54
	20X18	3729-828 985.94	3929-828 1179.55
	24X6	3729-906 2876.69	3929-906 3956.64
	24X8	3729-908 2794.27	3929-908 3923.63
	24X10	3729-910 2310.33	3929-910 3910.22
	24X12	3729-912 2234.16	3929-912 3847.04
	24X14	3729-914 2118.48	3929-914 3834.16
	24X16	3729-916 1945.19	3929-916 3686.85
	24X18	3729-918 1722.43	3929-918 2810.95
	24X20	3729-920 1294.84	3929-920 2520.93

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

ECCENTRIC REDUCER COUPLING (Socket x Socket)

	3X2	3729-338E 33.63	3929-338E 46.85
	4X2	3729-420E ² 45.67	3929-420E ² 119.53
	4X3	3729-422E 42.21	3929-422E 61.03
	6X2	3729-528E ² 103.09	3929-528E ³ 155.61
	6X3	3729-530E ² 94.96	3929-530E ² 151.18
	6X4	3729-532E ¹ 47.48	3929-532E 115.31
	8X3	3729-580E ³ 195.86	3929-580E ³ 219.72
	8X4	3729-582E ² 97.80	3929-582E ² 199.43

Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Reducer Couplings

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

ECCENTRIC REDUCER COUPLING (Socket x Socket) (continued)

8X6	3729-585E 79.06	3929-585E 153.36
10X4	3729-624E ² 223.63	3929-624E ³ 337.48
10X6	3729-626E 205.62	3929-626E ² 286.43
10X8	3729-628E 193.86	3929-628E 264.67
12X4	3729-664E ³ 417.24	3929-664E ⁴ 516.08
12X6	3729-666E ² 342.84	3929-666E ³ 424.73
12X8	3729-668E ² 227.35	3929-668E ² 366.94
12X10	3729-670E 197.12	3929-670E 234.55
14X6	3729-696E ² 696.46	3929-696E ³ 840.68
14X8	3729-698E ² 570.52	3929-698E ² 752.04
14X10	3729-700E ¹ 517.91	3929-700E ¹ 544.46
14X12	3729-702E 316.62	3929-702E 500.72
16X6	3729-756E ⁴ 727.75	3929-756E ⁴ 1553.20
16X8	3729-758E ³ 717.55	3929-758E ³ 1422.29
16X10	3729-760E ³ 530.60	3929-760E ² 1034.67
16X12	3729-762E 504.89	3929-762E ² 918.62
16X14	3729-764E 448.63	3929-764E 711.53
18X6	3729-786E ⁵ 1034.39	3929-786E ⁵ 2144.06
18X8	3729-788E ⁴ 1019.07	3929-788E ⁴ 2052.44
18X10	3729-790E ³ 946.11	3929-790E ³ 1917.95
18X12	3729-792E ² 853.85	3929-792E ³ 1711.92
18X14	3729-794E ² 754.93	3929-794E ² 1411.37
18X16	3729-796E 608.98	3929-796E 1377.17




Crosses

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

CROSS (Socket x Socket x Socket x Socket)

4X2	---	3920-420 128.75
4X3	---	3920-422 141.68
6	3720-060 149.72	3920-060 349.19
6X2	3720-528 112.39	3920-528 180.92
6X3	3720-530 133.09	3920-530 203.92
6X4	3720-532 146.74	3920-532 251.77
8	3720-080 302.39	3920-080 420.56
8X2	3720-578 194.14	3920-578 228.28
8X3	3720-580 210.04	3920-580 242.52
8X4	3720-582 230.75	3920-582 260.17
8X6	3720-585 290.34	3920-585 337.18
10	3720-100 492.23	3920-100 899.75
10X2	3720-621 206.18	3920-621 413.19
10X3	3720-623 237.47	3920-623 478.12
10X4	3720-624 272.42	3920-624 490.23
10X6	3720-626 312.40	3920-626 599.02
10X8	3720-628 438.59	3920-628 790.47
12	3720-120 648.92	3920-120 1267.88
12X2	3720-661 272.48	3920-661 559.38
12X3	3720-663 305.82	3920-663 625.27
12X4	3720-664 323.31	3920-664 652.46
12X6	3720-666 395.19	3920-666 757.61
12X8	3720-668 480.24	3920-668 905.02
12X10	3720-670 557.41	3920-670 1031.31
14	3720-140 1077.99	3920-140 2254.40
14X2	3720-691 531.85	3920-691 849.16



2=Two-Step Design, 3=Three-Step Design, 4=Four-Step Design, 5=Five-Step Design, 6=Six-Step Design




Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Crosses


Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP

CROSS (Socket x Socket x Socket x Socket) (continued)

	14X3	3720-693 592.18	3920-693 935.49
	14X4	3720-694 657.46	3920-694 1045.88
	14X6	3720-696 739.54	3920-696 1173.82
	14X8	3720-698 852.00	3920-698 1350.13
	14X10	3720-700 968.07	3920-700 1616.67
	14X12	3720-702 1024.18	3920-702 1894.16
	16	3720-160 1574.71	3920-160 2858.03
	16X2	3720-751 729.81	3920-751 1151.72
	16X3	3720-753 802.09	3920-753 1258.22
	16X4	3720-754 832.74	3920-754 1332.33
	16X6	3720-756 900.67	3920-756 1441.11
	16X8	3720-758 1055.08	3920-758 1688.09
	16X10	3720-760 1256.81	3920-760 1943.99
	16X12	3720-762 1444.37	3920-762 2309.34
	16X14	3720-764 1516.61	3920-764 2723.43
	18	3720-180 2230.98	3920-180 3528.26
	18X4	3720-784 902.92	3920-784 1681.48
	18X6	3720-786 1273.02	3920-786 1921.92
	18X8	3720-788 1442.29	3920-788 2292.78
	18X10	3720-790 1559.93	3920-790 2598.43
	18X12	3720-792 1658.54	3920-792 2882.65
	18X14	3720-794 1747.72	3920-794 3080.84
	18X16	3720-796 2028.41	3920-796 3346.52
	20	3720-200 3795.47	3920-200 5956.54
	20X4	3720-814 1594.17	3920-814 2209.73
	20X6	3720-816 1655.49	3920-816 2390.37

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP


CROSS (Socket x Socket x Socket x Socket) (continued)

	20X8	3720-818 2056.62	3920-818 2601.24
	20X10	3720-820 2349.43	3920-820 3053.78
	20X12	3720-822 2451.60	3920-822 3380.00
	20X14	3720-824 2666.73	3920-824 3651.53
	20X16	3720-826 2999.00	3920-826 4060.64
	20X18	3720-828 3244.81	3920-828 4843.02
	24	3720-240 4998.78	3920-240 7220.62
	24X4	3720-904 2037.68	3920-904 2439.46
	24X6	3720-906 2419.31	3920-906 2781.83
	24X8	3720-908 2575.44	3920-908 3630.64
	24X10	3720-910 2753.22	3920-910 3940.81
	24X12	3720-912 3032.13	3920-912 4520.83
	24X14	3720-914 3118.65	3920-914 5306.63
	24X16	3720-916 3456.43	3920-916 5626.53
	24X18	3720-918 3860.25	3920-918 5909.71
	24X20	3720-920 4674.09	3920-920 6293.38

Caps

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP

CAP (Socket)

	10	3747-100 116.99	3947-100 228.44
	12	3747-120 147.74	3947-120 395.49
	14	3747-140 251.21	3947-140 448.54
	16	3747-160 321.58	3947-160 592.00
	18	3747-180 355.83	3947-180 777.78
	20	3747-200 626.78	3947-200 898.79
	24	3747-240 926.49	3947-240 1042.91


Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Plugs

	Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
		Part Number MSRP	Part Number MSRP


SPIGOT PLUG (Spigot)

	6	3749-060 45.22	3949-060 136.77
	8	3749-080 115.51	3949-080 230.84
	10	3749-100 131.73	3949-100 291.85
	12	3749-120 188.81	3949-120 464.69
	14	3749-140 320.34	---
	16	3749-160 390.34	3949-160 675.96




Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Zinc Plated Bolt Pack w/ Galvanized Flanges or Stainless Steel bolt pack w/ Stainless Flanges



IPS/ SCH 40: 130 psi rated

Bolt Tightening Sequence
 Recommended Torque to Seal: 12-15 ft-lb



SBR Gasket (BUNA-S)

4" - 12" diameter
 12" or 18" length

Size	12" With Zinc Bolts	12" With Stainless Steel Bolts	18" With Zinc Bolts	18" With Stainless Steel Bolts	Std Pk	Mstr Pk	Prod Code
------	---------------------	--------------------------------	---------------------	--------------------------------	--------	---------	-----------



Bolted Compression Couplings - IPS 12" & 18" Length

Includes Body, Flange Ends, Gaskets & Bolts with Nuts and Washers in Choice of Zinc Plated or Stainless Steel

4	3728B-040X12 710.66	3728B-040X12S 789.22	3728B-040X18 758.22	3728B-040X18S 856.89	1	5	390
6	3728B-060X12 809.44	3728B-060X12S 888.15	3728B-060X18 865.89	3728B-060X18S 964.40	1	2	390
8	3728B-080X12 941.11	3728B-080X12S 1019.66	3728B-080X18 1007.00	3728B-080X18S 1105.37	1	2	390
10	3728B-100X12 1090.22	3728B-100X12S 1210.77	3728B-100X18 1179.67	3728B-100X18S 1302.89	1	0	390
12	3728B-120X12 1345.89	3728B-120X12S 1463.78	3728B-120X18 1454.11	3728B-120X18S 1602.11	1	0	390

Bolted Couplings are complete and ready to use
 Replacement FKM gaskets and Optional replacement bolt kits in Zinc plated or Stainless Steel available below

Size	16" Zinc Bolts	16" Stainless Steel Bolts	22" Zinc Bolts	22" Stainless Steel Bolts	Std Pk	Mstr Pk	Prod Code
------	----------------	---------------------------	----------------	---------------------------	--------	---------	-----------



Bolted Coupling Bolt Kits

Includes Full Set of Bolts, Nuts & Washers for Designated Size. 12" Couplings use 16" Bolts, 18" Coupling use 22" Bolts

For 4", 6" & 8"	HKBC-060X16 144.62	HKBC1-060X16 185.63	HKBC-060X22 165.74	HKBC1-060X22 215.48	1	10	299
For 10"	HKBC-100X16 181.60	HKBC1-100X16 230.51	HKBC-100X22 205.03	HKBC1-100X22 268.40	1	10	299
For 12"	HKBC-120X16 215.48	HKBC1-120X16 276.05	HKBC-120X22 246.31	HKBC1-120X22 321.31	1	10	299

HKBC Part No. = Zinc Bolt sets
 HKBC1 Part No. = Stainless Steel Bolt sets

Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Size	4	6	8	10	12	Std Pk	Mstr Pk	Prod Code
------	---	---	---	----	----	--------	---------	-----------

Bolted Coupling IPS Gasket

Replacement SBR Gasket, sold individually



4	GD-IPS-4 29.64	---	---	---	---	230	0	299
6	---	GD-IPS-6 38.88	---	---	---	230	0	299
8	---	---	GD-IPS-8 47.90	---	---	145	0	299
10	---	---	---	GD-IPS-10 57.20	---	85	0	299
12	---	---	---	---	GD-IPS-12 68.72	45	0	299