



PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



PRODUCT

Contact Spears® for any Information not found.



Fabricated Fittings Product


PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Tees

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390	Prod Code: 400
	Part Number MSRP	Part Number MSRP

TEE (Socket x Socket x Socket)


6	3701-060 129.13	3901-060 298.59
6X2	3701-528 111.59	3901-528 167.33
6X3	3701-530 117.21	3901-530 175.20
6X4	3701-532 122.59	3901-532 181.89
8	3701-080 210.35	3901-080 356.46
8X2	3701-578 131.20	3901-578 234.36
8X3	3701-580 137.59	3901-580 264.05
8X4	3701-582 141.33	3901-582 269.94
8X6	3701-585 153.35	3901-585 280.25
10	3701-100 409.12	3901-100 555.99
10X2	3701-621 213.59	3901-621 330.67
10X3	3701-623 217.54	3901-623 360.16
10X4	3701-624 222.86	3901-624 407.43
10X6	3701-626 272.41	3901-626 497.86
10X8	3701-628 365.20	3901-628 521.72
12	3701-120 543.73	3901-120 782.22
12X2	3701-661 285.15	3901-661 409.51
12X3	3701-663 289.36	3901-663 477.24
12X4	3701-664 296.64	3901-664 542.20
12X6	3701-666 344.55	3901-666 630.83
12X8	3701-668 411.54	3901-668 694.56
12X10	3701-670 468.96	3901-670 703.65
14	3701-140 1068.80	3901-140 1375.81
14X2	3701-691 452.22	3901-691 725.15
14X3	3701-693 500.52	3901-693 811.31
14X4	3701-694 558.02	3901-694 892.89



Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390	Prod Code: 400
	Part Number MSRP	Part Number MSRP

TEE (Socket x Socket x Socket) (continued)

14X6	3701-696 654.88	3901-696 1047.83
14X8	3701-698 780.80	3901-698 1255.41
14X10	3701-700 887.55	3901-700 1320.68
14X12	3701-702 1049.95	3901-702 1333.51
16	3701-160 1512.91	3901-160 2167.44
16X2	3701-751 644.85	3901-751 929.68
16X3	3701-753 651.93	3901-753 1028.33
16X4	3701-754 692.03	3901-754 1107.18
16X6	3701-756 748.57	3901-756 1197.61
16X8	3701-758 876.33	3901-758 1402.89
16X10	3701-760 1101.56	3901-760 1570.69
16X12	3701-762 1250.83	3901-762 1991.22
16X14	3701-764 1484.46	3901-764 2059.03
18	3701-180 1880.16	3901-180 2340.06
18X4	3701-784 1105.15	3901-784 1284.98
18X6	3701-786 1122.65	3901-786 1454.05
18X8	3701-788 1168.72	3901-788 1508.48
18X10	3701-790 1317.27	3901-790 1524.35
18X12	3701-792 1403.32	3901-792 1873.88
18X14	3701-794 1505.17	3901-794 2154.89
18X16	3701-796 1615.55	3901-796 2201.93
20	3701-200 2503.80	3901-200 3367.46
20X4	3701-814 1335.66	3901-814 1784.03
20X6	3701-816 1413.35	3901-816 2011.92
20X8	3701-818 1493.45	3901-818 2470.86
20X10	3701-820 1602.74	3901-820 2552.76
20X12	3701-822 1697.08	3901-822 2696.44






Tees

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP


TEE (Socket x Socket x Socket) (continued)

	20X14	3701-824 1831.39	3901-824 2932.87
	20X16	3701-826 1950.15	3901-826 2986.37
	20X18	3701-828 2151.08	3901-828 3228.78
	24	3701-240 3119.33	3901-240 4039.07
	24X4	3701-904 1839.19	3901-904 2211.71
	24X6	3701-906 1933.24	3901-906 2494.28
	24X8	3701-908 2051.01	3901-908 2698.19
	24X10	3701-910 2166.82	3901-910 2935.94
	24X12	3701-912 2283.29	3901-912 3089.36
	24X14	3701-914 2439.65	3901-914 3425.46
	24X16	3701-916 2580.51	3901-916 3534.67
	24X18	3701-918 2803.53	3901-918 3707.11
	24X20	3701-920 3009.96	3901-920 3877.67

90° Ells

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP


90° Elbow (Socket x Socket)

	6	3706-060 127.48	3906-060 165.03
	8	3706-080 177.09	3906-080 277.18
	10	3706-100 279.95	3906-100 547.16
	12	3706-120 430.62	3906-120 797.91
	14	3706-140 576.72	3906-140 1173.95
	16	3706-160 855.25	3906-160 1460.04
	18	3706-180 1272.01	3906-180 1879.59
	20	3706-200 1430.71	3906-200 2216.09
	24	3706-240 1789.15	3906-240 3315.93


Non 90° Ells

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP

11-1/4° ELBOW (Socket x Socket)

	4	3711-040 45.57	3911-040 61.97
	6	3711-060 73.21	3911-060 115.85
	8	3711-080 123.76	3911-080 189.64
	10	3711-100 186.75	3911-100 336.09
	12	3711-120 295.42	3911-120 491.22
	14	3711-140 464.45	3911-140 752.01
	16	3711-160 633.13	3911-160 1005.23
	18	3711-180 708.58	3911-180 1297.69
	20	3711-200 939.88	3911-200 1663.61
	24	3711-240 1680.35	3911-240 1904.22
	Size	SCH 40 LOW PR Prod Code: 390 Part Number MSRP	SCH 80 LOW PR Prod Code: 400 Part Number MSRP

15° ELBOW (Socket x Socket)

	4	3718-040 45.57	3918-040 61.97
	6	3718-060 73.21	3918-060 115.85
	8	3718-080 123.76	3918-080 189.64
	10	3718-100 186.75	3918-100 336.09
	12	3718-120 295.42	3918-120 491.22
	14	3718-140 464.45	3918-140 752.01
	16	3718-160 633.13	3918-160 1005.23
	18	3718-180 708.58	3918-180 1297.69
	20	3718-200 939.88	3918-200 1663.61
	24	3718-240 1680.35	3918-240 1904.22




Fabricated Fittings Product

PVC Schedule 40 & 80 Low Pressure Fabricated Fittings


Non 90° Ells

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP


22-1/2° Elbow (Socket x Socket)

	4	3716-040 45.57	3916-040 61.97
	6	3716-060 73.21	3916-060 115.85
	8	3716-080 123.76	3916-080 189.64
	10	3716-100 186.75	3916-100 336.09
	12	3716-120 295.42	3916-120 491.22
	14	3716-140 464.45	3916-140 752.01
	16	3716-160 633.13	3916-160 1005.23
	18	3716-180 760.35	3916-180 1297.69
	20	3716-200 939.88	3916-200 1663.61
	24	3716-240 1680.35	3916-240 1904.22
	Size	SCH 40 LOW PR Prod Code: 390 Part Number MSRP	SCH 80 LOW PR Prod Code: 400 Part Number MSRP

22-1/2° Street Ell (Spigot x Socket)


	6	3742-060 80.52	3942-060 127.40
	8	3742-080 136.13	3942-080 208.59
	10	3742-100 205.41	3942-100 369.72
	12	3742-120 324.96	3942-120 540.36
	14	3742-140 510.88	3942-140 827.22
	16	3742-160 502.80	3942-160 1105.75
	18	3742-180 836.38	3942-180 1425.63
	20	3742-200 1274.23	3942-200 1958.53
	24	3742-240 1976.86	3942-240 2240.75
	Size	SCH 40 LOW PR Prod Code: 390 Part Number MSRP	SCH 80 LOW PR Prod Code: 400 Part Number MSRP

30° Elbow (Socket x Socket)


	4	3715-040 45.57	3915-040 61.97
	6	3715-060 73.21	3915-060 115.85
	8	3715-080 123.76	3915-080 189.64

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP


30° Elbow (Socket x Socket) (continued)

	10	3715-100 186.75	3915-100 336.09
	12	3715-120 295.42	3915-120 491.22
	14	3715-140 464.45	3915-140 752.01
	16	3715-160 633.13	3915-160 1005.23
	18	3715-180 760.35	3915-180 1297.69
	20	3715-200 939.88	3915-200 1663.61
	24	3715-240 1680.35	3915-240 1904.22
	Size	SCH 40 LOW PR Prod Code: 390 Part Number MSRP	SCH 80 LOW PR Prod Code: 400 Part Number MSRP

45° Elbow (Socket x Socket)

	6	3717-060 118.33	3917-060 194.16
	8	3717-080 141.68	3917-080 208.63
	10	3717-100 233.04	3917-100 382.19
	12	3717-120 327.29	3917-120 546.36
	14	3717-140 567.49	3917-140 785.19
	16	3717-160 700.69	3917-160 1016.79
	18	3717-180 808.62	3917-180 1375.43
	20	3717-200 1104.08	3917-200 1727.61
	24	3717-240 1467.07	3917-240 2033.85
	Size	SCH 40 LOW PR Prod Code: 390 Part Number MSRP	SCH 80 LOW PR Prod Code: 400 Part Number MSRP

45° STREET ELL (Spigot x Socket)


	4	3727-040 111.33	3927-040 136.22
	6	3727-060 118.33	3927-060 194.16
	8	3727-080 141.68	3927-080 208.63
	10	3727-100 233.04	3927-100 382.19
	12	3727-120 327.29	3927-120 546.36
	14	3727-140 567.49	3927-140 785.19
	16	3727-160 700.69	3927-160 1016.79




Non 90° Ells

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP


45° STREET ELL (Spigot x Socket) (continued)

	18	3727-180 808.62	3927-180 1375.43
	20	3727-200 1104.08	3927-200 1727.61
	24	3727-240 1467.07	3927-240 2033.85
Size	SCH 40 LOW PR	SCH 80 LOW PR	
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP	

60° ELBOW (Socket x Socket)

	6	3724-060 141.41	3924-060 206.27
	8	3724-080 201.75	3924-080 346.53
	10	3724-100 338.09	3924-100 649.52
	12	3724-120 442.97	3924-120 955.98
	14	3724-140 811.97	3924-140 1389.15
	16	3724-160 987.19	3924-160 1687.87
	18	3724-180 1268.24	3924-180 1879.59
	20	3724-200 1352.92	3924-200 3743.44
	24	3724-240 1743.12	3924-240 6561.69
Size	SCH 40 LOW PR	SCH 80 LOW PR	
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP	


90° STREET ELL (Spigot x Socket)

	4	---	3909-040 155.28
	6	3709-060 135.33	3909-060 184.01
	8	3709-080 186.15	3909-080 303.03
	10	3709-100 311.04	3909-100 600.63
	12	3709-120 453.31	3909-120 882.45
	14	3709-140 626.86	3909-140 1289.56
	16	3709-160 974.97	3909-160 1601.54
	18	3709-180 1410.05	3909-180 2062.49
	20	3709-200 1589.45	3909-200 2433.51
	24	3709-240 1987.57	3909-240 2599.84


Couplings

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP

COUPLING (Socket x Socket)

	8	3729-080 80.80	3929-080 178.86
	10	3729-100 99.35	3929-100 194.79
	12	3729-120 146.25	3929-120 224.54
	14	3729-140 237.48	3929-140 448.99
	16	3729-160 264.87	3929-160 533.80
	18	3729-180 451.71	3929-180 1052.18
	20	3729-200 788.00	3929-200 1297.28
24	3729-240 1094.37	3929-240 2237.92	
Size	SCH 40 LOW PR	SCH 80 LOW PR	
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP	


REPAIR COUPLING (Gasket x Gasket)

	4	3728-040 78.31	3928-040 91.49
	6	3728-060 108.93	3928-060 128.93
	8	3728-080 171.46	3928-080 218.11
	10	3728-100 226.23	3928-100 305.19
	12	3728-120 283.81	3928-120 387.83
	14	3728-140 492.47	3928-140 858.77
	16	3728-160 725.59	3928-160 1288.41
	18	3728-180 948.56	3928-180 1674.83
	20	3728-200 1472.99	3928-200 2009.82
	24	3728-240 1997.73	3928-240 2710.93

Reducer Couplings

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP

REDUCER COUPLING (Socket x Socket)

	6X2	3729-528 117.49	3929-528 203.73
	6X3	3729-530 115.65	3929-530 150.49
	6X4	3729-532 41.96	3929-532 99.01




Reducer Couplings

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP

REDUCER COUPLING (Socket x Socket) (continued)


8X2	3729-578 197.64	3929-578 275.22
8X3	3729-580 182.97	3929-580 240.55
8X4	3729-582 104.01	3929-582 190.09
8X6	3729-585 89.40	3929-585 174.94
10X4	3729-624 234.72	3929-624 446.57
10X6	3729-626 218.74	3929-626 356.33
10X8	3729-628 153.09	3929-628 190.45
12X4	3729-664 441.32	3929-664 641.64
12X6	3729-666 334.62	3929-666 529.04
12X8	3729-668 294.51	3929-668 459.09
12X10	3729-670 222.86	3929-670 281.98
14X4	3729-694 710.20	3929-694 868.20
14X6	3729-696 687.56	3929-696 775.49
14X8	3729-698 497.69	3929-698 762.79
14X10	3729-700 420.35	3929-700 643.98
14X12	3729-702 373.28	3929-702 411.67
16X4	3729-754 760.14	3929-754 1275.77
16X6	3729-756 700.16	3929-756 1196.04
16X8	3729-758 637.11	3929-758 1129.61
16X10	3729-760 569.00	3929-760 785.35
16X12	3729-762 516.57	3929-762 721.96
16X14	3729-764 448.00	3929-764 608.63
18X6	3729-786 1265.34	3929-786 1843.91
18X8	3729-788 1073.21	3929-788 1706.33
18X10	3729-790 1001.40	3929-790 1568.12
18X12	3729-792 937.59	3929-792 1310.55



Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP


REDUCER COUPLING (Socket x Socket) (continued)

18X14	3729-794 864.67	3929-794 1269.06
18X16	3729-796 645.92	3929-796 1084.76
20X6	3729-816 1584.87	3929-816 2592.86
20X8	3729-818 1534.89	3929-818 2562.86
20X10	3729-820 1345.64	3929-820 2543.81
20X12	3729-822 1327.20	3929-822 2385.61
20X14	3729-824 1310.81	3929-824 2366.64
20X16	3729-826 1236.59	3929-826 1895.34
20X18	3729-828 1092.45	3929-828 1306.98
24X6	3729-906 3187.46	3929-906 4384.08
24X8	3729-908 3096.15	3929-908 4347.52
24X10	3729-910 2559.93	3929-910 4332.65
24X12	3729-912 2475.53	3929-912 4262.65
24X14	3729-914 2347.35	3929-914 4248.38
24X16	3729-916 2155.34	3929-916 4085.15
24X18	3729-918 1908.51	3929-918 3114.62
24X20	3729-920 1434.73	3929-920 2793.27
Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP



ECCENTRIC REDUCER COUPLING (Socket x Socket)

3X2	3729-338E 37.26	3929-338E 51.92
4X2	3729-420E ² 50.60	3929-420E ² 132.44
4X3	3729-422E 46.77	3929-422E 67.62
6X2	3729-528E ² 114.23	3929-528E ³ 172.42
6X3	3729-530E ² 105.22	3929-530E ² 167.52
6X4	3729-532E ¹ 52.61	3929-532E 127.77
8X3	3729-580E ³ 217.02	3929-580E ³ 243.45
8X4	3729-582E ² 108.37	3929-582E ² 220.98




Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Reducer Couplings

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP

ECCENTRIC REDUCER COUPLING (Socket x Socket) (continued)


	8X6	3729-585E 87.60	3929-585E 169.93
	10X4	3729-624E ² 247.79	3929-624E ³ 373.94
	10X6	3729-626E 227.83	3929-626E ² 317.38
	10X8	3729-628E 214.80	3929-628E 293.26
	12X4	3729-664E ³ 462.32	3929-664E ⁴ 571.83
	12X6	3729-666E ² 379.87	3929-666E ³ 470.61
	12X8	3729-668E ² 251.92	3929-668E ² 406.58
	12X10	3729-670E 218.41	3929-670E 259.88
	14X6	3729-696E ² 771.71	3929-696E ³ 931.51
	14X8	3729-698E ² 632.16	3929-698E ² 833.28
	14X10	3729-700E ¹ 573.86	3929-700E ¹ 603.28
	14X12	3729-702E 350.82	3929-702E 554.81
	16X6	3729-756E ⁴ 806.37	3929-756E ⁴ 1721.00
	16X8	3729-758E ³ 795.07	3929-758E ³ 1575.95
	16X10	3729-760E ³ 587.93	3929-760E ² 1146.45
	16X12	3729-762E 559.43	3929-762E ² 1017.86
	16X14	3729-764E 497.09	3929-764E 788.40
	18X6	3729-786E ⁵ 1146.14	3929-786E ⁵ 2375.69
	18X8	3729-788E ⁴ 1129.17	3929-788E ⁴ 2274.17
	18X10	3729-790E ³ 1048.33	3929-790E ³ 2125.15
18X12	3729-792E ² 946.09	3929-792E ³ 1896.86	
18X14	3729-794E ² 836.48	3929-794E ² 1563.84	
18X16	3729-796E 674.77	3929-796E 1525.95	

2=Two-Step Design, 3=Three-Step Design, 4=Four-Step Design, 5=Five-Step Design, 6=Six-Step Design

Crosses

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390 Part Number MSRP	Prod Code: 400 Part Number MSRP

CROSS (Socket x Socket x Socket x Socket)

	4X2	---	3920-420 142.66
	4X3	---	3920-422 156.99
	6	3720-060 165.89	3920-060 386.92
	6X2	3720-528 124.54	3920-528 200.46
	6X3	3720-530 147.46	3920-530 225.95
	6X4	3720-532 162.59	3920-532 278.97
	8	3720-080 335.06	3920-080 465.99
	8X2	3720-578 215.12	3920-578 252.94
	8X3	3720-580 232.73	3920-580 268.72
	8X4	3720-582 255.67	3920-582 288.27
	8X6	3720-585 321.71	3920-585 373.61
	10	3720-100 545.41	3920-100 996.96
	10X2	3720-621 228.45	3920-621 457.83
	10X3	3720-623 263.13	3920-623 529.77
	10X4	3720-624 301.85	3920-624 543.19
	10X6	3720-626 346.15	3920-626 663.74
	10X8	3720-628 485.97	3920-628 875.86
	12	3720-120 719.02	3920-120 1404.85
	12X2	3720-661 301.92	3920-661 619.81
	12X3	3720-663 338.86	3920-663 692.82
12X4	3720-664 358.24	3920-664 722.95	
12X6	3720-666 437.88	3920-666 839.45	
12X8	3720-668 532.13	3920-668 1002.79	
12X10	3720-670 617.63	3920-670 1142.73	
14	3720-140 1194.45	3920-140 2497.95	
14X2	3720-691 589.31	3920-691 940.89	



Fabricated Fittings Product


PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Crosses

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

CROSS (Socket x Socket x Socket x Socket) (continued)


14X3	3720-693 656.16	3920-693 1036.56
14X4	3720-694 728.48	3920-694 1158.87
14X6	3720-696 819.43	3920-696 1300.63
14X8	3720-698 944.04	3920-698 1495.99
14X10	3720-700 1072.65	3920-700 1791.33
14X12	3720-702 1134.82	3920-702 2098.79
16	3720-160 1744.83	3920-160 3166.79
16X2	3720-751 808.65	3920-751 1276.15
16X3	3720-753 888.75	3920-753 1394.15
16X4	3720-754 922.71	3920-754 1476.26
16X6	3720-756 997.97	3920-756 1596.80
16X8	3720-758 1169.06	3920-758 1870.46
16X10	3720-760 1392.59	3920-760 2154.01
16X12	3720-762 1600.41	3920-762 2558.82
16X14	3720-764 1680.45	3920-764 3017.65
18	3720-180 2472.00	3920-180 3909.43
18X4	3720-784 1000.46	3920-784 1863.14
18X6	3720-786 1410.55	3920-786 2129.55
18X8	3720-788 1598.11	3920-788 2540.47
18X10	3720-790 1728.45	3920-790 2879.15
18X12	3720-792 1837.72	3920-792 3194.07
18X14	3720-794 1936.54	3920-794 3413.67
18X16	3720-796 2247.55	3920-796 3708.05
20	3720-200 4205.51	3920-200 6600.04
20X4	3720-814 1766.39	3920-814 2448.45
20X6	3720-816 1834.34	3920-816 2648.61



Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

CROSS (Socket x Socket x Socket x Socket) (continued)

20X8	3720-818 2278.80	3920-818 2882.26
20X10	3720-820 2603.24	3920-820 3383.69
20X12	3720-822 2716.45	3920-822 3745.15
20X14	3720-824 2954.82	3920-824 4046.02
20X16	3720-826 3322.99	3920-826 4499.33
20X18	3720-828 3595.36	3920-828 5366.23
24	3720-240 5538.81	3920-240 8000.68
24X4	3720-904 2257.82	3920-904 2703.00
24X6	3720-906 2680.67	3920-906 3082.36
24X8	3720-908 2853.67	3920-908 4022.87
24X10	3720-910 3050.66	3920-910 4366.55
24X12	3720-912 3359.71	3920-912 5009.23
24X14	3720-914 3455.57	3920-914 5879.93
24X16	3720-916 3829.84	3920-916 6234.38
24X18	3720-918 4277.28	3920-918 6548.16
24X20	3720-920 5179.04	3920-920 6973.27



Caps

Size	SCH 40 LOW PR Prod Code: 390	SCH 80 LOW PR Prod Code: 400
	Part Number MSRP	Part Number MSRP

CAP (Socket)

10	3747-100 129.63	3947-100 253.12
12	3747-120 163.71	3947-120 438.22
14	3747-140 278.35	3947-140 497.00
16	3747-160 356.33	3947-160 655.96
18	3747-180 394.27	3947-180 861.81
20	3747-200 694.49	3947-200 995.88
24	3747-240 1026.58	3947-240 1155.58




Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Plugs

Size	SCH 40 LOW PR	SCH 80 LOW PR
	Prod Code: 390	Prod Code: 400
	Part Number	Part Number
	MSRP	MSRP

SPIGOT PLUG (Spigot)


	6	3749-060 50.11	3949-060 151.55
	8	3749-080 127.99	3949-080 255.78
	10	3749-100 145.96	3949-100 323.38
	12	3749-120 209.21	3949-120 514.89
	14	3749-140 354.95	---
	16	3749-160 432.51	3949-160 748.99



Fabricated Fittings Product


PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Zinc Plated Bolt Pack w/ Galvanized Flanges or Stainless Steel bolt pack w/ Stainless Flanges



IPS/ SCH 40: 130 psi rated

Bolt Tightening Sequence
Recommended Torque to Seal: 12-15 ft-lb



SBR Gasket (BUNA-S)

4" - 12" diameter
12" or 18" length

Size	12" With Zinc Bolts	12" With Stainless Steel Bolts	18" With Zinc Bolts	18" With Stainless Steel Bolts	Std Pk	Mstr Pk	Prod Code
------	---------------------	--------------------------------	---------------------	--------------------------------	--------	---------	-----------



Bolted Compression Couplings - IPS 12" & 18" Length

Includes Body, Flange Ends, Gaskets & Bolts with Nuts and Washers in Choice of Zinc Plated or Stainless Steel

4	3728B-040X12 787.43	3728B-040X12S 874.48	3728B-040X18 840.14	3728B-040X18S 949.46	1	5	390
6	3728B-060X12 896.88	3728B-060X12S 984.09	3728B-060X18 959.43	3728B-060X18S 1068.59	1	2	390
8	3728B-080X12 1042.78	3728B-080X12S 1129.82	3728B-080X18 1115.79	3728B-080X18S 1224.79	1	2	390
10	3728B-100X12 1208.00	3728B-100X12S 1341.57	3728B-100X18 1307.12	3728B-100X18S 1443.64	1	0	390
12	3728B-120X12 1491.29	3728B-120X12S 1621.92	3728B-120X18 1611.20	3728B-120X18S 1775.19	1	0	390

Bolted Couplings are complete and ready to use
Replacement FKM gaskets and Optional replacement bolt kits in Zinc plated or Stainless Steel available below

Size	16" Zinc Bolts	16" Stainless Steel Bolts	22" Zinc Bolts	22" Stainless Steel Bolts	Std Pk	Mstr Pk	Prod Code
------	----------------	---------------------------	----------------	---------------------------	--------	---------	-----------



Bolted Coupling Bolt Kits

Includes Full Set of Bolts, Nuts & Washers for Designated Size. 12" Couplings use 16" Bolts, 18" Coupling use 22" Bolts

For 4", 6" & 8"	HKBC-060X16 160.24	HKBC1-060X16 205.68	HKBC-060X22 183.64	HKBC1-060X22 238.76	1	10	299
For 10"	HKBC-100X16 201.22	HKBC1-100X16 255.41	HKBC-100X22 227.18	HKBC1-100X22 297.40	1	10	299
For 12"	HKBC-120X16 238.76	HKBC1-120X16 305.87	HKBC-120X22 272.92	HKBC1-120X22 356.02	1	10	299

HKBC Part No. = Zinc Bolt sets
HKBC1 Part No. = Stainless Steel Bolt sets

Fabricated Fittings Product
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Size	4	6	8	10	12	Std Pk	Mstr Pk	Prod Code
------	---	---	---	----	----	--------	---------	-----------

Bolted Coupling IPS Gasket

Replacement FKM Gasket, sold individually



4	GD-IPS-4 32.84	---	---	---	---	230	0	299
6	---	GD-IPS-6 43.08	---	---	---	230	0	299
8	---	---	GD-IPS-8 53.07	---	---	145	0	299
10	---	---	---	GD-IPS-10 63.38	---	85	0	299
12	---	---	---	---	GD-IPS-12 76.15	45	0	299