



Nipples Product
PVC, CPVC & PE Nipples

PVC, CPVC & PE Nipples



PRODUCT

Contact Spears® for any Information not found.

Nipples Product PVC, CPVC & PE Nipples



- PVC/CPVC Nipples furnished may be produced from extruded stock, or from molding grade PVC/CPVC compounds. Both processes provide quality products meeting ASTM requirements.
- For half Size Nipples, go to the same as the next full size for MSRP.
For example: 7-1/2" is the same as 8".
- CONTACT YOUR LOCAL SPEARS® REPRESENTATIVE FOR MSRP AND AVAILABILITY OF SIZES, LENGTHS, AND/OR CONFIGURATIONS NOT SHOWN.

PVC Nipples

PVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/8" Diameter						
1/8XCLOSE	879-005 1.24	1879-005 1.24	879-005P 1.24	25	800	120
1/8X1-1/2	879-015 1.24	1879-015 1.24	879-015P 1.24	25	800	120
1/8X2	879-020 1.41	1879-020 1.41	879-020P 1.41	25	800	120
1/8X2-1/2	879-025 1.48	1879-025 1.48	879-025P 1.48	25	800	120
1/8X3	879-030 1.78	1879-030 1.48	879-030P 1.78	25	800	120
1/8X3-1/2	879-035 1.86	1879-035 1.64	879-035P 1.86	25	800	120
1/8X4	879-040 1.98	1879-040 1.64	879-040P 1.98	25	800	120
1/8X4-1/2	879-045 1.85	1879-045 1.85	879-045P 2.11	25	600	120
1/8X5	879-050 2.20	1879-050 1.85	879-050P 1.85	25	600	120
1/8X5-1/2	879-055 2.29	1879-055 2.12	879-055P 2.29	25	600	120
1/8X6	879-060 2.35	1879-060 2.12	879-060P 2.35	25	600	120
1/8X7	879-070 2.46	1879-070 2.46	879-070P 2.46	25	450	120
1/8X8	879-080 2.79	1879-080 2.79	879-080P 2.79	25	600	120
1/8X9	879-090 2.94	1879-090 2.94	879-090P 2.94	25	400	120
1/8X10	879-100 3.37	1879-100 3.37	879-100P 3.37	25	400	120
1/8X11	879-110 3.49	1879-110 3.65	879-110P 3.49	25	400	120
1/8X12	879-120 3.65	1879-120 3.65	879-120P 3.65	25	400	120
1/8X13	879-130 3.83	1879-130 4.72	879-130P 3.83	25	400	120
1/8X14	879-140 4.25	1879-140 5.15	879-140P 4.25	25	250	120
1/8X15	879-150 5.41	1879-150 5.41	879-150P 5.41	25	300	120
1/8X16	879-160 5.98	1879-160 5.98	879-160P 5.98	25	250	120
1/8X17	879-170 6.22	1879-170 6.22	879-170P 6.22	25	250	120
1/8X18	879-180 6.39	1879-180 6.39	879-180P 6.39	25	0	120
1/8X19	879-190 6.80	1879-190 6.80	879-190P 6.80	5	0	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/8" Diameter						
1/8X20	879-200 7.25	1879-200 7.25	879-200P 7.25	25	0	120
1/8X22	879-220 7.74	1879-220 7.74	879-220P 7.74	25	0	120
1/8X24	879-240 7.83	1879-240 8.44	879-240P 7.83	25	0	120
1/8X30	879-300 10.76	1879-300 10.76	879-300P 10.76	25	0	120
1/8X36	879-360 12.67	1879-360 12.67	879-360P 12.67	25	0	120
1/8X42	879-420 14.76	1879-420 14.76	879-420P 14.76	25	0	120
1/8X48	879-480 16.87	1879-480 16.87	879-480P 16.87	25	0	120
1/4" Diameter						
1/4XCLOSE	880-005 1.29	1880-005 1.29	880-005P 1.68	25	1200	120
1/4X1-1/2	880-015 1.29	1880-015 1.29	880-015P 1.82	25	1200	120
1/4X2	880-020 1.59	1880-020 1.59	880-020P 1.82	25	500	120
1/4X2-1/2	880-025 1.95	1880-025 1.59	880-025P 1.95	25	500	120
1/4X3	880-030 2.12	1880-030 2.12	880-030P 2.27	25	550	120
1/4X3-1/2	880-035 2.35	1880-035 2.12	880-035P 3.66	25	500	120
1/4X4	880-040 2.46	1880-040 2.46	880-040P 2.55	25	300	120
1/4X4-1/2	880-045 2.65	1880-045 2.46	880-045P 2.65	25	250	120
1/4X5	880-050 2.67	1880-050 2.67	880-050P 2.86	25	250	120
1/4X5-1/2	880-055 3.03	1880-055 2.67	880-055P 3.03	25	250	120
1/4X6	880-060 2.79	1880-060 2.79	880-060P 2.79	25	250	120
1/4X7	880-070 2.88	1880-070 2.88	880-070P 2.88	25	250	120
1/4X8	880-080 3.04	1880-080 3.04	880-080P 3.04	25	250	120
1/4X9	880-090 3.13	1880-090 3.13	880-090P 3.13	25	250	120
1/4X10	880-100 3.20	1880-100 3.20	880-100P 3.20	25	250	120
1/4X11	880-110 3.43	1880-110 3.43	880-110P 3.43	25	250	120
1/4X12	880-120 3.78	1880-120 3.78	880-120P 3.78	25	250	120



Nipples Product PVC, CPVC & PE Nipples

PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/4" Diameter						
1/4X13	880-130 5.49	1880-130 5.49	880-130P 5.49	25	250	120
1/4X14	880-140 5.54	1880-140 5.54	880-140P 5.54	25	250	120
1/4X15	880-150 5.87	1880-150 5.87	880-150P 5.87	25	500	120
1/4X16	880-160 7.39	1880-160 7.39	880-160P 7.39	25	250	120
1/4X17	880-170 7.77	1880-170 7.77	880-170P 7.77	25	300	120
1/4X18	880-180 7.93	1880-180 7.93	880-180P 7.93	25	300	120
1/4X19	880-190 8.31	1880-190 8.31	880-190P 8.31	25	300	120
1/4X20	880-200 8.43	1880-200 8.43	880-200P 8.43	25	200	120
1/4X22	880-220 8.82	1880-220 8.82	880-220P 8.82	25	300	120
1/4X24	880-240 8.98	1880-240 8.98	880-240P 8.98	25	200	120
1/4X30	880-300 11.02	1880-300 11.02	880-300P 11.02	25	0	120
1/4X36	880-360 13.35	1880-360 13.35	880-360P 13.35	25	0	120
1/4X42	880-420 15.71	1880-420 15.71	880-420P 15.71	25	0	120
1/4X48	880-480 15.71	1880-480 17.46	880-480P 15.71	25	0	120

3/8" Diameter

3/8XCLOSE	881-005 1.35	1881-005 1.35	881-005P 1.35	25	800	120
3/8X1-1/2	881-015 1.35	1881-015 1.35	881-015P 1.35	25	800	120
3/8X2	881-020 1.73	1881-020 1.73	881-020P 1.73	25	600	120
3/8X2-1/2	881-025 1.73	1881-025 1.73	881-025P 1.73	25	600	120
3/8X3	881-030 1.73	1881-030 1.73	881-030P 1.73	25	400	120
3/8X3-1/2	881-035 2.46	1881-035 2.46	881-035P 2.46	25	400	120
3/8X4	881-040 2.67	1881-040 2.67	881-040P 2.67	25	300	120
3/8X4-1/2	881-045 2.67	1881-045 2.67	881-045P 2.67	25	250	120
3/8X5	881-050 2.88	1881-050 2.88	881-050P 2.88	25	250	120
3/8X5-1/2	881-055 2.88	1881-055 2.88	881-055P 2.88	25	250	120
3/8X6	881-060 2.98	1881-060 2.98	881-060P 2.98	25	250	120
3/8X7	881-070 3.06	1881-070 3.06	881-070P 3.06	25	200	120
3/8X8	881-080 3.29	1881-080 3.29	881-080P 3.29	25	200	120
3/8X9	881-090 3.54	1881-090 3.54	881-090P 3.54	25	200	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/8" Diameter						
3/8X10	881-100 3.65	1881-100 3.65	881-100P 3.65	25	200	120
3/8X11	881-110 3.86	1881-110 3.86	881-110P 3.86	25	200	120
3/8X12	881-120 4.09	1881-120 4.09	881-120P 4.09	25	200	120
3/8X13	881-130 5.89	1881-130 5.89	881-130P 5.89	25	0	120
3/8X14	881-140 6.11	1881-140 6.11	881-140P 6.11	25	200	120
3/8X15	881-150 6.40	1881-150 6.40	881-150P 6.40	25	200	120
3/8X16	881-160 6.57	1881-160 6.57	881-160P 6.57	25	200	120
3/8X17	881-170 6.80	1881-170 6.80	881-170P 6.80	25	0	120
3/8X18	881-180 7.04	1881-180 7.04	881-180P 7.04	25	200	120
3/8X19	881-190 7.19	1881-190 7.19	881-190P 7.19	25	0	120
3/8X20	881-200 7.39	1881-200 7.39	881-200P 7.39	25	250	120
3/8X22	881-220 8.00	1881-220 8.00	881-220P 8.00	25	200	120
3/8X24	881-240 8.19	1881-240 8.19	881-240P 8.19	25	200	120
3/8X30	881-300 11.04	1881-300 11.04	881-300P 11.04	25	0	120
3/8X36	881-360 14.16	1881-360 14.16	881-360P 14.16	25	0	120
3/8X42	881-420 15.93	1881-420 15.93	881-420P 15.93	25	0	120
3/8X48	881-480 18.03	1881-480 18.03	881-480P 18.03	25	0	120

1/2" Diameter

1/2XCLOSE	882-005 1.17	1882-005 1.17	882-005P 1.17	25	675	120
1/2X1-1/2	882-015 1.17	1882-015 1.17	882-015P 1.90	25	600	120
1/2X2	882-020 1.24	1882-020 1.24	882-020P 1.24	50	300	120
1/2X2-1/2	882-025 1.24	1882-025 1.24	882-025P 1.24	50	600	120
1/2X3	882-030 1.41	1882-030 1.41	882-030P 1.41	50	600	120
1/2X3-1/2	882-035 1.41	1882-035 1.41	882-035P 1.41	25	300	120
1/2X4	882-040 1.64	1882-040 1.64	882-040P 1.64	25	300	120
1/2X4-1/2	882-045 1.64	1882-045 1.64	882-045P 1.64	25	300	120
1/2X5	882-050 1.83	1882-050 1.83	882-050P 1.83	25	300	120
1/2X5-1/2	882-055 1.83	1882-055 1.83	882-055P 1.83	25	300	120
1/2X6	882-060 1.92	1882-060 1.92	882-060P 1.92	25	300	120
1/2X7	882-070 2.23	1882-070 2.23	882-070P 4.83	25	200	120

Nipples Product PVC, CPVC & PE Nipples



PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/2" Diameter						
1/2X8	882-080 2.39	1882-080 2.39	882-080P 2.39	25	0	120
1/2X9	882-090 2.46	1882-090 2.46	882-090P 2.46	25	0	120
1/2X10	882-100 2.61	1882-100 2.61	882-100P 2.61	25	0	120
1/2X11	882-110 5.76	1882-110 2.79	882-110P 5.76	25	0	120
1/2X12	882-120 2.88	1882-120 2.88	882-120P 2.88	25	0	120
1/2X13	882-130 3.29	1882-130 3.29	882-130P 3.29	25	0	120
1/2X14	882-140 3.36	1882-140 3.36	882-140P 3.36	100	0	120
1/2X15	882-150 3.62	1882-150 3.62	882-150P 3.62	100	0	120
1/2X16	882-160 4.04	1882-160 4.04	882-160P 4.04	100	0	120
1/2X17	882-170 4.16	1882-170 4.16	882-170P 4.16	100	0	120
1/2X18	882-180 4.41	1882-180 4.41	882-180P 4.41	25	100	120
1/2X19	882-190 4.56	1882-190 4.56	882-190P 4.56	100	0	120
1/2X20	882-200 4.67	1882-200 4.67	882-200P 4.67	100	0	120
1/2X22	882-220 4.67	1882-220 4.67	882-220P 4.67	100	0	120
1/2X24	882-240 5.71	1882-240 5.71	882-240P 5.71	25	100	120
1/2X30	882-300 7.19	1882-300 7.19	882-300P 7.19	25	0	120
1/2X36	882-360 9.74	1882-360 9.74	882-360P 9.74	25	0	120
1/2X42	882-420 12.99	1882-420 12.99	882-420P 12.99	25	0	120
1/2X48	882-480 13.66	1882-480 13.66	882-480P 13.66	25	0	120

3/4" Diameter

3/4XCLOSE	883-005 1.24	1883-005 1.24	883-005P 2.13	25	450	120
3/4X1-1/2	883-015 1.24	1883-015 1.24	883-015P 2.13	25	500	120
3/4X2	883-020 1.24	1883-020 1.24	883-020P 2.29	25	150	120
3/4X2-1/2	883-025 1.41	1883-025 1.41	883-025P 2.29	25	150	120
3/4X3	883-030 1.41	1883-030 1.41	883-030P 2.55	25	300	120
3/4X3-1/2	883-035 1.84	1883-035 1.64	883-035P 2.55	25	300	120
3/4X4	883-040 1.92	1883-040 1.92	883-040P 2.71	25	300	120
3/4X4-1/2	883-045 1.92	1883-045 1.92	883-045P 2.86	25	200	120
3/4X5	883-050 2.29	1883-050 2.29	883-050P 2.92	25	200	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/4" Diameter						
3/4X5-1/2	883-055 3.13	1883-055 2.29	883-055P 3.13	25	200	120
3/4X6	883-060 2.39	1883-060 2.39	883-060P 3.55	25	200	120
3/4X7	883-070 3.79	1883-070 2.46	883-070P 3.79	25	200	120
3/4X8	883-080 2.79	1883-080 2.79	883-080P 4.09	25	0	120
3/4X9	883-090 4.37	1883-090 2.88	883-090P 4.37	25	0	120
3/4X10	883-100 3.20	1883-100 3.20	883-100P 4.48	25	0	120
3/4X11	883-110 4.60	1883-110 3.43	883-110P 4.60	25	0	120
3/4X12	883-120 3.62	1883-120 3.62	883-120P 4.73	25	0	120
3/4X13	883-130 4.95	1883-130 3.92	883-130P 4.95	25	0	120
3/4X14	883-140 5.11	1883-140 3.92	883-140P 5.11	100	0	120
3/4X15	883-150 5.11	1883-150 4.09	883-150P 5.22	100	0	120
3/4X16	883-160 5.43	1883-160 4.56	883-160P 5.46	100	0	120
3/4X17	883-170 5.64	1883-170 4.67	883-170P 5.64	100	0	120
3/4X18	883-180 5.89	1883-180 4.78	883-180P 5.89	25	100	120
3/4X19	883-190 6.09	1883-190 5.34	883-190P 6.09	100	0	120
3/4X20	883-200 6.31	1883-200 5.67	883-200P 6.31	100	0	120
3/4X22	883-220 6.74	1883-220 5.88	883-220P 6.74	100	0	120
3/4X24	883-240 7.20	1883-240 6.86	883-240P 7.20	25	100	120
3/4X30	883-300 9.96	1883-300 9.49	883-300P 9.96	25	0	120
3/4X36	883-360 11.76	1883-360 11.76	883-360P 11.76	25	0	120
3/4X42	883-420 12.53	1883-420 13.75	883-420P 12.53	25	0	120
3/4X48	883-480 14.59	1883-480 15.53	883-480P 14.59	25	0	120

1" Diameter

1XCLOSE	884-005 1.64	1884-005 1.64	884-005P 2.33	50	600	120
1X1-1/2	884-015 2.33	1884-015 1.83	884-015P 2.33	25	300	120
1X2	884-020 1.83	1884-020 1.83	884-020P 2.52	25	300	120
1X2-1/2	884-025 1.92	1884-025 1.92	884-025P 2.63	25	300	120
1X3	884-030 2.08	1884-030 2.08	884-030P 2.78	25	200	120
1X3-1/2	884-035 2.91	1884-035 2.23	884-035P 2.91	25	200	120
1X4	884-040 2.39	1884-040 2.39	884-040P 3.02	25	200	120



Nipples Product PVC, CPVC & PE Nipples

PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1" Diameter						
1X4-1/2	884-045 3.20	1884-045 2.61	884-045P 3.20	25	200	120
1X5	884-050 2.88	1884-050 2.88	884-050P 3.44	25	0	120
1X5-1/2	884-055 3.61	1884-055 3.20	884-055P 3.61	25	0	120
1X6	884-060 3.29	1884-060 3.29	884-060P 3.75	25	0	120
1X7	884-070 4.08	1884-070 3.62	884-070P 4.08	25	0	120
1X8	884-080 3.86	1884-080 3.86	884-080P 3.86	25	0	120
1X9	884-090 4.76	1884-090 4.38	884-090P 4.76	25	0	120
1X10	884-100 5.07	1884-100 4.56	884-100P 5.07	25	0	120
1X11	884-110 5.49	1884-110 4.92	884-110P 5.49	25	0	120
1X12	884-120 5.27	1884-120 5.27	884-120P 5.69	25	0	120
1X13	884-130 5.98	1884-130 6.07	884-130P 5.98	25	0	120
1X14	884-140 6.40	1884-140 6.07	884-140P 6.40	50	0	120
1X15	884-150 6.71	1884-150 6.49	884-150P 6.71	50	0	120
1X16	884-160 7.02	1884-160 6.54	884-160P 7.02	50	0	120
1X17	884-170 7.33	1884-170 7.39	884-170P 7.33	50	0	120
1X18	884-180 7.64	1884-180 7.77	884-180P 7.71	50	0	120
1X19	884-190 7.98	1884-190 7.95	884-190P 7.98	50	0	120
1X20	884-200 8.29	1884-200 8.33	884-200P 8.29	50	0	120
1X22	884-220 8.91	1884-220 8.48	884-220P 8.91	50	0	120
1X24	884-240 9.52	1884-240 8.76	884-240P 9.52	50	0	120
1X30	884-300 11.53	1884-300 12.24	884-300P 11.53	15	0	120
1X36	884-360 13.47	1884-360 16.28	884-360P 13.47	15	0	120
1X42	884-420 15.40	1884-420 19.88	884-420P 15.40	15	0	120
1X48	884-480 17.33	1884-480 20.77	884-480P 17.33	15	0	120

1-1/4" Diameter

1-1/4XCLOSE	885-005 2.39	1885-005 2.39	885-005P 2.54	25	200	120
1-1/4X2	885-020 2.46	1885-020 2.46	885-020P 2.75	25	200	120
1-1/4X2-1/2	885-025 3.00	1885-025 2.69	885-025P 3.00	25	200	120
1-1/4X3	885-030 2.79	1885-030 2.79	885-030P 3.11	25	0	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/4" Diameter						
1-1/4X3-1/2	885-035 3.20	1885-035 3.20	885-035P 3.11	25	0	120
1-1/4X4	885-040 3.20	1885-040 3.20	885-040P 3.56	25	0	120
1-1/4X4-1/2	885-045 3.71	1885-045 3.65	885-045P 3.71	25	0	120
1-1/4X5	885-050 3.89	1885-050 3.65	885-050P 3.89	25	0	120
1-1/4X5-1/2	885-055 4.33	1885-055 4.09	885-055P 4.33	25	0	120
1-1/4X6	885-060 4.09	1885-060 4.09	885-060P 4.47	25	0	120
1-1/4X7	885-070 4.67	1885-070 4.67	885-070P 4.67	25	0	120
1-1/4X8	885-080 4.92	1885-080 4.92	885-080P 4.92	25	0	120
1-1/4X9	885-090 5.34	1885-090 5.34	885-090P 5.34	25	0	120
1-1/4X10	885-100 5.74	1885-100 5.74	885-100P 5.74	25	0	120
1-1/4X11	885-110 6.14	1885-110 6.14	885-110P 6.14	25	0	120
1-1/4X12	885-120 6.49	1885-120 6.49	885-120P 6.74	25	0	120
1-1/4X13	885-130 7.53	1885-130 7.53	885-130P 7.53	25	0	120
1-1/4X14	885-140 7.80	1885-140 7.80	885-140P 7.80	25	0	120
1-1/4X15	885-150 8.23	1885-150 8.23	885-150P 8.23	25	0	120
1-1/4X16	885-160 8.58	1885-160 8.58	885-160P 8.58	25	0	120
1-1/4X17	885-170 8.84	1885-170 9.40	885-170P 8.84	25	0	120
1-1/4X18	885-180 9.22	1885-180 10.25	885-180P 9.22	25	0	120
1-1/4X19	885-190 9.87	1885-190 11.40	885-190P 9.90	25	0	120
1-1/4X20	885-200 10.26	1885-200 11.63	885-200P 10.26	25	0	120
1-1/4X22	885-220 11.02	1885-220 11.85	885-220P 11.02	25	0	120
1-1/4X24	885-240 11.79	1885-240 12.03	885-240P 11.79	25	0	120
1-1/4X30	885-300 15.05	1885-300 15.71	885-300P 15.05	10	0	120
1-1/4X36	885-360 17.17	1885-360 17.17	885-360P 17.17	10	0	120
1-1/4X42	885-420 21.80	1885-420 21.80	885-420P 21.80	10	0	120
1-1/4X48	885-480 22.68	1885-480 22.68	885-480P 22.68	10	0	120

1-1/2" Diameter

1-1/2XCLOSE	886-005 2.61	1886-005 2.61	886-005P 2.92	25	0	120
1-1/2X2	886-020 2.88	1886-020 2.88	886-020P 3.11	25	0	120
1-1/2X2-1/2	886-025 3.32	1886-025 3.06	886-025P 3.32	25	0	120

Nipples Product PVC, CPVC & PE Nipples



PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/2" Diameter						
1-1/2X3	886-030 3.29	1886-030 3.29	886-030P 3.46	25	0	120
1-1/2X3-1/2	886-035 3.82	1886-035 3.65	886-035P 3.82	25	0	120
1-1/2X4	886-040 4.38	1886-040 4.38	886-040P 4.78	25	0	120
1-1/2X4-1/2	886-045 4.93	1886-045 4.38	886-045P 4.93	25	0	120
1-1/2X5	886-050 5.11	1886-050 4.92	886-050P 5.11	25	0	120
1-1/2X5-1/2	886-055 5.66	1886-055 4.92	886-055P 5.66	25	0	120
1-1/2X6	886-060 5.27	1886-060 5.27	886-060P 5.80	25	0	120
1-1/2X7	886-070 6.01	1886-070 5.88	886-070P 6.01	25	0	120
1-1/2X8	886-080 6.49	1886-080 6.49	886-080P 6.84	25	0	120
1-1/2X9	886-090 7.11	1886-090 6.88	886-090P 7.11	25	0	120
1-1/2X10	886-100 7.25	1886-100 7.25	886-100P 7.82	25	0	120
1-1/2X11	886-110 7.99	1886-110 7.80	886-110P 7.99	25	0	120
1-1/2X12	886-120 8.76	1886-120 8.76	886-120P 9.12	25	0	120
1-1/2X13	886-130 9.67	1886-130 8.99	886-130P 9.67	25	0	120
1-1/2X14	886-140 10.59	1886-140 9.74	886-140P 10.59	25	0	120
1-1/2X15	886-150 11.70	1886-150 10.16	886-150P 11.70	25	0	120
1-1/2X16	886-160 12.29	1886-160 10.96	886-160P 12.29	25	0	120
1-1/2X17	886-170 12.87	1886-170 11.20	886-170P 12.87	25	0	120
1-1/2X18	886-180 13.45	1886-180 11.93	886-180P 13.45	25	0	120
1-1/2X19	886-190 13.77	1886-190 13.24	886-190P 13.77	25	0	120
1-1/2X20	886-200 14.00	1886-200 13.66	886-200P 14.00	25	0	120
1-1/2X22	886-220 14.42	1886-220 13.82	886-220P 14.42	25	0	120
1-1/2X24	886-240 14.81	1886-240 14.22	886-240P 14.81	25	0	120
1-1/2X30	886-300 17.97	1886-300 19.40	886-300P 17.97	5	0	120
1-1/2X36	886-360 20.36	1886-360 20.36	886-360P 20.36	5	0	120
1-1/2X42	886-420 24.32	1886-420 27.33	886-420P 24.32	5	0	120
1-1/2X48	886-480 26.30	1886-480 28.88	886-480P 26.30	5	0	120
2" Diameter						
2XCLOSE	887-005 3.43	1887-005 3.43	887-005P 3.65	25	0	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2" Diameter						
2X2	887-020 3.99	1887-020 3.99	887-020P 3.65	25	0	120
2X2-1/2	887-025 4.23	1887-025 4.04	887-025P 4.23	25	0	120
2X3	887-030 4.09	1887-030 4.09	887-030P 4.58	25	0	120
2X3-1/2	887-035 4.78	1887-035 4.78	887-035P 4.78	25	0	120
2X4	887-040 5.67	1887-040 5.67	887-040P 5.92	25	0	120
2X4-1/2	887-045 5.92	1887-045 5.67	887-045P 6.13	25	0	120
2X5	887-050 6.57	1887-050 6.14	887-050P 6.57	25	0	120
2X5-1/2	887-055 7.34	1887-055 6.14	887-055P 7.34	25	0	120
2X6	887-060 7.53	1887-060 7.53	887-060P 7.70	25	0	120
2X7	887-070 7.97	1887-070 7.80	887-070P 7.97	25	0	120
2X8	887-080 8.33	1887-080 8.33	887-080P 8.33	25	0	120
2X9	887-090 10.44	1887-090 8.99	887-090P 10.44	25	0	120
2X10	887-100 11.32	1887-100 9.74	887-100P 11.32	25	0	120
2X11	887-110 12.15	1887-110 10.19	887-110P 12.15	25	0	120
2X12	887-120 12.98	1887-120 10.98	887-120P 12.98	25	0	120
2X13	887-130 13.19	1887-130 11.40	887-130P 13.19	25	0	120
2X14	887-140 13.42	1887-140 11.62	887-140P 13.42	20	0	120
2X15	887-150 13.54	1887-150 12.58	887-150P 13.54	20	0	120
2X16	887-160 13.93	1887-160 13.42	887-160P 13.93	20	0	120
2X17	887-170 14.65	1887-170 14.65	887-170P 14.65	20	0	120
2X18	887-180 14.99	1887-180 16.35	887-180P 14.99	20	0	120
2X19	887-190 15.59	1887-190 17.51	887-190P 15.59	25	0	120
2X20	887-200 16.42	1887-200 17.75	887-200P 16.42	20	0	120
2X22	887-220 17.76	1887-220 18.20	887-220P 17.76	20	0	120
2X24	887-240 19.10	1887-240 18.29	887-240P 19.10	20	0	120
2X30	887-300 23.62	1887-300 23.62	887-300P 23.62	5	0	120
2X36	887-360 31.38	1887-360 31.38	887-360P 31.38	5	0	120
2X42	887-420 38.17	1887-420 38.17	887-420P 38.17	5	0	120
2X48	887-480 42.70	1887-480 40.39	887-480P 42.70	5	0	120



Nipples Product PVC, CPVC & PE Nipples

PVC Nipples

PVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2-1/2" Diameter						
2-1/2XCLOSE	888-005 11.76	1888-005 11.76	888-005P 11.76	25	0	120
2-1/2X2-1/2	888-025 13.40	1888-025 13.40	888-025P 13.40	25	0	120
2-1/2X3	888-030 13.40	1888-030 13.40	888-030P 13.40	30	0	120
2-1/2X3-1/2	888-035 15.32	1888-035 15.32	888-035P 15.32	25	0	120
2-1/2X4	888-040 17.33	1888-040 17.33	888-040P 17.33	25	0	120
2-1/2X4-1/2	888-045 17.33	1888-045 17.33	888-045P 17.33	25	0	120
2-1/2X5	888-050 19.52	1888-050 19.52	888-050P 19.52	25	0	120
2-1/2X5-1/2	888-055 19.52	1888-055 19.52	888-055P 19.52	25	0	120
2-1/2X6	888-060 21.38	1888-060 21.38	888-060P 21.38	25	0	120
2-1/2X7	888-070 22.53	1888-070 22.53	888-070P 22.53	16	0	120
2-1/2X8	888-080 23.62	1888-080 23.62	888-080P 23.62	16	0	120
2-1/2X9	888-090 27.33	1888-090 27.33	888-090P 27.33	16	0	120
2-1/2X10	888-100 28.96	1888-100 28.96	888-100P 28.96	16	0	120
2-1/2X11	888-110 31.38	1888-110 31.38	888-110P 31.38	16	0	120
2-1/2X12	888-120 31.61	1888-120 31.61	888-120P 31.61	16	0	120
2-1/2X13	888-130 34.11	1888-130 34.11	888-130P 34.11	25	0	120
2-1/2X14	888-140 35.49	1888-140 35.49	888-140P 35.49	25	0	120
2-1/2X15	888-150 38.17	1888-150 40.86	888-150P 38.17	25	0	120
2-1/2X16	888-160 40.86	1888-160 40.86	888-160P 40.86	20	0	120
2-1/2X17	888-170 41.62	1888-170 41.62	888-170P 41.62	20	0	120
2-1/2X18	888-180 42.33	1888-180 42.33	888-180P 42.33	20	0	120
2-1/2X19	888-190 45.04	1888-190 45.04	888-190P 45.04	25	0	120
2-1/2X20	888-200 46.87	1888-200 46.87	888-200P 46.87	12	0	120
2-1/2X22	888-220 52.08	1888-220 52.08	888-220P 52.08	25	0	120
2-1/2X24	888-240 53.13	1888-240 53.13	888-240P 53.13	10	0	120
2-1/2X30	888-300 64.72	1888-300 64.72	888-300P 64.72	3	0	120
2-1/2X36	888-360 79.09	1888-360 81.08	888-360P 79.09	3	0	120
2-1/2X42	888-420 91.37	1888-420 91.37	888-420P 91.37	3	0	120
2-1/2X48	888-480 98.81	1888-480 98.81	888-480P 98.81	3	0	120

PVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3" Diameter						
3XCLOSE	889-005 14.04	1889-005 14.04	889-005P 14.04	25	0	120
3X3	889-030 15.32	1889-030 15.32	889-030P 15.32	20	0	120
3X3-1/2	889-035 17.89	1889-035 17.89	889-035P 17.89	30	0	120
3X4	889-040 20.46	1889-040 20.46	889-040P 20.46	30	0	120
3X4-1/2	889-045 20.46	1889-045 20.46	889-045P 20.46	20	0	120
3X5	889-050 22.94	1889-050 22.94	889-050P 22.94	20	0	120
3X5-1/2	889-055 22.94	1889-055 22.94	889-055P 22.94	20	0	120
3X6	889-060 28.66	1889-060 28.66	889-060P 28.66	20	0	120
3X7	889-070 30.25	1889-070 30.25	889-070P 30.25	10	0	120
3X8	889-080 31.14	1889-080 31.14	889-080P 31.14	10	0	120
3X9	889-090 32.75	1889-090 32.75	889-090P 32.75	10	0	120
3X10	889-100 35.64	1889-100 35.64	889-100P 35.98	10	0	120
3X11	889-110 38.17	1889-110 38.17	889-110P 38.17	10	0	120
3X12	889-120 38.82	1889-120 38.82	889-120P 38.82	10	0	120
3X13	889-130 40.24	1889-130 40.24	889-130P 40.24	20	0	120
3X14	889-140 43.65	1889-140 43.65	889-140P 43.65	20	0	120
3X15	889-150 46.35	1889-150 46.35	889-150P 46.35	20	0	120
3X16	889-160 49.05	1889-160 49.05	889-160P 49.05	20	0	120
3X17	889-170 50.45	1889-170 50.45	889-170P 50.45	10	0	120
3X18	889-180 53.13	1889-180 53.13	889-180P 54.47	10	0	120
3X19	889-190 61.33	1889-190 61.33	889-190P 61.33	10	0	120
3X20	889-200 64.72	1889-200 64.72	889-200P 64.72	10	0	120
3X22	889-220 66.16	1889-220 66.16	889-220P 66.16	10	0	120
3X24	889-240 72.91	1889-240 72.91	889-240P 72.91	10	0	120
3X30	889-300 92.85	1889-300 92.85	889-300P 92.85	3	0	120
3X36	889-360 96.04	1889-360 96.04	889-360P 96.04	3	0	120
3X42	889-420 112.44	1889-420 112.44	889-420P 112.44	3	0	120
3X48	889-480 125.41	1889-480 125.41	889-480P 125.41	3	0	120
4" Diameter						
4XCLOSE	890-005 22.94	1890-005 22.94	890-005P 22.94	25	0	120

Nipples Product PVC, CPVC & PE Nipples



PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
4" Diameter						
4X2-1/2	890-025 24.05	1890-025 24.05	890-025P 24.05	18	0	120
4X3	890-030 24.05	1890-030 24.05	890-030P 24.05	25	0	120
4X3-1/2	890-035 28.77	1890-035 28.77	890-035P 28.77	25	0	120
4X4	890-040 31.84	1890-040 31.84	890-040P 31.84	18	0	120
4X4-1/2	890-045 31.84	1890-045 31.84	890-045P 31.84	12	0	120
4X5	890-050 31.84	1890-050 31.84	890-050P 31.84	12	0	120
4X5-1/2	890-055 31.84	1890-055 31.84	890-055P 31.84	12	0	120
4X6	890-060 34.11	1890-060 34.11	890-060P 34.11	12	0	120
4X7	890-070 37.43	1890-070 37.43	890-070P 37.43	16	0	120
4X8	890-080 39.59	1890-080 39.59	890-080P 39.59	16	0	120
4X9	890-090 39.84	1890-090 39.84	890-090P 39.84	16	0	120
4X10	890-100 42.33	1890-100 42.33	890-100P 42.33	16	0	120
4X11	890-110 47.77	1890-110 47.77	890-110P 47.77	16	0	120
4X12	890-120 55.15	1890-120 55.15	890-120P 55.15	16	0	120
4X13	890-130 57.22	1890-130 57.22	890-130P 57.22	16	0	120
4X14	890-140 58.62	1890-140 58.62	890-140P 58.62	15	0	120
4X15	890-150 61.33	1890-150 61.33	890-150P 61.33	12	0	120
4X16	890-160 64.09	1890-160 64.09	890-160P 64.09	12	0	120
4X17	890-170 68.18	1890-170 68.18	890-170P 68.18	12	0	120
4X18	890-180 76.89	1890-180 76.89	890-180P 76.89	4	0	120
4X19	890-190 77.66	1890-190 77.66	890-190P 77.66	12	0	120
4X20	890-200 83.15	1890-200 83.15	890-200P 83.15	4	0	120
4X22	890-220 85.85	1890-220 85.85	890-220P 85.85	8	0	120
4X24	890-240 91.53	1890-240 91.53	890-240P 91.53	4	0	120
4X30	890-300 109.04	1890-300 109.04	890-300P 109.04	3	0	120
4X36	890-360 129.52	1890-360 129.52	890-360P 129.52	3	0	120
4X42	890-420 158.11	1890-420 158.11	890-420P 158.11	3	0	120
4X48	890-480 194.08	1890-480 194.08	890-480P 194.08	3	0	120

PVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
6" Diameter						
6XCLOSE	892-005 25.17	1892-005 25.17	892-005P 25.17	8	0	120
6X4	892-040 32.18	1892-040 32.18	892-040P 32.18	4	0	120
6X4-1/2	892-045 35.66	1892-045 35.66	892-045P 35.66	4	0	120
6X5	892-050 39.15	1892-050 39.15	892-050P 39.15	1	2	120
6X5-1/2	892-055 42.67	1892-055 42.67	892-055P 42.67	1	2	120
6X6	892-060 46.56	1892-060 46.56	892-060P 46.56	1	2	120
6X7	892-070 53.49	1892-070 53.49	892-070P 53.49	1	2	120
6X8	892-080 60.58	1892-080 60.58	892-080P 60.58	1	0	120
6X9	892-090 67.57	1892-090 67.57	892-090P 67.57	1	0	120
6X10	892-100 75.01	1892-100 75.01	892-100P 75.01	1	0	120
6X11	892-110 82.03	1892-110 82.03	892-110P 82.03	1	0	120
6X12	892-120 89.03	1892-120 89.03	892-120P 89.03	1	0	120
6X13	892-130 96.02	1892-130 96.02	892-130P 96.02	1	0	120
6X14	892-140 103.02	1892-140 103.02	892-140P 103.02	1	0	120
6X15	892-150 110.02	1892-150 110.02	892-150P 110.02	1	0	120
6X16	892-160 117.03	1892-160 117.03	892-160P 117.03	1	2	120
6X17	892-170 124.82	1892-170 124.82	892-170P 124.82	1	2	120
6X18	892-180 131.00	1892-180 131.00	892-180P 131.00	1	6	120
6X19	892-190 138.94	1892-190 138.94	892-190P 138.94	1	0	120
6X20	892-200 145.01	1892-200 145.01	892-200P 145.01	2	0	120
6X22	892-220 159.69	1892-220 159.69	892-220P 159.69	1	0	120
6X24	892-240 173.66	1892-240 173.66	892-240P 173.66	1	3	120
6X30	892-300 215.67	1892-300 215.67	892-300P 215.67	1	0	120
6X36	892-360 258.74	1892-360 258.74	892-360P 258.74	1	0	120
6X42	892-420 300.71	1892-420 300.71	892-420P 300.71	1	0	120
6X48	892-480 342.89	1892-480 342.89	892-480P 342.89	1	0	120
8" Diameter						
8XCLOSE	893-005 69.61	1893-005 69.61	893-005P 69.61	4	0	120
8X4-1/2	893-045 51.20	1893-045 79.67	893-045P 51.20	1	0	120
8X5	893-050 56.26	1893-050 83.06	893-050P 56.26	1	0	120



Nipples Product PVC, CPVC & PE Nipples

PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
8" Diameter						
8X5-1/2	893-055 61.33	1893-055 86.41	893-055P 61.33	1	0	120
8X6	893-060 66.30	1893-060 89.78	893-060P 66.30	4	0	120
8X7	893-070 70.65	1893-070 96.54	893-070P 70.65	4	0	120
8X8	893-080 77.13	1893-080 103.28	893-080P 77.13	4	0	120
8X9	893-090 81.32	1893-090 109.99	893-090P 81.32	2	0	120
8X10	893-100 86.21	1893-100 116.73	893-100P 86.21	1	0	120
8X11	893-110 92.43	1893-110 123.49	893-110P 92.43	1	0	120
8X12	893-120 107.64	1893-120 130.22	893-120P 107.64	1	0	120
8X13	893-130 114.35	1893-130 136.94	893-130P 114.35	1	0	120
8X14	893-140 119.91	1893-140 143.67	893-140P 119.91	1	0	120
8X15	893-150 124.43	1893-150 150.44	893-150P 124.43	1	0	120
8X16	893-160 135.11	1893-160 157.15	893-160P 135.11	1	0	120
8X17	893-170 145.09	1893-170 163.86	893-170P 145.09	4	0	120
8X18	893-180 153.09	1893-180 170.59	893-180P 153.09	4	0	120
8X19	893-190 159.59	1893-190 177.02	893-190P 159.59	2	0	120
8X20	893-200 167.39	1893-200 184.08	893-200P 167.39	2	0	120
8X22	893-220 175.81	1893-220 197.55	893-220P 175.81	1	0	120
8X24	893-240 184.73	1893-240 211.64	893-240P 184.73	1	2	120
8X30	893-300 215.13	1893-300 252.81	893-300P 215.13	4	0	120
8X36	893-360 256.60	1893-360 291.84	893-360P 256.60	4	0	120
8X42	893-420 281.25	1893-420 332.22	893-420P 281.25	1	0	120
8X48	893-480 335.50	1893-480 372.66	893-480P 335.50	1	0	120

10" Diameter

10XCLOSE	894-005 49.93	1894-005 79.88	894-005P 49.93	1	0	120
10X2	894-020 49.93	1894-020 80.78	894-020P 49.93	1	6	120
10X4-1/2	894-045 59.03	1894-045 95.15	894-045P 59.03	1	0	120
10X5	894-050 64.96	1894-050 99.80	894-050P 64.96	1	0	120
10X5-1/2	894-055 70.88	1894-055 105.31	894-055P 70.88	1	0	120
10X6	894-060 81.41	1894-060 110.39	894-060P 81.41	2	0	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
10" Diameter						
10X7	894-070 88.64	1894-070 120.56	894-070P 88.64	1	0	120
10X8	894-080 97.91	1894-080 130.72	894-080P 97.91	1	0	120
10X9	894-090 109.45	1894-090 140.69	894-090P 109.45	1	0	120
10X10	894-100 119.76	1894-100 151.07	894-100P 119.76	1	0	120
10X11	894-110 129.86	1894-110 161.23	894-110P 129.86	1	0	120
10X12	894-120 135.65	1894-120 171.40	894-120P 135.65	1	0	120
10X13	894-130 144.49	1894-130 181.55	894-130P 144.49	1	0	120
10X14	894-140 155.20	1894-140 191.74	894-140P 155.20	1	0	120
10X15	894-150 165.91	1894-150 201.89	894-150P 165.91	1	0	120
10X16	894-160 176.63	1894-160 212.05	894-160P 173.63	1	0	120
10X17	894-170 187.34	1894-170 222.23	894-170P 187.34	1	0	120
10X18	894-180 199.48	1894-180 232.40	894-180P 199.48	1	2	120
10X19	894-190 207.78	1894-190 242.55	894-190P 207.78	1	0	120
10X20	894-200 211.43	1894-200 252.73	894-200P 211.43	1	0	120
10X22	894-220 220.92	1894-220 273.91	894-220P 220.92	1	0	120
10X24	894-240 232.60	1894-240 293.41	894-240P 232.60	1	2	120
10X30	894-300 279.97	1894-300 354.40	894-300P 279.97	1	0	120
10X36	894-360 335.07	1894-360 415.40	894-360P 335.07	1	0	120
10X42	894-420 390.17	1894-420 476.41	894-420P 390.17	1	0	120
10X48	894-480 445.27	1894-480 537.43	894-480P 445.27	1	0	120

12" Diameter

12XCLOSE	895-005 59.00	1895-005 96.98	895-005P 59.00	1	0	120
12X5	895-050 83.17	1895-050 119.27	895-050P 83.17	1	0	120
12X5-1/2	895-055 90.87	1895-055 125.89	895-055P 90.87	1	0	120
12X6	895-060 98.56	1895-060 133.27	895-060P 98.56	1	0	120
12X7	895-070 113.95	1895-070 147.21	895-070P 113.95	1	0	120
12X8	895-080 129.33	1895-080 160.71	895-080P 129.33	1	0	120
12X9	895-090 137.83	1895-090 175.19	895-090P 137.83	1	0	120
12X10	895-100 153.51	1895-100 189.15	895-100P 153.51	1	0	120
12X11	895-110 167.94	1895-110 203.15	895-110P 167.94	1	0	120

Nipples Product
PVC, CPVC & PE Nipples



PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
12" Diameter						
12X12	895-120 177.85	1895-120 217.11	895-120P 177.85	1	0	120
12X13	895-130 188.38	1895-130 231.09	895-130P 188.38	1	0	120
12X14	895-140 202.43	1895-140 245.07	895-140P 202.43	1	0	120
12X15	895-150 216.48	1895-150 259.07	895-150P 216.48	1	0	120
12X16	895-160 234.82	1895-160 273.03	895-160P 234.82	1	0	120
12X17	895-170 245.71	1895-170 287.00	895-170P 245.71	1	0	120
12X18	895-180 256.65	1895-180 300.98	895-180P 256.65	1	0	120
12X19	895-190 272.69	1895-190 314.95	895-190P 272.69	1	0	120
12X20	895-200 299.68	1895-200 328.92	895-200P 299.68	1	0	120
12X22	895-220 314.85	1895-220 356.89	895-220P 314.85	1	0	120
12X24	895-240 342.95	1895-240 384.85	895-240P 342.95	1	0	120
12X30	895-300 406.83	1895-300 468.71	895-300P 406.88	1	0	120
12X36	895-360 487.12	1895-360 552.59	895-360P 487.12	1	0	120
12X42	895-420 567.40	1895-420 664.39	895-420P 567.40	1	0	120
12X48	895-480 647.68	1895-480 720.28	895-480P 647.68	1	0	120

Machined PVC Nipple Options - Threaded Both Ends (TBE)

The following nipples are normally injection molded, but are optionally available as machined nipples listed below. All other nipples are normally machined.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

PVC Schedule 80 Machined Nipples

1/4" Diameter

880-005M	1/4XCLOSE	25	1200	120	1.68
880-015M	1/4X1-1/2	25	1200	120	1.82
880-020M	1/4X2	25	500	120	1.82
880-030M	1/4X3	25	500	120	2.27
880-040M	1/4X4	25	250	120	2.55
880-050M	1/4X5	25	250	120	2.86

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

PVC Schedule 80 Machined Nipples

3/8" Diameter

881-015M	3/8X1-1/2	25	800	120	4.87
881-020M	3/8X2	25	600	120	4.87
881-030M	3/8X3	25	400	120	4.87
881-040M	3/8X4	25	300	120	6.17

PVC Schedule 80 Machined Nipples

1/2" Diameter

882-005M	1/2XCLOSE	25	450	120	3.60
882-015M	1/2X1-1/2	25	600	120	1.90
882-020M	1/2X2	25	300	120	3.61
882-025M	1/2X2-1/2	25	300	120	3.61
882-030M	1/2X3	25	300	120	3.74
882-040M	1/2X4	25	300	120	3.93
882-045M	1/2X4-1/2	25	300	120	4.20
882-050M	1/2X5	25	300	120	4.38
882-060M	1/2X6	25	300	120	4.57
882-070M	1/2X7	25	200	120	4.83
882-080M	1/2X8	25	0	120	5.20
882-100M	1/2X10	25	0	120	5.76
882-120M	1/2X12	25	0	120	6.32

PVC Schedule 80 Machined Nipples

3/4" Diameter

883-005M	3/4XCLOSE	25	300	120	2.13
883-015M	3/4X1-1/2	25	300	120	2.13
883-020M	3/4X2	25	300	120	2.29
883-025M	3/4X2-1/2	25	300	120	2.29
883-030M	3/4X3	25	300	120	2.55
883-035M	3/4X3-1/2	25	300	120	2.55
883-040M	3/4X4	25	300	120	2.71
883-045M	3/4X4-1/2	25	200	120	2.86
883-050M	3/4X5	25	200	120	2.92
883-060M	3/4X6	25	200	120	3.55
883-080M	3/4X8	25	0	120	4.09
883-100M	3/4X10	25	0	120	4.48
883-120M	3/4X12	25	0	120	4.73

PVC Schedule 80 Machined Nipples

1" Diameter

884-005M	1XCLOSE	25	300	120	2.33
884-020M	1X2	25	300	120	2.52
884-025M	1X2-1/2	25	200	120	2.63
884-030M	1X3	25	200	120	2.78
884-040M	1X4	25	200	120	3.02



Nipples Product PVC, CPVC & PE Nipples

Machined PVC Nipple Options - Threaded Both Ends (TBE)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

PVC Schedule 80 Machined Nipples (continued)

1" Diameter

884-050M	1X5	25	0	120	3.44
884-060M	1X6	25	0	120	3.75
884-080M	1X8	25	0	120	4.40
884-100M	1X10	25	0	120	5.07
884-120M	1X12	25	0	120	5.69

PVC Schedule 80 Machined Nipples

1-1/4" Diameter

885-005M	1-1/4XCLOSE	25	200	120	2.54
885-020M	1-1/4X2	25	200	120	2.75
885-030M	1-1/4X3	25	0	120	3.11
885-040M	1-1/4X4	25	0	120	3.56
885-060M	1-1/4X6	25	0	120	4.47
885-120M	1-1/4X12	25	0	120	6.74

PVC Schedule 80 Machined Nipples

1-1/2" Diameter

886-005M	1-1/2XCLOSE	25	0	120	2.92
886-020M	1-1/2X2	25	0	120	3.11
886-030M	1-1/2X3	25	0	120	3.46
886-040M	1-1/2X4	25	0	120	4.78
886-060M	1-1/2X6	25	0	120	5.80
886-070M	1-1/2X7	25	0	120	6.01
886-080M	1-1/2X8	25	0	120	6.84
886-100M	1-1/2X10	25	0	120	7.82
886-120M	1-1/2X12	25	0	120	9.12

PVC Schedule 80 Machined Nipples

2" Diameter

887-005M	2XCLOSE	25	0	120	3.65
887-030M	2X3	25	0	120	4.58
887-040M	2X4	25	0	120	5.92
887-060M	2X6	25	0	120	7.70

PVC Reducing Nipples

PVC Reducing Nipples

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
882-101	3/4X1/2	50	300	120	1.63
884-130R	1X1/2	25	300	120	2.20
884-131	1X3/4	50	200	120	2.28

CPVC Nipples

CPVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
------	--------------------	------------------	-----------	--------	---------	-----------

1/4" Diameter

1/4XCLOSE	880-005C 2.67	1880-005C 2.67	880-005CP 2.91	25	1200	121
1/4X1-1/2	880-015C 3.08	1880-015C 2.88	880-015CP 3.08	25	1200	121
1/4X2	880-020C 3.12	1880-020C 3.12	880-020CP 3.12	25	500	121
1/4X2-1/2	880-025C 3.62	1880-025C 3.62	880-025CP 3.62	25	500	121
1/4X3	880-030C 3.76	1880-030C 3.62	880-030CP 3.76	25	500	121
1/4X3-1/2	880-035C 4.09	1880-035C 4.09	880-035CP 4.09	25	500	121
1/4X4	880-040C 4.26	1880-040C 4.09	880-040CP 4.26	25	250	121
1/4X4-1/2	880-045C 4.59	1880-045C 4.59	880-045CP 4.59	25	250	121
1/4X5	880-050C 4.73	1880-050C 4.59	880-050CP 4.73	25	250	121
1/4X5-1/2	880-055C 4.99	1880-055C 4.99	880-055CP 4.99	25	250	121
1/4X6	880-060C 4.99	1880-060C 4.99	880-060CP 4.99	25	250	121
1/4X7	880-070C 7.55	1880-070C 7.55	880-070CP 7.55	25	250	121
1/4X8	880-080C 8.12	1880-080C 8.12	880-080CP 8.12	25	250	121
1/4X9	880-090C 8.62	1880-090C 8.62	880-090CP 8.62	25	250	121
1/4X10	880-100C 9.07	1880-100C 9.07	880-100CP 9.07	25	250	121
1/4X11	880-110C 9.62	1880-110C 9.62	880-110CP 9.62	25	250	121
1/4X12	880-120C 10.03	1880-120C 10.03	880-120CP 10.03	25	250	121
1/4X13	880-130C 12.71	1880-130C 12.71	880-130CP 12.71	25	250	121
1/4X14	880-140C 16.33	1880-140C 16.33	880-140CP 16.33	25	250	121
1/4X15	880-150C 16.98	1880-150C 16.98	880-150CP 16.98	25	500	121
1/4X16	880-160C 17.19	1880-160C 17.19	880-160CP 17.19	25	250	121
1/4X17	880-170C 18.09	1880-170C 18.09	880-170CP 18.09	25	0	121
1/4X18	880-180C 19.57	1880-180C 19.57	880-180CP 19.57	25	300	121
1/4X19	880-190C 19.97	1880-190C 19.97	880-190CP 19.97	25	0	121
1/4X20	880-200C 20.49	1880-200C 20.49	880-200CP 20.49	25	0	121
1/4X22	880-220C 21.24	1880-220C 21.24	880-220CP 21.24	25	300	121
1/4X24	880-240C 24.56	1880-240C 24.56	880-240CP 24.56	25	0	121
1/4X30	880-300C 29.73	1880-300C 29.73	880-300CP 29.73	25	0	121
1/4X36	880-360C 35.09	1880-360C 35.09	880-360CP 35.09	25	0	121

Nipples Product PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/4" Diameter						
1/4X42	880-420C 41.18	1880-420C 41.18	880-420CP 41.18	25	0	121
1/4X48	880-480C 43.00	1880-480C 43.00	880-480CP 43.00	25	0	121

3/8" Diameter

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/8XCLOSE	881-005C 3.06	1881-005C 3.06	881-005CP 3.06	25	800	121
3/8X1-1/2	881-015C 3.20	1881-015C 3.20	881-015CP 3.20	25	800	121
3/8X2	881-020C 3.62	1881-020C 3.62	881-020CP 3.62	25	600	121
3/8X2-1/2	881-025C 4.08	1881-025C 4.08	881-025CP 4.08	25	600	121
3/8X3	881-030C 4.28	1881-030C 4.28	881-030CP 4.28	25	400	121
3/8X3-1/2	881-035C 4.78	1881-035C 4.78	881-035CP 4.78	25	400	121
3/8X4	881-040C 5.18	1881-040C 5.18	881-040CP 5.18	25	300	121
3/8X4-1/2	881-045C 5.67	1881-045C 5.67	881-045CP 5.67	25	250	121
3/8X5	881-050C 6.11	1881-050C 6.11	881-050CP 6.11	25	250	121
3/8X5-1/2	881-055C 6.71	1881-055C 6.71	881-055CP 6.71	25	250	121
3/8X6	881-060C 7.42	1881-060C 7.42	881-060CP 7.42	25	250	121
3/8X7	881-070C 8.91	1881-070C 8.91	881-070CP 8.91	25	200	121
3/8X8	881-080C 9.32	1881-080C 9.32	881-080CP 9.32	25	200	121
3/8X9	881-090C 10.38	1881-090C 10.38	881-090CP 10.38	25	200	121
3/8X10	881-100C 10.57	1881-100C 10.57	881-100CP 10.57	25	200	121
3/8X11	881-110C 11.23	1881-110C 11.23	881-110CP 11.23	25	200	121
3/8X12	881-120C 11.44	1881-120C 11.44	881-120CP 11.44	25	200	121
3/8X13	881-130C 14.67	1881-130C 14.67	881-130CP 14.67	25	0	121
3/8X14	881-140C 17.86	1881-140C 17.86	881-140CP 17.86	25	200	121
3/8X15	881-150C 18.26	1881-150C 18.26	881-150CP 18.26	25	200	121
3/8X16	881-160C 18.69	1881-160C 18.69	881-160CP 18.69	25	200	121
3/8X17	881-170C 19.35	1881-170C 19.35	881-170CP 19.35	25	0	121
3/8X18	881-180C 20.01	1881-180C 20.01	881-180CP 20.01	25	200	121
3/8X19	881-190C 20.63	1881-190C 20.63	881-190CP 20.63	25	0	121
3/8X20	881-200C 21.28	1881-200C 21.28	881-200CP 21.28	25	0	121
3/8X22	881-220C 21.97	1881-220C 21.97	881-220CP 21.97	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/8" Diameter						
3/8X24	881-240C 22.97	1881-240C 22.97	881-240CP 22.97	25	0	121
3/8X30	881-300C 35.13	1881-300C 35.13	881-300CP 35.13	25	0	121
3/8X36	881-360C 43.38	1881-360C 43.38	881-360CP 43.38	25	0	121
3/8X42	881-420C 44.41	1881-420C 44.41	881-420CP 44.41	25	0	121
3/8X48	881-480C 45.95	1881-480C 45.95	881-480CP 45.95	25	0	121

1/2" Diameter

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/2XCLOSE	882-005C 2.88	1882-005C 2.88	882-005CP 2.88	25	450	121
1/2X1-1/2	882-015C 3.12	1882-015C 3.12	882-015CP 3.12	25	600	121
1/2X2	882-020C 3.43	1882-020C 3.43	882-020CP 3.43	25	300	121
1/2X2-1/2	882-025C 3.65	1882-025C 3.65	882-025CP 3.65	25	300	121
1/2X3	882-030C 3.92	1882-030C 3.92	882-030CP 3.92	25	300	121
1/2X3-1/2	882-035C 4.59	1882-035C 4.59	882-035CP 4.59	25	300	121
1/2X4	882-040C 4.59	1882-040C 4.59	882-040CP 4.59	25	300	121
1/2X4-1/2	882-045C 5.15	1882-045C 5.15	882-045CP 5.15	25	300	121
1/2X5	882-050C 5.15	1882-050C 5.15	882-050CP 5.15	25	300	121
1/2X5-1/2	882-055C 5.81	1882-055C 5.81	882-055CP 5.81	25	300	121
1/2X6	882-060C 5.81	1882-060C 5.81	882-060CP 5.81	25	300	121
1/2X7	882-070C 8.48	1882-070C 8.48	882-070CP 8.48	25	200	121
1/2X8	882-080C 9.05	1882-080C 9.05	882-080CP 9.05	25	0	121
1/2X9	882-090C 9.77	1882-090C 9.77	882-090CP 9.77	25	0	121
1/2X10	882-100C 10.28	1882-100C 10.28	882-100CP 10.28	25	0	121
1/2X11	882-110C 10.96	1882-110C 10.96	882-110CP 10.96	25	0	121
1/2X12	882-120C 11.62	1882-120C 11.62	882-120CP 11.62	25	0	121
1/2X13	882-130C 14.33	1882-130C 14.33	882-130CP 14.33	25	0	121
1/2X14	882-140C 17.02	1882-140C 17.02	882-140CP 17.02	100	0	121
1/2X15	882-150C 17.55	1882-150C 17.55	882-150CP 17.55	100	0	121
1/2X16	882-160C 18.13	1882-160C 18.13	882-160CP 18.13	100	0	121
1/2X17	882-170C 18.91	1882-170C 18.91	882-170CP 18.91	100	0	121
1/2X18	882-180C 19.22	1882-180C 19.22	882-180CP 19.22	25	100	121
1/2X19	882-190C 19.93	1882-190C 19.93	882-190CP 19.93	100	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/2" Diameter						
1/2X20	882-200C 20.60	1882-200C 20.60	882-200CP 20.60	100	0	121
1/2X22	882-220C 22.18	1882-220C 22.18	882-220CP 22.18	100	0	121
1/2X24	882-240C 23.29	1882-240C 23.29	882-240CP 23.29	100	0	121
1/2X30	882-300C 34.98	1882-300C 34.98	882-300CP 34.98	25	0	121
1/2X36	882-360C 38.48	1882-360C 38.48	882-360CP 38.48	25	0	121
1/2X42	882-420C 42.16	1882-420C 42.16	882-420CP 42.16	25	0	121
1/2X48	882-480C 46.51	1882-480C 46.51	882-480CP 46.51	25	0	121

3/4" Diameter

3/4XCLOSE	883-005C 3.54	1883-005C 3.54	883-005CP 3.54	25	300	121
3/4X1-1/2	883-015C 3.80	1883-015C 3.80	883-015CP 3.80	25	300	121
3/4X2	883-020C 4.09	1883-020C 4.09	883-020CP 4.09	25	300	121
3/4X2-1/2	883-025C 4.67	1883-025C 4.67	883-025CP 4.67	25	300	121
3/4X3	883-030C 4.67	1883-030C 4.67	883-030CP 7.52	25	300	121
3/4X3-1/2	883-035C 5.41	1883-035C 5.41	883-035CP 5.41	25	300	121
3/4X4	883-040C 5.41	1883-040C 5.41	883-040CP 5.41	25	300	121
3/4X4-1/2	883-045C 5.99	1883-045C 5.99	883-045CP 5.99	25	200	121
3/4X5	883-050C 5.99	1883-050C 5.99	883-050CP 5.99	25	200	121
3/4X5-1/2	883-055C 6.69	1883-055C 6.69	883-055CP 6.69	25	200	121
3/4X6	883-060C 6.69	1883-060C 6.69	883-060CP 6.69	25	200	121
3/4X7	883-070C 10.07	1883-070C 10.07	883-070CP 10.07	25	200	121
3/4X8	883-080C 10.64	1883-080C 10.64	883-080CP 10.64	25	0	121
3/4X9	883-090C 11.40	1883-090C 11.40	883-090CP 11.40	25	0	121
3/4X10	883-100C 11.96	1883-100C 11.96	883-100CP 11.96	25	0	121
3/4X11	883-110C 12.69	1883-110C 12.69	883-110CP 12.69	25	0	121
3/4X12	883-120C 13.45	1883-120C 13.45	883-120CP 13.45	25	0	121
3/4X13	883-130C 16.81	1883-130C 16.81	883-130CP 16.81	25	0	121
3/4X14	883-140C 20.16	1883-140C 20.16	883-140CP 20.16	100	0	121
3/4X15	883-150C 20.71	1883-150C 20.71	883-150CP 20.71	100	0	121
3/4X16	883-160C 21.32	1883-160C 21.29	883-160CP 21.32	100	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/4" Diameter						
3/4X17	883-170C 22.02	1883-170C 22.02	883-170CP 22.02	100	0	121
3/4X18	883-180C 22.74	1883-180C 22.74	883-180CP 22.74	100	0	121
3/4X19	883-190C 23.34	1883-190C 23.34	883-190CP 23.34	100	0	121
3/4X20	883-200C 23.95	1883-200C 23.95	883-200CP 23.95	100	0	121
3/4X22	883-220C 25.41	1883-220C 25.41	883-220CP 25.41	100	0	121
3/4X24	883-240C 26.89	1883-240C 26.89	883-240CP 26.89	100	0	121
3/4X30	883-300C 41.01	1883-300C 41.01	883-300CP 41.01	25	0	121
3/4X36	883-360C 44.71	1883-360C 44.71	883-360CP 44.60	25	0	121
3/4X42	883-420C 49.08	1883-420C 49.08	883-420CP 49.08	25	0	121
3/4X48	883-480C 52.34	1883-480C 52.34	883-480CP 52.34	25	0	121

1" Diameter

1XCLOSE	884-005C 4.28	1884-005C 4.28	884-005CP 4.88	25	300	121
1X2	884-020C 4.67	1884-020C 4.67	884-020CP 5.04	25	300	121
1X2-1/2	884-025C 5.81	1884-025C 5.81	884-025CP 5.81	25	200	121
1X3	884-030C 6.12	1884-030C 5.81	884-030CP 6.12	25	200	121
1X3-1/2	884-035C 6.33	1884-035C 6.69	884-035CP 6.33	25	200	121
1X4	884-040C 6.69	1884-040C 6.69	884-040CP 6.81	25	200	121
1X4-1/2	884-045C 7.36	1884-045C 7.55	884-045CP 7.36	25	200	121
1X5	884-050C 7.55	1884-050C 7.55	884-050CP 7.55	25	0	121
1X5-1/2	884-055C 8.17	1884-055C 8.76	884-055CP 8.17	25	0	121
1X6	884-060C 8.76	1884-060C 8.76	884-060CP 8.76	25	0	121
1X7	884-070C 9.70	1884-070C 12.24	884-070CP 9.70	25	0	121
1X8	884-080C 10.98	1884-080C 13.41	884-080CP 10.98	25	0	121
1X9	884-090C 12.44	1884-090C 14.55	884-090CP 12.44	25	0	121
1X10	884-100C 13.39	1884-100C 15.62	884-100CP 13.39	25	0	121
1X11	884-110C 14.35	1884-110C 16.34	884-110CP 14.35	25	0	121
1X12	884-120C 15.30	1884-120C 17.56	884-120CP 15.30	25	0	121
1X13	884-130C 17.60	1884-130C 21.00	884-130CP 17.60	25	0	121
1X14	884-140C 22.68	1884-140C 24.48	884-140CP 22.68	50	0	121
1X15	884-150C 23.81	1884-150C 25.66	884-150CP 23.81	50	0	121

Nipples Product PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1" Diameter						
1X16	884-160C 25.15	1884-160C 26.86	884-160CP 25.15	50	0	121
1X17	884-170C 26.39	1884-170C 27.99	884-170CP 26.39	50	0	121
1X18	884-180C 27.55	1884-180C 29.13	884-180CP 27.55	50	0	121
1X19	884-190C 28.87	1884-190C 29.75	884-190CP 28.87	50	0	121
1X20	884-200C 30.46	1884-200C 30.46	884-200CP 30.46	50	0	121
1X22	884-220C 33.06	1884-220C 33.06	884-220CP 33.06	50	0	121
1X24	884-240C 35.01	1884-240C 35.01	884-240CP 35.01	50	0	121
1X30	884-300C 46.36	1884-300C 51.38	884-300CP 46.36	15	0	121
1X36	884-360C 49.15	1884-360C 58.23	884-360CP 49.15	15	0	121
1X42	884-420C 56.70	1884-420C 61.72	884-420CP 56.70	15	0	121
1X48	884-480C 64.00	1884-480C 70.07	884-480CP 64.00	15	0	121

1-1/4" Diameter

1-1/4XCLOSE	885-005C 5.41	1885-005C 5.41	885-005CP 5.41	25	200	121
1-1/4X2	885-020C 5.99	1885-020C 5.99	885-020CP 5.99	25	200	121
1-1/4X2-1/2	885-025C 6.73	1885-025C 7.55	885-025CP 6.73	25	200	121
1-1/4X3	885-030C 7.45	1885-030C 7.98	885-030CP 7.45	25	0	121
1-1/4X3-1/2	885-035C 8.72	1885-035C 9.40	885-035CP 8.72	25	0	121
1-1/4X4	885-040C 9.40	1885-040C 9.40	885-040CP 9.40	25	0	121
1-1/4X4-1/2	885-045C 10.38	1885-045C 11.04	885-045CP 10.38	25	0	121
1-1/4X5	885-050C 11.04	1885-050C 11.04	885-050CP 11.04	25	0	121
1-1/4X5-1/2	885-055C 11.86	1885-055C 12.69	885-055CP 11.86	25	0	121
1-1/4X6	885-060C 12.69	1885-060C 12.69	885-060CP 12.69	25	0	121
1-1/4X7	885-070C 13.17	1885-070C 18.64	885-070CP 13.17	25	0	121
1-1/4X8	885-080C 14.50	1885-080C 19.40	885-080CP 14.50	25	0	121
1-1/4X9	885-090C 15.84	1885-090C 20.26	885-090CP 15.84	25	0	121
1-1/4X10	885-100C 17.16	1885-100C 22.05	885-100CP 17.16	25	0	121
1-1/4X11	885-110C 19.22	1885-110C 23.73	885-110CP 19.22	25	0	121
1-1/4X12	885-120C 20.57	1885-120C 25.35	885-120CP 20.57	25	0	121
1-1/4X13	885-130C 23.51	1885-130C 29.71	885-130CP 23.51	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/4" Diameter						
1-1/4X14	885-140C 25.04	1885-140C 34.05	885-140CP 25.04	25	0	121
1-1/4X15	885-150C 28.76	1885-150C 35.66	885-150CP 28.76	25	0	121
1-1/4X16	885-160C 33.48	1885-160C 37.28	885-160CP 33.48	25	0	121
1-1/4X17	885-170C 35.08	1885-170C 38.95	885-170CP 35.08	25	0	121
1-1/4X18	885-180C 36.91	1885-180C 41.39	885-180CP 36.91	25	0	121
1-1/4X19	885-190C 38.79	1885-190C 42.37	885-190CP 38.79	25	0	121
1-1/4X20	885-200C 40.50	1885-200C 44.14	885-200CP 40.50	25	0	121
1-1/4X22	885-220C 43.93	1885-220C 47.41	885-220CP 43.93	25	0	121
1-1/4X24	885-240C 47.24	1885-240C 54.18	885-240CP 47.24	25	0	121
1-1/4X30	885-300C 56.13	1885-300C 71.34	885-300CP 56.13	10	0	121
1-1/4X36	885-360C 66.42	1885-360C 75.31	885-360CP 66.42	10	0	121
1-1/4X42	885-420C 76.71	1885-420C 91.31	885-420CP 76.71	10	0	121
1-1/4X48	885-480C 87.00	1885-480C 101.40	885-480CP 87.00	10	0	121

1-1/2" Diameter

1-1/2XCLOSE	886-005C 5.99	1886-005C 5.99	886-005CP 5.99	25	0	121
1-1/2X2	886-020C 6.69	1886-020C 6.69	886-020CP 6.69	25	0	121
1-1/2X2-1/2	886-025C 7.50	1886-025C 8.33	886-025CP 7.50	25	0	121
1-1/2X3	886-030C 8.33	1886-030C 8.33	886-030CP 8.33	25	0	121
1-1/2X3-1/2	886-035C 9.59	1886-035C 10.07	886-035CP 9.59	25	0	121
1-1/2X4	886-040C 10.07	1886-040C 10.07	886-040CP 10.07	25	0	121
1-1/2X4-1/2	886-045C 11.76	1886-045C 11.76	886-045CP 11.76	25	0	121
1-1/2X5	886-050C 13.40	1886-050C 13.40	886-050CP 13.40	25	0	121
1-1/2X5-1/2	886-055C 16.11	1886-055C 13.40	886-055CP 16.11	25	0	121
1-1/2X6	886-060C 18.80	1886-060C 13.40	886-060CP 18.80	25	0	121
1-1/2X7	886-070C 20.09	1886-070C 20.09	886-070CP 20.09	25	0	121
1-1/2X8	886-080C 21.77	1886-080C 21.77	886-080CP 21.77	25	0	121
1-1/2X9	886-090C 22.40	1886-090C 22.40	886-090CP 22.40	25	0	121
1-1/2X10	886-100C 24.42	1886-100C 24.42	886-100CP 24.42	25	0	121
1-1/2X11	886-110C 25.19	1886-110C 25.19	886-110CP 25.19	25	0	121
1-1/2X12	886-120C 26.86	1886-120C 26.86	886-120CP 26.86	25	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/2" Diameter						
1-1/2X13	886-130C 29.52	1886-130C 31.81	886-130CP 29.52	25	0	121
1-1/2X14	886-140C 32.26	1886-140C 36.75	886-140CP 32.26	25	0	121
1-1/2X15	886-150C 38.91	1886-150C 38.91	886-150CP 38.91	25	0	121
1-1/2X16	886-160C 41.77	1886-160C 41.77	886-160CP 41.77	25	0	121
1-1/2X17	886-170C 42.27	1886-170C 42.27	886-170CP 42.27	25	0	121
1-1/2X18	886-180C 43.52	1886-180C 43.52	886-180CP 43.52	25	0	121
1-1/2X19	886-190C 45.24	1886-190C 45.24	886-190CP 45.24	25	0	121
1-1/2X20	886-200C 46.94	1886-200C 46.94	886-200CP 46.94	25	0	121
1-1/2X22	886-220C 50.31	1886-220C 50.31	886-220CP 50.31	25	0	121
1-1/2X24	886-240C 53.68	1886-240C 53.68	886-240CP 53.68	25	0	121
1-1/2X30	886-300C 67.38	1886-300C 77.00	886-300CP 67.38	5	0	121
1-1/2X36	886-360C 79.90	1886-360C 87.04	886-360CP 79.90	5	0	121
1-1/2X42	886-420C 92.43	1886-420C 97.24	886-420CP 92.43	5	0	121
1-1/2X48	886-480C 107.35	1886-480C 107.35	886-480CP 107.35	5	0	121

2" Diameter

2XCLOSE	887-005C 9.27	1887-005C 9.27	887-005CP 9.27	25	0	121
2X2	887-020C 10.54	1887-020C 11.04	887-020CP 10.54	25	0	121
2X2-1/2	887-025C 11.04	1887-025C 11.04	887-025CP 11.04	25	0	121
2X3	887-030C 13.09	1887-030C 13.09	887-030CP 13.95	25	0	121
2X3-1/2	887-035C 13.50	1887-035C 13.09	887-035CP 13.50	25	0	121
2X4	887-040C 15.14	1887-040C 15.14	887-040CP 15.14	25	0	121
2X4-1/2	887-045C 15.76	1887-045C 15.14	887-045CP 15.76	25	0	121
2X5	887-050C 17.17	1887-050C 17.17	887-050CP 17.17	25	0	121
2X5-1/2	887-055C 19.49	1887-055C 17.17	887-055CP 19.49	25	0	121
2X6	887-060C 24.14	1887-060C 24.14	887-060CP 24.14	25	0	121
2X7	887-070C 24.87	1887-070C 24.87	887-070CP 24.87	25	0	121
2X8	887-080C 26.18	1887-080C 26.18	887-080CP 26.18	25	0	121
2X9	887-090C 28.46	1887-090C 28.46	887-090CP 28.46	25	0	121
2X10	887-100C 30.52	1887-100C 30.52	887-100CP 30.52	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2" Diameter						
2X11	887-110C 32.31	1887-110C 32.31	887-110CP 32.31	25	0	121
2X12	887-120C 34.36	1887-120C 34.37	887-120CP 34.36	25	0	121
2X13	887-130C 37.05	1887-130C 41.26	887-130CP 37.05	25	0	121
2X14	887-140C 43.06	1887-140C 48.29	887-140CP 43.06	25	0	121
2X15	887-150C 45.95	1887-150C 50.28	887-150CP 45.95	25	0	121
2X16	887-160C 47.89	1887-160C 52.33	887-160CP 47.89	25	0	121
2X17	887-170C 51.57	1887-170C 55.71	887-170CP 51.57	20	0	121
2X18	887-180C 54.03	1887-180C 59.04	887-180CP 54.03	20	0	121
2X19	887-190C 56.51	1887-190C 62.82	887-190CP 56.51	25	0	121
2X20	887-200C 49.49	1887-200C 63.96	887-200CP 49.49	20	0	121
2X22	887-220C 64.77	1887-220C 65.48	887-220CP 64.77	20	0	121
2X24	887-240C 68.71	1887-240C 68.71	887-240CP 68.71	20	0	121
2X30	887-300C 92.57	1887-300C 100.60	887-300CP 92.57	5	0	121
2X36	887-360C 120.49	1887-360C 120.49	887-360CP 120.49	5	0	121
2X42	887-420C 138.73	1887-420C 138.73	887-420CP 138.73	5	0	121
2X48	887-480C 157.51	1887-480C 157.51	887-480CP 157.51	5	0	121

2-1/2" Diameter

2-1/2XCLOSE	888-005C 16.83	1888-005C 16.83	888-005CP 16.83	25	0	121
2-1/2X3	888-030C 18.47	1888-030C 18.47	888-030CP 18.47	25	0	121
2-1/2X3-1/2	888-035C 22.53	1888-035C 22.53	888-035CP 22.53	25	0	121
2-1/2X4	888-040C 22.53	1888-040C 22.53	888-040CP 22.53	25	0	121
2-1/2X4-1/2	888-045C 26.92	1888-045C 26.92	888-045CP 26.92	25	0	121
2-1/2X5	888-050C 26.92	1888-050C 26.92	888-050CP 26.92	25	0	121
2-1/2X5-1/2	888-055C 31.58	1888-055C 31.58	888-055CP 31.58	25	0	121
2-1/2X6	888-060C 31.58	1888-060C 31.58	888-060CP 31.58	25	0	121
2-1/2X7	888-070C 40.39	1888-070C 40.47	888-070CP 40.39	16	0	121
2-1/2X8	888-080C 45.01	1888-080C 45.01	888-080CP 45.01	16	0	121
2-1/2X9	888-090C 49.39	1888-090C 49.39	888-090CP 49.39	25	0	121
2-1/2X10	888-100C 53.80	1888-100C 53.80	888-100CP 53.80	16	0	121
2-1/2X11	888-110C 58.46	1888-110C 58.46	888-110CP 58.46	16	0	121

Nipples Product PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2-1/2" Diameter						
2-1/2X12	888-120C 59.10	1888-120C 63.13	888-120CP 59.10	16	0	121
2-1/2X13	888-130C 60.99	1888-130C 71.95	888-130CP 60.99	25	0	121
2-1/2X14	888-140C 65.26	1888-140C 80.76	888-140CP 65.26	25	0	121
2-1/2X15	888-150C 69.36	1888-150C 86.33	888-150CP 69.36	25	0	121
2-1/2X16	888-160C 72.92	1888-160C 92.09	888-160CP 72.92	20	0	121
2-1/2X17	888-170C 77.89	1888-170C 95.18	888-170CP 77.89	20	0	121
2-1/2X18	888-180C 82.07	1888-180C 98.79	888-180CP 82.07	20	0	121
2-1/2X19	888-190C 86.47	1888-190C 103.19	888-190CP 86.47	25	0	121
2-1/2X20	888-200C 91.44	1888-200C 107.60	888-200CP 91.44	12	0	121
2-1/2X22	888-220C 99.03	1888-220C 116.91	888-220CP 99.03	25	0	121
2-1/2X24	888-240C 109.57	1888-240C 126.49	888-240CP 109.57	10	0	121
2-1/2X30	888-300C 132.41	1888-300C 132.41	888-300CP 132.41	3	0	121
2-1/2X36	888-360C 159.75	1888-360C 159.75	888-360CP 159.75	3	0	121
2-1/2X42	888-420C 183.60	1888-420C 183.60	888-420CP 183.60	3	0	121
2-1/2X48	888-480C 209.08	1888-480C 209.08	888-480CP 209.08	3	0	121

3" Diameter

3XCLOSE	889-005C 21.80	1889-005C 21.80	889-005CP 21.80	25	0	121
3X3	889-030C 21.80	1889-030C 21.80	889-030CP 21.80	20	0	121
3X3-1/2	889-035C 28.51	1889-035C 28.51	889-035CP 28.51	30	0	121
3X4	889-040C 28.51	1889-040C 28.51	889-040CP 28.51	30	0	121
3X4-1/2	889-045C 33.19	1889-045C 33.19	889-045CP 33.19	20	0	121
3X5	889-050C 37.91	1889-050C 37.91	889-050CP 37.91	20	0	121
3X5-1/2	889-055C 37.91	1889-055C 37.91	889-055CP 37.91	20	0	121
3X6	889-060C 44.61	1889-060C 44.61	889-060CP 44.61	20	0	121
3X7	889-070C 47.77	1889-070C 47.77	889-070CP 47.77	10	0	121
3X8	889-080C 55.04	1889-080C 55.04	889-080CP 55.04	10	0	121
3X9	889-090C 61.54	1889-090C 61.54	889-090CP 61.54	10	0	121
3X10	889-100C 62.10	1889-100C 72.03	889-100CP 62.10	10	0	121
3X11	889-110C 62.10	1889-110C 78.16	889-110CP 62.10	10	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3" Diameter						
3X12	889-120C 63.70	1889-120C 82.88	889-120CP 63.70	10	0	121
3X13	889-130C 64.63	1889-130C 85.68	889-130CP 64.63	20	0	121
3X14	889-140C 69.16	1889-140C 95.48	889-140CP 69.16	20	0	121
3X15	889-150C 73.70	1889-150C 106.48	889-150CP 73.70	20	0	121
3X16	889-160C 78.24	1889-160C 110.09	889-160CP 78.24	20	0	121
3X17	889-170C 83.77	1889-170C 120.96	889-170CP 83.77	10	0	121
3X18	889-180C 88.92	1889-180C 123.13	889-180CP 88.92	10	0	121
3X19	889-190C 93.77	1889-190C 133.04	889-190CP 93.77	10	0	121
3X20	889-200C 98.31	1889-200C 140.89	889-200CP 98.31	10	0	121
3X22	889-220C 107.38	1889-220C 145.93	889-220CP 107.38	10	0	121
3X24	889-240C 116.45	1889-240C 151.78	889-240CP 116.45	10	0	121
3X30	889-300C 140.75	1889-300C 201.88	889-300CP 140.75	3	0	121
3X36	889-360C 167.97	1889-360C 246.19	889-360CP 167.97	3	0	121
3X42	889-420C 195.19	1889-420C 280.00	889-420CP 195.19	3	0	121
3X48	889-480C 222.41	1889-480C 303.49	889-480CP 222.41	3	0	121

4" Diameter

4XCLOSE	890-005C 33.61	1890-005C 33.61	890-005CP 33.61	25	0	121
4X3	890-030C 38.39	1890-030C 38.39	890-030CP 38.39	25	0	121
4X3-1/2	890-035C 38.39	1890-035C 38.39	890-035CP 38.39	25	0	121
4X4	890-040C 40.35	1890-040C 40.35	890-040CP 40.35	18	0	121
4X4-1/2	890-045C 46.99	1890-045C 46.99	890-045CP 46.99	12	0	121
4X5	890-050C 46.99	1890-050C 46.99	890-050CP 46.99	12	0	121
4X5-1/2	890-055C 53.69	1890-055C 53.69	890-055CP 53.69	12	0	121
4X6	890-060C 63.79	1890-060C 63.79	890-060CP 63.79	12	0	121
4X7	890-070C 67.40	1890-070C 67.40	890-070CP 67.40	16	0	121
4X8	890-080C 80.63	1890-080C 80.63	890-080CP 80.63	16	0	121
4X9	890-090C 87.32	1890-090C 87.32	890-090CP 87.32	16	0	121
4X10	890-100C 94.06	1890-100C 94.06	890-100CP 94.06	16	0	121
4X11	890-110C 103.79	1890-110C 103.79	890-110CP 103.79	16	0	121
4X12	890-120C 107.43	1890-120C 107.43	890-120CP 107.43	16	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
4" Diameter						
4X13	890-130C 119.12	1890-130C 119.12	890-130CP 119.12	16	0	121
4X14	890-140C 128.20	1890-140C 128.20	890-140CP 128.20	16	0	121
4X15	890-150C 144.42	1890-150C 144.42	890-150CP 144.42	12	0	121
4X16	890-160C 161.24	1890-160C 161.55	890-160CP 161.24	12	0	121
4X17	890-170C 167.95	1890-170C 167.95	890-170CP 167.95	12	0	121
4X18	890-180C 174.65	1890-180C 174.65	890-180CP 174.65	4	0	121
4X19	890-190C 188.06	1890-190C 188.06	890-190CP 188.06	12	0	121
4X20	890-200C 195.03	1890-200C 195.03	890-200CP 195.03	8	0	121
4X22	890-220C 199.66	1890-220C 199.66	890-220CP 199.66	8	0	121
4X24	890-240C 217.56	1890-240C 217.56	890-240CP 217.56	4	0	121
4X30	890-300C 288.86	1890-300C 288.83	890-300CP 288.86	3	0	121
4X36	890-360C 352.16	1890-360C 352.16	890-360CP 352.16	3	0	121
4X42	890-420C 390.47	1890-420C 390.47	890-420CP 390.47	3	0	121
4X48	890-480C 422.61	1890-480C 422.61	890-480CP 422.61	3	0	121
6" Diameter						
6XCLOSE	892-005C 49.31	1892-005C 79.54	892-005CP 49.31	1	8	121
6X3	892-030C 52.52	1892-030C 90.28	892-030CP 52.52	1	4	121
6X4	892-040C 67.75	1892-040C 123.49	892-040CP 67.75	4	0	121
6X4-1/2	892-045C 74.00	1892-045C 129.20	892-045CP 74.00	1	4	121
6X5	892-050C 82.99	1892-050C 138.49	892-050CP 82.99	1	2	121
6X5-1/2	892-055C 90.15	1892-055C 147.36	892-055CP 90.15	1	2	121
6X6	892-060C 97.32	1892-060C 161.63	892-060CP 97.32	2	0	121
6X7	892-070C 111.64	1892-070C 171.39	892-070CP 111.64	1	2	121
6X8	892-080C 129.62	1892-080C 190.05	892-080CP 129.62	1	0	121
6X9	892-090C 143.94	1892-090C 206.41	892-090CP 143.94	1	0	121
6X10	892-100C 158.37	1892-100C 222.74	892-100CP 158.37	1	0	121
6X11	892-110C 172.50	1892-110C 239.09	892-110CP 172.50	1	0	121
6X12	892-120C 184.47	1892-120C 255.42	892-120CP 184.47	1	0	121
6X13	892-130C 192.49	1892-130C 271.78	892-130CP 192.49	1	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
6" Diameter						
6X14	892-140C 206.20	1892-140C 288.15	892-140CP 206.20	1	0	121
6X15	892-150C 219.90	1892-150C 304.46	892-150CP 219.90	1	0	121
6X16	892-160C 225.75	1892-160C 320.55	892-160CP 225.75	1	0	121
6X17	892-170C 238.99	1892-170C 337.18	892-170CP 238.99	1	0	121
6X18	892-180C 249.11	1892-180C 348.14	892-180CP 249.11	1	6	121
6X19	892-190C 265.49	1892-190C 369.91	892-190CP 265.49	1	0	121
6X20	892-200C 278.71	1892-200C 386.20	892-200CP 278.71	1	0	121
6X22	892-220C 290.55	1892-220C 418.91	892-220CP 290.55	1	0	121
6X24	892-240C 309.53	1892-240C 482.49	892-240CP 309.53	1	3	121
6X30	892-300C 379.26	1892-300C 549.66	892-300CP 379.26	1	0	121
6X36	892-360C 453.25	1892-360C 647.77	892-360CP 453.25	1	0	121
6X42	892-420C 525.80	1892-420C 745.85	892-420CP 525.80	1	0	121
6X48	892-480C 560.06	1892-480C 843.95	892-480CP 560.06	1	0	121
8" Diameter						
8XCLOSE	893-005C 74.17	1893-005C 116.63	893-005CP 74.17	2	0	121
8X4-1/2	893-045C 91.01	1893-045C 150.24	893-045CP 91.01	1	0	121
8X5	893-050C 96.56	1893-050C 161.43	893-050CP 96.56	1	0	121
8X5-1/2	893-055C 105.47	1893-055C 172.64	893-055CP 105.47	1	0	121
8X6	893-060C 112.76	1893-060C 183.83	893-060CP 112.76	1	0	121
8X7	893-070C 132.21	1893-070C 206.25	893-070CP 132.21	1	0	121
8X8	893-080C 140.92	1893-080C 228.65	893-080CP 140.92	4	0	121
8X9	893-090C 151.07	1893-090C 253.00	893-090CP 151.07	1	0	121
8X10	893-100C 167.11	1893-100C 273.47	893-100CP 167.11	1	0	121
8X11	893-110C 183.15	1893-110C 295.86	893-110CP 183.15	1	0	121
8X12	893-120C 199.19	1893-120C 324.96	893-120CP 199.19	1	0	121
8X13	893-130C 209.71	1893-130C 340.68	893-130CP 209.71	1	0	121
8X14	893-140C 223.81	1893-140C 363.11	893-140CP 223.81	1	0	121
8X15	893-150C 239.34	1893-150C 385.49	893-150CP 239.34	1	0	121
8X16	893-160C 258.56	1893-160C 407.92	893-160CP 258.56	1	0	121
8X17	893-170C 270.39	1893-170C 430.03	893-170CP 270.39	1	0	121

Nipples Product PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
8" Diameter						
8X18	893-180C 289.75	1893-180C 452.71	893-180CP 289.75	4	0	121
8X19	893-190C 301.44	1893-190C 475.15	893-190CP 301.44	1	0	121
8X20	893-200C 319.79	1893-200C 497.55	893-200CP 319.79	2	0	121
8X22	893-220C 326.92	1893-220C 519.96	893-220CP 326.92	1	0	121
8X24	893-240C 345.23	1893-240C 542.36	893-240CP 345.23	2	2	121
8X30	893-300C 411.53	1893-300C 781.65	893-300CP 411.53	4	0	121
8X36	893-360C 465.86	1893-360C 953.45	893-360CP 465.86	4	0	121
8X42	893-420C 567.03	1893-420C 1009.03	893-420CP 567.03	1	0	121
8X48	893-480C 647.24	1893-480C 1106.59	893-480CP 647.24	1	0	121

10" Diameter

10XCLOSE	894-005C 95.81	1894-005C 162.77	894-005CP 95.81	1	0	121
10X4-1/2	894-045C 112.44	1894-045C 219.44	894-045CP 112.44	1	0	121
10X5	894-050C 123.96	1894-050C 238.31	894-050CP 123.96	1	0	121
10X5-1/2	894-055C 135.48	1894-055C 257.22	894-055CP 135.48	1	0	121
10X6	894-060C 146.99	1894-060C 276.12	894-060CP 146.99	1	0	121
10X7	894-070C 159.40	1894-070C 313.91	894-070CP 159.40	1	0	121
10X8	894-080C 165.48	1894-080C 351.69	894-080CP 165.48	1	0	121
10X9	894-090C 175.21	1894-090C 389.47	894-090CP 175.21	1	0	121
10X10	894-100C 182.08	1894-100C 427.27	894-100CP 182.08	1	0	121
10X11	894-110C 199.62	1894-110C 465.06	894-110CP 199.62	1	0	121
10X12	894-120C 212.06	1894-120C 502.86	894-120CP 212.06	1	0	121
10X13	894-130C 220.17	1894-130C 553.57	894-130CP 220.17	1	0	121
10X14	894-140C 236.62	1894-140C 588.04	894-140CP 236.62	1	0	121
10X15	894-150C 253.08	1894-150C 616.22	894-150CP 253.08	1	0	121
10X16	894-160C 269.53	1894-160C 691.61	894-160CP 269.53	1	0	121
10X17	894-170C 285.98	1894-170C 698.75	894-170CP 285.98	1	0	121
10X18	894-180C 302.44	1894-180C 729.57	894-180CP 302.44	1	0	121
10X19	894-190C 318.89	1894-190C 800.56	894-190CP 318.89	1	0	121
10X20	894-200C 335.35	1894-200C 843.49	894-200CP 335.35	1	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
10" Diameter						
10X22	894-220C 351.51	1894-220C 884.43	894-220CP 351.51	1	0	121
10X24	894-240C 366.55	1894-240C 1043.74	894-240CP 366.55	1	2	121
10X30	894-300C 446.70	1894-300C 1131.02	894-300CP 446.70	1	0	121
10X36	894-360C 534.92	1894-360C 1377.95	894-360CP 534.92	1	0	121
10X42	894-420C 623.14	1894-420C 1606.77	894-420CP 623.14	1	0	121
10X48	894-480C 711.36	1894-480C 1817.36	894-480CP 711.36	1	0	121

CPVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
12" Diameter						
12XCLOSE	895-005C 126.67	1895-005C 228.46	895-005CP 126.67	1	0	121
12X5	895-050C 144.40	1895-050C 305.52	895-050CP 144.40	1	0	121
12X5-1/2	895-055C 157.96	1895-055C 331.11	895-055CP 157.96	1	0	121
12X6	895-060C 171.52	1895-060C 355.56	895-060CP 171.52	1	0	121
12X7	895-070C 198.64	1895-070C 407.97	895-070CP 198.64	1	0	121
12X8	895-080C 208.39	1895-080C 459.20	895-080CP 208.39	1	0	121
12X9	895-090C 233.42	1895-090C 456.12	895-090CP 233.42	1	0	121
12X10	895-100C 248.34	1895-100C 561.64	895-100CP 248.34	1	0	121
12X11	895-110C 260.04	1895-110C 612.87	895-110CP 260.04	1	0	121
12X12	895-120C 285.24	1895-120C 664.08	895-120CP 285.24	1	0	121
12X13	895-130C 299.07	1895-130C 715.31	895-130CP 299.07	1	0	121
12X14	895-140C 320.99	1895-140C 766.56	895-140CP 320.99	1	0	121
12X15	895-150C 347.94	1895-150C 817.75	895-150CP 347.94	1	0	121
12X16	895-160C 363.87	1895-160C 868.99	895-160CP 363.87	1	0	121
12X17	895-170C 384.41	1895-170C 920.21	895-170CP 384.41	1	0	121
12X18	895-180C 416.05	1895-180C 971.43	895-180CP 416.05	1	0	121
12X19	895-190C 438.76	1895-190C 1022.65	895-190CP 438.76	1	0	121
12X20	895-200C 474.64	1895-200C 1073.89	895-200CP 474.64	1	0	121
12X22	895-220C 506.87	1895-220C 1125.11	895-220CP 506.87	1	0	121
12X24	895-240C 552.28	1895-240C 1386.04	895-240CP 552.28	1	0	121
12X30	895-300C 688.51	1895-300C 1607.37	895-300CP 688.51	1	0	121
12X36	895-360C 824.73	1895-360C 1893.48	895-360CP 824.73	1	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1 1/2" Diameter						
12X42	895-420C 960.96	1895-420C 2116.40	895-420CP 960.96	1	0	121
12X48	895-480C 1072.25	1895-480C 2508.18	895-480CP 1072.25	1	0	121

Machined CPVC Nipple Options -Threaded Both Ends (TBE)

The following nipples are normally injection molded, but are optionally available as machined nipples listed below. All other nipples are normally machined.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

CPVC Schedule 80 Machined Nipples

1/4" Diameter

880-005CM	1/4XCLOSE	25	1200	121	2.91
-----------	-----------	----	------	-----	------

CPVC Schedule 80 Machined Nipples

1/2" Diameter

882-020CM	1/2X2	25	300	121	4.16
882-030CM	1/2X3	25	300	121	5.19
882-040CM	1/2X4	25	300	121	5.91

CPVC Schedule 80 Machined Nipples

3/4" Diameter

883-030CM	3/4X3	25	300	121	7.52
883-060CM	3/4X6	25	200	121	10.53

CPVC Schedule 80 Machined Nipples

1" Diameter

884-005CM	1XCLOSE	25	300	121	4.88
884-020CM	1X2	25	300	121	5.04

PE Nipples

Polyethylene Schedule 40 Nipple

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

1/2" Diameter

P42-005	1/2XCLOSE	25	450	120	.99
P42-015	1/2X1-1/2	25	300	120	.99
P42-020	1/2X2	25	300	120	.99

Polyethylene Schedule 40 Nipple (continued)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
1/2" Diameter					
P42-025	1/2X2-1/2	25	300	120	1.17
P42-030	1/2X3	25	300	120	1.17
P42-035	1/2X3-1/2	25	300	120	1.24
P42-040	1/2X4	25	300	120	1.24
P42-045	1/2X4-1/2	25	300	120	1.24
P42-050	1/2X5	25	300	120	1.64
P42-055	1/2X5-1/2	25	300	120	1.64
P42-060	1/2X6	25	300	120	1.86
P42-070	1/2X7	25	200	120	2.46
P42-080	1/2X8	25	100	120	2.51
P42-090	1/2X9	25	0	120	2.61
P42-100	1/2X10	25	0	120	2.66
P42-110	1/2X11	25	0	120	2.79
P42-120	1/2X12	25	0	120	2.80
P42-140	1/2X14	100	0	120	3.86
P42-150	1/2X15	100	0	120	4.28
P42-160	1/2X16	100	0	120	4.67
P42-180	1/2X18	100	0	120	5.06
P42-240	1/2X24	100	0	120	7.39

Polyethylene Schedule 40 Nipple

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
3/4" Diameter					
P43-005	3/4XCLOSE	25	150	120	1.17
P43-020	3/4X2	25	300	120	1.17
P43-025	3/4X2-1/2	25	300	120	1.64
P43-030	3/4X3	25	300	120	1.64
P43-035	3/4X3-1/2	25	300	120	1.83
P43-040	3/4X4	25	300	120	1.83
P43-045	3/4X4-1/2	25	200	120	1.92
P43-050	3/4X5	25	200	120	1.92
P43-055	3/4X5-1/2	25	200	120	2.08
P43-060	3/4X6	25	200	120	2.08
P43-070	3/4X7	25	200	120	6.41
P43-080	3/4X8	25	0	120	6.71
P43-090	3/4X9	25	0	120	7.32
P43-100	3/4X10	25	0	120	7.88
P43-110	3/4X11	25	0	120	8.27
P43-120	3/4X12	25	0	120	8.48

Polyethylene Cut-Off Nipples


Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
491-060	1/2 MPXx6 CutXOff	50	400	120	.99
492-060	1/2x3/XMPTx6Cut-Off	50	350	120	1.48
493-060	3/4 MPXx6 CutXOff	50	300	120	1.48

Nipples Product

PVC, CPVC & PE Nipples & Four-In-One • Cut-Off Nipples & Grooved Nipples



PE Nipples



Polyethylene Cut-Off Riser Extension

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
M434-005-3	1/2X3	50	600	120	1.49
M434-007-4	3/4X4	50	0	120	1.98

FIPT x MIPT Cut-Off

(1/2" = 3 - Section Cut-Off; 3/4" = 4 - Section Cut-Off)


M434-005-3	1/2X3	50	600	120	1.49
M434-007-4	3/4X4	50	0	120	1.98

Four-In-One • Cut-Off Nipples

- High quality polyethylene construction
- Reduces inventory
- Reduces contractor down time
- Choice of sizes from just one nipple
- Eliminates waste

Four-In-One Cut-Off Nipple


Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
M481-005	1/2X6	50	350	123	1.14
M481-007	3/4X6	25	200	123	1.63



Four-In-One Cut-Off Nipple - Reducing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
M481-101	3/4X1/2X6	50	300	123	1.24

Four-In-One Cut-Off Nipple - Reducing (continued)



Grooved Nipples

PVC Schedule 80 Grooved Nipples

Size	Groove X Groove	Plain X Groove	Thread X Groove	Std Pk	Mstr Pk	Prod Code
------	-----------------	----------------	-----------------	--------	---------	-----------

1-1/2" Diameter

1-1/2X3	886-030GG 3.46	886-030PG 3.46	886-030TG 3.46	25	0	120
1-1/2X4	886-040GG 4.78	886-040PG 4.78	886-040TG 4.78	25	0	120
1-1/2X6	886-060GG 5.80	886-060PG 5.80	886-060TG 5.80	25	0	120

2" Diameter

2X3	887-030GG 4.58	887-030PG 4.58	887-030TG 4.58	25	0	120
2X4	887-040GG 5.92	887-040PG 5.92	887-040TG 5.92	25	0	120
2X6	887-060GG 7.70	887-060PG 7.70	887-060TG 7.70	25	0	120

3" Diameter

3X3	889-030GG 15.32	889-030PG 15.32	889-030TG 17.89	20	0	120
3X4	889-040GG 20.46	889-040PG 20.46	889-040TG 20.46	30	0	120
3X6	889-060GG 28.66	889-060PG 28.66	889-060TG 28.66	20	0	120

4" Diameter

4X3	890-030GG 24.05	890-030PG 24.05	890-030TG 24.05	25	0	120
4X4	890-040GG 31.84	890-040PG 31.84	890-040TG 31.84	18	0	120
4X6	890-060GG 32.05	890-060PG 32.05	890-060TG 32.05	12	0	120

PVC Schedule 80 Grooved Nipple

Size	Groove X Groove	Plain X Groove	Thread X Groove	Std Pk	Mstr Pk	Prod Code
------	-----------------	----------------	-----------------	--------	---------	-----------

6" Diameter

6X3	892-030GG 27.03	892-030PG 27.03	892-030TG 27.03	1	4	120
6X4	892-040GG 32.18	892-040PG 32.18	892-040TG 32.18	4	0	120
6X6	892-060GG 46.56	892-060PG 46.56	892-060TG 46.56	2	0	120