



Nipples Product PVC, CPVC & PE Nipples

Machined PVC Nipple Options - Threaded Both Ends (TBE)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

PVC Schedule 80 Machined Nipples (continued)

1" Diameter

884-050M	1X5	25	0	120	3.81
884-060M	1X6	25	0	120	4.16
884-080M	1X8	25	0	120	4.87
884-100M	1X10	25	0	120	5.62
884-120M	1X12	25	0	120	6.31

PVC Schedule 80 Machined Nipples

1-1/4" Diameter

885-005M	1-1/4XCLOSE	25	200	120	2.81
885-020M	1-1/4X2	25	200	120	3.04
885-030M	1-1/4X3	25	0	120	3.44
885-040M	1-1/4X4	25	0	120	3.95
885-060M	1-1/4X6	25	0	120	4.96
885-120M	1-1/4X12	25	0	120	7.46

PVC Schedule 80 Machined Nipples

1-1/2" Diameter

886-005M	1-1/2XCLOSE	25	0	120	3.23
886-020M	1-1/2X2	25	0	120	3.44
886-030M	1-1/2X3	25	0	120	3.83
886-040M	1-1/2X4	25	0	120	5.29
886-060M	1-1/2X6	25	0	120	6.43
886-070M	1-1/2X7	25	0	120	6.66
886-080M	1-1/2X8	25	0	120	7.58
886-100M	1-1/2X10	25	0	120	8.66
886-120M	1-1/2X12	25	0	120	10.11

PVC Schedule 80 Machined Nipples

2" Diameter

887-005M	2XCLOSE	25	0	120	4.04
887-030M	2X3	25	0	120	5.07
887-040M	2X4	25	0	120	6.56
887-060M	2X6	25	0	120	8.54

PVC Reducing Nipples

PVC Reducing Nipples

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
882-101	3/4X1/2	50	300	120	1.81
884-130R	1X1/2	25	300	120	2.44
884-131	1X3/4	50	200	120	2.53

CPVC Nipples

CPVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
------	--------------------	------------------	-----------	--------	---------	-----------

1/4" Diameter

1/4XCLOSE	880-005C 2.96	1880-005C 3.22	880-005CP 3.22	25	1200	121
1/4X1-1/2	880-015C 1.43	1880-015C 3.41	880-015CP 3.41	25	1200	121
1/4X2	880-020C 3.45	1880-020C 3.45	880-020CP 3.45	25	500	121
1/4X2-1/2	880-025C 4.01	1880-025C 4.01	880-025CP 4.01	25	500	121
1/4X3	880-030C 4.17	1880-030C 4.17	880-030CP 4.17	25	500	121
1/4X3-1/2	880-035C 4.54	1880-035C 4.54	880-035CP 4.54	25	500	121
1/4X4	880-040C 4.72	1880-040C 4.72	880-040CP 4.72	25	250	121
1/4X4-1/2	880-045C 5.08	1880-045C 5.08	880-045CP 5.08	25	250	121
1/4X5	880-050C 5.24	1880-050C 5.24	880-050CP 5.24	25	250	121
1/4X5-1/2	880-055C 5.53	1880-055C 5.53	880-055CP 5.53	25	250	121
1/4X6	880-060C 6.29	1880-060C 6.29	880-060CP 6.29	25	250	121
1/4X7	880-070C 8.37	1880-070C 8.37	880-070CP 8.37	25	250	121
1/4X8	880-080C 9.00	1880-080C 9.00	880-080CP 9.00	25	250	121
1/4X9	880-090C 9.55	1880-090C 9.55	880-090CP 9.55	25	250	121
1/4X10	880-100C 10.05	1880-100C 10.05	880-100CP 10.05	25	250	121
1/4X11	880-110C 10.66	1880-110C 10.66	880-110CP 10.66	25	250	121
1/4X12	880-120C 11.12	1880-120C 11.12	880-120CP 11.12	25	250	121
1/4X13	880-130C 14.08	1880-130C 14.08	880-130CP 14.08	25	250	121
1/4X14	880-140C 18.09	1880-140C 18.09	880-140CP 18.09	25	250	121
1/4X15	880-150C 18.81	1880-150C 18.81	880-150CP 18.81	25	500	121
1/4X16	880-160C 19.04	1880-160C 19.04	880-160CP 19.04	25	250	121
1/4X17	880-170C 20.04	1880-170C 20.04	880-170CP 20.04	25	0	121
1/4X18	880-180C 21.68	1880-180C 21.68	880-180CP 21.68	25	300	121
1/4X19	880-190C 22.13	1880-190C 22.13	880-190CP 22.13	25	0	121
1/4X20	880-200C 22.71	1880-200C 22.71	880-200CP 22.71	25	0	121
1/4X22	880-220C 23.54	1880-220C 23.54	880-220CP 23.54	25	300	121
1/4X24	880-240C 27.21	1880-240C 27.21	880-240CP 27.21	25	0	121
1/4X30	880-300C 32.94	1880-300C 32.94	880-300CP 32.94	25	0	121
1/4X36	880-360C 38.88	1880-360C 38.88	880-360CP 38.88	25	0	121

Nipples Product
PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/4" Diameter						
1/4X42	880-420C 45.63	1880-420C 45.63	880-420CP 45.63	25	0	121
1/4X48	880-480C 47.64	1880-480C 47.64	880-480CP 47.64	25	0	121

3/8" Diameter

3/8XCLOSE	881-005C 3.39	1881-005C 3.39	881-005CP 3.39	25	800	121
3/8X1-1/2	881-015C 3.55	1881-015C 3.55	881-015CP 3.55	25	800	121
3/8X2	881-020C 4.01	1881-020C 4.01	881-020CP 4.01	25	600	121
3/8X2-1/2	881-025C 4.52	1881-025C 4.52	881-025CP 4.52	25	600	121
3/8X3	881-030C 4.75	1881-030C 4.75	881-030CP 4.75	25	400	121
3/8X3-1/2	881-035C 5.29	1881-035C 5.29	881-035CP 5.29	25	400	121
3/8X4	881-040C 5.74	1881-040C 5.74	881-040CP 5.74	25	300	121
3/8X4-1/2	881-045C 6.28	1881-045C 6.28	881-045CP 6.28	25	250	121
3/8X5	881-050C 6.77	1881-050C 6.77	881-050CP 6.77	25	250	121
3/8X5-1/2	881-055C 7.43	1881-055C 7.43	881-055CP 7.43	25	250	121
3/8X6	881-060C 8.22	1881-060C 8.22	881-060CP 8.22	25	250	121
3/8X7	881-070C 9.87	1881-070C 9.87	881-070CP 9.87	25	200	121
3/8X8	881-080C 10.33	1881-080C 10.33	881-080CP 10.33	25	200	121
3/8X9	881-090C 11.51	1881-090C 11.51	881-090CP 11.51	25	200	121
3/8X10	881-100C 11.72	1881-100C 11.72	881-100CP 11.72	25	200	121
3/8X11	881-110C 12.44	1881-110C 12.44	881-110CP 12.44	25	200	121
3/8X12	881-120C 12.67	1881-120C 12.67	881-120CP 12.67	25	200	121
3/8X13	881-130C 16.25	1881-130C 16.25	881-130CP 16.25	25	0	121
3/8X14	881-140C 19.79	1881-140C 19.79	881-140CP 19.79	25	200	121
3/8X15	881-150C 20.23	1881-150C 20.23	881-150CP 20.23	25	200	121
3/8X16	881-160C 20.71	1881-160C 20.71	881-160CP 20.71	25	200	121
3/8X17	881-170C 21.44	1881-170C 21.44	881-170CP 21.44	25	0	121
3/8X18	881-180C 22.17	1881-180C 22.17	881-180CP 22.17	25	200	121
3/8X19	881-190C 22.86	1881-190C 22.86	881-190CP 22.86	25	0	121
3/8X20	881-200C 23.58	1881-200C 23.58	881-200CP 23.58	25	0	121
3/8X22	881-220C 24.35	1881-220C 24.35	881-220CP 24.35	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/8" Diameter						
3/8X24	881-240C 25.45	1881-240C 25.45	881-240CP 25.45	25	0	121
3/8X30	881-300C 38.93	1881-300C 38.93	881-300CP 38.93	25	0	121
3/8X36	881-360C 44.54	1881-360C 44.54	881-360CP 44.54	25	0	121
3/8X42	881-420C 48.45	1881-420C 48.45	881-420CP 48.45	25	0	121
3/8X48	881-480C 50.92	1881-480C 50.92	881-480CP 50.92	25	0	121

1/2" Diameter

1/2XCLOSE	882-005C 3.19	1882-005C 3.19	882-005CP 3.19	25	450	121
1/2X1-1/2	882-015C 3.45	1882-015C 3.45	882-015CP 3.45	25	600	121
1/2X2	882-020C 3.80	1882-020C 4.23	882-020CP 4.23	25	300	121
1/2X2-1/2	882-025C 4.61	1882-025C 4.61	882-025CP 4.61	25	300	121
1/2X3	882-030C 4.35	1882-030C 4.93	882-030CP 4.93	25	300	121
1/2X3-1/2	882-035C 5.08	1882-035C 5.08	882-035CP 5.08	25	300	121
1/2X4	882-040C 5.08	1882-040C 5.47	882-040CP 5.47	25	300	121
1/2X4-1/2	882-045C 5.71	1882-045C 5.71	882-045CP 5.71	25	300	121
1/2X5	882-050C 6.03	1882-050C 6.03	882-050CP 6.03	25	300	121
1/2X5-1/2	882-055C 6.44	1882-055C 6.44	882-055CP 6.44	25	300	121
1/2X6	882-060C 6.44	1882-060C 7.07	882-060CP 7.07	25	300	121
1/2X7	882-070C 9.40	1882-070C 9.40	882-070CP 9.40	25	200	121
1/2X8	882-080C 10.03	1882-080C 10.03	882-080CP 10.03	25	0	121
1/2X9	882-090C 10.82	1882-090C 10.82	882-090CP 10.82	25	0	121
1/2X10	882-100C 11.39	1882-100C 12.15	882-100CP 11.39	25	0	121
1/2X11	882-110C 12.15	1882-110C 12.15	882-110CP 12.15	25	0	121
1/2X12	882-120C 12.87	1882-120C 12.87	882-120CP 12.87	25	0	121
1/2X13	882-130C 15.87	1882-130C 15.87	882-130CP 15.87	25	0	121
1/2X14	882-140C 18.86	1882-140C 18.86	882-140CP 18.86	100	0	121
1/2X15	882-150C 19.44	1882-150C 19.44	882-150CP 19.44	100	0	121
1/2X16	882-160C 20.08	1882-160C 20.08	882-160CP 20.08	100	0	121
1/2X17	882-170C 20.96	1882-170C 20.96	882-170CP 20.96	100	0	121
1/2X18	882-180C 21.29	1882-180C 21.29	882-180CP 21.29	25	100	121
1/2X19	882-190C 22.08	1882-190C 22.08	882-190CP 22.08	100	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/2" Diameter						
1/2X20	882-200C 22.82	1882-200C 22.82	882-200CP 22.82	100	0	121
1/2X22	882-220C 24.58	1882-220C 24.58	882-220CP 24.58	100	0	121
1/2X24	882-240C 25.81	1882-240C 25.81	882-240CP 25.81	100	0	121
1/2X30	882-300C 34.22	1882-300C 34.22	882-300CP 34.22	25	0	121
1/2X36	882-360C 38.02	1882-360C 38.02	882-360CP 38.02	25	0	121
1/2X42	882-420C 46.72	1882-420C 46.72	882-420CP 46.72	25	0	121
1/2X48	882-480C 51.54	1882-480C 51.54	882-480CP 51.54	25	0	121

3/4" Diameter

3/4XCLOSE	883-005C 3.93	1883-005C 3.93	883-005CP 3.93	25	300	121
3/4X1-1/2	883-015C 4.21	1883-015C 4.21	883-015CP 4.21	25	300	121
3/4X2	883-020C 4.54	1883-020C 4.54	883-020CP 4.54	25	300	121
3/4X2-1/2	883-025C 5.18	1883-025C 5.18	883-025CP 5.18	25	300	121
3/4X3	883-030C 5.18	1883-030C 5.18	883-030CP 5.99	25	300	121
3/4X3-1/2	883-035C 5.99	1883-035C 5.99	883-035CP 5.99	25	300	121
3/4X4	883-040C 6.14	1883-040C 6.14	883-040CP 6.14	25	300	121
3/4X4-1/2	883-045C 6.64	1883-045C 6.64	883-045CP 6.64	25	200	121
3/4X5	883-050C 6.80	1883-050C 6.64	883-050CP 6.80	25	200	121
3/4X5-1/2	883-055C 6.80	1883-055C 7.41	883-055CP 6.80	25	200	121
3/4X6	883-060C 7.41	1883-060C 7.41	883-060CP 7.99	25	200	121
3/4X7	883-070C 10.14	1883-070C 11.16	883-070CP 10.14	25	200	121
3/4X8	883-080C 10.39	1883-080C 11.79	883-080CP 10.39	25	0	121
3/4X9	883-090C 12.63	1883-090C 12.63	883-090CP 12.63	25	0	121
3/4X10	883-100C 13.25	1883-100C 13.25	883-100CP 13.25	25	0	121
3/4X11	883-110C 14.06	1883-110C 14.06	883-110CP 14.06	25	0	121
3/4X12	883-120C 14.91	1883-120C 14.91	883-120CP 14.91	25	0	121
3/4X13	883-130C 18.62	1883-130C 18.62	883-130CP 18.62	25	0	121
3/4X14	883-140C 22.34	1883-140C 22.34	883-140CP 22.34	100	0	121
3/4X15	883-150C 22.95	1883-150C 22.95	883-150CP 22.95	100	0	121
3/4X16	883-160C 23.62	1883-160C 23.59	883-160CP 23.62	100	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/4" Diameter						
3/4X17	883-170C 24.40	1883-170C 24.40	883-170CP 24.40	100	0	121
3/4X18	883-180C 25.20	1883-180C 25.20	883-180CP 25.20	100	0	121
3/4X19	883-190C 25.86	1883-190C 25.86	883-190CP 25.86	100	0	121
3/4X20	883-200C 26.54	1883-200C 26.54	883-200CP 26.54	100	0	121
3/4X22	883-220C 28.16	1883-220C 28.16	883-220CP 28.16	100	0	121
3/4X24	883-240C 29.80	1883-240C 29.80	883-240CP 29.80	100	0	121
3/4X30	883-300C 45.44	1883-300C 45.44	883-300CP 45.44	25	0	121
3/4X36	883-360C 49.54	1883-360C 49.54	883-360CP 49.42	25	0	121
3/4X42	883-420C 54.38	1883-420C 54.38	883-420CP 54.38	25	0	121
3/4X48	883-480C 57.99	1883-480C 57.99	883-480CP 57.99	25	0	121

1" Diameter

1XCLOSE	884-005C 4.75	1884-005C 4.75	884-005CP 5.41	25	300	121
1X2	884-020C 5.18	1884-020C 5.18	884-020CP 5.59	25	300	121
1X2-1/2	884-025C 6.44	1884-025C 6.44	884-025CP 6.44	25	200	121
1X3	884-030C 6.78	1884-030C 6.44	884-030CP 6.78	25	200	121
1X3-1/2	884-035C 7.01	1884-035C 7.41	884-035CP 7.01	25	200	121
1X4	884-040C 7.41	1884-040C 7.55	884-040CP 7.55	25	200	121
1X4-1/2	884-045C 8.16	1884-045C 8.37	884-045CP 8.16	25	200	121
1X5	884-050C 8.37	1884-050C 8.37	884-050CP 8.37	25	0	121
1X5-1/2	884-055C 9.05	1884-055C 9.71	884-055CP 9.05	25	0	121
1X6	884-060C 9.71	1884-060C 9.71	884-060CP 9.71	25	0	121
1X7	884-070C 10.75	1884-070C 13.56	884-070CP 10.75	25	0	121
1X8	884-080C 12.17	1884-080C 14.86	884-080CP 12.17	25	0	121
1X9	884-090C 13.78	1884-090C 16.13	884-090CP 13.78	25	0	121
1X10	884-100C 14.83	1884-100C 17.31	884-100CP 14.83	25	0	121
1X11	884-110C 15.91	1884-110C 18.11	884-110CP 15.91	25	0	121
1X12	884-120C 16.96	1884-120C 19.45	884-120CP 16.96	25	0	121
1X13	884-130C 19.51	1884-130C 23.27	884-130CP 19.51	25	0	121
1X14	884-140C 25.13	1884-140C 27.13	884-140CP 25.13	50	0	121
1X15	884-150C 26.41	1884-150C 28.43	884-150CP 26.41	50	0	121

Nipples Product
PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1" Diameter						
1X16	884-160C 27.86	1884-160C 29.76	884-160CP 27.86	50	0	121
1X17	884-170C 29.24	1884-170C 31.01	884-170CP 29.24	50	0	121
1X18	884-180C 30.53	1884-180C 32.27	884-180CP 30.53	50	0	121
1X19	884-190C 31.99	1884-190C 32.97	884-190CP 31.99	50	0	121
1X20	884-200C 33.75	1884-200C 33.75	884-200CP 33.75	50	0	121
1X22	884-220C 36.63	1884-220C 36.63	884-220CP 36.63	50	0	121
1X24	884-240C 38.79	1884-240C 38.79	884-240CP 38.79	50	0	121
1X30	884-300C 51.37	1884-300C 56.93	884-300CP 51.37	15	0	121
1X36	884-360C 54.46	1884-360C 64.52	884-360CP 54.46	15	0	121
1X42	884-420C 62.82	1884-420C 68.39	884-420CP 62.82	15	0	121
1X48	884-480C 70.92	1884-480C 77.64	884-480CP 70.92	15	0	121

1-1/4" Diameter

1-1/4XCLOSE	885-005C 5.99	1885-005C 5.99	885-005CP 5.99	25	200	121
1-1/4X2	885-020C 6.64	1885-020C 6.64	885-020CP 6.64	25	200	121
1-1/4X2-1/2	885-025C 7.45	1885-025C 8.37	885-025CP 7.45	25	200	121
1-1/4X3	885-030C 8.25	1885-030C 8.84	885-030CP 8.25	25	0	121
1-1/4X3-1/2	885-035C 9.66	1885-035C 10.41	885-035CP 9.66	25	0	121
1-1/4X4	885-040C 10.41	1885-040C 10.41	885-040CP 10.41	25	0	121
1-1/4X4-1/2	885-045C 11.51	1885-045C 12.23	885-045CP 11.51	25	0	121
1-1/4X5	885-050C 12.23	1885-050C 12.23	885-050CP 12.23	25	0	121
1-1/4X5-1/2	885-055C 13.14	1885-055C 14.06	885-055CP 13.14	25	0	121
1-1/4X6	885-060C 14.06	1885-060C 14.06	885-060CP 14.06	25	0	121
1-1/4X7	885-070C 14.59	1885-070C 20.65	885-070CP 14.59	25	0	121
1-1/4X8	885-080C 16.06	1885-080C 21.49	885-080CP 16.06	25	0	121
1-1/4X9	885-090C 17.55	1885-090C 22.45	885-090CP 17.55	25	0	121
1-1/4X10	885-100C 19.01	1885-100C 24.43	885-100CP 19.01	25	0	121
1-1/4X11	885-110C 21.29	1885-110C 26.29	885-110CP 21.29	25	0	121
1-1/4X12	885-120C 22.79	1885-120C 28.08	885-120CP 22.79	25	0	121
1-1/4X13	885-130C 26.05	1885-130C 32.92	885-130CP 26.05	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/4" Diameter						
1-1/4X14	885-140C 27.75	1885-140C 37.73	885-140CP 27.75	25	0	121
1-1/4X15	885-150C 31.86	1885-150C 39.52	885-150CP 31.86	25	0	121
1-1/4X16	885-160C 37.09	1885-160C 41.31	885-160CP 37.09	25	0	121
1-1/4X17	885-170C 38.87	1885-170C 43.16	885-170CP 38.87	25	0	121
1-1/4X18	885-180C 40.89	1885-180C 45.86	885-180CP 40.89	25	0	121
1-1/4X19	885-190C 42.98	1885-190C 46.95	885-190CP 42.98	25	0	121
1-1/4X20	885-200C 44.87	1885-200C 48.91	885-200CP 44.87	25	0	121
1-1/4X22	885-220C 48.67	1885-220C 52.54	885-220CP 48.67	25	0	121
1-1/4X24	885-240C 52.35	1885-240C 60.03	885-240CP 52.35	25	0	121
1-1/4X30	885-300C 62.19	1885-300C 79.04	885-300CP 62.19	10	0	121
1-1/4X36	885-360C 73.60	1885-360C 83.44	885-360CP 73.60	10	0	121
1-1/4X42	885-420C 85.00	1885-420C 101.18	885-420CP 85.00	10	0	121
1-1/4X48	885-480C 96.40	1885-480C 112.36	885-480CP 96.40	10	0	121

1-1/2" Diameter

1-1/2XCLOSE	886-005C 6.64	1886-005C 6.64	886-005CP 6.64	25	0	121
1-1/2X2	886-020C 7.41	1886-020C 7.41	886-020CP 7.41	25	0	121
1-1/2X2-1/2	886-025C 8.31	1886-025C 8.31	886-025CP 8.31	25	0	121
1-1/2X3	886-030C 9.23	1886-030C 9.23	886-030CP 9.23	25	0	121
1-1/2X3-1/2	886-035C 10.62	1886-035C 10.62	886-035CP 10.62	25	0	121
1-1/2X4	886-040C 11.16	1886-040C 11.16	886-040CP 11.16	25	0	121
1-1/2X4-1/2	886-045C 13.03	1886-045C 13.03	886-045CP 13.03	25	0	121
1-1/2X5	886-050C 14.85	1886-050C 14.85	886-050CP 14.85	25	0	121
1-1/2X5-1/2	886-055C 17.85	1886-055C 17.85	886-055CP 17.85	25	0	121
1-1/2X6	886-060C 20.83	1886-060C 20.83	886-060CP 20.83	25	0	121
1-1/2X7	886-070C 22.26	1886-070C 22.26	886-070CP 22.26	25	0	121
1-1/2X8	886-080C 24.13	1886-080C 24.13	886-080CP 24.13	25	0	121
1-1/2X9	886-090C 24.82	1886-090C 24.82	886-090CP 24.82	25	0	121
1-1/2X10	886-100C 27.06	1886-100C 27.06	886-100CP 27.06	25	0	121
1-1/2X11	886-110C 27.92	1886-110C 27.92	886-110CP 27.92	25	0	121
1-1/2X12	886-120C 29.76	1886-120C 29.76	886-120CP 29.76	25	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/2" Diameter						
1-1/2X13	886-130C 32.71	1886-130C 32.71	886-130CP 32.71	25	0	121
1-1/2X14	886-140C 35.75	1886-140C 35.75	886-140CP 35.75	25	0	121
1-1/2X15	886-150C 43.12	1886-150C 43.12	886-150CP 43.12	25	0	121
1-1/2X16	886-160C 46.28	1886-160C 46.28	886-160CP 46.28	25	0	121
1-1/2X17	886-170C 46.83	1886-170C 46.83	886-170CP 46.83	25	0	121
1-1/2X18	886-180C 48.22	1886-180C 48.22	886-180CP 48.22	25	0	121
1-1/2X19	886-190C 50.13	1886-190C 50.13	886-190CP 50.13	25	0	121
1-1/2X20	886-200C 52.01	1886-200C 52.01	886-200CP 52.01	25	0	121
1-1/2X22	886-220C 55.75	1886-220C 55.75	886-220CP 55.75	25	0	121
1-1/2X24	886-240C 59.48	1886-240C 59.48	886-240CP 59.48	25	0	121
1-1/2X30	886-300C 74.66	1886-300C 74.66	886-300CP 74.66	5	0	121
1-1/2X36	886-360C 88.54	1886-360C 88.54	886-360CP 88.54	5	0	121
1-1/2X42	886-420C 102.41	1886-420C 102.41	886-420CP 102.41	5	0	121
1-1/2X48	886-480C 118.95	1886-480C 118.95	886-480CP 118.95	5	0	121

2" Diameter

2XCLOSE	887-005C 10.27	1887-005C 10.27	887-005CP 10.27	25	0	121
2X2	887-020C 11.67	1887-020C 11.67	887-020CP 11.67	25	0	121
2X2-1/2	887-025C 12.23	1887-025C 12.23	887-025CP 12.23	25	0	121
2X3	887-030C 14.51	1887-030C 14.51	887-030CP 15.45	25	0	121
2X3-1/2	887-035C 14.96	1887-035C 14.96	887-035CP 14.96	25	0	121
2X4	887-040C 16.78	1887-040C 16.78	887-040CP 16.78	25	0	121
2X4-1/2	887-045C 17.46	1887-045C 16.78	887-045CP 17.46	25	0	121
2X5	887-050C 19.02	1887-050C 19.02	887-050CP 19.02	25	0	121
2X5-1/2	887-055C 21.60	1887-055C 19.02	887-055CP 21.60	25	0	121
2X6	887-060C 26.75	1887-060C 26.75	887-060CP 26.75	25	0	121
2X7	887-070C 27.56	1887-070C 27.56	887-070CP 27.56	25	0	121
2X8	887-080C 29.01	1887-080C 29.01	887-080CP 29.01	25	0	121
2X9	887-090C 31.54	1887-090C 31.54	887-090CP 31.54	25	0	121
2X10	887-100C 33.82	1887-100C 33.82	887-100CP 33.82	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2" Diameter						
2X11	887-110C 35.80	1887-110C 35.80	887-110CP 35.80	25	0	121
2X12	887-120C 38.07	1887-120C 38.08	887-120CP 38.07	25	0	121
2X13	887-130C 41.05	1887-130C 45.72	887-130CP 41.05	25	0	121
2X14	887-140C 47.72	1887-140C 53.51	887-140CP 47.72	25	0	121
2X15	887-150C 50.92	1887-150C 55.72	887-150CP 50.92	25	0	121
2X16	887-160C 53.06	1887-160C 57.98	887-160CP 53.06	25	0	121
2X17	887-170C 57.14	1887-170C 61.73	887-170CP 57.14	20	0	121
2X18	887-180C 59.86	1887-180C 65.42	887-180CP 59.86	20	0	121
2X19	887-190C 62.61	1887-190C 69.61	887-190CP 62.61	25	0	121
2X20	887-200C 65.92	1887-200C 65.92	887-200CP 65.92	20	0	121
2X22	887-220C 71.77	1887-220C 71.77	887-220CP 71.77	20	0	121
2X24	887-240C 76.14	1887-240C 76.14	887-240CP 76.14	20	0	121
2X30	887-300C 102.57	1887-300C 111.46	887-300CP 102.57	5	0	121
2X36	887-360C 133.51	1887-360C 133.51	887-360CP 133.51	5	0	121
2X42	887-420C 153.72	1887-420C 153.72	887-420CP 153.72	5	0	121
2X48	887-480C 174.53	1887-480C 174.53	887-480CP 174.53	5	0	121

2-1/2" Diameter

2-1/2XCLOSE	888-005C 18.65	1888-005C 18.65	888-005CP 18.65	25	0	121
2-1/2X3	888-030C 20.46	1888-030C 20.46	888-030CP 20.46	25	0	121
2-1/2X3-1/2	888-035C 24.97	1888-035C 24.97	888-035CP 24.97	25	0	121
2-1/2X4	888-040C 24.97	1888-040C 24.97	888-040CP 24.97	25	0	121
2-1/2X4-1/2	888-045C 29.83	1888-045C 29.83	888-045CP 29.83	25	0	121
2-1/2X5	888-050C 29.83	1888-050C 29.83	888-050CP 29.83	25	0	121
2-1/2X5-1/2	888-055C 34.99	1888-055C 34.99	888-055CP 34.99	25	0	121
2-1/2X6	888-060C 34.99	1888-060C 34.99	888-060CP 34.99	25	0	121
2-1/2X7	888-070C 44.76	1888-070C 44.84	888-070CP 44.76	16	0	121
2-1/2X8	888-080C 49.87	1888-080C 49.87	888-080CP 49.87	16	0	121
2-1/2X9	888-090C 54.73	1888-090C 54.73	888-090CP 54.73	25	0	121
2-1/2X10	888-100C 59.61	1888-100C 59.61	888-100CP 59.61	16	0	121
2-1/2X11	888-110C 64.78	1888-110C 64.78	888-110CP 64.78	16	0	121

Nipples Product
PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2-1/2" Diameter						
2-1/2X12	888-120C 65.48	1888-120C 69.95	888-120CP 65.48	16	0	121
2-1/2X13	888-130C 67.58	1888-130C 79.73	888-130CP 67.58	25	0	121
2-1/2X14	888-140C 72.31	1888-140C 89.48	888-140CP 72.31	25	0	121
2-1/2X15	888-150C 76.85	1888-150C 95.65	888-150CP 76.85	25	0	121
2-1/2X16	888-160C 80.80	1888-160C 102.04	888-160CP 80.80	20	0	121
2-1/2X17	888-170C 86.31	1888-170C 105.46	888-170CP 86.31	20	0	121
2-1/2X18	888-180C 90.94	1888-180C 109.46	888-180CP 90.94	20	0	121
2-1/2X19	888-190C 95.81	1888-190C 114.34	888-190CP 95.81	25	0	121
2-1/2X20	888-200C 101.32	1888-200C 119.22	888-200CP 101.32	12	0	121
2-1/2X22	888-220C 109.73	1888-220C 129.54	888-220CP 109.73	25	0	121
2-1/2X24	888-240C 121.41	1888-240C 140.16	888-240CP 121.41	10	0	121
2-1/2X30	888-300C 146.72	1888-300C 146.72	888-300CP 146.72	3	0	121
2-1/2X36	888-360C 177.01	1888-360C 177.01	888-360CP 177.01	3	0	121
2-1/2X42	888-420C 203.43	1888-420C 203.43	888-420CP 203.43	3	0	121
2-1/2X48	888-480C 231.66	1888-480C 231.66	888-480CP 231.66	3	0	121

3" Diameter

3XCLOSE	889-005C 24.16	1889-005C 24.16	889-005CP 24.16	25	0	121
3X3	889-030C 24.16	1889-030C 24.16	889-030CP 24.16	20	0	121
3X3-1/2	889-035C 31.59	1889-035C 31.59	889-035CP 31.59	30	0	121
3X4	889-040C 31.59	1889-040C 31.59	889-040CP 31.59	30	0	121
3X4-1/2	889-045C 36.78	1889-045C 36.78	889-045CP 36.78	20	0	121
3X5	889-050C 42.01	1889-050C 42.01	889-050CP 42.01	20	0	121
3X5-1/2	889-055C 42.01	1889-055C 42.01	889-055CP 42.01	20	0	121
3X6	889-060C 49.43	1889-060C 49.43	889-060CP 49.43	20	0	121
3X7	889-070C 52.93	1889-070C 52.93	889-070CP 52.93	10	0	121
3X8	889-080C 60.99	1889-080C 60.99	889-080CP 60.99	10	0	121
3X9	889-090C 68.19	1889-090C 68.19	889-090CP 68.19	10	0	121
3X10	889-100C 68.81	1889-100C 79.81	889-100CP 68.81	10	0	121
3X11	889-110C 68.81	1889-110C 86.60	889-110CP 68.81	10	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3" Diameter						
3X12	889-120C 70.58	1889-120C 91.83	889-120CP 70.58	10	0	121
3X13	889-130C 71.61	1889-130C 94.94	889-130CP 71.61	20	0	121
3X14	889-140C 76.63	1889-140C 105.80	889-140CP 76.63	20	0	121
3X15	889-150C 81.66	1889-150C 117.98	889-150CP 81.66	20	0	121
3X16	889-160C 86.69	1889-160C 121.98	889-160CP 86.69	20	0	121
3X17	889-170C 92.82	1889-170C 134.03	889-170CP 92.82	10	0	121
3X18	889-180C 98.53	1889-180C 136.43	889-180CP 98.53	10	0	121
3X19	889-190C 103.91	1889-190C 147.41	889-190CP 103.91	10	0	121
3X20	889-200C 108.93	1889-200C 156.12	889-200CP 108.93	10	0	121
3X22	889-220C 118.98	1889-220C 161.69	889-220CP 118.98	10	0	121
3X24	889-240C 129.03	1889-240C 168.18	889-240CP 129.03	10	0	121
3X30	889-300C 155.96	1889-300C 223.69	889-300CP 155.96	3	0	121
3X36	889-360C 186.12	1889-360C 272.79	889-360CP 186.12	3	0	121
3X42	889-420C 216.27	1889-420C 310.25	889-420CP 216.27	3	0	121
3X48	889-480C 246.44	1889-480C 336.27	889-480CP 246.44	3	0	121

4" Diameter

4XCLOSE	890-005C 37.24	1890-005C 37.24	890-005CP 37.24	25	0	121
4X3	890-030C 42.54	1890-030C 42.54	890-030CP 42.54	25	0	121
4X3-1/2	890-035C 42.54	1890-035C 42.54	890-035CP 42.54	25	0	121
4X4	890-040C 44.71	1890-040C 44.71	890-040CP 44.71	18	0	121
4X4-1/2	890-045C 52.06	1890-045C 52.06	890-045CP 52.06	12	0	121
4X5	890-050C 52.06	1890-050C 52.06	890-050CP 52.06	12	0	121
4X5-1/2	890-055C 59.49	1890-055C 59.49	890-055CP 59.49	12	0	121
4X6	890-060C 70.68	1890-060C 70.68	890-060CP 70.68	12	0	121
4X7	890-070C 74.68	1890-070C 74.68	890-070CP 74.68	16	0	121
4X8	890-080C 89.34	1890-080C 89.34	890-080CP 89.34	16	0	121
4X9	890-090C 96.76	1890-090C 96.76	890-090CP 96.76	16	0	121
4X10	890-100C 104.22	1890-100C 104.22	890-100CP 104.22	16	0	121
4X11	890-110C 115.00	1890-110C 115.00	890-110CP 115.00	16	0	121
4X12	890-120C 119.03	1890-120C 119.03	890-120CP 119.03	16	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
4" Diameter						
4X13	890-130C 131.99	1890-130C 131.99	890-130CP 131.99	16	0	121
4X14	890-140C 142.05	1890-140C 142.05	890-140CP 142.05	16	0	121
4X15	890-150C 160.02	1890-150C 160.02	890-150CP 160.02	12	0	121
4X16	890-160C 178.66	1890-160C 179.00	890-160CP 178.66	12	0	121
4X17	890-170C 186.09	1890-170C 186.09	890-170CP 186.09	12	0	121
4X18	890-180C 193.52	1890-180C 193.52	890-180CP 193.52	4	0	121
4X19	890-190C 208.38	1890-190C 208.38	890-190CP 208.38	12	0	121
4X20	890-200C 216.09	1890-200C 216.09	890-200CP 216.09	8	0	121
4X22	890-220C 221.23	1890-220C 221.23	890-220CP 221.23	8	0	121
4X24	890-240C 241.06	1890-240C 241.06	890-240CP 241.06	4	0	121
4X30	890-300C 320.06	1890-300C 320.03	890-300CP 320.06	3	0	121
4X36	890-360C 390.20	1890-360C 390.20	890-360CP 390.20	3	0	121
4X42	890-420C 432.65	1890-420C 432.65	890-420CP 432.65	3	0	121
4X48	890-480C 468.26	1890-480C 468.26	890-480CP 468.26	3	0	121
6" Diameter						
6XCLOSE	892-005C 54.64	1892-005C 88.14	892-005CP 54.64	1	8	121
6X3	892-030C 58.19	1892-030C 100.03	892-030CP 58.19	1	4	121
6X4	892-040C 75.07	1892-040C 136.83	892-040CP 75.07	4	0	121
6X4-1/2	892-045C 81.99	1892-045C 143.16	892-045CP 81.99	1	4	121
6X5	892-050C 91.96	1892-050C 153.45	892-050CP 91.96	1	2	121
6X5-1/2	892-055C 99.88	1892-055C 163.28	892-055CP 99.88	1	2	121
6X6	892-060C 107.83	1892-060C 179.09	892-060CP 107.83	2	0	121
6X7	892-070C 123.71	1892-070C 189.91	892-070CP 123.71	1	2	121
6X8	892-080C 143.62	1892-080C 210.58	892-080CP 143.62	1	0	121
6X9	892-090C 159.49	1892-090C 228.71	892-090CP 159.49	1	0	121
6X10	892-100C 175.48	1892-100C 246.80	892-100CP 175.48	1	0	121
6X11	892-110C 191.14	1892-110C 264.92	892-110CP 191.14	1	0	121
6X12	892-120C 204.40	1892-120C 283.01	892-120CP 204.40	1	0	121
6X13	892-130C 213.28	1892-130C 301.14	892-130CP 213.28	1	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
6" Diameter						
6X14	892-140C 228.47	1892-140C 319.28	892-140CP 228.47	1	0	121
6X15	892-150C 243.65	1892-150C 337.35	892-150CP 243.65	1	0	121
6X16	892-160C 250.14	1892-160C 355.18	892-160CP 250.14	1	0	121
6X17	892-170C 264.81	1892-170C 373.61	892-170CP 264.81	1	0	121
6X18	892-180C 276.02	1892-180C 385.75	892-180CP 276.02	1	6	121
6X19	892-190C 294.17	1892-190C 409.87	892-190CP 294.17	1	0	121
6X20	892-200C 308.82	1892-200C 427.93	892-200CP 308.82	1	0	121
6X22	892-220C 321.94	1892-220C 464.17	892-220CP 321.94	1	0	121
6X24	892-240C 342.97	1892-240C 534.61	892-240CP 342.97	1	3	121
6X30	892-300C 420.23	1892-300C 609.04	892-300CP 420.23	1	0	121
6X36	892-360C 502.22	1892-360C 717.75	892-360CP 502.22	1	0	121
6X42	892-420C 582.60	1892-420C 826.43	892-420CP 582.60	1	0	121
6X48	892-480C 620.57	1892-480C 935.13	892-480CP 620.57	1	0	121
8" Diameter						
8XCLOSE	893-005C 82.18	1893-005C 129.23	893-005CP 82.18	2	0	121
8X4-1/2	893-045C 100.84	1893-045C 166.47	893-045CP 100.84	1	0	121
8X5	893-050C 106.99	1893-050C 178.87	893-050CP 106.99	1	0	121
8X5-1/2	893-055C 116.86	1893-055C 191.29	893-055CP 116.86	1	0	121
8X6	893-060C 124.94	1893-060C 203.69	893-060CP 124.94	1	0	121
8X7	893-070C 146.49	1893-070C 228.54	893-070CP 146.49	1	0	121
8X8	893-080C 156.15	1893-080C 253.35	893-080CP 156.15	4	0	121
8X9	893-090C 167.39	1893-090C 280.34	893-090CP 167.39	1	0	121
8X10	893-100C 185.17	1893-100C 303.01	893-100CP 185.17	1	0	121
8X11	893-110C 202.94	1893-110C 327.82	893-110CP 202.94	1	0	121
8X12	893-120C 220.71	1893-120C 360.06	893-120CP 220.71	1	0	121
8X13	893-130C 232.37	1893-130C 377.48	893-130CP 232.37	1	0	121
8X14	893-140C 247.99	1893-140C 402.34	893-140CP 247.99	1	0	121
8X15	893-150C 265.20	1893-150C 427.14	893-150CP 265.20	1	0	121
8X16	893-160C 286.49	1893-160C 451.99	893-160CP 286.49	1	0	121
8X17	893-170C 299.60	1893-170C 476.48	893-170CP 299.60	1	0	121

Nipples Product
PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
8" Diameter						
8X18	893-180C 321.05	1893-180C 501.62	893-180CP 321.05	4	0	121
8X19	893-190C 334.01	1893-190C 526.48	893-190CP 334.01	1	0	121
8X20	893-200C 354.34	1893-200C 551.31	893-200CP 354.34	2	0	121
8X22	893-220C 362.24	1893-220C 576.14	893-220CP 362.24	1	0	121
8X24	893-240C 382.53	1893-240C 600.96	893-240CP 382.53	2	2	121
8X30	893-300C 455.99	1893-300C 866.09	893-300CP 455.99	4	0	121
8X36	893-360C 516.19	1893-360C 1056.45	893-360CP 516.19	1	0	121
8X42	893-420C 628.28	1893-420C 1118.04	893-420CP 628.28	1	0	121
8X48	893-480C 717.17	1893-480C 1226.14	893-480CP 717.17	1	0	121

10" Diameter

10XCLOSE	894-005C 106.16	1894-005C 180.36	894-005CP 106.16	1	0	121
10X4-1/2	894-045C 124.59	1894-045C 243.15	894-045CP 126.80	1	0	121
10X5	894-050C 137.35	1894-050C 264.05	894-050CP 137.35	1	0	121
10X5-1/2	894-055C 150.12	1894-055C 285.01	894-055CP 150.12	1	0	121
10X6	894-060C 162.87	1894-060C 305.95	894-060CP 162.87	1	0	121
10X7	894-070C 176.62	1894-070C 347.82	894-070CP 176.62	1	0	121
10X8	894-080C 183.36	1894-080C 389.68	894-080CP 183.36	1	0	121
10X9	894-090C 194.14	1894-090C 431.55	894-090CP 194.14	1	0	121
10X10	894-100C 201.75	1894-100C 473.43	894-100CP 201.75	1	0	121
10X11	894-110C 221.19	1894-110C 515.31	894-110CP 221.19	1	0	121
10X12	894-120C 234.97	1894-120C 557.19	894-120CP 234.97	1	0	121
10X13	894-130C 243.96	1894-130C 613.38	894-130CP 243.96	1	0	121
10X14	894-140C 262.18	1894-140C 651.57	894-140CP 262.18	1	0	121
10X15	894-150C 280.42	1894-150C 682.79	894-150CP 280.42	1	0	121
10X16	894-160C 298.65	1894-160C 766.33	894-160CP 298.65	1	0	121
10X17	894-170C 316.87	1894-170C 774.24	894-170CP 316.87	1	0	121
10X18	894-180C 335.12	1894-180C 808.39	894-180CP 335.12	1	0	121
10X19	894-190C 353.34	1894-190C 887.04	894-190CP 353.34	1	0	121
10X20	894-200C 371.58	1894-200C 934.61	894-200CP 371.58	1	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
10" Diameter						
10X22	894-220C 389.48	1894-220C 979.98	894-220CP 389.48	1	0	121
10X24	894-240C 406.15	1894-240C 1156.49	894-240CP 406.15	1	2	121
10X30	894-300C 494.96	1894-300C 1253.21	894-300CP 494.96	1	0	121
10X36	894-360C 592.71	1894-360C 1526.81	894-360CP 592.71	1	0	121
10X42	894-420C 690.46	1894-420C 1780.36	894-420CP 690.46	1	0	121
10X48	894-480C 788.21	1894-480C 2013.69	894-480CP 788.21	1	0	121

CPVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
12" Diameter						
12XCLOSE	895-005C 140.36	1895-005C 253.14	895-005CP 140.36	1	0	121
12X5	895-050C 160.00	1895-050C 338.53	895-050CP 160.00	1	0	121
12X5-1/2	895-055C 175.02	1895-055C 366.88	895-055CP 175.02	1	0	121
12X6	895-060C 190.05	1895-060C 393.97	895-060CP 190.05	1	0	121
12X7	895-070C 220.09	1895-070C 452.04	895-070CP 220.09	1	0	121
12X8	895-080C 230.91	1895-080C 508.81	895-080CP 230.91	1	0	121
12X9	895-090C 258.64	1895-090C 505.40	895-090CP 258.64	1	0	121
12X10	895-100C 275.17	1895-100C 622.32	895-100CP 275.17	1	0	121
12X11	895-110C 288.14	1895-110C 679.08	895-110CP 288.14	1	0	121
12X12	895-120C 316.05	1895-120C 735.82	895-120CP 316.05	1	0	121
12X13	895-130C 331.38	1895-130C 792.59	895-130CP 331.38	1	0	121
12X14	895-140C 355.66	1895-140C 849.38	895-140CP 355.66	1	0	121
12X15	895-150C 385.53	1895-150C 906.09	895-150CP 385.53	1	0	121
12X16	895-160C 403.18	1895-160C 962.87	895-160CP 403.18	1	0	121
12X17	895-170C 425.94	1895-170C 1019.62	895-170CP 425.94	1	0	121
12X18	895-180C 461.00	1895-180C 1076.38	895-180CP 461.00	1	0	121
12X19	895-190C 486.16	1895-190C 1133.13	895-190CP 486.16	1	0	121
12X20	895-200C 525.92	1895-200C 1189.91	895-200CP 525.92	1	0	121
12X22	895-220C 561.63	1895-220C 1246.66	895-220CP 561.63	1	0	121
12X24	895-240C 611.95	1895-240C 1535.78	895-240CP 611.95	1	0	121
12X30	895-300C 762.89	1895-300C 1781.02	895-300CP 762.89	1	0	121
12X36	895-360C 913.83	1895-360C 2098.04	895-360CP 913.83	1	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
12" Diameter						
12X42	895-420C 1064.78	1895-420C 2345.04	895-420CP 1064.78	1	0	121
12X48	895-480C 1188.08	1895-480C 2779.15	895-480CP 1188.08	1	0	121

Machined CPVC Nipple Options -Threaded Both Ends (TBE)

The following nipples are normally injection molded, but are optionally available as machined nipples listed below. All other nipples are normally machined.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

CPVC Schedule 80 Machined Nipples



1/4" Diameter

880-005CM	1/4XCLOSE	25	1200	121	3.22
-----------	-----------	----	------	-----	------

CPVC Schedule 80 Machined Nipples



1/2" Diameter

882-020CM	1/2X2	25	300	121	4.23
882-030CM	1/2X3	25	300	121	4.93
882-040CM	1/2X4	25	300	121	5.47

CPVC Schedule 80 Machined Nipples



3/4" Diameter

883-030CM	3/4X3	25	300	121	5.99
883-060CM	3/4X6	25	200	121	7.99

CPVC Schedule 80 Machined Nipples



1" Diameter

884-005CM	1XCLOSE	25	300	121	5.41
884-020CM	1X2	25	300	121	5.59

PE Nipples

Polyethylene Schedule 40 Nipple

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

1/2" Diameter

P42-005	1/2XCLOSE	25	450	120	1.09
P42-015	1/2X1-1/2	25	300	120	1.09
P42-020	1/2X2	25	300	120	1.09

Polyethylene Schedule 40 Nipple (continued)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
1/2" Diameter					
P42-025	1/2X2-1/2	25	300	120	1.29
P42-030	1/2X3	25	300	120	1.29
P42-035	1/2X3-1/2	25	300	120	1.38
P42-040	1/2X4	25	300	120	1.38
P42-045	1/2X4-1/2	25	300	120	1.38
P42-050	1/2X5	25	300	120	1.82
P42-055	1/2X5-1/2	25	300	120	1.82
P42-060	1/2X6	25	300	120	2.06
P42-070	1/2X7	25	200	120	2.73
P42-080	1/2X8	25	100	120	2.78
P42-090	1/2X9	25	0	120	2.89
P42-100	1/2X10	25	0	120	2.95
P42-110	1/2X11	25	0	120	3.09
P42-120	1/2X12	25	0	120	3.11
P42-140	1/2X14	100	0	120	4.27
P42-150	1/2X15	100	0	120	4.75
P42-160	1/2X16	100	0	120	5.18
P42-180	1/2X18	100	0	120	5.61
P42-240	1/2X24	100	0	120	8.19

Polyethylene Schedule 40 Nipple

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
3/4" Diameter					
P43-005	3/4XCLOSE	25	150	120	1.29
P43-020	3/4X2	25	300	120	1.29
P43-025	3/4X2-1/2	25	300	120	1.82
P43-030	3/4X3	25	300	120	1.82
P43-035	3/4X3-1/2	25	300	120	2.03
P43-040	3/4X4	25	300	120	2.03
P43-045	3/4X4-1/2	25	200	120	2.13
P43-050	3/4X5	25	200	120	2.13
P43-055	3/4X5-1/2	25	200	120	2.31
P43-060	3/4X6	25	200	120	2.31
P43-070	3/4X7	25	200	120	7.11
P43-080	3/4X8	25	0	120	7.43
P43-090	3/4X9	25	0	120	8.12
P43-100	3/4X10	25	0	120	8.73
P43-110	3/4X11	25	0	120	9.17
P43-120	3/4X12	25	0	120	9.40

Polyethylene Cut-Off Nipples

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
491-060	1/2 MPXx6 CutXOff	50	400	120	1.09
492-060	1/2x3/4MPTx6Cut-Off	50	350	120	1.64
493-060	3/4 MPXx6 CutXOff	50	300	120	1.64