



Metric Fittings Product
PVC ASTM Schedule 40 Socket x BSP Adapter Fittings (White & Gray) & PVC Transition Unions

PVC ASTM Schedule 40 Socket x BSP Adapter Fittings (White & Gray)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
378-010	1	50	0	195	1.80
378-015	1-1/2	20	0	195	2.91
378-020	2	20	0	195	4.26

PVC White Female Adapter

ASTM Spigot x FBSP



PVC Gray Tee

Socket x Socket x FBSP



SCH 40

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
302-010G	1	50	0	196	3.77
302-012G	1-1/4	25	0	196	5.98
302-211G	1-1/2X1	25	0	196	7.75
302-249G	2X1	10	0	196	9.77

PVC Gray Female Adapter

ASTM Socket x FBSP



SCH 40

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
335-010G	1	50	0	196	1.32
335-012G	1-1/4	25	0	196	2.01
335-015G	1-1/2	25	0	196	2.35
335-020G	2	10	0	196	3.14
335-025G	2-1/2	5	0	196	7.91

PVC Gray Male Adapter

MBSP x ASTM Socket



SCH 40

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
336-010G	1	50	300	196	1.41
336-012G	1-1/4	25	200	196	1.71
336-015G	1-1/2	25	0	196	2.35
336-020G	2	25	0	196	3.03
336-025G	2-1/2	5	0	196	8.97
336-030G	3	10	0	196	13.15
336-040G	4	5	0	196	16.75

PVC Gray Female Adapter

ASTM Spigot x FBSP



378-010G	1	50	0	196	1.89
378-015G	1-1/2	25	0	196	3.23
378-020G	2	20	0	196	4.75

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

PVC Gray Take-Off Adapter

Spigot x MBSP



SCH 40

361-005G	1/2	50	300	196	1.13
361-007G	3/4	50	400	196	1.28
361-010G	1	50	0	196	2.22
361-012G	1-1/4	25	100	196	2.74
361-015G	1-1/2	25	0	196	3.66
361-020G	2	25	0	196	4.51

PVC Gray Reducing Take-Off Adapter

Spigot/Socket x MBSP



SCH 40

361-168G	1-1/4X1X1	25	100	196	2.74
361-212G	1-1/2X1-1/4X1-1/4	25	0	196	3.66
361-251G	2X1-1/2X1-1/2	25	0	196	4.51

PVC Transition Unions

Union - Transition DIN to ASTM/FKM

DIN (mm) Socket x ASTM (in.) Socket with FKM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8657-020	20 d X 1/2	10	60	197	12.20
8657-025	25 d X 3/4	10	60	197	15.54
8657-032	32 d X 1	10	40	197	17.73
8657-040	40 d X 1-1/4	10	0	197	35.21
8657-050	50 d X 1-1/2	10	0	197	39.87
8657-063	63 d X 2	5	0	197	54.08
8657-090	90 d X 3	5	0	197	100.66
8657-110	110 d X 4	4	0	197	140.21

Union - Transition DIN to ASTM/FKM

DIN (mm) Socket x ASTM (in.) Fipt with FKM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8658-020	20 d X 1/2	10	60	197	14.91
8658-025	25 d X 3/4	20	80	197	20.83
8658-032	32 d X 1	15	90	197	27.72
8658-040	40 d X 1-1/4	10	0	197	52.92
8658-050	50 d X 1-1/2	10	0	197	65.51
8658-063	63 d X 2	5	0	197	100.79
8658-090	90 d X 3	5	0	197	237.92
8658-110	110 d X 4	4	0	197	273.43

Metric Fittings Product
PVC Transition Unions



PVC Transition Unions

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Union - Transition DIN to ASTM/EPDM

DIN (mm) Socket x ASTM (in.) Socket with EPDM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
8697-020	20 d X 1/2	20	240	197	12.04
8697-025	25 d X 3/4	10	60	197	15.35
8697-032	32d X 1	15	90	197	17.55
8697-040	40 d X 1-1/4	10	0	197	34.79
8697-050	50 d X 1-1/2	10	0	197	39.39
8697-063	63 d X 2	5	0	197	53.42
8697-090	90 d X 3	5	0	197	99.41
8697-110	110 d X 4	4	0	197	137.48

Union - Transition DIN to ASTM/EPDM

DIN (mm) Socket x ASTM (in.) Fipt with EPDM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
8698-020	20 d X 1/2	20	160	197	14.69
8698-025	25 d X 3/4	20	80	197	20.57
8698-032	32 d X 1	15	90	197	27.36
8698-040	40 d X 1-1/4	10	0	197	52.01
8698-050	50 d X 1-1/2	10	0	197	64.68
8698-063	63 d X 2	5	0	197	99.55
8698-090	90 d X 3	5	0	197	234.94
8698-110	110 d X 4	4	0	197	269.75

Union -Transition JIS to ASTM/FKM

JIS (mm) Socket x ASTM (in.) Socket with FKM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
8257-016	16 DN X 1/2	20	160	197	12.20
8257-020	20 DN X 3/4	10	60	197	15.54
8257-025	25 DN X 1	15	90	197	17.73
8257-030	30 DN X 1-1/4	10	0	197	35.21
8257-040	40 DN X 1-1/2	10	0	197	39.87
8257-050	50 DN X 2	5	0	197	54.08
8257-075	75 DN X 3	5	0	197	100.66
8257-100	100 DN X 4	4	0	197	140.21

Union -Transition JIS to ASTM/FKM

JIS (mm) Socket x ASTM (in.) Fipt with FKM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
8258-016	16 DN X 1/2	20	160	197	14.91
8258-020	20 DN X 3/4	20	80	197	20.83
8258-025	25 DN X 1	15	90	197	27.72
8258-030	30 DN X 1-1/4	10	0	197	52.92
8258-040	40 DN X 1-1/2	10	0	197	65.51

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Union -Transition JIS to ASTM/FKM (continued)

JIS (mm) Socket x ASTM (in.) Fipt with FKM O-ring Seal

8258-050	50 DN X 2	5	0	197	100.79
8258-075	75 DN X 3	5	0	197	237.92
8258-100	100 DN X 4	4	0	197	273.43

Union -Transition JIS to ASTM/EPDM

JIS (mm) Socket x ASTM (in.) Socket with EPDM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
8297-016	16 DN X 1/2	20	160	197	12.04
8297-020	20 DN X 3/4	20	80	197	15.35
8297-025	25 DN X 1	15	90	197	17.55
8297-030	30 DN X 1-1/4	10	0	197	34.79
8297-040	40 DN X 1-1/2	10	0	197	39.39
8297-050	50 DN X 2	5	0	197	53.42
8297-075	75 DN X 3	5	0	197	99.41
8297-100	100 DN X 4	4	0	197	137.48

Union -Transition JIS to ASTM/EPDM

JIS (mm) Socket x ASTM (in.) Fipt with EPDM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
8298-016	16 DN X 1/2	20	160	197	14.69
8298-020	20 DN X 3/4	20	80	197	20.57
8298-025	25 DN X 1	15	90	197	27.36
8298-030	30 DN X 1-1/4	10	0	197	52.01
8298-040	40 DN X 1-1/2	10	0	197	64.68
8298-050	50 DN X 2	5	0	197	99.55
8298-075	75 DN X 3	5	0	197	234.94
8298-100	100 DN X 4	4	0	197	269.75

Union - Transition BSP to ASTM/FKM

BSP Thread (in.) x ASTM (in.) Socket with FKM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
8359-005	1/2	20	160	197	14.91
8359-007	3/4	20	80	197	20.83
8359-010	1	15	90	197	27.72
8359-012	1-1/4	10	0	197	52.92
8359-015	1-1/2	10	0	197	65.51
8359-020	2	5	0	197	100.79
8359-030	3	5	0	197	237.92
8359-040	4	4	0	197	273.43

Union - Transition BSP to ASTM/FKM

BSP Thread (in.) x ASTM (in.) Fipt with FKM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8358-005	1/2	20	160	197	14.20
8358-007	3/4	20	80	197	19.84



PVC Transition Unions & True Union Ball Valves (Regular Style)

PVC Transition Unions

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Union - Transition BSP to ASTM/FKM (continued)

BSP Thread (in.) x ASTM (in.) Fipt with FKM O-ring Seal

8358-010	1	15	90	197	26.41
8358-012	1-1/4	10	0	197	50.39
8358-015	1-1/2	10	0	197	62.39
8358-020	2	5	0	197	96.00
8358-030	3	5	0	197	243.51
8358-040	4	4	0	197	286.16

Union - Transition BSP to ASTM/EPDM

BSP Thread (in.) x ASTM (in.) Socket with EPDM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8399-005	1/2	10	60	197	14.69
8399-007	3/4	20	80	197	20.57
8399-010	1	15	90	197	27.36
8399-012	1-1/4	10	0	197	52.26
8399-015	1-1/2	10	0	197	64.68
8399-020	2	5	0	197	99.55
8399-030	3	5	0	197	234.94
8399-040	4	4	0	197	269.75

Union - Transition BSP to ASTM/EPDM

BSP Thread (in.) x ASTM (in.) Fipt with EPDM O-ring Seal



235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8398-005	1/2	10	60	197	13.99
8398-007	3/4	10	60	197	19.59
8398-010	1	10	40	197	26.08
8398-012	1-1/4	5	20	197	49.77
8398-015	1-1/2	5	0	197	61.61
8398-020	2	5	0	197	98.98
8398-030	3	5	0	197	240.48
8398-040	4	4	0	197	281.26

True Union Ball Valves (Regular Style)



Pressure Rating @ 73°F (23°C),
Water

2-1/2" - 4" PN 10
PVC = 140°F (60°C)
CPVC = 200°F (93°C)
Pressure Deratings Apply
Rated for Vacuum Service
PTFE Seats

PVC True Union Ball Valve (Regular Style)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

DIN Socket EPDM

2324-025	75MM	1	0	238	358.78
----------	------	---	---	-----	--------

PVC True Union Ball Valve (Regular Style) (continued)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

DIN Socket EPDM

2324-030	90MM	1	0	238	473.03
2324-040	110MM	1	0	238	799.21

PVC True Union Ball Valve (Regular Style)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

DIN Socket FKM

2334-025	75MM	1	0	238	486.15
2334-030	90MM	1	0	238	525.60
2334-040	110MM	1	0	238	888.00

PVC True Union Ball Valve (Regular Style)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

BSP Threaded EPDM

2325-025	2-1/2	1	0	238	358.78
2325-030	3	1	0	238	473.03
2325-040	4	1	0	238	799.21

PVC True Union Ball Valve (Regular Style)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

BSP Threaded FKM

2335-025	2-1/2	1	0	238	486.15
2335-030	3	1	0	238	525.60
2335-040	4	1	0	238	888.00

CPVC True Union Ball Valve (Regular Style)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

DIN Socket EPDM

2324-025C	75MM	1	0	239	600.57
2324-030C	90MM	1	0	239	702.22
2324-040C	110MM	1	0	239	1272.43

CPVC True Union Ball Valve (Regular Style)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

DIN Socket FKM

2334-025C	75MM	1	0	239	667.27
2334-030C	90MM	1	0	239	780.26
2334-040C	110MM	1	0	239	1413.82

CPVC True Union Ball Valve (Regular Style)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

BSP Threaded EPDM

2325-025C	2-1/2	1	0	239	600.72
2325-030C	3	1	0	239	702.22
2325-040C	4	1	0	239	1272.43

CPVC True Union Ball Valve (Regular Style)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

BSP Threaded FKM

2335-025C	2-1/2	1	0	239	667.27
2335-030C	3	1	0	239	780.26
2335-040C	4	1	0	239	1413.82