

Schedule 80 CPVC Product  
**CPVC Schedule 80 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Eccentric Reducer (continued)**


**Socket x Socket**

829-585CFE	8X6	1	4	097	609.18
829-624CFE <sup>3</sup>	10X4	1	0	097	1458.11
829-625CFE <sup>3</sup>	10X5	1	0	097	1291.12
829-626CFE <sup>2</sup>	10X6	1	2	097	1250.13
829-628CFE	10X8	1	2	097	898.14
829-664CFE <sup>4</sup>	12X4	1	0	097	2626.45
829-666CFE <sup>3</sup>	12X6	1	0	097	1716.24
829-668CFE <sup>2</sup>	12X8	1	0	097	1636.83
829-670CFE	12X10	1	0	097	1464.81
829-696CFE <sup>3</sup>	14X6	1	0	097	2841.23
829-698CFE <sup>2</sup>	14X8	1	0	097	2785.75
829-700CFE	14X10	1	0	097	1985.76
829-702CFE	14X12	1	0	097	1812.94
829-756CFE <sup>4</sup>	16X6	1	0	097	5189.60
829-758CFE <sup>3</sup>	16X8	1	0	097	5017.66
829-760CFE <sup>2</sup>	16X10	1	0	097	4925.57
829-762CFE <sup>2</sup>	16X12	1	0	097	4731.94
829-764CFE	16X14	1	0	097	4353.47
829-786CFE <sup>5</sup>	18X6	1	0	097	10006.92
829-788CFE <sup>4</sup>	18X8	1	0	097	9868.03
829-790CFE <sup>3</sup>	18X10	1	0	097	9485.81
829-792CFE <sup>3</sup>	18X12	1	0	097	8770.98
829-794CFE <sup>2</sup>	18X14	1	0	097	8146.83
829-796CFE	18X16	1	0	097	6244.92

**Eccentric Reducer Coupling Footnotes**

**Multi-Step Configurations**

The number after the part number denotes steps listed below.



Example: 829-582CFE<sup>2</sup> (2 = 2 Step)

**Coupling**

**Fipt x Fipt**

830-002C	1/4	25	450	090	21.71
830-003C	3/8	25	150	090	21.71
830-005C	1/2	25	150	090	17.86
830-007C	3/4	25	150	090	28.85
830-010C	1	15	90	090	32.76
830-012C	1-1/4	10	60	090	34.74
830-015C	1-1/2	10	80	090	37.33
830-020C	2	10	0	090	44.00
830-025C	2-1/2	5	0	090	78.96
830-030C	3	5	0	090	91.92



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling (continued)**

**Fipt x Fipt**

830-040C	4	5	0	090	187.36
830-060CF	6	1	8	097	255.35
830-080CF	8	1	6	097	389.38

**Coupling - Special Reinforced**

**SR Fipt x SR Fipt - Stainless Steel Collar**

830-005CSR	1/2	25	150	096	9.80
830-007CSR	3/4	25	150	096	15.83
830-010CSR	1	25	200	096	17.98
830-012CSR	1-1/4	10	120	096	19.11
830-015CSR	1-1/2	10	80	096	20.48
830-020CSR	2	10	0	096	24.21



**Coupling - Reducer**

**Fipt x Fipt**

830-072C	1/2X1/4	50	400	090	24.07
830-073C	1/2X3/8	25	0	090	24.07
830-101C	3/4X1/2	50	200	090	29.26



**Coupling - Special Reinforced Reducer**

**SR Fipt x SR Fipt - Stainless Steel Collar**

830-101CSR	3/4X1/2	50	200	096	17.56
830-130CSR	1X1/2	50	0	096	21.20
830-131CSR	1X3/4	25	200	096	21.20
830-168CSR	1-1/4X1	25	0	096	28.83
830-210CSR	1-1/2X3/4	25	0	096	41.23
830-211CSR	1-1/2X1	10	80	096	41.23
830-212CSR	1-1/2X1-1/4	10	80	096	41.23
830-249CSR	2X1	25	0	096	101.49
830-251CSR	2X1-1/2	15	0	096	101.49



**Grooved Coupling Adapter**

**Groove x Socket**

833-012C	1-1/4	10	60	090	30.22
833-015C	1-1/2	10	80	090	39.84
833-020C	2	5	40	090	51.79
833-025C	2-1/2	5	0	090	85.18
833-030C	3	5	0	090	105.02
833-040C	4	5	0	090	178.72
833-050CF	5	1	7	097	197.76
833-060C	6	5	0	090	255.65
833-080CF	8	1	4	097	322.44
833-100CF	10	1	0	097	506.04
833-120CF	12	1	0	097	713.69





**Schedule 80 CPVC Product**  
**CPVC Schedule 80 Fittings**

**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Adapter**

**Socket x Fipt**



835-002C	1/4	25	450	090	21.92
835-003C	3/8	25	150	090	21.92
835-098C	3/4X1/4	25	150	090	14.51
835-005C	1/2	25	150	090	10.86
835-007C	3/4	15	90	090	14.52
835-010C	1	15	90	090	26.49
835-012C	1-1/4	10	120	090	27.13
835-015C	1-1/2	10	80	090	31.60
835-020C	2	10	0	090	54.46
835-025C	2-1/2	5	0	090	104.46
835-030C	3	5	0	090	214.34
835-040C	4	5	0	090	356.76
835-060C	6	6	0	090	506.51
835-060CF	6	1	8	097	320.84
835-080C	8	3	0	090	800.29
835-080CF	8	1	6	097	403.58
835-100CF	10	1	2	097	586.45
835-120CF	12	1	0	097	759.95

**Female Adapter - Brass Transition**

**Socket x Fipt With Brass Thread Insert**



835-005CBR	1/2	25	150	096	33.31
835-007CBR	3/4	15	90	096	68.93
835-010CBR	1	15	90	096	120.97
835-012CBR	1-1/4	15	60	096	197.34
835-015CBR	1-1/2	10	40	096	260.19
835-020CBR	2	8	32	096	324.97

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Female Adapter - Brass Transition Reducing**

**Socket x Fipt With Brass Thread Insert**



835-101CBR	3/4X1/2	50	0	096	48.22
------------	---------	----	---	-----	-------

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Female Adapter - Special Reinforced**

**Socket x SR Fipt - Stainless Steel Collar**



835-002CSR	1/4	25	450	096	13.75
835-003CSR	3/8	25	300	096	13.75
835-005CSR	1/2	25	150	096	5.91
835-007CSR	3/4	25	150	096	6.38

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Adapter - Special Reinforced (continued)**

**Socket x SR Fipt - Stainless Steel Collar**

835-010CSR	1	25	200	096	14.55
835-012CSR	1-1/4	10	60	096	14.93
835-015CSR	1-1/2	10	80	096	17.33
835-020CSR	2	10	0	096	24.62
835-025CSR	2-1/2	5	0	096	57.25
835-030CSR	3	15	0	096	117.63
835-040CSR	4	5	0	096	195.78
835-060CSR	6	6	0	096	305.84

**Female Adapter - Special Reinforced Reducing**

**Socket x SR Fipt - Stainless Steel Collar**



835-074CSR	1/2X3/4	50	400	096	6.38
835-098CSR	3/4X1/4	25	150	096	18.58
835-101CSR	3/4X1/2	50	400	096	6.38
835-102CSR	3/4X1	50	0	096	14.55
835-130CSR	1X1/2	50	0	096	14.55
835-131CSR	1X3/4	25	200	096	14.55

**Female Adapter - Stainless Steel Transition**

**Socket x Fipt With Type 316 Stainless Steel Thread Insert**



**NSF® Certified Lead Free**

835-005CSS	1/2	25	150	096	65.40
835-007CSS	3/4	15	90	096	91.31
835-010CSS	1	15	90	096	159.80
835-012CSS	1-1/4	25	0	096	259.71
835-015CSS	1-1/2	10	40	096	338.81
835-020CSS	2	8	32	096	396.51

**Female Adapter - Encapsulated Special Reinforced**

**Socket x ESR Fipt**



835-002CESR	1/4	25	450	096	17.44
835-003CESR	3/8	25	300	096	17.44
835-005CESR	1/2	25	300	096	9.05
835-007CESR	3/4	25	300	096	9.56
835-010CESR	1	25	200	096	21.06
835-012CESR	1-1/4	10	80	096	21.56
835-015CESR	1-1/2	10	80	096	27.92
835-020CESR	2	10	0	096	43.39

**Male Adapter**

**Mipt x Socket**



836-005C	1/2	25	150	090	8.67
836-007C	3/4	25	150	090	10.58
836-102C	3/4X1	25	0	090	38.96
836-131C	1X3/4	25	0	090	37.00

Schedule 80 CPVC Product  
**CPVC Schedule 80 Fittings**



**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Male Adapter (continued)**

**Mipt x Socket**

836-010C	1	20	240	090	17.83
836-012C	1-1/4	10	60	090	26.28
836-015C	1-1/2	10	120	090	35.52
836-020C	2	10	80	090	48.18
836-025C	2-1/2	10	0	090	131.37
836-030C	3	5	0	090	176.54
836-040C	4	5	0	090	298.44
836-050CF	5	1	8	097	325.40
836-060C	6	5	0	090	427.73
836-060CF	6	1	4	097	303.15
836-080CF	8	1	2	097	387.03
836-100CF	10	1	2	097	717.13
836-120CF	12	1	0	097	834.55

**Male Adapter - Internal Reinforced**

**R Mipt x Socket - Stainless Steel Sleeve**



NSF® Certified Lead Free

836-005CR	1/2	25	150	096	9.07
836-007CR	3/4	25	300	096	10.39
836-010CR	1	10	120	096	12.33

**Male Adapter - CPVC Lined Brass Transition**

**Brass Mipt x Socket**



NSF® Certified Lead Free

836-005CBR	1/2	40	160	096	73.83
836-007CBR	3/4	40	160	096	103.95
836-010CBR	1	10	60	096	181.04
836-012CBR	1-1/4	10	40	096	294.48
836-015CBR	1-1/2	10	40	096	382.85
836-020CBR	2	8	32	096	448.63

**Male Spigot Adapter**

**Spigot x Mipt**



861-005C	1/2	50	300	090	10.57
861-007C	3/4	25	150	090	13.13
861-010C	1	50	0	090	22.27
861-131C	1X3/4	50	200	090	26.02
861-012C	1-1/4	25	200	090	25.26
861-015C	1-1/2	25	0	090	27.88
861-020C	2	25	0	090	32.63

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Spigot Adapter - Brass Transition**

**Spigot x Fipt With Brass Thread Insert**



878-010CBR	1	15	90	096	80.46
------------	---	----	----	-----	-------

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Female Spigot Adapter - Special Reinforced**

**Spigot x SR Fipt - Stainless Steel Collar**



878-005CSR	1/2	50	600	096	6.29
878-007CSR	3/4	25	300	096	6.64
878-010CSR	1	50	0	096	14.94
878-012CSR	1-1/4	25	0	096	15.45
878-015CSR	1-1/2	25	0	096	17.94
878-020CSR	2	15	0	096	32.67
878-030CSR	3	5	0	096	119.11
878-040CSR	4	5	0	096	199.95

**Female Spigot Adapter - Special Reinforced Reducing**

**Spigot x SR Fipt - Stainless Steel Collar**



878-072CSR	1/2X1/4	25	450	096	18.04
878-098CSR	3/4X1/4	50	300	096	21.00
878-128CSR	1X1/4	50	400	096	23.51

**Female Spigot Adapter - Encapsulated Special Reinforced**

**Spigot x ESR Fipt**



878-005CESR	1/2	50	600	096	9.32
878-007CESR	3/4	25	300	096	9.92
878-010CESR	1	50	0	096	21.26
878-012CESR	1-1/4	25	0	096	21.84
878-015CESR	1-1/2	25	0	096	28.47
878-020CESR	2	15	0	096	44.01

**Female Spigot Adapter - Stainless Steel Transition**

**Socket x Fipt With Type 316 Stainless Steel Thread Insert**



878-005CSS	1/2	25	150	096	64.79
878-007CSS	3/4	25	150	096	83.33
878-010CSS	1	15	90	096	108.16