



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings

Crosses

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cross - Reducing (continued)

Socket x Socket x Socket x Socket

820-580CF	8X3	1	0	097	1168.33
820-582CF	8X4	1	0	097	1094.09
820-585CF	8X6	1	0	097	1437.52
820-621CF	10X2	1	0	097	1334.76
820-623CF	10X3	1	0	097	1435.09
820-624CF	10X4	1	0	097	1500.27
820-626CF	10X6	1	0	097	1792.28
820-628CF	10X8	1	0	097	2074.99
820-661CF	12X2	1	0	097	1629.75
820-663CF	12X3	1	0	097	1790.98
820-664CF	12X4	1	0	097	1890.96
820-666CF	12X6	1	0	097	2196.13
820-668CF	12X8	1	0	097	2561.74
820-670CF	12X10	1	0	097	3048.69
820-691CF	14X2	1	0	097	3138.47
820-693CF	14X3	1	0	097	3314.74
820-694CF	14X4	1	0	097	3461.96
820-696CF	14X6	1	0	097	4762.29
820-698CF	14X8	1	0	097	5415.02
820-700CF	14X10	1	0	097	6029.64
820-702CF	14X12	1	0	097	6873.92
820-751CF	16X2	1	0	097	4457.47
820-753CF	16X3	1	0	097	4644.82
820-754CF	16X4	1	0	097	4826.35
820-756CF	16X6	1	0	097	6408.33
820-758CF	16X8	1	0	097	7083.27
820-760CF	16X10	1	0	097	7773.87
820-762CF	16X12	1	0	097	8302.80
820-764CF	16X14	1	0	097	10887.00
820-781CF	18X2	1	0	097	5970.53
820-783CF	18X3	1	0	097	6197.93
820-784CF	18X4	1	0	097	7204.46
820-786CF	18X6	1	0	097	8248.05
820-788CF	18X8	1	0	097	9006.22
820-790CF	18X10	1	0	097	9876.51
820-792CF	18X12	1	0	097	10724.13
820-794CF	18X14	1	0	097	13323.83
820-796CF	18X16	1	0	097	14938.81
820-814CF	20X4	1	0	097	12004.14
820-816CF	20X6	1	0	097	12938.98
820-818CF	20X8	1	0	097	14023.01
820-820CF	20X10	1	0	097	15111.20
820-822CF	20X12	1	0	097	16207.77
820-824CF	20X14	1	0	097	17793.83
820-826CF	20X16	1	0	097	20574.17
820-828CF	20X18	1	0	097	20588.23
820-904CF	24X4	1	0	097	12489.23
820-906CF	24X6	1	0	097	12643.85
820-920CF	24X20	1	0	097	27988.68
820-908CF	24X8	1	0	097	14673.25
820-910CF	24X10	1	0	097	16991.94

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cross - Reducing (continued)

Socket x Socket x Socket x Socket

820-912CF	24X12	1	0	097	18411.99
820-914CF	24X14	1	0	097	19740.07
820-916CF	24X16	1	0	097	21200.01
820-918CF	24X18	1	0	097	21990.56

¹ Sized with Bushing

Couplings

Part Number	Size	Gasket to Gasket - L1	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------------------	--------	----------	-----------	------

Repair Coupling - Fabricated



Gasket x Gasket

828-020CF	2	6	1	15	097	143.32
828-030CF	3	11- 3/4	1	5	097	182.56
828-040CF	4	15	1	4	097	227.46
828-060CF	6	18-1/4	1	2	097	263.58
828-080CF	8	19	1	2	097	708.67
828-100CF	10	21-1/4	1	0	097	764.52
828-120CF	12	21-3/8	1	0	097	1005.95
828-140CF	14	21	1	0	097	2960.91
828-160CF	16	22-1/4	1	0	097	4192.18
828-180CF	18	22-5/8	1	0	097	6781.60
828-200CF	20	23-1/2	1	0	097	9982.22
828-240CF	24	23-1/2	1	0	097	14465.97

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling



Socket x Socket

829-002C	1/4	25	450	090	18.18
829-003C	3/8	25	150	090	18.18
829-005C	1/2	25	150	090	7.07
829-007C	3/4	15	90	090	9.88
829-010C	1	15	90	090	13.31
829-012C	1-1/4	10	60	090	19.94
829-015C	1-1/2	10	40	090	25.08
829-020C	2	20	0	090	29.17
829-025C	2-1/2	10	0	090	64.89
829-030C	3	5	0	090	70.52
829-040C	4	5	0	090	92.41
829-050C	5	6	0	090	206.77
829-050CF	5	1	10	097	110.38
829-060C	6	4	0	090	217.65
829-080C	8	4	0	090	588.22

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Coupling (continued)					
Socket x Socket					
829-100C	10	1	0	091	739.92
829-100CF	10	1	0	097	754.26
829-120C	12	1	0	091	866.62
829-120CF	12	1	0	097	1111.55
829-140C	14	1	0	095	1102.71
829-140CF	14	1	0	097	2432.64
829-160CF	16	1	0	097	3735.46
829-180CF	18	1	0	097	4620.47
829-200CF	20	1	0	097	6472.02
829-240CF	24	1	0	097	8088.06

Coupling - Reducer

Socket x Socket



829-101C	3/4X1/2	50	400	090	18.49
829-130C	1X1/2	25	200	090	26.38
829-131C	1X3/4	25	200	090	26.38
829-166C	1-1/4X1/2	25	0	090	60.41
829-167C	1-1/4X3/4	25	0	090	60.41
829-168C	1-1/4X1	25	0	090	60.41
829-209C	1-1/2X1/2	25	0	090	59.93
829-210C	1-1/2X3/4	25	0	090	59.93
829-211C	1-1/2X1	25	0	090	59.93
829-212C	1-1/2X1-1/4	25	0	090	59.93
829-247C	2X1/2	25	0	090	79.24
829-248C	2X3/4	10	80	090	79.24
829-249C	2X1	25	0	090	79.24
829-250C	2X1-1/4	10	0	090	79.24
829-251C	2X1-1/2	10	40	090	79.24
829-290C ¹	2-1/2X1-1/4	10	0	090	127.94
829-291C	2-1/2X1-1/2	10	0	090	90.23
829-292C	2-1/2X2	10	0	090	90.23
829-335C ¹	3X1	8	0	090	223.17
829-336C ¹	3X1-1/4	6	0	090	229.99
829-337C ¹	3X1-1/2	8	0	090	229.99
829-338C	3X2	10	0	090	182.32
829-339C	3X2-1/2	10	0	090	183.08
829-339CF	3X2-1/2	1	9	097	173.94
829-416C ¹	4X3/4	4	0	090	262.91
829-417C ¹	4X1	4	0	090	262.91
829-419C ¹	4X1-1/2	4	0	090	262.91
829-420C	4X2	6	0	090	217.48
829-421C	4X2-1/2	4	0	090	217.48
829-422C	4X3	4	0	090	217.48
829-488CF	5X3	1	6	097	214.59
829-490CF	5X4	1	6	097	135.36
829-528C ¹	6X2	6	0	090	575.36
829-529C ¹	6X2-1/2	4	0	090	678.07
829-530C ¹	6X3	12	0	090	587.13
829-532C	6X4	4	0	090	494.03

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducer (continued)

Socket x Socket

829-533CF	6X5	1	5	097	308.92
829-580CF	8X3	1	6	097	523.22
829-582C ¹	8X4	2	0	090	896.46
829-582CF	8X4	1	4	097	463.85
829-583CF	8X5	1	4	097	543.41
829-585C	8X6	2	0	090	855.99
829-621CF	10X2	1	0	097	969.27
829-623CF	10X3	1	2	097	812.89
829-624CF	10X4	1	2	097	781.34
829-625CF	10X5	1	2	097	842.16
829-626C	10X6	1	0	091	1331.18
829-626CF	10X6	1	2	097	601.62
829-628C	10X8	1	0	091	1331.18
829-628CF	10X8	1	4	097	788.33
829-663CF	12X3	1	2	097	1766.34
829-664CF	12X4	1	2	097	1739.09
829-665CF	12X5	1	0	097	1737.88
829-666CF	12X6	1	0	097	1617.43
829-668C	12X8	1	0	091	1450.38
829-668CF	12X8	1	0	097	1237.73
829-670CF	12X10	1	2	097	660.03
829-694CF	14X4	1	0	097	2524.80
829-696CF	14X6	1	0	097	2384.45
829-698CF	14X8	1	0	097	1985.15
829-700CF	14X10	1	0	097	1699.09
829-702CF	14X12	1	0	097	1486.35
829-754CF	16X4	1	0	097	3110.38
829-756CF	16X6	1	0	097	3201.12
829-758CF	16X8	1	0	097	3658.89
829-760CF	16X10	1	0	097	3504.68
829-762CF	16X12	1	0	097	3321.57
829-764CF	16X14	1	0	097	2951.08
829-783CF	18X3	1	0	097	6409.44
829-784CF	18X4	1	0	097	6359.08
829-786CF	18X6	1	0	097	6311.62
829-788CF	18X8	1	0	097	6174.34
829-790CF	18X10	1	0	097	6137.22
829-792CF	18X12	1	0	097	6032.21
829-794CF	18X14	1	0	097	5937.51
829-796CF	18X16	1	0	097	4334.27
829-814CF	20X4	1	0	097	6284.84
829-816CF	20X6	1	0	097	6221.52
829-818CF	20X8	1	0	097	6124.77
829-820CF	20X10	1	0	097	5988.39
829-822CF	20X12	1	0	097	8616.60
829-824CF	20X14	1	0	097	8494.43
829-826CF	20X16	1	0	097	7001.54
829-828CF	20X18	1	0	097	6488.06
829-904CF	24X4	1	0	097	10308.25
829-906CF	24X6	1	0	097	10249.65
829-908CF	24X8	1	0	097	10143.64
829-910CF	24X10	1	0	097	17886.98
829-912CF	24X12	1	0	097	9628.08
829-914CF	24X14	1	0	097	14542.33



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings

Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducer (continued)

Socket x Socket

829-916CF	24X16	1	0	097	13488.03
829-918CF	24X18	1	0	097	14385.46
829-920CF	24X20	1	0	097	12946.79

¹ Sized with Bushing



Coupling - Eccentric Reducer

Socket x Socket

829-101CFE	3/4X1/2	1	15	097	41.02
829-130CFE	1X1/2	1	16	097	44.49
829-131CFE	1X3/4	1	15	097	42.81
829-168CFE	1-1/4X1	1	12	097	46.52
829-209CFE ²	1-1/2X1/2	1	10	097	73.67
829-210CFE ²	1-1/2X3/4	1	10	097	88.41
829-211CFE	1-1/2X1	1	25	097	52.14
829-212CFE	1-1/2X1-1/4	1	20	097	48.73
829-249CFE	2X1	1	25	097	66.65
829-250CFE	2X1-1/4	1	25	097	60.66
829-251CFE	2X1-1/2	1	10	097	59.23
829-289CFE ²	2-1/2X1	1	10	097	124.26
829-290CFE ²	2-1/2X1-1/4	1	20	097	101.13
829-291CFE ²	2-1/2X1-1/2	1	20	097	100.92
829-292CFE	2-1/2X2	1	10	097	71.66
829-335CFE ²	3X1	1	20	097	157.59
829-336CFE ²	3X1-1/4	1	10	097	150.48
829-337CFE ²	3X1-1/2	1	10	097	148.01
829-338EC	3X2	15	0	090	182.32
829-338CFE	3X2	1	20	097	95.96
829-339CFE	3X2-1/2	1	10	097	192.69
829-417CFE ³	4X1	1	18	097	243.15
829-418CFE ³	4X1-1/4	1	6	097	247.60
829-419CFE ³	4X1-1/2	1	12	097	234.33
829-420CFE ²	4X2	1	10	097	214.45
829-421CFE ²	4X2-1/2	1	6	097	197.95
829-422CFE	4X3	1	10	097	138.80
829-490CFE	5X4	1	8	097	164.48
829-528CFE ³	6X2	1	6	097	433.39
829-529CFE ³	6X2-1/2	1	4	097	403.72
829-530CFE ²	6X3	1	6	097	346.13
829-532CFE	6X4	1	10	097	294.65
829-533CFE	6X5	1	5	097	333.84
829-578CFE ⁴	8X2	1	0	097	861.17
829-580CFE ³	8X3	1	2	097	777.14
829-582CFE ²	8X4	1	2	097	739.41
829-583CFE ²	8X5	1	2	097	658.98
829-585CFE	8X6	1	4	097	641.24
829-624CFE ³	10X4	1	0	097	1534.85
829-625CFE ³	10X5	1	0	097	1359.07

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Eccentric Reducer (continued)


Socket x Socket

829-626CFE ²	10X6	1	2	097	1315.93
829-628CFE	10X8	1	2	097	945.41
829-664CFE ⁴	12X4	1	0	097	2764.68
829-666CFE ³	12X6	1	0	097	1806.57
829-668CFE ²	12X8	1	0	097	1722.98
829-670CFE	12X10	1	0	097	1541.91
829-696CFE ³	14X6	1	0	097	2990.77
829-698CFE ²	14X8	1	0	097	2932.37
829-700CFE	14X10	1	0	097	2090.27
829-702CFE	14X12	1	0	097	1908.36
829-756CFE ⁴	16X6	1	0	097	5462.74
829-758CFE ³	16X8	1	0	097	5281.75
829-760CFE ²	16X10	1	0	097	5184.81
829-762CFE ²	16X12	1	0	097	4980.99
829-764CFE	16X14	1	0	097	4582.60
829-786CFE ⁵	18X6	1	0	097	10533.60
829-788CFE ⁴	18X8	1	0	097	10387.40
829-790CFE ³	18X10	1	0	097	9985.06
829-792CFE ³	18X12	1	0	097	9232.61
829-794CFE ²	18X14	1	0	097	8575.61
829-796CFE	18X16	1	0	097	6573.60

Eccentric Reducer Coupling Footnotes

Multi-Step Configurations

The number after the part number denotes steps listed below.



Example: 829-582CFE² (2= 2 Step)

Coupling

Fipt x Fipt



830-002C	1/4	25	450	090	22.85
830-003C	3/8	25	150	090	22.85
830-005C	1/2	25	150	090	18.80
830-007C	3/4	25	150	090	30.37
830-010C	1	15	90	090	34.48
830-012C	1-1/4	10	60	090	36.57
830-015C	1-1/2	10	80	090	39.29
830-020C	2	10	0	090	46.32
830-025C	2-1/2	5	0	090	83.12
830-030C	3	5	0	090	96.76
830-040C	4	5	0	090	197.22
830-060CF	6	1	8	097	268.79
830-080CF	8	1	6	097	409.87

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar



830-005CSR	1/2	25	150	096	10.32
830-007CSR	3/4	25	150	096	16.66
830-010CSR	1	25	200	096	18.93
830-012CSR	1-1/4	10	120	096	20.12
830-015CSR	1-1/2	10	80	096	21.56
830-020CSR	2	10	0	096	25.48

Coupling - Reducer

Fipt x Fipt



830-072C	1/2X1/4	50	400	090	25.34
830-073C	1/2X3/8	25	0	090	25.34
830-101C	3/4X1/2	50	200	090	30.80

Coupling - Special Reinforced Reducer

SR Fipt x SR Fipt - Stainless Steel Collar



830-101CSR	3/4X1/2	50	200	096	18.48
830-130CSR	1X1/2	50	0	096	22.32
830-131CSR	1X3/4	25	200	096	22.32
830-168CSR	1-1/4X1	25	0	096	30.35
830-210CSR	1-1/2X3/4	25	0	096	43.40
830-211CSR	1-1/2X1	10	80	096	43.40
830-212CSR	1-1/2X1-1/4	10	80	096	43.40
830-249CSR	2X1	25	0	096	106.83
830-251CSR	2X1-1/2	15	0	096	106.83

Grooved Coupling Adapter

Groove x Socket



833-012C	1-1/4	10	60	090	31.81
833-015C	1-1/2	10	80	090	41.94
833-020C	2	5	40	090	54.52
833-025C	2-1/2	5	0	090	89.66
833-030C	3	5	0	090	110.55
833-040C	4	5	0	090	188.13
833-050CF	5	1	7	097	208.17
833-060C	6	5	0	090	269.11
833-080CF	8	1	4	097	339.41
833-100CF	10	1	0	097	532.67
833-120CF	12	1	0	097	751.25

Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter

Socket x Fipt



835-002C	1/4	25	450	090	23.07
835-003C	3/8	25	150	090	23.07
835-098C	3/4X1/4	25	150	090	15.27
835-005C	1/2	25	150	090	11.43
835-007C	3/4	15	90	090	15.28
835-010C	1	15	90	090	27.88
835-012C	1-1/4	10	120	090	28.56
835-015C	1-1/2	10	80	090	33.26
835-020C	2	10	0	090	57.33
835-025C	2-1/2	5	0	090	109.96
835-030C	3	5	0	090	225.62
835-040C	4	5	0	090	375.54
835-060C	6	6	0	090	533.17
835-060CF	6	1	8	097	337.73
835-080C	8	3	0	090	842.41
835-080CF	8	1	6	097	424.82
835-100CF	10	1	2	097	617.32
835-120CF	12	1	0	097	799.95

Female Adapter - Brass Transition

Socket x Fipt With Brass Thread Insert



835-005CBR	1/2	25	150	096	35.06
835-007CBR	3/4	15	90	096	72.56
835-010CBR	1	15	90	096	127.34
835-012CBR	1-1/4	15	60	096	207.73
835-015CBR	1-1/2	10	40	096	273.88
835-020CBR	2	8	32	096	342.07

Not intended to convey or dispense water for human consumption through drinking or cooking

Female Adapter - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert



835-101CBR	3/4X1/2	50	0	096	50.76
------------	---------	----	---	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking

Female Adapter - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar



835-002CSR	1/4	25	450	096	14.47
835-003CSR	3/8	25	300	096	14.47
835-005CSR	1/2	25	150	096	6.22
835-007CSR	3/4	25	150	096	6.72