



**Schedule 80 CPVC Product**  
**CPVC Schedule 80 Fittings**

**Crosses**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cross - Reducing (continued)**

**Socket x Socket x Socket x Socket**

820-339C <sup>1</sup>	3X2-1/2	4	0	090	395.48
820-420C <sup>1</sup>	4X2	3	0	090	583.31
820-422C <sup>1</sup>	4X3	3	0	090	583.31
820-420CF	4X2	1	3	097	573.18
820-528CF	6X2	1	4	097	899.18
820-530CF	6X3	1	2	097	1015.84
820-532CF	6X4	1	2	097	1040.43
820-578CF	8X2	1	2	097	1171.74
820-580CF	8X3	1	0	097	1229.82
820-582CF	8X4	1	0	097	1151.67
820-585CF	8X6	1	0	097	1513.18
820-621CF	10X2	1	0	097	1405.01
820-623CF	10X3	1	0	097	1510.62
820-624CF	10X4	1	0	097	1579.23
820-626CF	10X6	1	0	097	1886.61
820-628CF	10X8	1	0	097	2184.20
820-661CF	12X2	1	0	097	1715.53
820-663CF	12X3	1	0	097	1885.24
820-664CF	12X4	1	0	097	1990.48
820-666CF	12X6	1	0	097	2311.72
820-668CF	12X8	1	0	097	2696.57
820-670CF	12X10	1	0	097	3209.15
820-691CF	14X2	1	0	097	3303.65
820-693CF	14X3	1	0	097	3489.20
820-694CF	14X4	1	0	097	3644.17
820-696CF	14X6	1	0	097	5012.94
820-698CF	14X8	1	0	097	5700.02
820-700CF	14X10	1	0	097	6346.99
820-702CF	14X12	1	0	097	7235.71
820-751CF	16X2	1	0	097	4692.07
820-753CF	16X3	1	0	097	4889.28
820-754CF	16X4	1	0	097	5080.37
820-756CF	16X6	1	0	097	6745.61
820-758CF	16X8	1	0	097	7456.07
820-760CF	16X10	1	0	097	8183.02
820-762CF	16X12	1	0	097	8739.79
820-764CF	16X14	1	0	097	11460.00
820-781CF	18X2	1	0	097	6284.77
820-783CF	18X3	1	0	097	6524.14
820-784CF	18X4	1	0	097	7583.64
820-786CF	18X6	1	0	097	8682.16
820-788CF	18X8	1	0	097	9480.23
820-790CF	18X10	1	0	097	10396.33
820-792CF	18X12	1	0	097	11288.56
820-794CF	18X14	1	0	097	14025.08
820-796CF	18X16	1	0	097	15725.06
820-814CF	20X4	1	0	097	12635.94
820-816CF	20X6	1	0	097	13619.98
820-818CF	20X8	1	0	097	14761.06
820-820CF	20X10	1	0	097	15906.53
820-822CF	20X12	1	0	097	17060.81

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cross - Reducing (continued)**

**Socket x Socket x Socket x Socket**

820-824CF	20X14	1	0	097	18730.35
820-826CF	20X16	1	0	097	21657.02
820-828CF	20X18	1	0	097	21671.82
820-904CF	24X4	1	0	097	13146.56
820-906CF	24X6	1	0	097	13309.32
820-920CF	24X20	1	0	097	29461.77
820-908CF	24X8	1	0	097	15445.53
820-910CF	24X10	1	0	097	17886.25
820-912CF	24X12	1	0	097	19381.04
820-914CF	24X14	1	0	097	20779.02
820-916CF	24X16	1	0	097	22315.80
820-918CF	24X18	1	0	097	23147.96

<sup>1</sup> Sized with Bushing

**Couplings**

Part Number	Size	Gasket to Gasket - L1	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------------------	--------	----------	-----------	------

**Repair Coupling - Fabricated**



**Gasket x Gasket**

828-020CF	2	6	1	15	097	150.86
828-030CF	3	11- 3/4	1	5	097	192.17
828-040CF	4	15	1	4	097	239.43
828-060CF	6	18-1/4	1	2	097	277.45
828-080CF	8	19	1	2	097	745.97
828-100CF	10	21-1/4	1	0	097	804.76
828-120CF	12	21-3/8	1	0	097	1058.89
828-140CF	14	21	1	0	097	3116.75
828-160CF	16	22-1/4	1	0	097	4412.82
828-180CF	18	22-5/8	1	0	097	7138.53
828-200CF	20	23-1/2	1	0	097	10507.60
828-240CF	24	23-1/2	1	0	097	15227.34

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling**



**Socket x Socket**

829-002C	1/4	25	450	090	19.14
829-003C	3/8	25	150	090	19.14
829-005C	1/2	25	150	090	7.44
829-007C	3/4	15	90	090	10.40
829-010C	1	15	90	090	14.01
829-012C	1-1/4	10	60	090	20.99
829-015C	1-1/2	10	40	090	26.40

Schedule 80 CPVC Product  
**CPVC Schedule 80 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Coupling (continued)</b>					
<b>Socket x Socket</b>					
829-020C	2	20	0	090	30.71
829-025C	2-1/2	10	0	090	68.31
829-030C	3	5	0	090	74.23
829-040C	4	5	0	090	97.27
829-050C	5	6	0	090	217.65
829-050CF	5	1	10	097	116.19
829-060C	6	4	0	090	229.11
829-080C	8	4	0	090	619.18
829-100C	10	1	0	091	778.86
829-100CF	10	1	0	097	793.96
829-120C	12	1	0	091	912.23
829-120CF	12	1	0	097	1170.05
829-140C	14	1	0	095	1160.75
829-140CF	14	1	0	097	2560.67
829-160CF	16	1	0	097	3932.06
829-180CF	18	1	0	097	4863.65
829-200CF	20	1	0	097	6812.65
829-240CF	24	1	0	097	8513.75



**Coupling - Reducer**

**Socket x Socket**

829-101C	3/4X1/2	50	400	090	19.46
829-130C	1X1/2	25	200	090	27.77
829-131C	1X3/4	25	200	090	27.77
829-166C	1-1/4X1/2	25	0	090	63.59
829-167C	1-1/4X3/4	25	0	090	63.59
829-168C	1-1/4X1	25	0	090	63.59
829-209C	1-1/2X1/2	25	0	090	63.08
829-210C	1-1/2X3/4	25	0	090	63.08
829-211C	1-1/2X1	25	0	090	63.08
829-212C	1-1/2X1-1/4	25	0	090	63.08
829-247C	2X1/2	25	0	090	83.41
829-248C	2X3/4	10	80	090	83.41
829-249C	2X1	25	0	090	83.41
829-250C	2X1-1/4	10	0	090	83.41
829-251C	2X1-1/2	10	40	090	83.41
829-290C <sup>1</sup>	2-1/2X1-1/4	10	0	090	134.67
829-291C	2-1/2X1-1/2	10	0	090	94.98
829-292C	2-1/2X2	10	0	090	94.98
829-335C <sup>1</sup>	3X1	8	0	090	234.92
829-336C <sup>1</sup>	3X1-1/4	6	0	090	242.09
829-337C <sup>1</sup>	3X1-1/2	8	0	090	242.09
829-338C	3X2	10	0	090	191.92
829-339C	3X2-1/2	10	0	090	192.72
829-339CF	3X2-1/2	1	9	097	183.09
829-416C <sup>1</sup>	4X3/4	4	0	090	276.75
829-417C <sup>1</sup>	4X1	4	0	090	276.75
829-419C <sup>1</sup>	4X1-1/2	4	0	090	276.75
829-420C	4X2	6	0	090	228.93

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Reducer (continued)**

**Socket x Socket**

829-421C	4X2-1/2	4	0	090	228.93
829-422C	4X3	4	0	090	228.93
829-488CF	5X3	1	6	097	225.88
829-490CF	5X4	1	6	097	142.48
829-528C <sup>1</sup>	6X2	6	0	090	605.64
829-529C <sup>1</sup>	6X2-1/2	4	0	090	713.76
829-530C <sup>1</sup>	6X3	12	0	090	618.03
829-532C	6X4	4	0	090	520.03
829-533CF	6X5	1	5	097	325.18
829-580CF	8X3	1	6	097	550.76
829-582C <sup>1</sup>	8X4	2	0	090	943.64
829-582CF	8X4	1	4	097	488.26
829-583CF	8X5	1	4	097	572.01
829-585C	8X6	2	0	090	901.04
829-621CF	10X2	1	0	097	1020.28
829-623CF	10X3	1	2	097	855.67
829-624CF	10X4	1	2	097	822.46
829-625CF	10X5	1	2	097	886.48
829-626C	10X6	1	0	091	1401.24
829-626CF	10X6	1	2	097	633.28
829-628C	10X8	1	0	091	1401.24
829-628CF	10X8	1	4	097	829.82
829-663CF	12X3	1	2	097	1859.31
829-664CF	12X4	1	2	097	1830.62
829-665CF	12X5	1	0	097	1829.35
829-666CF	12X6	1	0	097	1702.56
829-668C	12X8	1	0	091	1526.72
829-668CF	12X8	1	0	097	1302.87
829-670CF	12X10	1	2	097	694.77
829-694CF	14X4	1	0	097	2657.68
829-696CF	14X6	1	0	097	2509.95
829-698CF	14X8	1	0	097	2089.63
829-700CF	14X10	1	0	097	1788.52
829-702CF	14X12	1	0	097	1564.58
829-754CF	16X4	1	0	097	3274.08
829-756CF	16X6	1	0	097	3369.60
829-758CF	16X8	1	0	097	3851.46
829-760CF	16X10	1	0	097	3689.14
829-762CF	16X12	1	0	097	3496.39
829-764CF	16X14	1	0	097	3106.40
829-783CF	18X3	1	0	097	6746.78
829-784CF	18X4	1	0	097	6693.77
829-786CF	18X6	1	0	097	6643.81
829-788CF	18X8	1	0	097	6499.31
829-790CF	18X10	1	0	097	6460.23
829-792CF	18X12	1	0	097	6349.69
829-794CF	18X14	1	0	097	6250.01
829-796CF	18X16	1	0	097	4562.39
829-814CF	20X4	1	0	097	6615.62
829-816CF	20X6	1	0	097	6548.97
829-818CF	20X8	1	0	097	6447.13
829-820CF	20X10	1	0	097	6303.57
829-822CF	20X12	1	0	097	9070.11
829-824CF	20X14	1	0	097	8941.51



**Schedule 80 CPVC Product**  
**CPVC Schedule 80 Fittings**

**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Reducer (continued)**

**Socket x Socket**

829-826CF	20X16	1	0	097	7370.04
829-828CF	20X18	1	0	097	6829.54
829-904CF	24X4	1	0	097	10850.79
829-906CF	24X6	1	0	097	10789.11
829-908CF	24X8	1	0	097	10677.52
829-910CF	24X10	1	0	097	18828.40
829-912CF	24X12	1	0	097	10134.82
829-914CF	24X14	1	0	097	15307.72
829-916CF	24X16	1	0	097	14197.93
829-918CF	24X18	1	0	097	15142.59
829-920CF	24X20	1	0	097	13628.20

<sup>1</sup> Sized with Bushing



**Coupling - Eccentric Reducer**

**Socket x Socket**

829-101CFE	3/4X1/2	1	15	097	43.18
829-130CFE	1X1/2	1	16	097	46.83
829-131CFE	1X3/4	1	15	097	45.06
829-168CFE	1-1/4X1	1	12	097	48.97
829-209CFE <sup>2</sup>	1-1/2X1/2	1	10	097	77.55
829-210CFE <sup>2</sup>	1-1/2X3/4	1	10	097	93.06
829-211CFE	1-1/2X1	1	25	097	54.88
829-212CFE	1-1/2X1-1/4	1	20	097	51.29
829-249CFE	2X1	1	25	097	70.16
829-250CFE	2X1-1/4	1	25	097	63.85
829-251CFE	2X1-1/2	1	10	097	62.35
829-289CFE <sup>2</sup>	2-1/2X1	1	10	097	130.80
829-290CFE <sup>2</sup>	2-1/2X1-1/4	1	20	097	106.45
829-291CFE <sup>2</sup>	2-1/2X1-1/2	1	20	097	106.23
829-292CFE	2-1/2X2	1	10	097	75.43
829-335CFE <sup>2</sup>	3X1	1	20	097	165.88
829-336CFE <sup>2</sup>	3X1-1/4	1	10	097	158.40
829-337CFE <sup>2</sup>	3X1-1/2	1	10	097	155.80
829-338EC	3X2	15	0	090	191.92
829-338CFE	3X2	1	20	097	101.01
829-339CFE	3X2-1/2	1	10	097	202.83
829-417CFE <sup>3</sup>	4X1	1	18	097	255.95
829-418CFE <sup>3</sup>	4X1-1/4	1	6	097	260.63
829-419CFE <sup>3</sup>	4X1-1/2	1	12	097	246.66
829-420CFE <sup>2</sup>	4X2	1	10	097	225.74
829-421CFE <sup>2</sup>	4X2-1/2	1	6	097	208.37
829-422CFE	4X3	1	10	097	146.11
829-490CFE	5X4	1	8	097	173.14
829-528CFE <sup>3</sup>	6X2	1	6	097	456.20
829-529CFE <sup>3</sup>	6X2-1/2	1	4	097	424.97
829-530CFE <sup>2</sup>	6X3	1	6	097	364.35
829-532CFE	6X4	1	10	097	310.16

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Eccentric Reducer (continued)**


**Socket x Socket**

829-533CFE	6X5	1	5	097	351.41
829-578CFE <sup>4</sup>	8X2	1	0	097	906.49
829-580CFE <sup>3</sup>	8X3	1	2	097	818.04
829-582CFE <sup>2</sup>	8X4	1	2	097	778.33
829-583CFE <sup>2</sup>	8X5	1	2	097	693.66
829-585CFE	8X6	1	4	097	674.99
829-624CFE <sup>3</sup>	10X4	1	0	097	1615.63
829-625CFE <sup>3</sup>	10X5	1	0	097	1430.60
829-626CFE <sup>2</sup>	10X6	1	2	097	1385.19
829-628CFE	10X8	1	2	097	995.17
829-664CFE <sup>4</sup>	12X4	1	0	097	2910.19
829-666CFE <sup>3</sup>	12X6	1	0	097	1901.65
829-668CFE <sup>2</sup>	12X8	1	0	097	1813.66
829-670CFE	12X10	1	0	097	1623.06
829-696CFE <sup>3</sup>	14X6	1	0	097	3148.18
829-698CFE <sup>2</sup>	14X8	1	0	097	3086.71
829-700CFE	14X10	1	0	097	2200.28
829-702CFE	14X12	1	0	097	2008.80
829-756CFE <sup>4</sup>	16X6	1	0	097	5750.25
829-758CFE <sup>3</sup>	16X8	1	0	097	5559.74
829-760CFE <sup>2</sup>	16X10	1	0	097	5457.69
829-762CFE <sup>2</sup>	16X12	1	0	097	5243.15
829-764CFE	16X14	1	0	097	4823.79
829-786CFE <sup>5</sup>	18X6	1	0	097	11088.00
829-788CFE <sup>4</sup>	18X8	1	0	097	10934.11
829-790CFE <sup>3</sup>	18X10	1	0	097	10510.59
829-792CFE <sup>3</sup>	18X12	1	0	097	9718.54
829-794CFE <sup>2</sup>	18X14	1	0	097	9026.96
829-796CFE	18X16	1	0	097	6919.58

**Eccentric Reducer Coupling Footnotes**

**Multi-Step Configurations**

The number after the part number denotes steps listed below.



Example: 829-582CFE<sup>2</sup> (2 = 2 Step)

**Coupling**

**Fipt x Fipt**



830-002C	1/4	25	450	090	24.05
830-003C	3/8	25	150	090	24.05
830-005C	1/2	25	150	090	19.79
830-007C	3/4	25	150	090	31.97
830-010C	1	15	90	090	36.29
830-012C	1-1/4	10	60	090	38.49
830-015C	1-1/2	10	80	090	41.36

Schedule 80 CPVC Product  
**CPVC Schedule 80 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Coupling (continued)</b>					
<b>Fipt x Fipt</b>					
830-020C	2	10	0	090	48.76
830-025C	2-1/2	5	0	090	87.49
830-030C	3	5	0	090	101.85
830-040C	4	5	0	090	207.60
830-060CF	6	1	8	097	282.94
830-080CF	8	1	6	097	431.44

**Coupling - Special Reinforced**

**SR Fipt x SR Fipt - Stainless Steel Collar**

830-005CSR	1/2	25	150	096	10.86
830-007CSR	3/4	25	150	096	17.54
830-010CSR	1	25	200	096	19.93
830-012CSR	1-1/4	10	120	096	21.18
830-015CSR	1-1/2	10	80	096	22.69
830-020CSR	2	10	0	096	26.82

**Coupling - Reducer**

**Fipt x Fipt**

830-072C	1/2X1/4	50	400	090	26.67
830-073C	1/2X3/8	25	0	090	26.67
830-101C	3/4X1/2	50	200	090	32.42

**Coupling - Special Reinforced Reducer**

**SR Fipt x SR Fipt - Stainless Steel Collar**

830-101CSR	3/4X1/2	50	200	096	19.45
830-130CSR	1X1/2	50	0	096	23.49
830-131CSR	1X3/4	25	200	096	23.49
830-168CSR	1-1/4X1	25	0	096	31.95
830-210CSR	1-1/2X3/4	25	0	096	45.68
830-211CSR	1-1/2X1	10	80	096	45.68
830-212CSR	1-1/2X1-1/4	10	80	096	45.68
830-249CSR	2X1	25	0	096	112.45
830-251CSR	2X1-1/2	15	0	096	112.45

**Grooved Coupling Adapter**

**Groove x Socket**

833-012C	1-1/4	10	60	090	33.48
833-015C	1-1/2	10	80	090	44.15
833-020C	2	5	40	090	57.39
833-025C	2-1/2	5	0	090	94.38
833-030C	3	5	0	090	116.37
833-040C	4	5	0	090	198.03

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Grooved Coupling Adapter (continued)**

**Groove x Socket**

833-050CF	5	1	7	097	219.13
833-060C	6	5	0	090	283.27
833-080CF	8	1	4	097	357.27
833-100CF	10	1	0	097	560.71
833-120CF	12	1	0	097	790.79

**Adapters**

**Female Adapter**

**Socket x Fipt**

835-002C	1/4	25	450	090	24.28
835-003C	3/8	25	150	090	24.28
835-098C	3/4X1/4	25	150	090	16.07
835-005C	1/2	25	150	090	12.03
835-007C	3/4	15	90	090	16.08
835-010C	1	15	90	090	29.35
835-012C	1-1/4	10	120	090	30.06
835-015C	1-1/2	10	80	090	35.01
835-020C	2	10	0	090	60.35
835-025C	2-1/2	5	0	090	115.75
835-030C	3	5	0	090	237.49
835-040C	4	5	0	090	395.31
835-060C	6	6	0	090	561.23
835-060CF	6	1	8	097	355.51
835-080C	8	3	0	090	886.75
835-080CF	8	1	6	097	447.18
835-100CF	10	1	2	097	649.81
835-120CF	12	1	0	097	842.05

**Female Adapter - Brass Transition**

**Socket x Fipt With Brass Thread Insert**

835-005CBR	1/2	25	150	096	36.91
835-007CBR	3/4	15	90	096	76.38
835-010CBR	1	15	90	096	134.04
835-012CBR	1-1/4	15	60	096	218.66
835-015CBR	1-1/2	10	40	096	288.29
835-020CBR	2	8	32	096	360.07

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Female Adapter - Brass Transition Reducing**

**Socket x Fipt With Brass Thread Insert**

835-101CBR	3/4X1/2	50	0	096	53.43
------------	---------	----	---	-----	-------

**Not intended to convey or dispense water for human consumption through drinking or cooking**