

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



Crosses

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cross - Reducing (continued)

Socket x Socket x Socket x Socket

820-700CF	14X10	1	0	097	5728.16
820-702CF	14X12	1	0	097	6530.22
820-751CF	16X2	1	0	097	4234.60
820-753CF	16X3	1	0	097	4412.58
820-754CF	16X4	1	0	097	4585.03
820-756CF	16X6	1	0	097	6087.91
820-758CF	16X8	1	0	097	6729.11
820-760CF	16X10	1	0	097	7385.18
820-762CF	16X12	1	0	097	7887.66
820-764CF	16X14	1	0	097	10342.65
820-781CF	18X2	1	0	097	5672.00
820-783CF	18X3	1	0	097	5888.03
820-784CF	18X4	1	0	097	6844.24
820-786CF	18X6	1	0	097	7835.65
820-788CF	18X8	1	0	097	8555.91
820-790CF	18X10	1	0	097	9382.68
820-792CF	18X12	1	0	097	10187.92
820-794CF	18X14	1	0	097	12657.64
820-796CF	18X16	1	0	097	14191.87

¹ Sized with Bushing

Couplings

Part Number	Size	Gasket to Gasket - L1	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------------------	--------	----------	-----------	------



Repair Coupling - Fabricated

Gasket x Gasket

828-020CF	2	6	1	15	097	136.15
828-030CF	3	11- 3/4	1	5	097	173.43
828-040CF	4	15	1	4	097	216.09
828-060CF	6	18-1/4	1	2	097	250.40
828-080CF	8	19	1	2	097	673.24
828-100CF	10	21-1/4	1	0	097	726.29
828-120CF	12	21-3/8	1	0	097	955.65
828-140CF	14	21	1	0	097	2812.86
828-160CF	16	22-1/4	1	0	097	3982.57
828-180CF	18	22-5/8	1	0	097	6442.52
828-200CF	20	23-1/2	1	0	097	9483.11
828-240CF	24	23-1/2	1	0	097	13742.67

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling



Socket x Socket

829-002C	1/4	25	450	090	17.27
829-003C	3/8	25	150	090	17.27
829-005C	1/2	25	150	090	6.72
829-007C	3/4	15	90	090	9.39
829-010C	1	15	90	090	12.64
829-012C	1-1/4	10	60	090	18.94
829-015C	1-1/2	10	40	090	23.83
829-020C	2	20	0	090	27.71
829-025C	2-1/2	10	0	090	61.65
829-030C	3	5	0	090	66.99
829-040C	4	5	0	090	87.79
829-050C	5	6	0	090	196.43
829-060C	6	4	0	090	206.77
829-080C	8	4	0	090	558.81
829-100C	10	1	0	091	702.92
829-100CF	10	1	0	097	716.55
829-120C	12	1	0	091	823.29
829-120CF	12	1	0	097	1055.97
829-140C	14	1	0	095	1047.57
829-140CF	14	1	0	097	2311.01
829-160CF	16	1	0	097	3548.69
829-180CF	18	1	0	097	4389.45
829-200CF	20	1	0	097	6148.42
829-240CF	24	1	0	097	7683.66

Coupling - Reducer



Socket x Socket

829-101C	3/4X1/2	50	400	090	17.57
829-130C	1X1/2	25	200	090	25.06
829-131C	1X3/4	25	200	090	25.06
829-166C	1-1/4X1/2	25	0	090	57.39
829-167C	1-1/4X3/4	25	0	090	57.39
829-168C	1-1/4X1	25	0	090	57.39
829-209C	1-1/2X1/2	25	0	090	56.93
829-210C	1-1/2X3/4	25	0	090	56.93
829-211C	1-1/2X1	25	0	090	56.93
829-212C	1-1/2X1-1/4	25	0	090	56.93
829-247C	2X1/2	25	0	090	75.28
829-248C	2X3/4	10	80	090	75.28
829-249C	2X1	25	0	090	75.28
829-250C	2X1-1/4	10	0	090	75.28
829-251C	2X1-1/2	10	40	090	75.28
829-290C ¹	2-1/2X1-1/4	10	0	090	121.54
829-291C	2-1/2X1-1/2	10	0	090	85.72
829-292C	2-1/2X2	10	0	090	85.72
829-335C ¹	3X1	8	0	090	212.01
829-336C ¹	3X1-1/4	6	0	090	218.49
829-337C ¹	3X1-1/2	8	0	090	218.49



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings

Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducer (continued)

Socket x Socket

829-338C	3X2	10	0	090	173.20
829-339C	3X2-1/2	10	0	090	173.93
829-339CF	3X2-1/2	1	9	097	165.24
829-416C ¹	4X3/4	4	0	090	249.76
829-417C ¹	4X1	4	0	090	249.76
829-419C ¹	4X1-1/2	4	0	090	249.76
829-420C	4X2	6	0	090	206.61
829-421C	4X2-1/2	4	0	090	206.61
829-422C	4X3	4	0	090	206.61
829-488CF	5X3	1	6	097	203.86
829-490CF	5X4	1	6	097	128.59
829-528C ¹	6X2	6	0	090	546.59
829-529C ¹	6X2-1/2	4	0	090	644.17
829-530C ¹	6X3	12	0	090	557.77
829-532C	6X4	4	0	090	469.33
829-533CF	6X5	1	5	097	293.47
829-580CF	8X3	1	6	097	497.06
829-582C ¹	8X4	2	0	090	851.64
829-582CF	8X4	1	4	097	440.66
829-583CF	8X5	1	4	097	516.24
829-585C	8X6	2	0	090	813.19
829-621CF	10X2	1	0	097	920.81
829-623CF	10X3	1	2	097	772.25
829-624CF	10X4	1	2	097	742.27
829-625CF	10X5	1	2	097	800.05
829-626C	10X6	1	0	091	1264.62
829-626CF	10X6	1	2	097	571.54
829-628C	10X8	1	0	091	1264.62
829-628CF	10X8	1	4	097	748.91
829-664CF	12X4	1	2	097	1652.14
829-665CF	12X5	1	0	097	1650.99
829-666CF	12X6	1	0	097	1536.56
829-668C	12X8	1	0	091	1377.86
829-668CF	12X8	1	0	097	1175.84
829-670CF	12X10	1	2	097	627.03
829-694CF	14X4	1	0	097	2398.56
829-696CF	14X6	1	0	097	2265.23
829-698CF	14X8	1	0	097	1885.89
829-700CF	14X10	1	0	097	1614.14
829-702CF	14X12	1	0	097	1412.03
829-754CF	16X4	1	0	097	2954.86
829-756CF	16X6	1	0	097	3041.06
829-758CF	16X8	1	0	097	3475.95
829-760CF	16X10	1	0	097	3329.45
829-762CF	16X12	1	0	097	3155.49
829-764CF	16X14	1	0	097	2803.53
829-783CF	18X3	1	0	097	6088.97
829-784CF	18X4	1	0	097	6041.13
829-786CF	18X6	1	0	097	5996.04
829-788CF	18X8	1	0	097	5865.62
829-790CF	18X10	1	0	097	5830.36

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducer (continued)

Socket x Socket

829-792CF	18X12	1	0	097	5730.60
829-794CF	18X14	1	0	097	5640.63
829-796CF	18X16	1	0	097	4117.56
829-818CF	20X8	1	0	097	5818.53
829-826CF	20X16	1	0	097	6651.46
829-828CF	20X18	1	0	097	6163.66
829-906CF	24X6	1	0	097	9737.17
829-918CF	24X18	1	0	097	13666.19
829-920CF	24X20	1	0	097	12299.45

¹ Sized with Bushing

Coupling - Eccentric Reducer



Socket x Socket

829-101CFE	3/4X1/2	1	15	097	38.97
829-130CFE	1X1/2	1	16	097	42.27
829-131CFE	1X3/4	1	15	097	40.67
829-168CFE	1-1/4X1	1	12	097	44.19
829-209CFE ²	1-1/2X1/2	1	10	097	69.99
829-210CFE ²	1-1/2X3/4	1	10	097	83.99
829-211CFE	1-1/2X1	1	25	097	49.53
829-212CFE	1-1/2X1-1/4	1	20	097	46.29
829-249CFE	2X1	1	25	097	63.32
829-250CFE	2X1-1/4	1	25	097	57.63
829-251CFE	2X1-1/2	1	10	097	56.27
829-289CFE ²	2-1/2X1	1	10	097	118.05
829-290CFE ²	2-1/2X1-1/4	1	20	097	96.07
829-291CFE ²	2-1/2X1-1/2	1	20	097	95.87
829-292CFE	2-1/2X2	1	10	097	68.08
829-335CFE ²	3X1	1	10	097	149.71
829-336CFE ²	3X1-1/4	1	10	097	142.96
829-337CFE ²	3X1-1/2	1	10	097	140.61
829-338EC	3X2	15	0	090	173.20
829-338CFE	3X2	1	20	097	91.16
829-339CFE	3X2-1/2	1	10	097	183.06
829-417CFE ³	4X1	1	18	097	230.99
829-418CFE ³	4X1-1/4	1	6	097	235.22
829-419CFE ³	4X1-1/2	1	12	097	222.61
829-420CFE ²	4X2	1	10	097	203.73
829-421CFE ²	4X2-1/2	1	6	097	188.05
829-422CFE	4X3	1	10	097	131.86
829-490CFE	5X4	1	8	097	156.26
829-528CFE ³	6X2	1	6	097	411.72
829-529CFE ³	6X2-1/2	1	4	097	383.53
829-530CFE ²	6X3	1	6	097	328.82
829-532CFE	6X4	1	10	097	279.92
829-533CFE	6X5	1	5	097	317.15
829-578CFE ⁴	8X2	1	0	097	818.11
829-580CFE ³	8X3	1	2	097	738.28
829-582CFE ²	8X4	1	2	097	702.44
829-583CFE ²	8X5	1	2	097	626.03

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Eccentric Reducer (continued)


Socket x Socket

829-585CFE	8X6	1	4	097	609.18
829-624CFE ³	10X4	1	0	097	1458.11
829-625CFE ³	10X5	1	0	097	1291.12
829-626CFE ²	10X6	1	2	097	1250.13
829-628CFE	10X8	1	2	097	898.14
829-664CFE ⁴	12X4	1	0	097	2626.45
829-666CFE ³	12X6	1	0	097	1716.24
829-668CFE ²	12X8	1	0	097	1636.83
829-670CFE	12X10	1	0	097	1464.81
829-696CFE ³	14X6	1	0	097	2841.23
829-698CFE ²	14X8	1	0	097	2785.75
829-700CFE	14X10	1	0	097	1985.76
829-702CFE	14X12	1	0	097	1812.94
829-756CFE ⁴	16X6	1	0	097	5189.60
829-758CFE ³	16X8	1	0	097	5017.66
829-760CFE ²	16X10	1	0	097	4925.57
829-762CFE ²	16X12	1	0	097	4731.94
829-764CFE	16X14	1	0	097	4353.47
829-786CFE ⁵	18X6	1	0	097	10006.92
829-788CFE ⁴	18X8	1	0	097	9868.03
829-790CFE ³	18X10	1	0	097	9485.81
829-792CFE ³	18X12	1	0	097	8770.98
829-794CFE ²	18X14	1	0	097	8146.83
829-796CFE	18X16	1	0	097	6244.92

Eccentric Reducer Coupling Footnotes

Multi-Step Configurations

The number after the part number denotes steps listed below.



Example: 829-582CFE² (2 = 2 Step)

Coupling

Fipt x Fipt

830-002C	1/4	25	450	090	21.71
830-003C	3/8	25	150	090	21.71
830-005C	1/2	25	150	090	17.86
830-007C	3/4	25	150	090	28.85
830-010C	1	15	90	090	32.76
830-012C	1-1/4	10	60	090	34.74
830-015C	1-1/2	10	80	090	37.33
830-020C	2	10	0	090	44.00
830-025C	2-1/2	5	0	090	78.96
830-030C	3	5	0	090	91.92



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling (continued)

Fipt x Fipt

830-040C	4	5	0	090	187.36
830-060CF	6	1	8	097	255.35
830-080CF	8	1	6	097	389.38

Coupling - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar

830-005CSR	1/2	25	150	096	9.80
830-007CSR	3/4	25	150	096	15.83
830-010CSR	1	25	200	096	17.98
830-012CSR	1-1/4	10	120	096	19.11
830-015CSR	1-1/2	10	80	096	20.48
830-020CSR	2	10	0	096	24.21



Coupling - Reducer

Fipt x Fipt

830-072C	1/2X1/4	50	400	090	24.07
830-073C	1/2X3/8	25	0	090	24.07
830-101C	3/4X1/2	50	200	090	29.26



Coupling - Special Reinforced Reducer

SR Fipt x SR Fipt - Stainless Steel Collar

830-101CSR	3/4X1/2	50	200	096	17.56
830-130CSR	1X1/2	50	0	096	21.20
830-131CSR	1X3/4	25	200	096	21.20
830-168CSR	1-1/4X1	25	0	096	28.83
830-210CSR	1-1/2X3/4	25	0	096	41.23
830-211CSR	1-1/2X1	10	80	096	41.23
830-212CSR	1-1/2X1-1/4	10	80	096	41.23
830-249CSR	2X1	25	0	096	101.49
830-251CSR	2X1-1/2	15	0	096	101.49



Grooved Coupling Adapter

Groove x Socket

833-012C	1-1/4	10	60	090	30.22
833-015C	1-1/2	10	80	090	39.84
833-020C	2	5	40	090	51.79
833-025C	2-1/2	5	0	090	85.18
833-030C	3	5	0	090	105.02
833-040C	4	5	0	090	178.72
833-050CF	5	1	7	097	197.76
833-060C	6	5	0	090	255.65
833-080CF	8	1	4	097	322.44
833-100CF	10	1	0	097	506.04
833-120CF	12	1	0	097	713.69

