

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



Tees

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Reducing



Socket x Fipt x Socket

803-095C	3/4X1/2X3/4	50	0	090	23.25
----------	-------------	----	---	-----	-------

Tee - Special Reinforced Reducing



Socket x SR Fipt - Stainless Steel Collar x Socket

(See also Gauge & Instrument Fittings for additional configurations)

803-095CSR	3/4X1/2X3/4	15	0	096	18.89
------------	-------------	----	---	-----	-------

Tee



Fipt x Fipt x Fipt

805-002C	1/4	25	150	090	36.69
805-003C	3/8	25	150	090	36.69
805-005C	1/2	20	120	090	36.69
805-007C	3/4	15	120	090	52.86
805-010C	1	15	0	090	56.93
805-012C	1-1/4	10	0	090	57.25
805-015C	1-1/2	10	0	090	60.13
805-020C	2	10	0	090	66.78
805-025C	2-1/2	5	0	090	328.36
805-030C	3	5	0	090	380.97
805-040C	4	5	0	090	902.53
805-060CF ¹	6	1	2	097	495.93
805-080CF ¹	8	1	0	097	2509.06

¹ Sized with Female Adapter

Tee - Special Reinforced



SR Fipt x SR Fipt x SR Fipt - Stainless Steel Collar

805-002CSR	1/4	25	150	096	20.54
805-003CSR	3/8	25	150	096	20.54
805-005CSR	1/2	25	150	096	27.46
805-007CSR	3/4	25	100	096	31.46
805-010CSR	1	15	0	096	46.99
805-015CSR	1-1/2	10	0	096	49.89
805-020CSR	2	10	0	096	59.41

Tee - Street



Spigot x Socket x Socket

844-005C	1/2	25	200	090	20.66
844-007C	3/4	15	120	090	21.02

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Street (continued)

Spigot x Socket x Socket

844-010C	1	15	0	090	25.75
844-012C	1-1/4	10	0	090	54.29
844-015C	1-1/2	10	0	090	62.24
844-020C	2	10	0	090	69.28

90° Ells



90° Ell

Socket x Socket

806-002C	1/4	50	300	090	17.97
806-003C	3/8	25	150	090	17.97
806-005C	1/2	20	240	090	7.04
806-007C	3/4	20	160	090	9.00
806-010C	1	25	0	090	14.27
806-012C	1-1/4	10	0	090	30.88
806-015C	1-1/2	10	0	090	34.45
806-020C	2	25	0	090	41.59
806-025C	2-1/2	5	0	090	95.77
806-030C	3	6	0	090	108.43
806-040C	4	5	0	090	195.29
806-050C	5	4	0	090	372.81
806-050CF	5	1	4	097	490.88
806-060C	6	4	0	090	392.43
806-080C	8	2	0	090	960.33
806-080CF	8	1	0	097	696.51
806-100C	10	1	0	091	2566.36
806-100CF	10	1	0	097	1525.89
806-120C	12	1	0	091	3472.27
806-120CF	12	1	0	097	2809.12
806-140C	14	1	0	095	5422.55
806-140CF	14	1	0	097	6988.26
806-160CF	16	1	0	097	9540.15
806-180CF	18	1	0	097	11950.44
806-200CF	20	1	0	097	13737.32
806-240CF	24	1	0	097	24867.57

90° Ell - Sweep



Socket x Socket

806-005SC	1/2	25	150	090	13.86
806-007SC	3/4	25	100	090	17.87
806-010SC	1	20	0	090	28.71
806-012SC	1-1/4	25	0	090	37.93
806-015SC	1-1/2	25	0	090	40.75
806-020SC	2	25	0	090	49.36



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Long Sweep

Socket x Socket

806-005LSCF	1/2	25	0	097	63.87
806-007LSCF	3/4	25	0	097	71.56
806-010LSCF	1	25	0	097	80.91
806-012LSCF	1-1/4	25	0	097	84.78
806-015LSCF	1-1/2	25	0	097	94.65
806-020LSCF	2	1	10	097	132.78
806-025LSCF	2-1/2	1	7	097	174.09
806-030LSCF	3	1	5	097	184.21
806-040LSCF	4	1	4	097	227.87
806-060LSCF	6	1	2	097	336.05
806-080LSCF	8	1	0	097	864.40
806-100LSCF	10	1	0	097	1317.17

Not Listed for Electrical Conduit Use

90° Ell

Socket x Fipt

807-002C	1/4	25	450	090	15.93
807-003C	3/8	25	150	090	15.93
807-005C	1/2	20	120	090	18.59
807-007C	3/4	20	160	090	21.84
807-010C	1	20	0	090	28.59
807-012C	1-1/4	10	40	090	41.92
807-015C	1-1/2	10	0	090	63.51
807-020C	2	10	0	090	81.51
807-030C	3	5	0	090	98.24
807-040C	4	5	0	090	185.77
807-060C	6	1	2	090	467.98

90° Ell - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar

807-005CSR	1/2	20	240	096	11.14
807-007CSR	3/4	75	0	096	13.08
807-010CSR	1	50	0	096	15.76
807-012CSR	1-1/4	25	0	096	32.54
807-015CSR	1-1/2	10	0	096	39.11
807-020CSR	2	10	0	096	48.93
807-030CSR	3	5	0	096	71.21
807-040CSR	4	5	0	096	131.49

90° Ell - Brass Transition

Socket x Fipt With Brass Thread Insert

807-005CBR	1/2	20	240	096	59.86
------------	-----	----	-----	-----	-------



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Brass Transition (continued)

Socket x Fipt With Brass Thread Insert

807-007CBR	3/4	20	160	096	104.52
------------	-----	----	-----	-----	--------

Not intended to convey or dispense water for human consumption through drinking or cooking

90° Ell

Fipt x Fipt

808-002C	1/4	25	450	090	18.88
808-003C	3/8	25	150	090	18.88
808-005C	1/2	20	120	090	10.96
808-007C	3/4	20	120	090	16.39
808-010C	1	15	120	090	23.01
808-012C	1-1/4	10	40	090	44.33
808-015C	1-1/2	10	0	090	47.69
808-020C	2	10	0	090	63.93
808-025C	2-1/2	5	0	090	198.38
808-030C	3	5	0	090	212.73
808-040C	4	5	0	090	332.88



90° Street Ell

Mipt x Fipt

812-002C	1/4	50	300	090	26.89
812-005C	1/2	25	150	090	19.28
812-007C	3/4	25	150	090	23.45
812-010C	1	50	0	090	33.76



90° Ell - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar

808-003CSR	3/8	25	150	096	6.73
808-005CSR	1/2	20	120	096	6.73
808-007CSR	3/4	20	160	096	9.85
808-010CSR	1	50	0	096	12.63
808-012CSR	1-1/4	25	0	096	24.31
808-015CSR	1-1/2	10	0	096	28.62
808-020CSR	2	10	0	096	38.34



90° Street Ell

Spigot x Socket

809-005C	1/2	50	200	090	8.84
809-007C	3/4	50	0	090	11.24
809-010C	1	50	0	090	17.87
809-012C	1-1/4	25	0	090	38.62
809-015C	1-1/2	10	0	090	43.12
809-020C	2	25	0	090	52.04
809-025C ¹	2-1/2	5	0	090	105.04
809-030C	3	5	0	090	144.61



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
90° Street Ell (continued)					
Spigot x Socket					
809-040C	4	4	0	090	260.40
809-060C ¹	6	2	0	090	523.24
809-080C ¹	8	2	0	090	1280.44
809-100C ¹	10	1	0	091	3421.43
809-120C ¹	12	1	0	091	4627.91
809-140C ¹	14	1	0	095	6287.64

¹ = Assembled with Molded Components

90° Ell - Reducing

Socket x Fipt

807-101C	3/4X1/2	10	60	090	17.83
807-130C ¹	1X1/2	10	80	090	25.48
807-131C ¹	1X3/4	10	80	090	25.48

¹ Sized with Bushing

90° Ell - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar

807-101CSR	3/4X1/2	50	0	096	14.19
807-130CSR	1X1/2	50	0	096	15.31

90° Ell - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert

807-101CBR	3/4X1/2	20	120	096	74.87
------------	---------	----	-----	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking

Non 90° Ells

11-1/4° Ell

Socket x Socket

811-005CF	1/2	1	52	097	37.87
811-007CF	3/4	1	20	097	39.03
811-010CF	1	1	50	097	53.99
811-012CF	1-1/4	1	26	097	57.59
811-015C	1-1/2	25	0	090	43.06
811-020C	2	10	0	090	52.67
811-025CF	2-1/2	1	25	097	130.40
811-030C	3	10	0	090	138.29
811-040C	4	4	0	090	189.84
811-050CF	5	1	4	097	242.20
811-060CF	6	1	5	097	364.57
811-080CF	8	1	3	097	692.78
811-100CF	10	1	2	097	1149.98

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

11-1/4° Ell (continued)

Socket x Socket

811-120CF	12	1	2	097	1514.64
811-140CF	14	1	0	097	3216.05
811-160CF	16	1	0	097	4527.41
811-180CF	18	1	0	097	6563.49
811-200CF	20	1	0	097	9743.77
811-240CF	24	1	0	097	9854.78

30° Ell

Socket x Socket

815-005CF	1/2	1	25	097	37.87
815-007CF	3/4	1	25	097	39.03
815-010CF	1	1	20	097	53.99
815-012CF	1-1/4	1	15	097	57.59
815-015CF	1-1/2	1	25	097	62.08
815-020CF	2	1	25	097	116.71
815-025CF	2-1/2	1	18	097	130.40
815-030CF	3	1	10	097	145.45
815-040CF	4	1	18	097	189.94
815-050CF	5	1	4	097	208.56
815-060C	6	5	0	090	584.82
815-080CF	8	1	3	097	692.78
815-100CF	10	1	2	097	1149.98
815-120CF	12	1	2	097	1514.64
815-140CF	14	1	0	097	3216.05
815-160CF	16	1	0	097	4527.41
815-180CF	18	1	0	097	6563.49
815-200CF	20	1	0	097	6607.24
815-240CF	24	1	0	097	9281.81

22-1/2° Ell

Socket x Socket

816-005C	1/2	20	240	090	10.16
816-007C	3/4	20	240	090	14.62
816-010C	1	20	160	090	23.29
816-010CF	1	1	25	097	53.99
816-012C	1-1/4	20	0	090	45.71
816-015C	1-1/2	20	0	090	46.97
816-015CF	1-1/2	1	25	097	62.08
816-020C	2	20	0	090	52.67
816-025C	2-1/2	5	0	090	132.20
816-025CF	2-1/2	1	18	097	130.40
816-030C	3	5	0	090	138.29
816-040C	4	4	0	090	189.84
816-050CF	5	1	8	097	242.20
816-060C	6	4	0	090	584.82
816-060CF	6	1	8	097	364.57
816-080C	8	4	0	090	1216.71
816-080CF	8	1	4	097	692.78
816-100CF	10	1	2	097	1149.98