

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



Tees

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Reducing



Socket x Fipt x Socket

803-095C	3/4X1/2X3/4	50	0	090	22.09
----------	-------------	----	---	-----	-------

Tee - Special Reinforced Reducing



Socket x SR Fipt - Stainless Steel Collar x Socket

(See also Gauge & Instrument Fittings for additional configurations)

803-095CSR	3/4X1/2X3/4	15	0	096	17.95
------------	-------------	----	---	-----	-------

Tee



Fipt x Fipt x Fipt

805-002C	1/4	25	150	090	34.86
805-003C	3/8	25	150	090	34.86
805-005C	1/2	20	120	090	34.86
805-007C	3/4	15	120	090	50.22
805-010C	1	15	0	090	54.08
805-012C	1-1/4	10	0	090	54.39
805-015C	1-1/2	10	0	090	57.12
805-020C	2	10	0	090	63.44
805-025C	2-1/2	5	0	090	311.94
805-030C	3	5	0	090	361.92
805-040C	4	5	0	090	857.40
805-060CF ¹	6	1	2	097	471.13
805-080CF ¹	8	1	0	097	2383.61

¹ Sized with Female Adapter

Tee - Special Reinforced



SR Fipt x SR Fipt x SR Fipt - Stainless Steel Collar

805-002CSR	1/4	25	150	096	19.51
805-003CSR	3/8	25	150	096	19.51
805-005CSR	1/2	25	150	096	26.09
805-007CSR	3/4	25	100	096	29.89
805-010CSR	1	15	0	096	44.64
805-015CSR	1-1/2	10	0	096	47.40
805-020CSR	2	10	0	096	56.44

Tee - Street



Spigot x Socket x Socket

844-005C	1/2	25	200	090	19.63
844-007C	3/4	15	120	090	19.97

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Street (continued)

Spigot x Socket x Socket

844-010C	1	15	0	090	24.46
844-012C	1-1/4	10	0	090	51.58
844-015C	1-1/2	10	0	090	59.13
844-020C	2	10	0	090	65.82

90° Ells



90° Ell

Socket x Socket

806-002C	1/4	50	300	090	17.07
806-003C	3/8	25	150	090	17.07
806-005C	1/2	20	240	090	6.69
806-007C	3/4	20	160	090	8.55
806-010C	1	25	0	090	13.56
806-012C	1-1/4	10	0	090	29.34
806-015C	1-1/2	10	0	090	32.73
806-020C	2	25	0	090	39.51
806-025C	2-1/2	5	0	090	90.98
806-030C	3	6	0	090	103.01
806-040C	4	5	0	090	185.53
806-050C	5	4	0	090	354.17
806-050CF	5	1	4	097	466.34
806-060C	6	4	0	090	372.81
806-080C	8	2	0	090	912.31
806-080CF	8	1	0	097	661.68
806-100C	10	1	0	091	2438.04
806-100CF	10	1	0	097	1449.60
806-120C	12	1	0	091	3298.66
806-120CF	12	1	0	097	2668.66
806-140C	14	1	0	095	5151.42
806-140CF	14	1	0	097	6638.85
806-160CF	16	1	0	097	9063.14
806-180CF	18	1	0	097	11352.92
806-200CF	20	1	0	097	13050.45
806-240CF	24	1	0	097	23624.19

90° Ell - Sweep



Socket x Socket

806-005SC	1/2	25	150	090	13.17
806-007SC	3/4	25	100	090	16.98
806-010SC	1	20	0	090	27.27
806-012SC	1-1/4	25	0	090	36.03
806-015SC	1-1/2	25	0	090	38.71
806-020SC	2	25	0	090	46.89



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Long Sweep

Socket x Socket

806-005LSCF	1/2	25	0	097	60.68
806-007LSCF	3/4	25	0	097	67.98
806-010LSCF	1	25	0	097	76.86
806-012LSCF	1-1/4	25	0	097	80.54
806-015LSCF	1-1/2	25	0	097	89.92
806-020LSCF	2	1	10	097	126.14
806-025LSCF	2-1/2	1	7	097	165.39
806-030LSCF	3	1	5	097	175.00
806-040LSCF	4	1	4	097	216.48
806-060LSCF	6	1	2	097	319.25
806-080LSCF	8	1	0	097	821.18
806-100LSCF	10	1	0	097	1251.31

Not Listed for Electrical Conduit Use

90° Ell

Socket x Fipt

807-002C	1/4	25	450	090	15.13
807-003C	3/8	25	150	090	15.13
807-005C	1/2	20	120	090	17.66
807-007C	3/4	20	160	090	20.75
807-010C	1	20	0	090	27.16
807-012C	1-1/4	10	40	090	39.82
807-015C	1-1/2	10	0	090	60.33
807-020C	2	10	0	090	77.43
807-030C	3	5	0	090	93.33
807-040C	4	5	0	090	176.48
807-060C	6	1	2	090	444.58

90° Ell - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar

807-005CSR	1/2	20	240	096	10.58
807-007CSR	3/4	75	0	096	12.43
807-010CSR	1	50	0	096	14.97
807-012CSR	1-1/4	25	0	096	30.91
807-015CSR	1-1/2	10	0	096	37.15
807-020CSR	2	10	0	096	46.48
807-030CSR	3	5	0	096	67.65
807-040CSR	4	5	0	096	124.92

90° Ell - Brass Transition

Socket x Fipt With Brass Thread Insert

807-005CBR	1/2	20	240	096	56.87
------------	-----	----	-----	-----	-------



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Brass Transition (continued)

Socket x Fipt With Brass Thread Insert

807-007CBR	3/4	20	160	096	99.29
------------	-----	----	-----	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking

90° Ell

Fipt x Fipt

808-002C	1/4	25	450	090	17.94
808-003C	3/8	25	150	090	17.94
808-005C	1/2	20	120	090	10.41
808-007C	3/4	20	120	090	15.57
808-010C	1	15	120	090	21.86
808-012C	1-1/4	10	40	090	42.11
808-015C	1-1/2	10	0	090	45.31
808-020C	2	10	0	090	60.73
808-025C	2-1/2	5	0	090	188.46
808-030C	3	5	0	090	202.09
808-040C	4	5	0	090	316.24



90° Street Ell

Mipt x Fipt

812-002C	1/4	50	300	090	25.55
812-005C	1/2	25	150	090	18.32
812-007C	3/4	25	150	090	22.28
812-010C	1	50	0	090	32.07



90° Ell - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar

808-003CSR	3/8	25	150	096	6.39
808-005CSR	1/2	20	120	096	6.39
808-007CSR	3/4	20	160	096	9.36
808-010CSR	1	50	0	096	12.00
808-012CSR	1-1/4	25	0	096	23.09
808-015CSR	1-1/2	10	0	096	27.19
808-020CSR	2	10	0	096	36.42



90° Street Ell

Spigot x Socket

809-005C	1/2	50	200	090	8.40
809-007C	3/4	50	0	090	10.68
809-010C	1	50	0	090	16.98
809-012C	1-1/4	25	0	090	36.69
809-015C	1-1/2	10	0	090	40.96
809-020C	2	25	0	090	49.44
809-025C ¹	2-1/2	5	0	090	99.79
809-030C	3	5	0	090	137.38



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Street Ell (continued)

Spigot x Socket

809-040C	4	4	0	090	247.38
809-060C ¹	6	2	0	090	497.08
809-080C ¹	8	2	0	090	1216.42
809-100C ¹	10	1	0	091	3250.36
809-120C ¹	12	1	0	091	4396.51
809-140C ¹	14	1	0	095	5973.26

¹ = Assembled with Molded Components

90° Ell - Reducing

Socket x Fipt

807-101C	3/4X1/2	10	60	090	16.94
807-130C ¹	1X1/2	10	80	090	24.21
807-131C ¹	1X3/4	10	80	090	24.21

¹ Sized with Bushing

90° Ell - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar

807-101CSR	3/4X1/2	50	0	096	13.48
807-130CSR	1X1/2	50	0	096	14.54

90° Ell - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert

807-101CBR	3/4X1/2	20	120	096	71.13
------------	---------	----	-----	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking

Non 90° Ells

11-1/4° Ell

Socket x Socket

811-005CF	1/2	1	52	097	35.98
811-007CF	3/4	1	20	097	37.08
811-010CF	1	1	50	097	51.29
811-012CF	1-1/4	1	26	097	54.71
811-015C	1-1/2	25	0	090	40.91
811-020C	2	10	0	090	50.04
811-025CF	2-1/2	1	25	097	123.88
811-030C	3	10	0	090	131.38
811-040C	4	4	0	090	180.35
811-060CF	6	1	5	097	346.34
811-080CF	8	1	3	097	658.14
811-100CF	10	1	2	097	1092.48
811-120CF	12	1	2	097	1438.91

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

11-1/4° Ell (continued)

Socket x Socket

811-140CF	14	1	0	097	3055.25
811-160CF	16	1	0	097	4301.04
811-180CF	18	1	0	097	6235.32

30° Ell

Socket x Socket

815-005CF	1/2	1	25	097	35.98
815-007CF	3/4	1	25	097	37.08
815-010CF	1	1	20	097	51.29
815-012CF	1-1/4	1	15	097	54.71
815-015CF	1-1/2	1	25	097	58.98
815-020CF	2	1	25	097	110.87
815-025CF	2-1/2	1	18	097	123.88
815-030CF	3	1	10	097	138.18
815-040CF	4	1	18	097	180.44
815-050CF	5	1	4	097	198.13
815-060C	6	5	0	090	555.58
815-080CF	8	1	3	097	658.14
815-100CF	10	1	2	097	1092.48
815-120CF	12	1	2	097	1438.91
815-140CF	14	1	0	097	3055.25
815-160CF	16	1	0	097	4301.04
815-180CF	18	1	0	097	6235.32
815-200CF	20	1	0	097	6276.88
815-240CF	24	1	0	097	8817.72

22-1/2° Ell

Socket x Socket

816-005C	1/2	20	240	090	9.65
816-007C	3/4	20	240	090	13.89
816-010C	1	20	160	090	22.13
816-012C	1-1/4	20	0	090	43.42
816-015C	1-1/2	20	0	090	44.62
816-015CF	1-1/2	1	25	097	58.98
816-020C	2	20	0	090	50.04
816-025C	2-1/2	5	0	090	125.59
816-025CF	2-1/2	1	18	097	123.88
816-030C	3	5	0	090	131.38
816-040C	4	4	0	090	180.35
816-060C	6	4	0	090	555.58
816-060CF	6	1	8	097	346.34
816-080C	8	4	0	090	1155.87
816-080CF	8	1	4	097	658.14
816-100CF	10	1	2	097	1092.48
816-120CF	12	1	2	097	1438.91
816-140CF	14	1	0	097	3055.25
816-160CF	16	1	0	097	4301.04
816-180CF	18	1	0	097	6235.32