



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings

Tees

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar x Socket



(See also Gauge & Instrument Fittings for additional configurations)

803-095CSR	3/4X1/2X3/4	15	0	096	17.05
------------	-------------	----	---	-----	-------

Tee

Fipt x Fipt x Fipt



805-002C	1/4	25	150	090	33.12
805-003C	3/8	25	150	090	33.12
805-005C	1/2	20	120	090	33.12
805-007C	3/4	15	120	090	47.71
805-010C	1	15	0	090	51.38
805-012C	1-1/4	10	0	090	51.67
805-015C	1-1/2	10	0	090	54.26
805-020C	2	10	0	090	60.27
805-025C	2-1/2	5	0	090	296.34
805-030C	3	5	0	090	343.82
805-040C	4	5	0	090	814.53
805-060CF ¹	6	1	2	097	447.57

¹ Sized with Female Adapter

Tee - Special Reinforced

SR Fipt x SR Fipt x SR Fipt - Stainless Steel Collar



805-002CSR	1/4	20	160	096	18.53
805-003CSR	3/8	25	150	096	18.53
805-005CSR	1/2	25	150	096	24.79
805-007CSR	3/4	25	100	096	28.40
805-010CSR	1	15	0	096	42.41
805-015CSR	1-1/2	10	0	096	45.03
805-020CSR	2	10	0	096	53.62

Tee - Street

Spigot x Socket x Socket



844-005C	1/2	25	200	090	18.65
844-007C	3/4	15	120	090	18.97
844-010C	1	15	0	090	23.24
844-012C	1-1/4	10	0	090	49.00
844-015C	1-1/2	10	0	090	56.17
844-020C	2	10	0	090	62.53

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell

Socket x Socket



806-002C	1/4	50	300	090	16.22
806-003C	3/8	25	150	090	16.22
806-005C	1/2	20	240	090	6.36
806-007C	3/4	20	160	090	8.12
806-010C	1	25	0	090	12.88
806-012C	1-1/4	10	0	090	27.87
806-015C	1-1/2	10	0	090	31.09
806-020C	2	25	0	090	37.53
806-025C	2-1/2	5	0	090	86.43
806-030C	3	6	0	090	97.86
806-040C	4	5	0	090	176.25
806-050C	5	4	0	090	336.46
806-050CF	5	1	4	097	443.02
806-060C	6	4	0	090	354.17
806-080C	8	2	0	090	866.69
806-080CF	8	1	0	097	628.60
806-100C	10	1	0	091	2316.14
806-100CF	10	1	0	097	1377.12
806-120C	12	1	0	091	3133.73
806-120CF	12	1	0	097	2535.23
806-140C	14	1	0	095	4893.85
806-140CF	14	1	0	097	6306.91
806-160CF	16	1	0	097	8609.98
806-180CF	18	1	0	097	10785.27
806-200CF	20	1	0	097	12397.93
806-240CF	24	1	0	097	22442.98

90° Ell - Sweep

Socket x Socket



806-005SC	1/2	25	150	090	12.51
806-007SC	3/4	25	100	090	16.13
806-010SC	1	20	0	090	25.91
806-012SC	1-1/4	25	0	090	34.23
806-015SC	1-1/2	25	0	090	36.77
806-020SC	2	25	0	090	44.55

90° Ell - Long Sweep

Socket x Socket



806-005LSCF	1/2	25	0	097	57.65
806-007LSCF	3/4	25	0	097	64.58
806-010LSCF	1	25	0	097	73.02
806-012LSCF	1-1/4	25	0	097	76.51
806-015LSCF	1-1/2	25	0	097	85.42
806-020LSCF	2	1	10	097	119.83

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Long Sweep (continued)

Socket x Socket

806-025LSCF	2-1/2	1	7	097	157.12
806-030LSCF	3	1	5	097	166.25
806-040LSCF	4	1	4	097	205.66
806-060LSCF	6	1	2	097	303.29
806-080LSCF	8	1	0	097	780.12
806-100LSCF	10	1	0	097	1188.74

Not Listed for Electrical Conduit Use



90° Ell

Socket x Fipt

807-002C	1/4	25	450	090	14.37
807-003C	3/8	25	150	090	14.37
807-005C	1/2	20	120	090	16.78
807-007C	3/4	20	160	090	19.71
807-010C	1	20	0	090	25.80
807-012C	1-1/4	10	40	090	37.83
807-015C	1-1/2	10	0	090	57.31
807-020C	2	10	0	090	73.56
807-030C	3	5	0	090	88.66
807-040C	4	5	0	090	167.66



90° Ell - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar

807-005CSR	1/2	20	240	096	10.05
807-007CSR	3/4	75	0	096	11.81
807-010CSR	1	50	0	096	14.22
807-012CSR	1-1/4	25	0	096	29.36
807-015CSR	1-1/2	10	0	096	35.29
807-020CSR	2	10	0	096	44.16
807-030CSR	3	5	0	096	64.27
807-040CSR	4	5	0	096	118.67



90° Ell - Brass Transition

Socket x Fipt With Brass Thread Insert

807-005CBR	1/2	20	240	096	54.03
807-007CBR	3/4	20	160	096	94.33

Not intended to convey or dispense water for human consumption through drinking or cooking



90° Ell

Fipt x Fipt

808-002C	1/4	25	450	090	17.04
808-003C	3/8	25	150	090	17.04

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell (continued)

Fipt x Fipt

808-005C	1/2	20	120	090	9.89
808-007C	3/4	20	120	090	14.79
808-010C	1	15	120	090	20.77
808-012C	1-1/4	10	40	090	40.00
808-015C	1-1/2	10	0	090	43.04
808-020C	2	10	0	090	57.69
808-025C	2-1/2	5	0	090	179.04
808-030C	3	5	0	090	191.99
808-040C	4	5	0	090	300.43



90° Street Ell

Mipt x Fipt

812-002C	1/4	50	300	090	24.27
812-005C	1/2	25	150	090	17.40
812-007C	3/4	25	150	090	21.17
812-010C	1	50	0	090	30.47



90° Ell - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar

808-003CSR	3/8	25	150	096	6.07
808-005CSR	1/2	20	120	096	6.07
808-007CSR	3/4	20	160	096	8.89
808-010CSR	1	50	0	096	11.40
808-012CSR	1-1/4	25	0	096	21.94
808-015CSR	1-1/2	10	0	096	25.83
808-020CSR	2	10	0	096	34.60



90° Street Ell

Spigot x Socket

809-005C	1/2	50	200	090	7.98
809-007C	3/4	50	0	090	10.15
809-010C	1	50	0	090	16.13
809-012C	1-1/4	25	0	090	34.86
809-015C	1-1/2	10	0	090	38.91
809-020C	2	25	0	090	46.97
809-025C	2-1/2	5	0	090	94.80
809-030C	3	5	0	090	130.51
809-040C	4	4	0	090	235.01
809-060C	6	2	0	090	472.23
809-080C	8	2	0	090	1155.60
809-100C	10	1	0	091	3087.84
809-120C	12	1	0	091	4176.68
809-140C	14	1	0	095	5674.60



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Reducing

Socket x Fipt



807-101C	3/4X1/2	10	60	090	16.09
807-130C ¹	1X1/2	10	80	090	23.00
807-131C ¹	1X3/4	10	80	090	23.00

¹ Sized with Bushing

90° Ell - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar



807-101CSR	3/4X1/2	50	0	096	12.81
807-130CSR	1X1/2	50	0	096	13.81

90° Ell - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert



807-101CBR	3/4X1/2	20	120	096	67.57
------------	---------	----	-----	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking

Non 90° Ells

11-1/4° Ell

Socket x Socket



811-005CF	1/2	1	52	097	34.18
811-007CF	3/4	1	20	097	35.23
811-010CF	1	1	50	097	48.73
811-012CF	1-1/4	1	26	097	51.97
811-015C	1-1/2	25	0	090	38.86
811-020C	2	10	0	090	47.54
811-025CF	2-1/2	1	25	097	117.69
811-030C	3	10	0	090	124.81
811-040C	4	4	0	090	171.33
811-060CF	6	1	5	097	329.02
811-080CF	8	1	3	097	625.23
811-100CF	10	1	2	097	1037.86
811-120CF	12	1	2	097	1366.96
811-140CF	14	1	0	097	2902.49
811-160CF	16	1	0	097	4085.99
811-180CF	18	1	0	097	5923.55

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

30° Ell

Socket x Socket



815-005CF	1/2	1	25	097	34.18
815-007CF	3/4	1	25	097	35.23
815-010CF	1	1	20	097	48.73
815-012CF	1-1/4	1	15	097	51.97
815-015CF	1-1/2	1	25	097	56.03
815-020CF	2	25	0	097	105.33
815-025CF	2-1/2	1	18	097	117.69
815-030CF	3	1	10	097	131.27
815-040CF	4	1	18	097	171.42
815-060C	6	5	0	090	527.80
815-080CF	8	1	3	097	625.23
815-100CF	10	1	2	097	1037.86
815-120CF	12	1	2	097	1366.96
815-140CF	14	1	0	097	2902.49
815-160CF	16	1	0	097	4085.99
815-180CF	18	1	0	097	5923.55

22-1/2° Ell

Socket x Socket



816-005C	1/2	20	240	090	9.17
816-007C	3/4	20	240	090	13.20
816-010C	1	20	160	090	21.02
816-012C	1-1/4	20	0	090	41.25
816-015C	1-1/2	20	0	090	42.39
816-015CF	1-1/2	1	25	097	56.03
816-020C	2	20	0	090	47.54
816-025C	2-1/2	5	0	090	119.31
816-025CF	2-1/2	1	18	097	117.69
816-030C	3	5	0	090	124.81
816-040C	4	4	0	090	171.33
816-060C	6	4	0	090	527.80
816-060CF	6	1	8	097	329.02
816-080C	8	4	0	090	1098.08
816-080CF	8	1	4	097	625.23
816-100CF	10	1	2	097	1037.86
816-120CF	12	1	2	097	1366.96
816-140CF	14	1	0	097	2902.49
816-160CF	16	1	0	097	4085.99
816-180CF	18	1	0	097	5923.55

45° Ell

Socket x Socket



817-002C	1/4	25	450	090	24.13
817-003C	3/8	25	150	090	24.13
817-005C	1/2	20	120	090	7.78
817-007C	3/4	20	120	090	11.23