

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



90° Ells

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-----------------------------------|------|--------|----------|-----------|---------|
| 90° Street Ell (continued) | | | | | |
| Spigot x Socket | | | | | |
| 809-040C | 4 | 4 | 0 | 090 | 260.40 |
| 809-060C ¹ | 6 | 2 | 0 | 090 | 523.24 |
| 809-080C ¹ | 8 | 2 | 0 | 090 | 1280.44 |
| 809-100C ¹ | 10 | 1 | 0 | 091 | 3421.43 |
| 809-120C ¹ | 12 | 1 | 0 | 091 | 4627.91 |
| 809-140C ¹ | 14 | 1 | 0 | 095 | 6287.64 |

¹ = Assembled with Molded Components

90° Ell - Reducing

Socket x Fipt

| | | | | | |
|-----------------------|---------|----|----|-----|-------|
| 807-101C | 3/4X1/2 | 10 | 60 | 090 | 17.83 |
| 807-130C ¹ | 1X1/2 | 10 | 80 | 090 | 25.48 |
| 807-131C ¹ | 1X3/4 | 10 | 80 | 090 | 25.48 |

¹ Sized with Bushing

90° Ell - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar

| | | | | | |
|------------|---------|----|---|-----|-------|
| 807-101CSR | 3/4X1/2 | 50 | 0 | 096 | 14.19 |
| 807-130CSR | 1X1/2 | 50 | 0 | 096 | 15.31 |

90° Ell - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert

| | | | | | |
|------------|---------|----|-----|-----|-------|
| 807-101CBR | 3/4X1/2 | 20 | 120 | 096 | 74.87 |
|------------|---------|----|-----|-----|-------|

Not intended to convey or dispense water for human consumption through drinking or cooking

Non 90° Ells

11-1/4° Ell

Socket x Socket

| | | | | | |
|-----------|-------|----|----|-----|---------|
| 811-005CF | 1/2 | 1 | 52 | 097 | 37.87 |
| 811-007CF | 3/4 | 1 | 20 | 097 | 39.03 |
| 811-010CF | 1 | 1 | 50 | 097 | 53.99 |
| 811-012CF | 1-1/4 | 1 | 26 | 097 | 57.59 |
| 811-015C | 1-1/2 | 25 | 0 | 090 | 43.06 |
| 811-020C | 2 | 10 | 0 | 090 | 52.67 |
| 811-025CF | 2-1/2 | 1 | 25 | 097 | 130.40 |
| 811-030C | 3 | 10 | 0 | 090 | 138.29 |
| 811-040C | 4 | 4 | 0 | 090 | 189.84 |
| 811-050CF | 5 | 1 | 4 | 097 | 242.20 |
| 811-060CF | 6 | 1 | 5 | 097 | 364.57 |
| 811-080CF | 8 | 1 | 3 | 097 | 692.78 |
| 811-100CF | 10 | 1 | 2 | 097 | 1149.98 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

11-1/4° Ell (continued)

Socket x Socket

| | | | | | |
|-----------|----|---|---|-----|---------|
| 811-120CF | 12 | 1 | 2 | 097 | 1514.64 |
| 811-140CF | 14 | 1 | 0 | 097 | 3216.05 |
| 811-160CF | 16 | 1 | 0 | 097 | 4527.41 |
| 811-180CF | 18 | 1 | 0 | 097 | 6563.49 |
| 811-200CF | 20 | 1 | 0 | 097 | 9743.77 |
| 811-240CF | 24 | 1 | 0 | 097 | 9854.78 |

30° Ell

Socket x Socket

| | | | | | |
|-----------|-------|---|----|-----|---------|
| 815-005CF | 1/2 | 1 | 25 | 097 | 37.87 |
| 815-007CF | 3/4 | 1 | 25 | 097 | 39.03 |
| 815-010CF | 1 | 1 | 20 | 097 | 53.99 |
| 815-012CF | 1-1/4 | 1 | 15 | 097 | 57.59 |
| 815-015CF | 1-1/2 | 1 | 25 | 097 | 62.08 |
| 815-020CF | 2 | 1 | 25 | 097 | 116.71 |
| 815-025CF | 2-1/2 | 1 | 18 | 097 | 130.40 |
| 815-030CF | 3 | 1 | 10 | 097 | 145.45 |
| 815-040CF | 4 | 1 | 18 | 097 | 189.94 |
| 815-050CF | 5 | 1 | 4 | 097 | 208.56 |
| 815-060C | 6 | 5 | 0 | 090 | 584.82 |
| 815-080CF | 8 | 1 | 3 | 097 | 692.78 |
| 815-100CF | 10 | 1 | 2 | 097 | 1149.98 |
| 815-120CF | 12 | 1 | 2 | 097 | 1514.64 |
| 815-140CF | 14 | 1 | 0 | 097 | 3216.05 |
| 815-160CF | 16 | 1 | 0 | 097 | 4527.41 |
| 815-180CF | 18 | 1 | 0 | 097 | 6563.49 |
| 815-200CF | 20 | 1 | 0 | 097 | 6607.24 |
| 815-240CF | 24 | 1 | 0 | 097 | 9281.81 |

22-1/2° Ell

Socket x Socket

| | | | | | |
|-----------|-------|----|-----|-----|---------|
| 816-005C | 1/2 | 20 | 240 | 090 | 10.16 |
| 816-007C | 3/4 | 20 | 240 | 090 | 14.62 |
| 816-010C | 1 | 20 | 160 | 090 | 23.29 |
| 816-010CF | 1 | 1 | 25 | 097 | 53.99 |
| 816-012C | 1-1/4 | 20 | 0 | 090 | 45.71 |
| 816-015C | 1-1/2 | 20 | 0 | 090 | 46.97 |
| 816-015CF | 1-1/2 | 1 | 25 | 097 | 62.08 |
| 816-020C | 2 | 20 | 0 | 090 | 52.67 |
| 816-025C | 2-1/2 | 5 | 0 | 090 | 132.20 |
| 816-025CF | 2-1/2 | 1 | 18 | 097 | 130.40 |
| 816-030C | 3 | 5 | 0 | 090 | 138.29 |
| 816-040C | 4 | 4 | 0 | 090 | 189.84 |
| 816-050CF | 5 | 1 | 8 | 097 | 242.20 |
| 816-060C | 6 | 4 | 0 | 090 | 584.82 |
| 816-060CF | 6 | 1 | 8 | 097 | 364.57 |
| 816-080C | 8 | 4 | 0 | 090 | 1216.71 |
| 816-080CF | 8 | 1 | 4 | 097 | 692.78 |
| 816-100CF | 10 | 1 | 2 | 097 | 1149.98 |



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings

Non 90° Ells

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|--------------------------------|------|--------|----------|-----------|----------|
| 22-1/2° Ell (continued) | | | | | |
| Socket x Socket | | | | | |
| 816-120CF | 12 | 1 | 2 | 097 | 1514.64 |
| 816-140CF | 14 | 1 | 0 | 097 | 3216.05 |
| 816-160CF | 16 | 1 | 0 | 097 | 4527.41 |
| 816-180CF | 18 | 1 | 0 | 097 | 6563.49 |
| 816-200CF | 20 | 1 | 0 | 097 | 6196.75 |
| 816-240CF | 24 | 1 | 0 | 097 | 14983.39 |

45° Ell

Socket x Socket



| | | | | | |
|-----------|-------|----|-----|-----|----------|
| 817-002C | 1/4 | 25 | 450 | 090 | 26.74 |
| 817-003C | 3/8 | 25 | 150 | 090 | 26.74 |
| 817-005C | 1/2 | 20 | 120 | 090 | 8.62 |
| 817-007C | 3/4 | 20 | 120 | 090 | 12.44 |
| 817-010C | 1 | 15 | 120 | 090 | 19.79 |
| 817-012C | 1-1/4 | 10 | 80 | 090 | 38.87 |
| 817-015C | 1-1/2 | 10 | 0 | 090 | 39.92 |
| 817-020C | 2 | 10 | 0 | 090 | 44.77 |
| 817-025C | 2-1/2 | 5 | 0 | 090 | 91.48 |
| 817-030C | 3 | 5 | 0 | 090 | 117.54 |
| 817-040C | 4 | 5 | 0 | 090 | 161.36 |
| 817-050C | 5 | 4 | 0 | 090 | 472.23 |
| 817-050CF | 5 | 1 | 2 | 097 | 208.37 |
| 817-060C | 6 | 4 | 0 | 090 | 497.09 |
| 817-080C | 8 | 2 | 0 | 090 | 1034.23 |
| 817-100C | 10 | 1 | 0 | 091 | 1962.57 |
| 817-100CF | 10 | 1 | 2 | 097 | 1185.17 |
| 817-120C | 12 | 1 | 0 | 091 | 3452.81 |
| 817-120CF | 12 | 1 | 0 | 097 | 1664.08 |
| 817-140C | 14 | 1 | 0 | 095 | 3849.82 |
| 817-140CF | 14 | 1 | 0 | 097 | 3481.05 |
| 817-160CF | 16 | 1 | 0 | 097 | 5080.83 |
| 817-180CF | 18 | 1 | 0 | 097 | 7862.69 |
| 817-200CF | 20 | 1 | 0 | 097 | 10401.75 |
| 817-240CF | 24 | 1 | 0 | 097 | 12545.24 |

15° Ell

Socket x Socket



| | | | | | |
|-----------|-------|---|----|-----|--------|
| 818-005CF | 1/2 | 1 | 25 | 097 | 37.87 |
| 818-007CF | 3/4 | 1 | 23 | 097 | 39.03 |
| 818-010CF | 1 | 1 | 20 | 097 | 53.99 |
| 818-012CF | 1-1/4 | 1 | 15 | 097 | 57.59 |
| 818-015CF | 1-1/2 | 1 | 25 | 097 | 62.08 |
| 818-020CF | 2 | 1 | 25 | 097 | 116.71 |
| 818-025CF | 2-1/2 | 1 | 18 | 097 | 130.40 |
| 818-030CF | 3 | 1 | 35 | 097 | 145.45 |
| 818-040CF | 4 | 1 | 18 | 097 | 189.94 |
| 818-050CF | 5 | 1 | 4 | 097 | 242.20 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

15° Ell (continued)

Socket x Socket

| | | | | | |
|-----------|----|---|---|-----|----------|
| 818-060CF | 6 | 1 | 8 | 097 | 364.57 |
| 818-080CF | 8 | 1 | 3 | 097 | 692.78 |
| 818-100CF | 10 | 1 | 2 | 097 | 1149.98 |
| 818-120CF | 12 | 1 | 0 | 097 | 1514.64 |
| 818-140CF | 14 | 1 | 0 | 097 | 3216.05 |
| 818-160CF | 16 | 1 | 0 | 097 | 4527.41 |
| 818-180CF | 18 | 1 | 0 | 097 | 6563.49 |
| 818-200CF | 20 | 1 | 0 | 097 | 6037.14 |
| 818-240CF | 24 | 1 | 0 | 097 | 10110.65 |

45° Ell

Fipt x Fipt



| | | | | | |
|----------|-------|----|-----|-----|--------|
| 819-002C | 1/4 | 25 | 450 | 090 | 25.12 |
| 819-003C | 3/8 | 25 | 150 | 090 | 25.12 |
| 819-005C | 1/2 | 25 | 150 | 090 | 23.79 |
| 819-007C | 3/4 | 10 | 60 | 090 | 26.14 |
| 819-010C | 1 | 10 | 60 | 090 | 28.77 |
| 819-012C | 1-1/4 | 10 | 80 | 090 | 49.14 |
| 819-015C | 1-1/2 | 10 | 0 | 090 | 49.14 |
| 819-020C | 2 | 10 | 0 | 090 | 64.87 |
| 819-025C | 2-1/2 | 5 | 0 | 090 | 122.98 |
| 819-030C | 3 | 5 | 0 | 090 | 177.13 |
| 819-040C | 4 | 5 | 0 | 090 | 278.61 |

45° Ell - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar



| | | | | | |
|------------|-----|----|-----|-----|-------|
| 819-005CSR | 1/2 | 25 | 150 | 096 | 12.59 |
| 819-007CSR | 3/4 | 10 | 120 | 096 | 15.38 |
| 819-010CSR | 1 | 10 | 60 | 096 | 18.64 |

60° Ell

Socket x Socket



| | | | | | |
|-----------|-------|---|----|-----|---------|
| 824-005CF | 1/2 | 1 | 25 | 097 | 108.61 |
| 824-007CF | 3/4 | 1 | 25 | 097 | 129.69 |
| 824-010CF | 1 | 1 | 15 | 097 | 122.82 |
| 824-012CF | 1-1/4 | 1 | 16 | 097 | 125.78 |
| 824-015CF | 1-1/2 | 1 | 15 | 097 | 136.20 |
| 824-020CF | 2 | 1 | 16 | 097 | 171.54 |
| 824-025CF | 2-1/2 | 1 | 10 | 097 | 196.33 |
| 824-030CF | 3 | 1 | 4 | 097 | 336.83 |
| 824-040CF | 4 | 1 | 4 | 097 | 404.34 |
| 824-060CF | 6 | 1 | 2 | 097 | 561.12 |
| 824-080CF | 8 | 1 | 2 | 097 | 850.20 |
| 824-100CF | 10 | 1 | 0 | 097 | 1711.55 |
| 824-120CF | 12 | 1 | 0 | 097 | 2645.57 |
| 824-140CF | 14 | 1 | 0 | 097 | 6377.66 |
| 824-160CF | 16 | 1 | 0 | 097 | 8954.05 |

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



Non 90° Ells

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|----------------------------|------|--------|----------|-----------|----------|
| 60° Ell (continued) | | | | | |
| Socket x Socket | | | | | |
| 824-180CF | 18 | 1 | 0 | 097 | 12422.13 |
| 824-200CF | 20 | 1 | 0 | 097 | 16623.76 |
| 824-240CF | 24 | 1 | 0 | 097 | 27701.40 |

45° Street Ell

Spigot x Socket



| | | | | | |
|-----------------------|-------|----|-----|-----|----------|
| 827-005C | 1/2 | 50 | 400 | 090 | 8.62 |
| 827-007C | 3/4 | 50 | 0 | 090 | 12.44 |
| 827-010C | 1 | 50 | 0 | 090 | 19.79 |
| 827-012C | 1-1/4 | 25 | 0 | 090 | 38.87 |
| 827-015C | 1-1/2 | 25 | 0 | 090 | 39.85 |
| 827-020C | 2 | 10 | 0 | 090 | 44.77 |
| 827-025C ¹ | 2-1/2 | 12 | 0 | 090 | 99.07 |
| 827-030C | 3 | 10 | 0 | 090 | 117.54 |
| 827-040C | 4 | 5 | 0 | 090 | 161.36 |
| 827-050CF | 5 | 1 | 2 | 097 | 308.69 |
| 827-060C | 6 | 4 | 0 | 090 | 584.82 |
| 827-080C | 8 | 2 | 0 | 090 | 1216.71 |
| 827-100C ¹ | 10 | 1 | 0 | 091 | 2308.91 |
| 827-120C ¹ | 12 | 1 | 0 | 091 | 4062.11 |
| 827-140CF | 14 | 1 | 0 | 097 | 4976.64 |
| 827-160CF | 16 | 1 | 0 | 097 | 6365.86 |
| 827-180CF | 18 | 1 | 0 | 097 | 9288.49 |
| 827-200CF | 20 | 1 | 0 | 097 | 15576.44 |
| 827-240CF | 24 | 1 | 0 | 097 | 15546.53 |

1 = Assembled with Molded Components

22-1/2° Street Ell

Spigot x Socket



| | | | | | |
|-----------|-------|----|-----|-----|---------|
| 842-005C | 1/2 | 50 | 400 | 090 | 11.56 |
| 842-007C | 3/4 | 50 | 0 | 090 | 18.03 |
| 842-010C | 1 | 50 | 0 | 090 | 28.21 |
| 842-012C | 1-1/4 | 20 | 0 | 090 | 35.33 |
| 842-015C | 1-1/2 | 25 | 0 | 090 | 50.79 |
| 842-020C | 2 | 20 | 0 | 090 | 64.05 |
| 842-025C | 2-1/2 | 5 | 0 | 090 | 117.61 |
| 842-030C | 3 | 5 | 0 | 090 | 170.80 |
| 842-040C | 4 | 4 | 0 | 090 | 219.02 |
| 842-060C | 6 | 1 | 6 | 090 | 722.24 |
| 842-080C | 8 | 1 | 2 | 090 | 1514.22 |
| 842-100CF | 10 | 1 | 2 | 097 | 1168.39 |
| 842-120CF | 12 | 1 | 2 | 097 | 1549.67 |

Crosses

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|--|------|--------|----------|-----------|------|
| Cross | | | | | |
| Socket x Socket x Socket x Socket | | | | | |



| | | | | | |
|-----------|-------|----|-----|-----|----------|
| 820-002C | 1/4 | 25 | 150 | 090 | 70.40 |
| 820-005C | 1/2 | 50 | 0 | 090 | 70.40 |
| 820-007C | 3/4 | 50 | 0 | 090 | 74.09 |
| 820-010C | 1 | 50 | 0 | 090 | 82.13 |
| 820-012C | 1-1/4 | 25 | 0 | 090 | 87.87 |
| 820-015C | 1-1/2 | 25 | 0 | 090 | 95.51 |
| 820-020C | 2 | 10 | 0 | 090 | 123.87 |
| 820-025C | 2-1/2 | 10 | 0 | 090 | 165.15 |
| 820-030C | 3 | 5 | 0 | 090 | 210.33 |
| 820-040C | 4 | 3 | 0 | 090 | 375.72 |
| 820-050CF | 5 | 1 | 3 | 097 | 882.05 |
| 820-060CF | 6 | 1 | 0 | 097 | 987.35 |
| 820-080CF | 8 | 1 | 0 | 097 | 1878.06 |
| 820-100CF | 10 | 1 | 0 | 097 | 2793.73 |
| 820-120CF | 12 | 1 | 0 | 097 | 3969.46 |
| 820-140CF | 14 | 1 | 0 | 097 | 10726.69 |
| 820-160CF | 16 | 1 | 0 | 097 | 12785.60 |
| 820-180CF | 18 | 1 | 0 | 097 | 17189.68 |
| 820-200CF | 20 | 1 | 0 | 097 | 30310.27 |
| 820-240CF | 24 | 1 | 0 | 097 | 44680.48 |

Cross - Reducing

Socket x Socket x Socket x Socket



| | | | | | |
|-----------------------|-------------|----|---|-----|--------|
| 820-101C ¹ | 3/4X1/2 | 50 | 0 | 090 | 91.86 |
| 820-130C ¹ | 1X1/2 | 25 | 0 | 090 | 108.98 |
| 820-131C | 1X3/4 | 20 | 0 | 090 | 108.98 |
| 820-166C ¹ | 1-1/4X1/2 | 25 | 0 | 090 | 97.48 |
| 820-167C | 1-1/4X3/4 | 25 | 0 | 090 | 79.08 |
| 820-168C ¹ | 1-1/4X1 | 25 | 0 | 090 | 156.49 |
| 820-209C ¹ | 1-1/2X1/2 | 20 | 0 | 090 | 172.93 |
| 820-210C | 1-1/2X3/4 | 15 | 0 | 090 | 172.93 |
| 820-211C ¹ | 1-1/2X1 | 25 | 0 | 090 | 172.93 |
| 820-212C ¹ | 1-1/2X1-1/4 | 25 | 0 | 090 | 172.93 |
| 820-247C ¹ | 2X1/2 | 10 | 0 | 090 | 223.91 |
| 820-248C ¹ | 2X3/4 | 10 | 0 | 090 | 223.91 |
| 820-249C ¹ | 2X1 | 10 | 0 | 090 | 223.91 |
| 820-250C ¹ | 2X1-1/4 | 10 | 0 | 090 | 223.91 |
| 820-251C ¹ | 2X1-1/2 | 10 | 0 | 090 | 223.91 |
| 820-289C | 2-1/2X1 | 15 | 0 | 090 | 152.24 |
| 820-290C ¹ | 2-1/2X1-1/4 | 10 | 0 | 090 | 287.20 |
| 820-291C ¹ | 2-1/2X1-1/2 | 8 | 0 | 090 | 287.20 |
| 820-292C ¹ | 2-1/2X2 | 10 | 0 | 090 | 287.20 |
| 820-335C ¹ | 3X1 | 4 | 0 | 090 | 395.48 |
| 820-336C ¹ | 3X1-1/4 | 4 | 0 | 090 | 395.48 |
| 820-337C ¹ | 3X1-1/2 | 4 | 0 | 090 | 395.48 |
| 820-338C ¹ | 3X2 | 4 | 0 | 090 | 395.48 |