

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Reducing

Socket x Fipt



807-101C	3/4X1/2	10	60	090	16.94
807-130C ¹	1X1/2	10	80	090	24.21
807-131C ¹	1X3/4	10	80	090	24.21

¹ Sized with Bushing

90° Ell - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar



807-101CSR	3/4X1/2	50	0	096	13.48
807-130CSR	1X1/2	50	0	096	14.54

90° Ell - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert



807-101CBR	3/4X1/2	20	120	096	71.13
------------	---------	----	-----	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking

Non 90° Ells

11-1/4° Ell

Socket x Socket



811-005CF	1/2	1	52	097	35.98
811-007CF	3/4	1	20	097	37.08
811-010CF	1	1	50	097	51.29
811-012CF	1-1/4	1	26	097	54.71
811-015C	1-1/2	25	0	090	40.91
811-020C	2	10	0	090	50.04
811-025CF	2-1/2	1	25	097	123.88
811-030C	3	10	0	090	131.38
811-040C	4	4	0	090	180.35
811-060CF	6	1	5	097	346.34
811-080CF	8	1	3	097	658.14
811-100CF	10	1	2	097	1092.48
811-120CF	12	1	2	097	1438.91
811-140CF	14	1	0	097	3055.25
811-160CF	16	1	0	097	4301.04
811-180CF	18	1	0	097	6235.32

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

30° Ell

Socket x Socket



815-005CF	1/2	1	25	097	35.98
815-007CF	3/4	1	25	097	37.08
815-010CF	1	1	20	097	51.29
815-012CF	1-1/4	1	15	097	54.71
815-015CF	1-1/2	1	25	097	58.98
815-020CF	2	1	25	097	110.87
815-025CF	2-1/2	1	18	097	123.88
815-030CF	3	1	10	097	138.18
815-040CF	4	1	18	097	180.44
815-060C	6	5	0	090	555.58
815-080CF	8	1	3	097	658.14
815-100CF	10	1	2	097	1092.48
815-120CF	12	1	2	097	1438.91
815-140CF	14	1	0	097	3055.25
815-160CF	16	1	0	097	4301.04
815-180CF	18	1	0	097	6235.32

22-1/2° Ell

Socket x Socket



816-005C	1/2	20	240	090	9.65
816-007C	3/4	20	240	090	13.89
816-010C	1	20	160	090	22.13
816-012C	1-1/4	20	0	090	43.42
816-015C	1-1/2	20	0	090	44.62
816-015CF	1-1/2	1	25	097	58.98
816-020C	2	20	0	090	50.04
816-025C	2-1/2	5	0	090	125.59
816-025CF	2-1/2	1	18	097	123.88
816-030C	3	5	0	090	131.38
816-040C	4	4	0	090	180.35
816-060C	6	4	0	090	555.58
816-060CF	6	1	8	097	346.34
816-080C	8	4	0	090	1155.87
816-080CF	8	1	4	097	658.14
816-100CF	10	1	2	097	1092.48
816-120CF	12	1	2	097	1438.91
816-140CF	14	1	0	097	3055.25
816-160CF	16	1	0	097	4301.04
816-180CF	18	1	0	097	6235.32

45° Ell

Socket x Socket



817-002C	1/4	25	450	090	25.40
817-003C	3/8	25	150	090	25.40
817-005C	1/2	20	120	090	8.19
817-007C	3/4	20	120	090	11.82



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings

Non 90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
45° Ell (continued)					
Socket x Socket					
817-010C	1	15	120	090	18.80
817-012C	1-1/4	10	80	090	36.93
817-015C	1-1/2	10	0	090	37.92
817-020C	2	10	0	090	42.53
817-025C	2-1/2	5	0	090	86.91
817-030C	3	5	0	090	111.66
817-040C	4	5	0	090	153.29
817-050C	5	4	0	090	448.62
817-050CF	5	1	2	097	197.95
817-060C	6	4	0	090	472.24
817-080C	8	2	0	090	982.52
817-100C	10	1	0	091	1864.44
817-100CF	10	1	2	097	1125.91
817-120C	12	1	0	091	3280.17
817-120CF	12	1	0	097	1580.88
817-140C	14	1	0	095	3657.33
817-140CF	14	1	0	097	3307.00
817-160CF	16	1	0	097	4826.79
817-180CF	18	1	0	097	7469.56
817-200CF	20	1	0	097	9881.66
817-240CF	24	1	0	097	11917.98

15° Ell

Socket x Socket

818-005CF	1/2	1	25	097	35.98
818-007CF	3/4	1	23	097	37.08
818-010CF	1	1	20	097	51.29
818-012CF	1-1/4	1	15	097	54.71
818-015CF	1-1/2	1	25	097	58.98
818-020CF	2	1	25	097	110.87
818-025CF	2-1/2	1	18	097	123.88
818-030CF	3	1	35	097	138.18
818-040CF	4	1	18	097	180.44
818-060CF	6	1	8	097	346.34
818-080CF	8	1	3	097	658.14
818-100CF	10	1	2	097	1092.48
818-120CF	12	1	0	097	1438.91
818-140CF	14	1	0	097	3055.25
818-160CF	16	1	0	097	4301.04
818-180CF	18	1	0	097	6235.32

45° Ell

Fipt x Fipt

819-002C	1/4	25	450	090	23.86
819-003C	3/8	25	150	090	23.86
819-005C	1/2	25	150	090	22.60
819-007C	3/4	10	60	090	24.83

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
45° Ell (continued)					
Fipt x Fipt					
819-010C	1	10	60	090	27.33
819-012C	1-1/4	10	80	090	46.68
819-015C	1-1/2	10	0	090	46.68
819-020C	2	10	0	090	61.63
819-025C	2-1/2	5	0	090	116.83
819-030C	3	5	0	090	168.27
819-040C	4	5	0	090	264.68

45° Ell - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar

819-005CSR	1/2	25	150	096	11.96
819-007CSR	3/4	10	120	096	14.61
819-010CSR	1	10	60	096	17.71

60° Ell

Socket x Socket

824-005CF	1/2	1	25	097	103.18
824-007CF	3/4	1	25	097	123.21
824-010CF	1	1	15	097	116.68
824-012CF	1-1/4	1	16	097	119.49
824-015CF	1-1/2	1	15	097	129.39
824-020CF	2	1	16	097	162.96
824-025CF	2-1/2	1	10	097	186.51
824-030CF	3	1	4	097	319.99
824-040CF	4	1	4	097	384.12
824-060CF	6	1	2	097	533.06
824-080CF	8	1	2	097	807.69
824-100CF	10	1	0	097	1625.97
824-120CF	12	1	0	097	2513.29
824-140CF	14	1	0	097	6058.78
824-160CF	16	1	0	097	8506.35
824-180CF	18	1	0	097	11801.02

45° Street Ell

Spigot x Socket

827-005C	1/2	50	400	090	8.19
827-007C	3/4	50	0	090	11.82
827-010C	1	50	0	090	18.80
827-012C	1-1/4	25	0	090	36.93
827-015C	1-1/2	25	0	090	37.86
827-020C	2	10	0	090	42.53
827-025C	2-1/2	12	0	090	94.12
827-030C	3	10	0	090	111.66
827-040C	4	5	0	090	153.29
827-060C	6	4	0	090	555.58
827-080C	8	2	0	090	1155.87
827-100C	10	1	0	091	2193.46

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



Non 90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

45° Street Ell (continued)

Spigot x Socket

827-120C	12	1	0	091	3859.00
827-140CF	14	1	0	097	4727.81
827-160CF	16	1	0	097	6047.57
827-180CF	18	1	0	097	8824.07

22-1/2° Street Ell

Spigot x Socket



842-005C	1/2	50	400	090	10.98
842-007C	3/4	50	0	090	17.13
842-010C	1	50	0	090	26.80
842-012C	1-1/4	20	0	090	33.56
842-015C	1-1/2	25	0	090	48.25
842-020C	2	20	0	090	60.85
842-025C	2-1/2	5	0	090	111.73
842-030C	3	5	0	090	162.26
842-040C	4	4	0	090	208.07
842-060C	6	1	6	090	686.13
842-080C	8	1	2	090	1438.51
842-100CF	10	1	2	097	1109.97
842-120CF	12	1	2	097	1472.19

Crosses

Cross

Socket x Socket x Socket x Socket



820-002C	1/4	25	150	090	66.88
820-005C	1/2	50	0	090	66.88
820-007C	3/4	50	0	090	70.39
820-010C	1	50	0	090	78.02
820-012C	1-1/4	25	0	090	83.48
820-015C	1-1/2	25	0	090	90.73
820-020C	2	10	0	090	117.68
820-025C	2-1/2	10	0	090	156.89
820-030C	3	5	0	090	199.81
820-040C	4	3	0	090	356.93
820-060CF	6	1	0	097	937.98
820-080CF	8	1	0	097	1784.16
820-100CF	10	1	0	097	2654.04
820-120CF	12	1	0	097	3770.99
820-140CF	14	1	0	097	10190.36
820-160CF	16	1	0	097	12146.32
820-180CF	18	1	0	097	16330.20

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cross - Reducing

Socket x Socket x Socket x Socket



820-101C ¹	3/4X1/2	50	0	090	87.27
820-130C ¹	1X1/2	25	0	090	103.53
820-131C	1X3/4	20	0	090	103.53
820-166C ¹	1-1/4X1/2	25	0	090	92.61
820-167C	1-1/4X3/4	25	0	090	75.13
820-168C ¹	1-1/4X1	25	0	090	148.67
820-209C ¹	1-1/2X1/2	20	0	090	164.28
820-210C	1-1/2X3/4	15	0	090	164.28
820-211C ¹	1-1/2X1	25	0	090	164.28
820-212C ¹	1-1/2X1-1/4	25	0	090	164.28
820-247C ¹	2X1/2	10	0	090	212.71
820-248C ¹	2X3/4	10	0	090	212.71
820-249C ¹	2X1	10	0	090	212.71
820-250C ¹	2X1-1/4	10	0	090	212.71
820-251C ¹	2X1-1/2	10	0	090	212.71
820-289C	2-1/2X1	15	0	090	144.63
820-290C ¹	2-1/2X1-1/4	10	0	090	272.84
820-291C ¹	2-1/2X1-1/2	8	0	090	272.84
820-292C ¹	2-1/2X2	10	0	090	272.84
820-335C ¹	3X1	4	0	090	375.71
820-336C ¹	3X1-1/4	4	0	090	375.71
820-337C ¹	3X1-1/2	4	0	090	375.71
820-338C ¹	3X2	4	0	090	375.71
820-339C ¹	3X2-1/2	4	0	090	375.71
820-420C ¹	4X2	3	0	090	554.14
820-422C ¹	4X3	3	0	090	554.14
820-420CF	4X2	1	3	097	544.52
820-528CF	6X2	1	2	097	854.22
820-530CF	6X3	1	2	097	965.05
820-532CF	6X4	1	2	097	988.41
820-578CF	8X2	1	2	097	1113.15
820-580CF	8X3	1	0	097	1168.33
820-582CF	8X4	1	0	097	1094.09
820-585CF	8X6	1	0	097	1437.52
820-621CF	10X2	1	0	097	1334.76
820-623CF	10X3	1	0	097	1435.09
820-624CF	10X4	1	0	097	1500.27
820-626CF	10X6	1	0	097	1792.28
820-628CF	10X8	1	0	097	2074.99
820-661CF	12X2	1	0	097	1629.75
820-663CF	12X3	1	0	097	1790.98
820-664CF	12X4	1	0	097	1890.96
820-666CF	12X6	1	0	097	2196.13
820-668CF	12X8	1	0	097	2561.74
820-670CF	12X10	1	0	097	3048.69
820-691CF	14X2	1	0	097	3138.47
820-693CF	14X3	1	0	097	3314.74
820-694CF	14X4	1	0	097	3461.96
820-696CF	14X6	1	0	097	4762.29
820-698CF	14X8	1	0	097	5415.02