

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Male Spigot Adapter (continued)					
Spigot x Mipt					
861-012C	1-1/4	25	200	090	27.99
861-015C	1-1/2	25	0	090	30.89
861-020C	2	25	0	090	36.16

Female Spigot Adapter - Brass Transition

Spigot x Fipt With Brass Thread Insert

878-010CBR	1	15	90	096	89.15
------------	---	----	----	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking

Female Spigot Adapter - Special Reinforced

Spigot x SR Fipt - Stainless Steel Collar

878-005CSR	1/2	50	600	096	6.97
878-007CSR	3/4	25	300	096	7.36
878-010CSR	1	50	0	096	16.56
878-012CSR	1-1/4	25	0	096	17.12
878-015CSR	1-1/2	25	0	096	19.87
878-020CSR	2	15	0	096	36.20
878-030CSR	3	5	0	096	131.98
878-040CSR	4	5	0	096	221.55

Female Spigot Adapter - Special Reinforced Reducing

Spigot x SR Fipt - Stainless Steel Collar

878-072CSR	1/2X1/4	25	450	096	19.99
878-098CSR	3/4X1/4	50	300	096	23.27
878-128CSR	1X1/4	50	400	096	26.05

Female Spigot Adapter - Encapsulated Special Reinforced

Spigot x ESR Fipt

878-005CESR	1/2	50	600	096	10.33
878-007CESR	3/4	25	300	096	10.99
878-010CESR	1	50	0	096	23.56
878-012CESR	1-1/4	25	0	096	24.20
878-015CESR	1-1/2	25	0	096	31.55
878-020CESR	2	15	0	096	48.77

Female Spigot Adapter - Stainless Steel Transition

Socket x Fipt With Type 316 Stainless Steel Thread Insert

878-005CSS	1/2	25	150	096	71.79
878-007CSS	3/4	25	150	096	92.34
878-010CSS	1	15	90	096	119.84

Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style

Spigot x Socket



837-052C	3/8X1/4	50	450	090	15.56
837-072C	1/2X1/4	50	300	090	15.56
837-073C	1/2X3/8	50	300	090	15.56
837-101C	3/4X1/2	50	300	090	7.94
837-129C ¹	1X3/8	50	200	090	27.03
837-130C	1X1/2	50	400	090	12.34
837-131C	1X3/4	50	300	090	12.34
837-166C	1-1/4X1/2	25	300	090	32.73
837-167C	1-1/4X3/4	25	150	090	32.73
837-168C	1-1/4X1	25	150	090	32.73
837-209C	1-1/2X1/2	25	200	090	37.01
837-210C	1-1/2X3/4	25	200	090	37.01
837-211C	1-1/2X1	25	200	090	37.01
837-212C	1-1/2X1-1/4	25	200	090	37.01
837-247C	2X1/2	10	120	090	47.77
837-248C	2X3/4	10	60	090	47.77
837-249C	2X1	10	120	090	47.77
837-250C	2X1-1/4	10	60	090	47.77
837-251C	2X1-1/2	10	60	090	47.77
837-289C	2-1/2X1	10	80	090	82.14
837-290C	2-1/2X1-1/4	10	80	090	58.16
837-291C	2-1/2X1-1/2	10	40	090	58.16
837-292C	2-1/2X2	15	0	090	58.16
837-333C	3X1/2	10	0	090	103.00
837-334C ¹	3X3/4	10	0	090	101.31
837-335C	3X1	10	0	090	88.62
837-336C	3X1-1/4	10	0	090	88.62
837-337C	3X1-1/2	10	0	090	88.62
837-338C	3X2	10	0	090	88.62
837-339C	3X2-1/2	15	0	090	88.62
837-416C ¹	4X3/4	10	0	090	148.72
837-418C ¹	4X1-1/4	6	0	090	159.33
837-419C	4X1-1/2	6	0	090	148.73
837-420C	4X2	6	0	090	97.98
837-421C	4X2-1/2	6	0	090	97.98
837-422C	4X3	6	0	090	97.98
837-490C	5X4	4	0	090	185.22
837-490CF	5X4	1	4	097	129.77
837-525C ¹	6X1	5	0	090	263.27
837-527C ¹	6X1-1/2	5	0	090	272.43
837-528C	6X2	5	0	090	210.22
837-529C ¹	6X2-1/2	5	0	090	304.93
837-530C	6X3	5	0	090	210.22
837-532C	6X4	5	0	090	208.75
837-533CF	6X5	5	0	097	392.86
837-534C	6X5	5	0	090	242.92
837-578C ¹	8X2	4	0	090	906.29
837-580C ¹	8X3	4	0	090	906.29



Schedule 80 CPVC Product
CPVC Schedule 80 Fittings

Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Reducer Bushing Flush Style (continued)					
Spigot x Socket					
837-582C	8X4	4	0	090	906.29
837-583CF	8X5	1	6	097	1097.99
837-585C	8X6	4	0	090	687.21
837-621C ¹	10X2	2	0	091	1509.78
837-623C ¹	10X3	2	0	091	1509.78
837-624C ¹	10X4	4	0	091	1509.78
837-626C	10X6	3	0	091	1216.29
837-628C	10X8	3	0	091	1216.29
837-628CF	10X8	1	6	097	1052.58
837-663CF	12X3	1	2	097	1704.99
837-664C ¹	12X4	2	0	091	2478.99
837-666CF	12X6	1	2	097	1458.15
837-668C	12X8	2	0	091	1533.45
837-670CF	12X10	1	3	097	1097.99
837-696CF	14X6	1	3	097	3849.02
837-698CF	14X8	1	3	097	2683.40
837-700CF	14X10	1	3	097	2178.80
837-702CF	14X12	1	3	097	1578.91
837-754CF	16X4	1	0	097	6160.03
837-756CF	16X6	1	0	097	6068.12
837-758CF	16X8	1	0	097	5671.99
837-760CF	16X10	1	0	097	4534.81
837-762CF	16X12	1	2	097	2307.02
837-764CF	16X14	1	2	097	2196.88
837-786CF	18X6	1	0	097	6028.51
837-788CF	18X8	1	0	097	6721.14
837-790CF	18X10	1	0	097	5483.80
837-792CF	18X12	1	0	097	4736.72
837-794CF	18X14	1	0	097	4043.83
837-796CF	18X16	1	0	097	2452.61
837-816CF	20X6	1	0	097	12400.03
837-818CF	20X8	1	0	097	8094.32
837-820CF	20X10	1	0	097	10166.27
837-822CF	20X12	1	0	097	9732.65
837-824CF	20X14	1	0	097	8457.68
837-826CF	20X16	1	0	097	5986.38
837-828CF	20X18	1	0	097	3976.22

¹ Sized with Bushing



Reducer Bushing Flush Style

Spigot x Fipt

838-052C	3/8X1/4	50	450	090	16.72
838-071C	1/2X1/8	50	300	090	16.72
838-072C	1/2X1/4	50	600	090	16.72
838-073C	1/2X3/8	50	300	090	16.72
838-098C	3/4X1/4	50	300	090	18.65
838-099C	3/4X3/8	50	600	090	18.65
838-101C	3/4X1/2	50	600	090	8.65
838-129C	1X3/8	50	400	090	24.77

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Reducer Bushing Flush Style (continued)					
Spigot x Fipt					
838-130C	1X1/2	50	400	090	10.98
838-131C	1X3/4	50	400	090	10.98
838-166C	1-1/4X1/2	25	150	090	35.44
838-167C	1-1/4X3/4	25	300	090	35.44
838-168C	1-1/4X1	25	300	090	35.44
838-207C	1-1/2X1/4	25	200	090	43.65
838-209C	1-1/2X1/2	25	200	090	43.65
838-210C	1-1/2X3/4	25	200	090	43.65
838-211C	1-1/2X1	25	200	090	43.65
838-212C	1-1/2X1-1/4	25	200	090	43.65
838-247C	2X1/2	10	120	090	60.02
838-248C	2X3/4	10	60	090	60.02
838-249C	2X1	10	120	090	60.02
838-250C	2X1-1/4	10	120	090	60.02
838-251C	2X1-1/2	10	120	090	60.02
838-287C	2-1/2X1/2	10	0	090	96.02
838-288C	2-1/2X3/4	10	40	090	96.02
838-289C	2-1/2X1	10	40	090	96.02
838-290C	2-1/2X1-1/4	10	0	090	96.02
838-291C	2-1/2X1-1/2	10	40	090	95.37
838-292C	2-1/2X2	10	40	090	95.37
838-334C	3X3/4	10	0	090	254.08
838-335C	3X1	10	0	090	254.08
838-336C	3X1-1/4	10	0	090	222.27
838-337C	3X1-1/2	10	0	090	222.27
838-338C	3X2	10	0	090	212.59
838-339C	3X2-1/2	10	0	090	214.32
838-420C	4X2	6	0	090	433.20
838-421C	4X2-1/2	6	0	090	433.20
838-422C	4X3	6	0	090	433.20
838-528C	6X2	5	0	090	873.38
838-530C	6X3	5	0	090	873.38
838-532C	6X4	5	0	090	873.38



Reducer Bushing - Special Reinforced

Spigot x SR Fipt - Stainless Steel Collar

838-128CSR	1X1/4	25	150	096	14.86
838-207CSR	1-1/2X1/4	25	200	096	25.13
838-209CSR	1-1/2X1/2	10	120	096	26.19
838-210CSR	1-1/2X3/4	10	120	096	26.19
838-247CSR	2X1/2	10	80	096	35.99
838-248CSR	2X3/4	10	80	096	35.99
838-249CSR	2X1	10	120	096	35.99
838-334CSR	3X3/4	10	0	096	152.42
838-335CSR	3X1	10	0	096	152.42
838-336CSR	3X1-1/4	10	0	096	152.42
838-337CSR	3X1-1/2	10	0	096	152.42
838-528CSR	6X2	5	0	096	524.01
838-530CSR	6X3	5	0	096	524.01
838-532CSR	6X4	5	0	096	555.24

Schedule 80 CPVC Product
CPVC Schedule 80 Fittings



Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing (T.T.) Flush Style

Mipt x Fipt



839-041C	1/4X1/8	25	500	090	22.45
839-052C	3/8X1/4	50	450	090	22.45
839-072C	1/2X1/4	50	300	090	22.45
839-073C	1/2X3/8	50	300	090	22.45
839-098C	3/4X1/4	50	300	090	24.76
839-099C	3/4X3/8	50	300	090	24.76
839-101C	3/4X1/2	50	300	090	10.65
839-128C	1X1/4	25	150	090	26.74
839-129C	1X3/8	50	300	090	26.74
839-130C	1X1/2	50	300	090	17.94
839-131C	1X3/4	50	700	090	17.94
839-166C	1-1/4X1/2	25	150	090	35.63
839-167C	1-1/4X3/4	25	150	090	35.63
839-168C	1-1/4X1	25	300	090	35.36
839-209C	1-1/2X1/2	25	300	090	42.92
839-210C	1-1/2X3/4	25	300	090	42.92
839-211C	1-1/2X1	25	300	090	42.92
839-212C	1-1/2X1-1/4	25	300	090	42.58
839-247C	2X1/2	10	60	090	47.45
839-248C	2X3/4	10	60	090	47.45
839-249C	2X1	10	60	090	47.45
839-250C	2X1-1/4	10	60	090	47.45
839-251C	2X1-1/2	10	60	090	42.58
839-292C	2-1/2X2	10	40	090	114.09
839-337C	3X1-1/2	10	0	090	153.49
839-338C	3X2	10	0	090	153.49
839-339C	3X2-1/2	10	0	090	153.49
839-420C	4X2	6	0	090	263.75
839-422C	4X3	6	0	090	263.75
839-530C	6X3	5	0	090	952.13
839-532C	6X4	5	0	090	952.13

Reducer Bushing - Special Reinforced Reducing Flush Style

Mipt x SR Fipt - Stainless Steel Collar



839-209CSR	1-1/2X1/2	25	300	096	25.78
839-210CSR	1-1/2X3/4	25	300	096	25.78
839-247CSR	2X1/2	10	60	096	28.49
839-248CSR	2X3/4	10	60	096	28.49
839-249CSR	2X1	10	120	096	28.49
839-420CSR	4X2	6	0	096	158.23

Caps

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cap

Socket



847-002C	1/4	25	450	090	12.81
847-003C	3/8	25	450	090	12.81
847-005C	1/2	25	150	090	11.59
847-007C	3/4	25	300	090	16.52
847-010C	1	15	90	090	29.22
847-012C	1-1/4	10	60	090	31.97
847-015C	1-1/2	10	60	090	31.97
847-020C	2	10	80	090	33.72
847-025C	2-1/2	5	40	090	113.51
847-030C	3	5	0	090	124.41
847-040C	4	5	0	090	126.47
847-050CF	5	1	6	097	238.51
847-060C	6	4	0	090	418.48
847-080C	8	3	0	090	1269.96
847-100CF	10	1	5	097	1060.99
847-120CF	12	1	4	097	1162.82
847-140CF	14	1	2	097	3566.78
847-160CF	16	1	2	097	5245.84
847-180CF	18	1	0	097	6467.74
847-200CF	20	1	0	097	8706.36
847-240CF	24	1	0	097	16615.75

Cap

Fipt



848-002C	1/4	25	450	090	14.99
848-003C	3/8	25	450	090	14.99
848-005C	1/2	25	150	090	12.87
848-007C	3/4	25	300	090	21.31
848-010C	1	15	90	090	29.84
848-012C	1-1/4	10	60	090	53.21
848-015C	1-1/2	10	120	090	54.52
848-020C	2	10	80	090	78.53
848-025C	2-1/2	5	40	090	181.71
848-030C	3	5	0	090	238.38
848-040C	4	5	0	090	346.28
848-060CF	6	1	4	097	489.92
848-080CF	8	1	0	097	531.60
848-100CF	10	1	2	097	2761.68
848-120CF	12	1	0	097	1890.72

Cap - Special Reinforced

SR Fipt - Stainless Steel Collar



848-002CSR	1/4	25	500	096	8.23
848-003CSR	3/8	25	450	096	8.23