



Schedule 80 CPVC Product  
**CPVC Gray Saddles & Hot-Tap Saddles**

# CPVC Gray Saddles & Hot-Tap Saddles



## PRODUCT

Contact Spears® for any Information not found.

# Glue-On Saddles



## Glue-On Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

### Saddle



### IPS O.D. x Socket Schedule 80

#### Non Pressure Rated

3963-528C	6X2	1	5	099	112.58
3963-530C	6X3	1	5	099	127.55
3963-532C	6X4	1	8	099	156.08
3963-578C	8X2	1	5	099	170.85
3963-580C	8X3	1	8	099	189.66
3963-582C	8X4	1	5	099	243.81
3963-585C	8X6	1	8	099	279.08
3963-621C	10X2	1	5	099	191.09
3963-623C	10X3	1	8	099	210.44
3963-624C	10X4	1	5	099	258.45
3963-626C	10X6	1	5	099	316.75
3963-628C	10X8	1	5	099	350.35
3963-661C	12X2	1	10	099	210.34
3963-663C	12X3	1	8	099	245.64
3963-664C	12X4	1	8	099	294.08
3963-666C	12X6	1	5	099	340.97
3963-668C	12X8	1	4	099	429.89
3963-670C	12X10	1	0	099	672.35
3963-693C	14X3	1	8	099	264.34
3963-694C	14X4	1	5	099	342.28
3963-696C	14X6	1	10	099	400.02
3963-698C	14X8	1	4	099	476.40
3963-700C	14X10	1	3	099	837.17
3963-702C	14X12	1	4	099	981.74
3963-751C	16X2	1	10	099	254.18
3963-753C	16X3	1	8	099	318.35
3963-754C	16X4	1	10	099	399.55
3963-756C	16X6	1	3	099	541.46
3963-758C	16X8	1	3	099	679.58
3963-760C	16X10	1	0	099	934.14
3963-762C	16X12	1	0	099	1309.63
3963-764C	16X14	1	0	099	1505.95
3963-781C	18X2	1	10	409	309.59
3963-783C	18X3	1	4	099	348.27
3963-784C	18X4	1	5	099	507.53
3963-786C	18X6	1	5	099	695.72
3963-788C	18X8	1	5	099	785.20
3963-790C	18X10	1	0	099	1024.21
3963-792C	18X12	1	0	099	1471.28
3963-794C	18X14	1	0	099	1608.58
3963-796C	18X16	1	0	099	1857.25
3963-811C	20X2	1	0	099	326.02
3963-813C	20X3	1	4	099	377.03
3963-814C	20X4	1	4	099	566.27
3963-816C	20X6	1	0	099	751.99
3963-818C	20X8	1	0	099	926.80

Made in the U.S.A.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

### Saddle (continued)

### IPS O.D. x Socket Schedule 80

3963-820C	20X10	1	5	099	1133.07
3963-822C	20X12	1	0	099	1530.03
3963-824C	20X14	1	0	099	1785.42
3963-826C	20X16	1	0	099	1990.03
3963-828C	20X18	1	0	099	2170.04
3963-901C	24X2	1	5	099	357.35
3963-903C	24X3	1	5	099	596.20
3963-904C	24X4	1	5	099	692.26
3963-906C	24X6	1	5	099	984.87
3963-908C	24X8	1	5	099	1157.77
3963-910C	24X10	1	5	099	1432.71
3963-912C	24X12	1	0	099	1623.94
3963-914C	24X14	1	0	099	1896.72
3963-916C	24X16	1	0	099	2099.06
3963-918C	24X18	1	0	099	2325.46
3963-920C	24X20	1	0	099	2769.28

### Stub Saddle



### IPS O.D. x Socket Schedule 80

#### Non Pressure Rated

3965-528C	6X2	1	8	099	141.73
3965-530C	6X3	1	3	099	152.25
3965-532C	6X4	1	5	099	189.22
3965-578C	8X2	1	5	099	177.14
3965-580C	8X3	1	4	099	116.24
3965-582C	8X4	1	5	099	263.42
3965-585C	8X6	1	4	099	331.42
3965-621C	10X2	1	6	099	202.52
3965-623C	10X3	1	5	099	227.42
3965-624C	10X4	1	4	099	276.48
3965-626C	10X6	1	4	099	213.62
3965-628C	10X8	1	2	099	355.96
3965-661C	12X2	1	2	099	229.40
3965-663C	12X3	1	2	099	271.57
3965-664C	12X4	1	2	099	316.31
3965-666C	12X6	1	2	099	368.82
3965-668C	12X8	1	2	099	473.38
3965-670C	12X10	1	2	099	836.99
3965-691C	14X2	1	6	099	246.95
3965-693C	14X3	1	0	099	302.24
3965-694C	14X4	1	5	099	358.72
3965-696C	14X6	1	2	099	461.73
3965-700C	14X10	1	0	099	932.59
3965-702C	14X12	1	0	099	1145.76
3965-751C	16X2	1	5	099	285.71
3965-753C	16X3	1	4	099	325.61
3965-754C	16X4	1	3	099	428.93
3965-756C	16X6	1	2	099	574.93
3965-758C	16X8	1	0	099	725.09
3965-760C	16X10	1	0	099	974.56



# Glue-On Saddles & Clamp-On Saddles

## Glue-On Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Stub Saddle (continued)</b>					
<b>IPS O.D. x Socket Schedule 80</b>					
3965-762C	16X12	1	0	099	1359.81
3965-764C	16X14	1	0	099	1848.09
3965-781C	18X2	1	2	099	327.07
3965-783C	18X3	1	0	099	363.78
3965-784C	18X4	1	2	099	537.47
3965-786C	18X6	1	2	099	729.36
3965-788C	18X8	1	0	099	803.33
3965-790C	18X10	1	0	099	1169.63
3965-792C	18X12	1	0	099	2278.55
3965-794C	18X14	1	0	099	2925.84
3965-796C	18X16	1	0	099	3748.16
3965-811C	20X2	1	0	099	342.89
3965-813C	20X3	1	2	099	388.43
3965-814C	20X4	1	0	099	587.72
3965-816C	20X6	1	0	099	780.52
3965-818C	20X8	1	0	099	969.99
3965-820C	20X10	1	0	099	1327.37
3965-822C	20X12	1	0	099	2440.75
3965-824C	20X14	1	0	099	3165.65
3965-826C	20X16	1	0	099	4008.43
3965-828C	20X18	1	0	099	4886.80
3965-901C	24X2	1	5	099	377.96
3965-903C	24X3	1	2	099	633.29
3965-904C	24X4	1	5	099	741.93
3965-906C	24X6	1	3	099	1047.07
3965-908C	24X8	1	0	099	1226.54
3965-910C	24X10	1	0	099	1537.14
3965-912C	24X12	1	0	099	2635.79
3965-914C	24X14	1	0	099	3332.12
3965-916C	24X16	1	0	099	4087.16
3965-918C	24X18	1	0	099	4984.07
3965-920C	24X20	1	0	099	6425.03

## Clamp-On Saddles

### Clamp-On Saddle x Socket Single Outlet, CPVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
866V-247C	2X1/2	3/4	1	10	096	66.12
866V-248C	2X3/4	7/8	1	10	096	66.12
866V-249C	2X1	1-1/8	1	10	096	66.12
866V-250C	2X1-1/4	1-1/2	1	10	096	66.12
866V-251C	2X1-1/2	1-1/2	1	10	096	66.12
866V-291C	2-1/2X1-1/2	1-3/4	1	10	096	91.88
866V-333C <sup>1</sup>	3X1/2	7/8	1	10	096	91.88
866V-334C	3X3/4	7/8	1	10	096	91.88
866V-335C	3X1	1-1/8	1	10	096	91.88

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

### Clamp-On Saddle x Socket Single Outlet, CPVC Gray (continued) with FKM O-ring Seal & Zinc-Plated Hardware

866V-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	91.88
866V-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	91.88
866V-338C	3X2	2-1/4	1	10	096	91.88
866V-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	110.43
866V-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	110.43
866V-417C	4X1	1-1/8	1	8	096	110.43
866V-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	110.43
866V-419C	4X1-1/2	1-3/4	1	8	096	110.43
866V-420C	4X2	2-1/4	1	8	096	110.43
866V-421C <sup>1</sup>	4X2-1/2	3	1	4	096	118.56
866V-422C	4X3	3	1	4	096	129.26
866V-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	184.08
866V-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	184.08
866V-525C	6X1	1-1/8	1	4	096	184.08
866V-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	184.08
866V-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	184.08
866V-528C	6X2	2-1/4	1	4	096	184.08
866V-529C <sup>1</sup>	6X2-1/2	3	1	4	096	199.22
866V-530C	6X3	3	1	4	096	212.07
866V-532C	6X4	4	1	4	096	225.97
866V-573C <sup>1</sup>	8X1/2	4	1	0	096	392.63
866V-574C <sup>1</sup>	8X3/4	4	1	0	096	392.63
866V-575C <sup>1</sup>	8X1	4	1	0	096	392.63
866V-576C <sup>1</sup>	8X1-1/4	4	1	0	096	392.63
866V-577C <sup>1</sup>	8X1-1/2	4	1	0	096	392.63
866V-578C	8X2	4	1	0	096	392.63
866V-579C <sup>1</sup>	8X2-1/2	4	1	0	096	431.96
866V-580C <sup>1</sup>	8X3	4	1	0	096	453.23
866V-582C	8X4	4	1	0	096	493.55
866V-585C	8X6	6	1	0	096	678.58
866V-624C	10X4	4	1	0	096	634.80
866V-626C	10X6	6	1	0	096	729.89
866V-664C	12X4	4	1	0	096	795.72
866V-666C	12X6	6	1	0	096	843.44

<sup>1</sup> Outlet-sized with Bushing

### Clamp-On Saddle x Socket Single Outlet, CPVC Gray

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
866SV-247C	2X1/2	3/4	1	10	096	100.92
866SV-248C	2X3/4	7/8	1	10	096	100.92
866SV-249C	2X1	1-1/8	1	10	096	100.92
866SV-250C	2X1-1/4	1-1/2	1	10	096	100.92
866SV-251C	2X1-1/2	1-1/2	1	10	096	100.92
866SV-291C	2-1/2X1-1/2	1-3/4	1	10	096	135.19
866SV-333C <sup>1</sup>	3X1/2	7/8	1	10	096	135.19
866SV-334C	3X3/4	7/8	1	10	096	135.19
866SV-335C	3X1	1-1/8	1	10	096	135.19
866SV-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	135.19
866SV-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	135.19

Schedule 80 CPVC Product  
**Clamp-On Saddles**



**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Clamp-On Saddle x Socket Single Outlet, CPVC Gray (continued)</b> with FKM O-ring Seal & SS Hardware						
866SV-338C	3X2	2-1/4	1	10	096	135.19
866SV-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	174.62
866SV-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	174.62
866SV-417C	4X1	1-1/8	1	8	096	174.62
866SV-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	174.62
866SV-419C	4X1-1/2	1-3/4	1	8	096	174.62
866SV-420C	4X2	2-1/4	1	8	096	174.62
866SV-421C <sup>1</sup>	4X2-1/2	3	1	4	096	184.82
866SV-422C	4X3	3	1	4	096	194.23
866SV-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	278.04
866SV-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	278.04
866SV-525C	6X1	1-1/8	1	4	096	278.04
866SV-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	278.04
866SV-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	278.04
866SV-528C	6X2	2-1/4	1	4	096	278.04
866SV-529C <sup>1</sup>	6X2-1/2	3	1	4	096	289.06
866SV-530C	6X3	3	1	4	096	299.11
866SV-532C	6X4	4	1	4	096	317.92
866SV-573C <sup>1</sup>	8X1/2	4	1	0	096	513.01
866SV-574C <sup>1</sup>	8X3/4	4	1	0	096	513.01
866SV-575C <sup>1</sup>	8 X 1	4	1	0	096	513.01
866SV-576C <sup>1</sup>	8X1-1/4	4	1	0	096	513.01
866SV-577C <sup>1</sup>	8X1-1/2	4	1	0	096	513.01
866SV-578C	8 X 2	4	1	0	096	513.01
866SV-579C <sup>1</sup>	8X2-1/2	4	1	0	096	543.00
866SV-580C <sup>1</sup>	8X3	4	1	0	096	592.65
866SV-582C	8X4	4	1	0	096	628.19
866SV-585C	8X6	6	1	0	096	697.20
866SV-624C	10X4	4	1	0	096	829.61
866SV-626C	10X6	6	1	0	096	954.18
866SV-664C	12X4	4	1	0	096	1039.87
866SV-666C	12X6	6	1	0	096	1206.39

<sup>1</sup> Outlet-sized with Bushing



**Clamp-On Saddle x Socket Single Outlet, CPVC Gray**  
with EPDM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866-247C	2X1/2	3/4	1	10	096	62.83
866-248C	2X3/4	7/8	1	10	096	62.83
866-249C	2X1	1-1/8	1	10	096	62.83
866-250C	2X1-1/4	1-1/2	1	10	096	62.83
866-251C	2X1-1/2	1-1/2	1	10	096	62.83
866-291C	2-1/2X1-1/2	1-3/4	1	10	096	84.18
866-333C <sup>1</sup>	3X1/2	7/8	1	10	096	84.18
866-334C	3X3/4	7/8	1	10	096	84.18
866-335C	3X1	1-1/8	1	10	096	84.18
866-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	84.18

Made in the U.S.A.

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Single Outlet, CPVC Gray (continued)**  
with EPDM O-ring Seal & Zinc-Plated Hardware

866-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	84.18
866-338C	3X2	2-1/4	1	10	096	84.18
866-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	102.35
866-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	102.35
866-417C	4X1	1-1/8	1	8	096	102.35
866-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	102.35
866-419C	4X1-1/2	1-3/4	1	8	096	102.35
866-420C	4X2	2-1/4	1	8	096	102.35
866-421C <sup>1</sup>	4X2-1/2	3	1	4	096	112.41
866-422C	4X3	3	1	4	096	125.29
866-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	170.80
866-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	170.80
866-525C	6X1	1-1/8	1	4	096	170.80
866-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	170.80
866-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	170.80
866-528C	6X2	2-1/4	1	4	096	170.80
866-529C <sup>1</sup>	6X2-1/2	3	1	4	096	185.67
866-530C	6X3	3	1	4	096	199.17
866-532C	6X4	4	1	4	096	212.84
866-573C <sup>1</sup>	8X1/2	4	1	0	096	375.58
866-574C <sup>1</sup>	8X3/4	4	1	0	096	375.58
866-575C <sup>1</sup>	8X1	4	1	0	096	375.58
866-576C <sup>1</sup>	8X1-1/4	4	1	0	096	375.58
866-577C <sup>1</sup>	8X1-1/2	4	1	0	096	375.58
866-578C	8X2	4	1	0	096	375.58
866-579C <sup>1</sup>	8X2-1/2	4	1	0	096	413.11
866-580C <sup>1</sup>	8X3	4	1	0	096	433.87
866-582C	8X4	4	1	0	096	459.85
866-585C	8X6	6	1	0	096	510.40
866-621C <sup>1</sup>	10X2	4	1	0	096	607.31
866-624C	10X4	4	1	0	096	607.31
866-626C	10X6	4	1	0	096	698.49
866-664C	12X4	4	1	0	096	761.41
866-666C	12X6	6	1	0	096	883.17

<sup>1</sup> Outlet-sized with Bushing



**Clamp-On Saddle x Socket Single Outlet, CPVC Gray**  
with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866S-247C	2X1/2	3/4	1	10	096	97.82
866S-248C	2X3/4	7/8	1	10	096	97.82
866S-249C	2X1	1-1/8	1	10	096	97.82
866S-250C	2X1-1/4	1-1/2	1	10	096	97.82
866S-251C	2X1-1/2	1-1/2	1	10	096	97.82
866S-291C	2-1/2X1-1/2	1-3/4	1	10	096	130.40
866S-333C <sup>1</sup>	3X1/2	7/8	1	10	096	130.40
866S-334C	3X3/4	7/8	1	10	096	130.40
866S-335C	3X1	1-1/8	1	10	096	130.40
866S-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	130.40
866S-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	130.40





# Clamp-On Saddles

## Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

### Clamp-On Saddle x Socket Single Outlet, CPVC Gray (continued) with EPDM O-ring Seal & SS Hardware

866S-338C	3X2	2-1/4	1	10	096	130.40
866S-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	166.83
866S-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	166.83
866S-417C	4X1	1-1/8	1	8	096	166.83
866S-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	166.83
866S-419C	4X1-1/2	1-3/4	1	8	096	166.83
866S-420C	4X2	2-1/4	1	8	096	166.83
866S-421C <sup>1</sup>	4X2-1/2	3	1	4	096	173.87
866S-422C	4X3	3	1	4	096	182.80
866S-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	262.89
866S-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	262.89
866S-525C	6X1	1-1/8	1	4	096	262.89
866S-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	262.89
866S-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	262.89
866S-528C	6X2	2-1/4	1	4	096	262.89
866S-529C <sup>1</sup>	6X2-1/2	3	1	4	096	278.27
866S-530C	6X3	3	1	4	096	295.15
866S-532C	6X4	4	1	4	096	308.76
866S-573C <sup>1</sup>	8X1/2	4	1	0	096	493.74
866S-574C <sup>1</sup>	8X3/4	4	1	0	096	493.74
866S-575C <sup>1</sup>	8X1	4	1	0	096	493.74
866S-576C <sup>1</sup>	8X1-1/4	4	1	0	096	493.74
866S-577C <sup>1</sup>	8X1-1/2	4	1	0	096	493.74
866S-578C	8 X 2	4	1	0	096	493.74
866S-579C <sup>1</sup>	8X2-1/2	4	1	0	096	543.00
866S-580C <sup>1</sup>	8X3	4	1	0	096	570.19
866S-582C	8X4	4	1	0	096	604.41
866S-585C	8X6	6	1	0	096	670.71
866S-624C	10X4	4	1	0	096	798.09
866S-626C	10X6	6	1	0	096	917.88
866S-664C	12X4	4	1	0	096	1000.36
866S-666C	12X6	6	1	0	096	1160.46

<sup>1</sup> Outlet-sized with Bushing

### Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867V-247CSR	2X1/2	3/4	1	10	096	75.72
867V-248CSR	2X3/4	7/8	1	10	096	75.72
867V-249CSR	2X1	1-1/8	1	10	096	75.72
867V-250CSR	2X1-1/4	1-1/2	1	10	096	75.72
867V-251CSR	2X1-1/2	1-1/2	1	10	096	75.72
867V-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	105.64
867V-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	105.64
867V-334CSR	3X3/4	7/8	1	10	096	105.64
867V-335CSR	3X1	1-1/8	1	10	096	105.64
867V-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	105.64

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

### Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

(continued)

with FKM O-ring Seal & Zinc-Plated Hardware

867V-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	105.64
867V-338CSR	3X2	2-1/4	1	10	096	105.64
867V-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	131.74
867V-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	131.74
867V-417CSR	4X1	1-1/8	1	8	096	131.74
867V-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	131.74
867V-419CSR	4X1-1/2	1-3/4	1	8	096	131.74
867V-420CSR	4X2	2-1/4	1	8	096	131.74
867V-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	142.09
867V-422CSR	4X3	3	1	4	096	156.43
867V-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	220.12
867V-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	220.12
867V-525CSR	6X1	1-1/8	1	4	096	220.12
867V-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	220.12
867V-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	220.12
867V-528CSR	6X2	2-1/4	1	4	096	220.12
867V-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	235.71
867V-530CSR	6X3	3	1	4	096	244.19
867V-532CSR	6X4	4	1	4	096	261.55
867V-573CSR <sup>1</sup>	8X1/2	4	1	0	096	438.78
867V-574CSR <sup>1</sup>	8X3/4	4	1	0	096	438.78
867V-575CSR <sup>1</sup>	8X1	4	1	0	096	438.78
867V-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	438.78
867V-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	438.78
867V-578CSR <sup>1</sup>	8X2	4	1	0	096	438.78
867V-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	482.62
867V-580CSR <sup>1</sup>	8X3	4	1	0	096	506.80
867V-582CSR	8X4	4	1	0	096	539.21
867V-585CSR	8X6	6	1	0	096	555.98
867V-624CSR	10X4	4	1	0	096	641.52
867V-626CSR	10X6	6	1	0	096	737.71
867V-664CSR	12X4	4	1	0	096	802.52
867V-666CSR	12X6	6	1	0	096	932.93

<sup>1</sup> Outlet-sized with Bushing

### Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867SV-245CSR <sup>1</sup>	2X1/4	1-1/8	1	10	096	131.65
867SV-247CSR	2X1/2	3/4	1	10	096	125.64
867SV-248CSR	2X3/4	7/8	1	10	096	125.64
867SV-249CSR	2X1	1-1/8	1	10	096	125.64
867SV-250CSR	2X1-1/4	1-1/2	1	10	096	125.64
867SV-251CSR	2X1-1/2	1-1/2	1	10	096	125.64
867SV-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	168.79
867SV-331CSR <sup>1</sup>	3X1/4	1-1/8	1	10	096	178.43
867SV-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	168.79
867SV-334CSR	3X3/4	7/8	1	10	096	168.79
867SV-335CSR	3X1	1-1/8	1	10	096	168.79

Schedule 80 CPVC Product  
**Clamp-On Saddles**



**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray**

(continued)  
**with FKM O-ring Seal & SS Hardware**

867SV-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	168.79
867SV-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	168.79
867SV-338CSR	3X2	2-1/4	1	10	096	168.79
867SV-413CSR <sup>1</sup>	4X1/4	1-1/8	1	8	096	213.24
867SV-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	213.24
867SV-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	213.24
867SV-417CSR	4X1	1-1/8	1	8	096	213.24
867SV-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	213.24
867SV-419CSR	4X1-1/2	1-3/4	1	8	096	213.24
867SV-420CSR	4X2	2-1/4	1	8	096	213.24
867SV-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	221.85
867SV-422CSR	4X3	3	1	4	096	233.87
867SV-521CSR <sup>1</sup>	6X1/4	1-1/8	1	4	096	369.13
867SV-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	355.41
867SV-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	355.41
867SV-525CSR	6X1	1-1/8	1	4	096	355.41
867SV-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	355.41
867SV-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	355.41
867SV-528CSR	6X2	2-1/4	1	4	096	355.41
867SV-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	372.34
867SV-530CSR	6X3	3	1	4	096	387.34
867SV-532CSR	6X4	4	1	4	096	414.62
867SV-571CSR <sup>1</sup>	8X1/4	4	1	0	096	627.99
867SV-573CSR <sup>1</sup>	8X1/2	4	1	0	096	612.25
867SV-574CSR <sup>1</sup>	8X3/4	4	1	0	096	612.25
867SV-575CSR <sup>1</sup>	8X1	4	1	0	096	612.25
867SV-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	612.25
867SV-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	612.25
867SV-578CSR <sup>1</sup>	8X2	4	1	0	096	612.25
867SV-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	673.52
867SV-580CSR <sup>1</sup>	8X3	4	1	0	096	707.22
867SV-582CSR	8X4	4	1	0	096	749.74
867SV-585CSR	8X6	6	1	0	096	789.28
867SV-624CSR	10X4	4	1	0	096	892.21
867SV-626CSR	10X6	6	1	0	096	1026.02
867SV-664CSR	12X4	4	1	0	096	1118.32
867SV-666CSR	12X6	6	1	0	096	1297.26

<sup>1</sup> Outlet-sized with Bushing

**Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray**

**with EPDM O-ring Seal & Zinc-Plated Hardware**



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867-247CSR	2X1/2	3/4	1	10	096	65.73
867-248CSR	2X3/4	7/8	1	10	096	65.73
867-249CSR	2X1	1-1/8	1	10	096	65.73
867-250CSR	2X1-1/4	1-1/2	1	10	096	65.73

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Effective 10/01/2018 See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray**

(continued)  
**with EPDM O-ring Seal & Zinc-Plated Hardware**

867-251CSR	2X1-1/2	1-1/2	1	10	096	65.73
867-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	89.82
867-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	89.82
867-334CSR	3X3/4	7/8	1	10	096	89.82
867-335CSR	3X1	1-1/8	1	10	096	89.82
867-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	89.82
867-337CSR <sup>1</sup>	3X1-1/12	2-1/4	1	10	096	89.82
867-338CSR	3X2	2-1/4	1	10	096	89.82
867-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	113.12
867-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	113.12
867-417CSR	4X1	1-1/8	1	8	096	113.12
867-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	113.12
867-419CSR	4X1-1/2	1-3/4	1	8	096	113.12
867-420CSR	4X2	2-1/4	1	8	096	113.12
867-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	125.52
867-422CSR	4X3	3	1	4	096	135.48
867-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	188.51
867-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	188.51
867-525CSR	6X1	1-1/8	1	4	096	188.51
867-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	188.51
867-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	188.51
867-528CSR	6X2	2-1/4	1	4	096	188.51
867-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	199.46
867-530CSR	6X3	3	1	4	096	210.93
867-532CSR	6X4	4	1	4	096	229.38
867-573CSR <sup>1</sup>	8X1/2	4	1	0	096	398.36
867-574CSR	8X3/4	4	1	0	096	398.36
867-575CSR <sup>1</sup>	8X1	4	1	0	096	398.36
867-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	398.36
867-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	398.36
867-578CSR <sup>1</sup>	8X2	4	1	0	096	398.36
867-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	438.17
867-580CSR <sup>1</sup>	8X3	4	1	0	096	464.46
867-582CSR	8X4	4	1	0	096	492.44
867-585CSR	8X6	6	1	0	096	512.00
867-624CSR	10X4	4	1	0	096	586.05
867-626CSR	10X6	6	1	0	096	673.91
867-664CSR	12X4	4	1	0	096	734.60
867-666CSR	12X6	6	1	0	096	852.07

<sup>1</sup> Outlet-sized with Bushing

**Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray**

**with EPDM O-ring Seal & SS Hardware**



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867S-245CSR <sup>1</sup>	2X1/4	1-1/8	1	10	096	115.88
867S-247CSR	2X1/2	3/4	1	10	096	112.84
867S-248CSR	2X3/4	7/8	1	10	096	112.84
867S-249CSR	2X1	1-1/8	1	10	096	112.84
867S-250CSR	2X1-1/4	1-1/2	1	10	096	112.84



# Clamp-On Saddles

## Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

### Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

(continued)

with EPDM O-ring Seal & SS Hardware

867S-251CSR	2X1-1/2	1-1/2	1	10	096	112.84
867S-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	151.06
867S-331CSR <sup>1</sup>	3X1/4	1-1/8	1	10	096	155.84
867S-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	151.06
867S-334CSR	3X3/4	7/8	1	10	096	151.06
867S-335CSR	3X1	1-1/8	1	10	096	151.06
867S-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	151.06
867S-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	151.06
867S-338CSR	3X2	2-1/4	1	10	096	151.06
867S-413CSR <sup>1</sup>	4X1/4	1-1/8	1	8	096	195.91
867S-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	190.11
867S-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	190.11
867S-417CSR	4X1	1-1/8	1	8	096	190.11
867S-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	190.11
867S-419CSR	4X1-1/2	1-3/4	1	8	096	190.11
867S-420CSR	4X2	2-1/4	1	8	096	190.11
867S-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	201.59
867S-422CSR	4X3	3	1	4	096	211.04
867S-521CSR <sup>1</sup>	6X1/4	1-1/8	1	8	096	328.65
867S-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	316.84
867S-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	316.84
867S-525CSR	6X1	1-1/8	1	4	096	316.84
867S-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	316.84
867S-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	316.84
867S-528CSR	6X2	2-1/4	1	4	096	316.84
867S-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	329.51
867S-530CSR	6X3	3	1	4	096	340.56
867S-532CSR	6X4	4	1	4	096	355.56
867S-571CSR <sup>1</sup>	8X1/4	4	1	0	096	583.61
867S-573CSR	8X1/2	4	1	0	096	562.88
867S-574CSR <sup>1</sup>	8X3/4	4	1	0	096	562.88
867S-575CSR <sup>1</sup>	8X1	4	1	0	096	562.88
867S-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	562.88
867S-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	562.88
867S-578CSR <sup>1</sup>	8X2	4	1	0	096	562.88
867S-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	619.15
867S-580CSR <sup>1</sup>	8X3	4	1	0	096	650.05
867S-582CSR	8X4	4	1	0	096	689.04
867S-585CSR	8X6	6	1	0	096	722.78
867S-624CSR	10X4	4	1	0	096	819.97
867S-626CSR	10X6	6	1	0	096	942.97
867S-664CSR	12X4	4	1	0	096	1027.83
867S-666CSR	12X6	6	1	0	096	1192.33

<sup>1</sup> Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

### Clamp-On Saddle x Socket Double Outlet, CPVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868V-247C	2X1/2	3/4	1	10	096	89.95
868V-248C	2X3/4	7/8	1	10	096	89.95
868V-249C	2X1	1-1/8	1	10	096	89.95
868V-250C	2X1-1/4	1-1/2	1	10	096	89.95
868V-251C	2X1-1/2	1-1/2	1	10	096	89.95
868V-291C	2-1/2X1-1/2	1-3/4	1	10	096	109.99
868V-333C <sup>1</sup>	3X1/2	7/8	1	10	096	109.99
868V-334C	3X3/4	7/8	1	10	096	109.99
868V-335C	3X1	1-1/8	1	10	096	109.99
868V-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	109.99
868V-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	109.99
868V-338C <sup>1</sup>	3X2	2-1/4	1	10	096	109.99
868V-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	148.08
868V-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	148.08
868V-417C	4X1	1-1/8	1	8	096	148.08
868V-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	148.08
868V-419C	4X1-1/2	1-3/4	1	8	096	148.08
868V-420C	4X2	2-1/4	1	8	096	148.08
868V-421C <sup>1</sup>	4X2-1/2	3	1	4	096	154.73
868V-422C	4X3	3	4	0	096	168.86
868V-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	239.59
868V-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	239.59
868V-525C	6X1	1-1/8	1	4	096	239.59
868V-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	239.59
868V-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	239.59
868V-528C	6X2	2-1/4	1	4	096	239.59
868V-529C	6X2-1/2	3	1	4	096	277.49
868V-530C	6X3	3	1	4	096	292.58
868V-532C	6X4	4	1	4	096	305.24
868V-573C <sup>1</sup>	8X1/2	4	1	0	096	463.86
868V-574C <sup>1</sup>	8X3/4	4	1	0	096	463.86
868V-575C <sup>1</sup>	8X1	4	1	0	096	463.86
868V-576C <sup>1</sup>	8X1-1/4	4	1	0	096	463.86
868V-577C <sup>1</sup>	8X1-1/2	4	1	0	096	463.86
868V-578C <sup>1</sup>	8X2	4	1	0	096	463.86
868V-579C <sup>1</sup>	8X2-1/2	4	1	0	096	510.20
868V-580C <sup>1</sup>	8X3	4	1	0	096	535.67
868V-582C	8X4	4	1	0	096	567.78
868V-585C	8X6	6	1	0	096	630.28
868V-624C	10X4	4	1	0	096	749.95
868V-626C	10X6	6	1	0	096	862.72
868V-664C	12X4	4	1	0	096	940.16
868V-666C	12X6	6	1	0	096	1090.44

<sup>1</sup> Outlet-sized with Bushing



Schedule 80 CPVC Product  
**Clamp-On Saddles**



**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Double Outlet, CPVC Gray**

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868SV-247C	2X1/2	3/4	1	10	096	137.25
868SV-248C	2X3/4	7/8	1	10	096	137.25
868SV-249C	2X1	1-1/8	1	10	096	137.25
868SV-250C	2X1-1/4	1-1/2	1	10	096	137.25
868SV-251C	2X1-1/2	1-1/2	1	10	096	137.25
868SV-291C	2-1/2X1-1/2	1-3/4	1	10	096	182.60
868SV-333C <sup>1</sup>	3X1/2	7/8	1	10	096	182.60
868SV-334C	3X3/4	7/8	1	10	096	182.60
868SV-335C	3X1	1-1/8	1	10	096	182.60
868SV-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	182.60
868SV-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	182.60
868SV-338C	3X2	2-1/4	1	10	096	182.60
868SV-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	232.05
868SV-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	232.05
868SV-417C	4X1	1-1/8	1	8	096	232.05
868SV-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	232.05
868SV-419C	4X1-1/2	1-3/4	1	8	096	232.05
868SV-420C	4X2	2-1/4	1	8	096	232.05
868SV-421C <sup>1</sup>	4X2-1/2	3	1	4	096	241.45
868SV-422C	4X3	3	4	0	096	257.22
868SV-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	385.99
868SV-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	385.99
868SV-525C	6X1	1-1/8	1	4	096	385.99
868SV-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	385.99
868SV-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	385.99
868SV-528C	6X2	2-1/4	1	4	096	385.99
868SV-529C <sup>1</sup>	6X2-1/2	3	1	4	096	397.86
868SV-530C	6X3	3	1	4	096	416.23
868SV-532C	6X4	4	1	4	096	426.14
868SV-573C <sup>1</sup>	8X1/2	4	1	0	096	651.54
868SV-574C <sup>1</sup>	8X3/4	4	1	0	096	651.54
868SV-575C <sup>1</sup>	8X1	4	1	0	096	651.54
868SV-576C <sup>1</sup>	8X1-1/4	4	1	0	096	651.54
868SV-577C <sup>1</sup>	8X1-1/2	4	1	0	096	651.54
868SV-578C <sup>1</sup>	8X2	4	1	0	096	651.54
868SV-579C <sup>1</sup>	8X2-1/2	4	1	0	096	716.44
868SV-580C <sup>1</sup>	8X3	4	1	0	096	752.45
868SV-582C	8X4	4	1	0	096	797.54
868SV-585C	8X6	6	1	0	096	885.39
868SV-624C	10X4	4	1	0	096	1053.62
868SV-626C	10X6	6	1	0	096	1211.80
868SV-664C	12X4	4	1	0	096	1320.56
868SV-666C	12X6	6	1	0	096	1532.01

<sup>1</sup> Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Double Outlet, CPVC Gray**

with EPDM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868-247C	2X1/2	3/4	1	10	096	75.44
868-248C	2X3/4	7/8	1	10	096	75.44
868-249C	2X1	1-1/8	1	10	096	75.44
868-250C	2X1-1/4	1-1/2	1	10	096	75.44
868-251C	2X1-1/2	1-1/2	1	10	096	75.44
868-291C	2-1/2X1-1/2	1-3/4	1	10	096	103.59
868-333C <sup>1</sup>	3X1/2	7/8	1	10	096	103.59
868-334C	3X3/4	7/8	1	10	096	103.59
868-335C	3X1	1-1/8	1	10	096	103.59
868-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	103.59
868-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	103.59
868-338C	3X2	2-1/4	1	10	096	103.59
868-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	130.02
868-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	130.02
868-417C	4X1	1-1/8	1	8	096	130.02
868-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	130.02
868-419C	4X1-1/2	1-3/4	1	8	096	130.02
868-420C	4X2	2-1/4	1	8	096	130.02
868-421C <sup>1</sup>	4X2-1/2	3	1	4	096	136.91
868-422C	4X3	3	1	4	096	148.82
868-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	217.07
868-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	217.07
868-525C	6X1	1-1/8	1	4	096	217.07
868-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	217.07
868-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	217.07
868-528C	6X2	2-1/4	1	4	096	217.07
868-529C <sup>1</sup>	6X2-1/2	3	1	4	096	230.76
868-530C	6X3	3	1	4	096	243.96
868-532C	6X4	4	1	4	096	251.82
868-573C <sup>1</sup>	8X1/2	4	1	0	096	434.97
868-574C <sup>1</sup>	8X3/4	4	1	0	096	434.97
868-575C <sup>1</sup>	8X1	4	1	0	096	434.97
868-576C <sup>1</sup>	8X1-1/4	4	1	0	096	434.97
868-577C <sup>1</sup>	8X1-1/2	4	1	0	096	434.97
868-578C <sup>1</sup>	8X2	4	1	0	096	434.97
868-579C <sup>1</sup>	8X2-1/2	4	1	0	096	478.40
868-580C <sup>1</sup>	8X3	4	1	0	096	502.38
868-582C	8X4	4	1	0	096	532.47
868-585C	8X6	6	1	0	096	591.04
868-624C	10X4	4	1	0	096	703.40
868-626C	10X6	6	1	0	096	808.84
868-664C	12X4	4	1	0	096	881.57
868-666C	12X6	6	1	0	096	1022.81

<sup>1</sup> Outlet-sized with Bushing





Schedule 80 CPVC Product

**Clamp-On Saddles**

**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Double Outlet, CPVC Gray**

**with EPDM O-ring Seal & SS Hardware**

2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868S-247C	2X1/2	3/4	1	10	096	119.33
868S-248C	2X3/4	7/8	1	10	096	119.33
868S-249C	2X1	1-1/8	1	10	096	119.33
868S-250C	2X1-1/4	1-1/2	1	10	096	119.33
868S-251C	2X1-1/2	1-1/2	1	10	096	119.33
868S-291C	2-1/2X1-1/2	1-3/4	1	10	096	158.71
868S-333C <sup>1</sup>	3X1/2	7/8	1	10	096	158.71
868S-334C	3X3/4	7/8	1	10	096	158.71
868S-335C	3X1	1-1/8	1	10	096	158.71
868S-336C <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	158.71
868S-337C <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	158.71
868S-338C	3X2	2-1/4	1	10	096	158.71
868S-415C <sup>1</sup>	4X1/2	1-1/8	1	10	096	203.38
868S-416C <sup>1</sup>	4X3/4	1-1/8	1	10	096	203.38
868S-417C	4X1	1-1/8	1	8	096	203.38
868S-418C <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	203.38
868S-419C	4X1-1/2	1-3/4	1	8	096	203.38
868S-420C	4X2	2-1/4	1	8	096	203.38
868S-421C <sup>1</sup>	4X2-1/2	3	1	4	096	212.84
868S-422C	4X3	3	4	0	096	222.59
868S-523C <sup>1</sup>	6X1/2	1-1/8	1	4	096	339.64
868S-524C <sup>1</sup>	6X3/4	1-1/8	1	4	096	339.64
868S-525C	6X1	1-1/8	1	4	096	339.64
868S-526C <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	339.64
868S-527C <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	339.64
868S-528C	6X2	2-1/4	1	4	096	339.64
868S-529C <sup>1</sup>	6X2-1/2	3	1	4	096	356.48
868S-530C	6X3	3	1	4	096	365.08
868S-532C	6X4	4	1	4	096	378.38
868S-573C <sup>1</sup>	8X1/2	4	1	0	096	592.06
868S-574C <sup>1</sup>	8X3/4	4	1	0	096	592.06
868S-575C <sup>1</sup>	8X1	4	1	0	096	592.06
868S-576C <sup>1</sup>	8X1-1/4	4	1	0	096	592.06
868S-577C <sup>1</sup>	8X1-1/2	4	1	0	096	592.06
868S-578C <sup>1</sup>	8X2	4	1	0	096	592.06
868S-579C <sup>1</sup>	8X2-1/2	4	1	0	096	651.25
868S-580C <sup>1</sup>	8X3	4	1	0	096	683.84
868S-582C	8X4	4	1	0	096	724.86
868S-585C	8X6	6	1	0	096	804.76
868S-624C	10X4	4	1	0	096	957.61
868S-626C	10X6	6	1	0	096	1101.26
868S-664C	12X4	4	1	0	096	1200.38
868S-666C	12X6	6	1	0	096	1392.38



**Clamp-On Saddle x SR Thread Double Outlet, CPVC Gray**

**with FKM O-ring Seal & Zinc-Plated Hardware**



2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869V-247CSR	2X1/2	3/4	1	10	096	100.62
869V-248CSR	2X3/4	7/8	1	10	096	100.62
869V-249CSR	2X1	1-1/8	1	10	096	100.62
869V-250CSR	2X1-1/4	1-1/2	1	10	096	100.62
869V-251CSR	2X1-1/2	1-1/2	1	10	096	100.62
869V-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	137.97
869V-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	137.97
869V-334CSR	3X3/4	7/8	1	10	096	137.97
869V-335CSR	3X1	1-1/8	1	10	096	137.97
869V-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	137.97
869V-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	137.97
869V-338CSR	3X2	2-1/4	1	10	096	137.97
869V-415CSR <sup>1</sup>	4X1/2	4-1/2	1	10	096	168.85
869V-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	168.85
869V-417CSR	4X1	1-1/8	1	8	096	168.85
869V-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	168.85
869V-419CSR	4X1-1/2	1-3/4	1	8	096	168.85
869V-420CSR	4X2	2-1/4	1	8	096	168.85
869V-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	181.34
869V-422CSR	4X3	3	4	0	096	190.99
869V-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	279.98
869V-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	279.98
869V-525CSR	6X1	1-1/8	1	4	096	279.98
869V-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	279.98
869V-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	279.98
869V-528CSR	6X2	2-1/4	1	4	096	279.98
869V-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	294.07
869V-530CSR	6X3	3	1	4	096	306.22
869V-532CSR	6X4	4	1	4	096	324.36
869V-573CSR <sup>1</sup>	8X1/2	4	1	0	096	515.63
869V-574CSR <sup>1</sup>	8X3/4	4	1	0	096	515.63
869V-575CSR <sup>1</sup>	8X1	4	1	0	096	515.63
869V-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	515.63
869V-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	515.63
869V-578CSR <sup>1</sup>	8X2	4	1	0	096	515.63
869V-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	567.18
869V-580CSR <sup>1</sup>	8X3	4	1	0	096	595.49
869V-582CSR	8X4	4	1	0	096	631.20
869V-585CSR	8X6	6	1	0	096	698.18
869V-624CSR	10X4	4	1	0	096	750.97
869V-626CSR	10X6	6	1	0	096	863.74
869V-664CSR	12X4	4	1	0	096	941.54
869V-666CSR	12X6	6	1	0	096	1092.03

<sup>1</sup> Outlet-sized with Bushing

Schedule 80 CPVC Product  
**Clamp-On Saddles**



**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Double Outlet, CPVC Gray**

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869SV-247CSR	2X1/2	3/4	1	10	096	148.08
869SV-248CSR	2X3/4	7/8	1	10	096	148.08
869SV-249CSR	2X1	1-1/8	1	10	096	148.08
869SV-250CSR	2X1-1/4	1-1/2	1	10	096	148.08
869SV-251CSR	2X1-1/2	1-1/2	1	10	096	148.08
869SV-291CSR	2-1/2X1-1/2	1-1/2	1	10	096	187.67
869SV-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	187.67
869SV-334CSR	3X3/4	7/8	1	10	096	187.67
869SV-335CSR	3X1	1-1/8	1	10	096	187.67
869SV-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	187.67
869SV-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	187.67
869SV-338CSR	3X2	2-1/4	1	10	096	187.67
869SV-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	246.44
869SV-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	246.44
869SV-417CSR	4X1	1-1/8	1	8	096	246.44
869SV-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	246.44
869SV-419CSR	4X1-1/2	1-3/4	1	8	096	246.44
869SV-420CSR	4X2	2-1/4	1	8	096	246.44
869SV-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	258.74
869SV-422CSR	4X3	3	4	0	096	277.19
869SV-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	440.36
869SV-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	440.36
869SV-525CSR	6X1	1-1/8	1	4	096	440.36
869SV-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	440.36
869SV-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	440.36
869SV-528CSR	6X2	2-1/4	1	4	096	440.36
869SV-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	457.27
869SV-530CSR	6X3	3	1	4	096	471.78
869SV-532CSR	6X4	4	1	4	096	482.59
869SV-573CSR <sup>1</sup>	8X1/2	4	1	0	096	721.26
869SV-574CSR <sup>1</sup>	8X3/4	4	1	0	096	721.26
869SV-575CSR <sup>1</sup>	8X1	4	1	0	096	721.26
869SV-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	721.26
869SV-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	721.26
869SV-578CSR <sup>1</sup>	8X2	4	1	0	096	721.26
869SV-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	793.28
869SV-580CSR <sup>1</sup>	8X3	4	1	0	096	818.39
869SV-582CSR	8X4	4	1	0	096	882.97
869SV-585CSR	8X6	6	1	0	096	943.36
869SV-624CSR	10X4	4	1	0	096	1050.72
869SV-626CSR	10X6	6	1	0	096	1208.39
869SV-664CSR	12X4	4	1	0	096	1317.13
869SV-666CSR	12X6	6	1	0	096	1527.99

<sup>1</sup> Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Double Outlet, CPVC Gray**

with EPDM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869-247CSR	2X1/2	3/4	1	10	096	87.43
869-248CSR	2X3/4	7/8	1	10	096	87.43
869-249CSR	2X1	1-1/8	1	10	096	87.43
869-250CSR	2X1-1/4	1-1/2	1	10	096	87.43
869-251CSR	2X1-1/2	1-1/2	1	10	096	87.43
869-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	118.06
869-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	118.06
869-334CSR	3X3/4	7/8	1	10	096	118.06
869-335CSR	3X1	1-1/8	1	10	096	118.06
869-336CSR <sup>1</sup>	3X1-1/4	1-1/8	1	10	096	118.06
869-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	118.06
869-338CSR	3X2	2-1/4	1	10	096	118.06
869-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	146.55
869-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	146.55
869-417CSR	4X1	1-1/8	1	8	096	146.55
869-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	146.55
869-419CSR	4X1-1/2	1-3/4	1	8	096	146.55
869-420CSR	4X2	2-1/4	1	8	096	146.55
869-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	162.07
869-422CSR	4X3	3	1	4	096	175.39
869-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	239.39
869-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	239.39
869-525CSR	6X1	1-1/8	1	4	096	239.39
869-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	239.39
869-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	239.39
869-528CSR	6X2	2-1/4	1	4	096	239.39
869-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	256.23
869-530CSR	6X3	3	1	4	096	277.23
869-532CSR	6X4	4	1	4	096	294.01
869-573CSR <sup>1</sup>	8X1/2	4	1	0	096	463.46
869-574CSR <sup>1</sup>	8X3/4	4	1	0	096	463.46
869-575CSR <sup>1</sup>	8X1	4	1	0	096	463.46
869-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	463.46
869-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	463.46
869-578CSR <sup>1</sup>	8X2	4	1	0	096	463.46
869-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	509.91
869-580CSR <sup>1</sup>	8X3	4	1	0	096	535.51
869-582CSR	8X4	4	1	0	096	567.57
869-585CSR	8X6	6	1	0	096	613.27
869-624CSR	10X4	4	1	0	096	675.31
869-626CSR	10X6	6	1	0	096	776.75
869-664CSR	12X4	4	1	0	096	846.67
869-666CSR	12X6	6	1	0	096	982.11

<sup>1</sup> Outlet-sized with Bushing



# Clamp-On Saddles & Hot-Tap Saddles

## Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------



**Clamp-On Saddle x SR Thread Double Outlet, CPVC Gray**

**with EPDM O-ring Seal & SS Hardware**


2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869S-247CSR	2X1/2	3/4	1	10	096	140.52
869S-248CSR	2X3/4	7/8	1	10	096	140.52
869S-249CSR	2X1	1-1/8	1	10	096	140.52
869S-250CSR	2X1-1/4	1-1/2	1	10	096	140.52
869S-251CSR	2X1-1/2	1-1/2	1	10	096	140.52
869S-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	185.32
869S-333CSR <sup>1</sup>	3X1/2	7/8	1	10	096	185.32
869S-334CSR	3X3/4	7/8	1	10	096	185.32
869S-335CSR	3X1	1-1/8	1	10	096	185.32
869S-336CSR <sup>1</sup>	3X1-1/4	2-1/4	1	10	096	185.32
869S-337CSR <sup>1</sup>	3X1-1/2	2-1/4	1	10	096	185.32
869S-338CSR	3X2	2-1/4	1	10	096	185.32
869S-415CSR <sup>1</sup>	4X1/2	1-1/8	1	10	096	232.04
869S-416CSR <sup>1</sup>	4X3/4	1-1/8	1	10	096	232.04
869S-417CSR	4X1	1-1/8	1	8	096	232.04
869S-418CSR <sup>1</sup>	4X1-1/4	1-3/4	1	8	096	232.04
869S-419CSR	4X1-1/2	1-3/4	1	8	096	232.04
869S-420CSR	4X2	2-1/4	1	8	096	232.04
869S-421CSR <sup>1</sup>	4X2-1/2	3	1	4	096	249.27
869S-422CSR	4X3	3	4	0	096	267.19
869S-523CSR <sup>1</sup>	6X1/2	1-1/8	1	4	096	390.81
869S-524CSR <sup>1</sup>	6X3/4	1-1/8	1	4	096	390.81
869S-525CSR	6X1	1-1/8	1	4	096	390.81
869S-526CSR <sup>1</sup>	6X1-1/4	2-1/4	1	4	096	390.81
869S-527CSR <sup>1</sup>	6X1-1/2	2-1/4	1	4	096	390.81
869S-528CSR	6X2	2-1/4	1	4	096	390.81
869S-529CSR <sup>1</sup>	6X2-1/2	3	1	4	096	399.59
869S-530CSR	6X3	3	1	4	096	417.25
869S-532CSR	6X4	4	1	4	096	428.89
869S-573CSR <sup>1</sup>	8X1/2	4	1	0	096	657.78
869S-574CSR <sup>1</sup>	8X3/4	4	1	0	096	657.78
869S-575CSR <sup>1</sup>	8X1	4	1	0	096	657.78
869S-576CSR <sup>1</sup>	8X1-1/4	4	1	0	096	657.78
869S-577CSR <sup>1</sup>	8X1-1/2	4	1	0	096	657.78
869S-578CSR <sup>1</sup>	8X2	4	1	0	096	657.78
869S-579CSR <sup>1</sup>	8X2-1/2	4	1	0	096	723.51
869S-580CSR <sup>1</sup>	8X3	4	1	0	096	759.59
869S-582CSR	8X4	4	1	0	096	805.23
869S-585CSR	8X6	6	1	0	096	845.62
869S-624CSR	10X4	4	1	0	096	958.23
869S-626CSR	10X6	6	1	0	096	1101.87
869S-664CSR	12X4	4	1	0	096	1201.17
869S-666CSR	12X6	6	1	0	096	1393.20

<sup>1</sup> Outlet-sized with Bushing

## Hot-Tap Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------



**Hot-Tap Saddle CPVC Gray**

**EPDM Saddle x Socket (Spigot) Zinc Plated Bolts**

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2-248C	2X3/4 (1)	1	5	050	99.32
HT2-251C	2X1-1/2 (2)	1	5	050	205.00
HT2-288C	2-1/2X3/4 (1)	1	5	050	106.01
HT2-291C	2-1/2X1-1/2 (2)	1	5	050	211.84
HT2-334C	3X3/4 (1)	1	5	050	121.46
HT2-337C	3X1-1/2 (2)	1	5	050	233.63
HT2-416C	4X3/4 (1)	1	5	050	140.34
HT2-419C	4X1-1/2 (2)	1	0	050	247.02
HT2-524C	6X3/4 (1)	1	5	050	157.82
HT2-527C	6X1-1/2 (2)	1	0	050	262.97
HT2-574C	8X3/4 (1)	1	5	050	145.35
HT2-577C	8X1-1/2 (2)	1	0	050	271.54

**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Hot-Tap Saddle CPVC Gray**

**EPDM Saddle x Socket (Spigot) SS316 Bolts**

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2S-248C	2X3/4 (1)	1	5	050	154.38
HT2S-251C	2X1-1/2 (2)	1	5	050	319.07
HT2S-288C	2-1/2X3/4 (1)	1	5	050	165.02
HT2S-291C	2-1/2X1-1/2 (2)	1	5	050	329.87
HT2S-334C	3X3/4 (1)	1	5	050	189.22
HT2S-337C	3X1-1/2 (2)	1	5	050	363.66
HT2S-416C	4X3/4 (1)	1	5	050	218.55
HT2S-419C	4X1-1/2 (2)	1	0	050	384.61
HT2S-524C	6X3/4 (1)	1	5	050	245.31
HT2S-527C	6X1-1/2 (2)	1	0	050	409.29
HT2S-574C	8X3/4 (1)	1	0	050	265.21
HT2S-577C	8X1-1/2 (2)	1	0	050	442.57

**Not intended to convey or dispense water for human consumption through drinking or cooking**



# Hot-Tap Saddles




## Hot-Tap Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

### Hot-Tap Saddle CPVC Gray

**FKM Saddle x Soc (Spigot) Zinc Plated Bolts**




2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3-248C	2X3/4 (1)	1	5	050	107.92
HT3-251C	2X1-1/2 (2)	1	5	050	222.48
HT3-288C	2-1/2X3/4 (1)	1	5	050	115.28
HT3-291C	2-1/2X1-1/2 (2)	1	5	050	229.85
HT3-334C	3X3/4 (1)	1	5	050	131.74
HT3-337C	3X1-1/2 (2)	1	5	050	253.87
HT3-416C	4X3/4 (1)	1	5	050	237.07
HT3-419C	4X1-1/2 (2)	1	0	050	268.28
HT3-524C	6X3/4 (1)	1	5	050	171.36
HT3-527C	6X1-1/2 (2)	1	0	050	284.76
HT3-574C	8X3/4 (1)	1	0	050	185.25
HT3-577C	8X1-1/2 (2)	1	0	050	345.17

**Not intended to convey or dispense water for human consumption through drinking or cooking**

### Hot-Tap Saddle CPVC Gray

**FKM Saddle x Socket (Spigot) SS316 Bolts**



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)


HT3S-248C	2X3/4 (1)	1	5	050	168.13
HT3S-251C	2X1-1/2 (2)	1	5	050	346.51
HT3S-288C	2-1/2X3/4 (1)	1	5	050	179.42
HT3S-291C	2-1/2X1-1/2 (2)	1	5	050	357.66
HT3S-334C	3X3/4 (1)	1	5	050	204.82
HT3S-337C	3X1-1/2 (2)	1	5	050	402.44
HT3S-416C	4X3/4 (1)	1	5	050	237.07
HT3S-419C	4X1-1/2 (2)	1	0	050	417.71
HT3S-524C	6X3/4 (1)	1	5	050	266.76
HT3S-527C	6X1-1/2 (2)	1	0	050	443.24
HT3S-574C	8X3/4 (1)	1	0	050	288.36
HT3S-577C	8X1-1/2 (2)	1	5	050	479.19

**Not intended to convey or dispense water for human consumption through drinking or cooking**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

### Hot-Tap Saddle CPVC Gray

**EPDM with Stainless Steel Cutter & Bolts**



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS2S-248C	2X3/4 (1)	1	5	050	474.99
HTS2S-251C	2X1-1/2 (2)	1	5	050	703.96
HTS2S-288C	2-1/2X3/4 (1)	1	5	050	508.24
HTS2S-291C	2-1/2X1-1/2 (2)	1	5	050	705.08
HTS2S-334C	3X3/4 (1)	1	5	050	484.76
HTS2S-337C	3X1-1/2 (2)	1	5	050	724.75
HTS2S-416C	4X3/4 (1)	1	5	050	516.16
HTS2S-419C	4X1-1/2 (2)	1	0	050	742.77
HTS2S-524C	6X3/4 (1)	1	5	050	601.66
HTS2S-527C	6X1-1/2 (2)	1	0	050	839.63
HTS2S-574C	8X3/4 (1)	1	0	050	834.64
HTS2S-577C	8X1-1/2 (2)	1	0	050	994.12

Lead Free

### Hot-Tap Saddle CPVC Gray

**FKM with Stainless Steel Cutter & Bolts**



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS3S-248C	2X3/4 (1)	1	5	050	482.44
HTS3S-251C	2X1-1/2 (2)	1	5	050	714.67
HTS3S-288C	2-1/2X3/4 (1)	1	5	050	516.33
HTS3S-291C	2-1/2X1-1/2 (2)	1	5	050	717.48
HTS3S-334C	3X3/4 (1)	1	5	050	443.96
HTS3S-337C	3X1-1/2 (2)	1	5	050	737.33
HTS3S-416C	4X3/4 (1)	1	5	050	525.88
HTS3S-419C	4X1-1/2 (2)	1	0	050	761.41
HTS3S-524C	6X3/4 (1)	1	5	050	611.07
HTS3S-527C	6X1-1/2 (2)	1	0	050	858.25
HTS3S-574C	8X3/4 (1)	1	0	050	853.11
HTS3S-577C	8X1-1/2 (2)	1	0	050	1003.01

Lead Free