



CPVC Gray Saddles & Hot-Tap Saddles



PRODUCT

Contact Spears® for any Information not found.



Glue-On Saddles

Glue-On Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Saddle



IPS O.D. x Socket Schedule 80

Non Pressure Rated

3963-528C	6X2	1	5	099	106.95
3963-530C	6X3	1	5	099	121.17
3963-532C	6X4	1	8	099	148.28
3963-578C	8X2	1	5	099	162.31
3963-580C	8X3	1	8	099	180.18
3963-582C	8X4	1	5	099	231.62
3963-585C	8X6	1	8	099	265.13
3963-621C	10X2	1	5	099	181.54
3963-623C	10X3	1	8	099	199.92
3963-624C	10X4	1	5	099	245.53
3963-626C	10X6	1	5	099	300.91
3963-628C	10X8	1	5	099	332.83
3963-661C	12X2	1	10	099	199.82
3963-663C	12X3	1	8	099	233.36
3963-664C	12X4	1	8	099	279.38
3963-666C	12X6	1	5	099	323.92
3963-668C	12X8	1	4	099	408.40
3963-670C	12X10	1	0	099	638.73
3963-693C	14X3	1	8	099	251.12
3963-694C	14X4	1	5	099	325.17
3963-696C	14X6	1	10	099	380.02
3963-698C	14X8	1	4	099	452.58
3963-700C	14X10	1	3	099	795.31
3963-702C	14X12	1	4	099	932.65
3963-751C	16X2	1	10	099	241.47
3963-753C	16X3	1	8	099	302.43
3963-754C	16X4	1	10	099	379.57
3963-756C	16X6	1	3	099	514.39
3963-758C	16X8	1	3	099	645.60
3963-760C	16X10	1	0	099	887.43
3963-762C	16X12	1	0	099	1244.15
3963-764C	16X14	1	0	099	1430.65
3963-781C	18X2	1	10	409	294.11
3963-783C	18X3	1	4	099	330.86
3963-784C	18X4	1	5	099	482.15
3963-786C	18X6	1	5	099	660.93
3963-788C	18X8	1	5	099	745.94
3963-790C	18X10	1	0	099	973.00
3963-792C	18X12	1	0	099	1397.72
3963-794C	18X14	1	0	099	1528.15
3963-796C	18X16	1	0	099	1764.39
3963-811C	20X2	1	0	099	309.72
3963-813C	20X3	1	4	099	358.18
3963-814C	20X4	1	4	099	537.96
3963-816C	20X6	1	0	099	714.39
3963-818C	20X8	1	0	099	880.46

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Saddle (continued)

IPS O.D. x Socket Schedule 80

3963-820C	20X10	1	5	099	1076.42
3963-822C	20X12	1	0	099	1453.53
3963-824C	20X14	1	0	099	1696.15
3963-826C	20X16	1	0	099	1890.53
3963-828C	20X18	1	0	099	2061.54
3963-901C	24X2	1	5	099	339.48
3963-903C	24X3	1	5	099	566.39
3963-904C	24X4	1	5	099	657.65
3963-906C	24X6	1	5	099	935.63
3963-908C	24X8	1	5	099	1099.88
3963-910C	24X10	1	5	099	1361.07
3963-912C	24X12	1	0	099	1542.74
3963-914C	24X14	1	0	099	1801.88
3963-916C	24X16	1	0	099	1994.11
3963-918C	24X18	1	0	099	2209.19
3963-920C	24X20	1	0	099	2630.82

Stub Saddle



IPS O.D. x Socket Schedule 80

Non Pressure Rated

3965-528C	6X2	1	10	099	134.64
3965-530C	6X3	1	3	099	144.64
3965-532C	6X4	1	5	099	179.76
3965-578C	8X2	1	5	099	168.28
3965-580C	8X3	1	4	099	110.43
3965-582C	8X4	1	5	099	250.25
3965-585C	8X6	1	4	099	314.85
3965-621C	10X2	1	6	099	192.39
3965-623C	10X3	1	5	099	216.05
3965-624C	10X4	1	4	099	262.66
3965-626C	10X6	1	4	099	202.94
3965-628C	10X8	1	2	099	338.16
3965-661C	12X2	1	2	099	217.93
3965-663C	12X3	1	2	099	257.99
3965-664C	12X4	1	2	099	300.49
3965-666C	12X6	1	2	099	350.38
3965-668C	12X8	1	2	099	449.71
3965-670C	12X10	1	2	099	795.14
3965-691C	14X2	1	6	099	234.60
3965-693C	14X3	1	0	099	287.13
3965-694C	14X4	1	5	099	340.78
3965-696C	14X6	1	2	099	438.64
3965-700C	14X10	1	0	099	885.96
3965-702C	14X12	1	0	099	1088.47
3965-751C	16X2	1	5	099	271.42
3965-753C	16X3	1	4	099	309.33
3965-754C	16X4	1	3	099	407.48
3965-756C	16X6	1	2	099	546.18
3965-758C	16X8	1	0	099	688.84
3965-760C	16X10	1	0	099	925.83

Schedule 80 CPVC Product
Glue-On Saddles & Clamp-On Saddles



Glue-On Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Stub Saddle (continued)					
IPS O.D. x Socket Schedule 80					
3965-762C	16X12	1	0	099	1291.82
3965-764C	16X14	1	0	099	1755.69
3965-781C	18X2	1	2	099	310.72
3965-783C	18X3	1	0	099	345.59
3965-784C	18X4	1	2	099	510.60
3965-786C	18X6	1	2	099	692.89
3965-788C	18X8	1	0	099	763.16
3965-790C	18X10	1	0	099	1111.15
3965-792C	18X12	1	0	099	2164.62
3965-794C	18X14	1	0	099	2779.55
3965-796C	18X16	1	0	099	3560.75
3965-811C	20X2	1	0	099	325.75
3965-813C	20X3	1	2	099	369.01
3965-814C	20X4	1	0	099	558.33
3965-816C	20X6	1	0	099	741.49
3965-818C	20X8	1	0	099	921.49
3965-820C	20X10	1	0	099	1261.00
3965-822C	20X12	1	0	099	2318.71
3965-824C	20X14	1	0	099	3007.37
3965-826C	20X16	1	0	099	3808.01
3965-828C	20X18	1	0	099	4642.46
3965-901C	24X2	1	5	099	359.06
3965-903C	24X3	1	2	099	601.63
3965-904C	24X4	1	5	099	704.83
3965-906C	24X6	1	3	099	994.72
3965-908C	24X8	1	0	099	1165.21
3965-910C	24X10	1	0	099	1460.28
3965-912C	24X12	1	0	099	2504.00
3965-914C	24X14	1	0	099	3165.51
3965-916C	24X16	1	0	099	3882.80
3965-918C	24X18	1	0	099	4734.87
3965-920C	24X20	1	0	099	6103.78

Clamp-On Saddles

Clamp-On Saddle x Socket Single Outlet, CPVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866V-247C	2X1/2	3/4	1	10	096	62.81
866V-248C	2X3/4	7/8	1	10	096	62.81
866V-249C	2X1	1-1/8	1	10	096	62.81
866V-250C	2X1-1/4	1-1/2	1	10	096	62.81
866V-251C	2X1-1/2	1-1/2	1	10	096	62.81
866V-291C	2-1/2X1-1/2	1-3/4	1	10	096	87.29
866V-333C ¹	3X1/2	7/8	1	10	096	87.29
866V-334C	3X3/4	7/8	1	10	096	87.29
866V-335C	3X1	1-1/8	1	10	096	87.29

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Single Outlet, CPVC Gray (continued) with FKM O-ring Seal & Zinc-Plated Hardware

866V-336C ¹	3X1-1/4	2-1/4	1	10	096	87.29
866V-337C ¹	3X1-1/2	2-1/4	1	10	096	87.29
866V-338C	3X2	2-1/4	1	10	096	87.29
866V-415C ¹	4X1/2	1-1/8	1	10	096	104.91
866V-416C ¹	4X3/4	1-1/8	1	10	096	104.91
866V-417C	4X1	1-1/8	1	8	096	104.91
866V-418C ¹	4X1-1/4	1-3/4	1	8	096	104.91
866V-419C	4X1-1/2	1-3/4	1	8	096	104.91
866V-420C	4X2	2-1/4	1	8	096	104.91
866V-421C ¹	4X2-1/2	3	1	4	096	112.63
866V-422C	4X3	3	1	4	096	122.80
866V-523C ¹	6X1/2	1-1/8	1	4	096	174.88
866V-524C ¹	6X3/4	1-1/8	1	4	096	174.88
866V-525C	6X1	1-1/8	1	4	096	174.88
866V-526C ¹	6X1-1/4	2-1/4	1	4	096	174.88
866V-527C ¹	6X1-1/2	2-1/4	1	4	096	174.88
866V-528C	6X2	2-1/4	1	4	096	174.88
866V-529C ¹	6X2-1/2	3	1	4	096	189.26
866V-530C	6X3	3	1	4	096	201.47
866V-532C	6X4	4	1	4	096	214.67
866V-573C ¹	8X1/2	4	1	0	096	373.00
866V-574C ¹	8X3/4	4	1	0	096	373.00
866V-575C ¹	8X1	4	1	0	096	373.00
866V-576C ¹	8X1-1/4	4	1	0	096	373.00
866V-577C ¹	8X1-1/2	4	1	0	096	373.00
866V-578C	8X2	4	1	0	096	373.00
866V-579C ¹	8X2-1/2	4	1	0	096	410.36
866V-580C ¹	8X3	4	1	0	096	430.57
866V-582C	8X4	4	1	0	096	468.87
866V-585C	8X6	6	1	0	096	644.65
866V-624C	10X4	4	1	0	096	603.06
866V-626C	10X6	6	1	0	096	693.40
866V-664C	12X4	4	1	0	096	755.93
866V-666C	12X6	6	1	0	096	801.27

¹ Outlet-sized with Bushing

Clamp-On Saddle x Socket Single Outlet, CPVC Gray

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866SV-247C	2X1/2	3/4	1	10	096	95.87
866SV-248C	2X3/4	7/8	1	10	096	95.87
866SV-249C	2X1	1-1/8	1	10	096	95.87
866SV-250C	2X1-1/4	1-1/2	1	10	096	95.87
866SV-251C	2X1-1/2	1-1/2	1	10	096	95.87
866SV-291C	2-1/2X1-1/2	1-3/4	1	10	096	128.43
866SV-333C ¹	3X1/2	7/8	1	10	096	128.43
866SV-334C	3X3/4	7/8	1	10	096	128.43
866SV-335C	3X1	1-1/8	1	10	096	128.43
866SV-336C ¹	3X1-1/4	2-1/4	1	10	096	128.43
866SV-337C ¹	3X1-1/2	2-1/4	1	10	096	128.43



Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
Clamp-On Saddle x Socket Single Outlet, CPVC Gray (continued) with FKM O-ring Seal & SS Hardware						
866SV-338C	3X2	2-1/4	1	10	096	128.43
866SV-415C ¹	4X1/2	1-1/8	1	10	096	165.89
866SV-416C ¹	4X3/4	1-1/8	1	10	096	165.89
866SV-417C	4X1	1-1/8	1	8	096	165.89
866SV-418C ¹	4X1-1/4	1-3/4	1	8	096	165.89
866SV-419C	4X1-1/2	1-3/4	1	8	096	165.89
866SV-420C	4X2	2-1/4	1	8	096	165.89
866SV-421C ¹	4X2-1/2	3	1	4	096	175.58
866SV-422C	4X3	3	1	4	096	184.52
866SV-523C ¹	6X1/2	1-1/8	1	4	096	264.14
866SV-524C ¹	6X3/4	1-1/8	1	4	096	264.14
866SV-525C	6X1	1-1/8	1	4	096	264.14
866SV-526C ¹	6X1-1/4	2-1/4	1	4	096	264.14
866SV-527C ¹	6X1-1/2	2-1/4	1	4	096	264.14
866SV-528C	6X2	2-1/4	1	4	096	264.14
866SV-529C ¹	6X2-1/2	3	1	4	096	274.61
866SV-530C	6X3	3	1	4	096	284.15
866SV-532C	6X4	4	1	4	096	302.02
866SV-573C ¹	8X1/2	4	1	0	096	487.36
866SV-574C ¹	8X3/4	4	1	0	096	487.36
866SV-575C ¹	8 X 1	4	1	0	096	487.36
866SV-576C ¹	8X1-1/4	4	1	0	096	487.36
866SV-577C ¹	8X1-1/2	4	1	0	096	487.36
866SV-578C	8 X 2	4	1	0	096	487.36
866SV-579C ¹	8X2-1/2	4	1	0	096	515.85
866SV-580C ¹	8X3	4	1	0	096	563.02
866SV-582C	8X4	4	1	0	096	596.78
866SV-585C	8X6	6	1	0	096	662.34
866SV-624C	10X4	4	1	0	096	788.13
866SV-626C	10X6	6	1	0	096	906.47
866SV-664C	12X4	4	1	0	096	987.88
866SV-666C	12X6	6	1	0	096	1146.07

¹ Outlet-sized with Bushing



Clamp-On Saddle x Socket Single Outlet, CPVC Gray
with EPDM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866-247C	2X1/2	3/4	1	10	096	59.69
866-248C	2X3/4	7/8	1	10	096	59.69
866-249C	2X1	1-1/8	1	10	096	59.69
866-250C	2X1-1/4	1-1/2	1	10	096	59.69
866-251C	2X1-1/2	1-1/2	1	10	096	59.69
866-291C	2-1/2X1-1/2	1-3/4	1	10	096	79.97
866-333C ¹	3X1/2	7/8	1	10	096	79.97
866-334C	3X3/4	7/8	1	10	096	79.97
866-335C	3X1	1-1/8	1	10	096	79.97
866-336C ¹	3X1-1/4	2-1/4	1	10	096	79.97

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Single Outlet, CPVC Gray (continued) with EPDM O-ring Seal & Zinc-Plated Hardware

866-337C ¹	3X1-1/2	2-1/4	1	10	096	79.97
866-338C	3X2	2-1/4	1	10	096	79.97
866-415C ¹	4X1/2	1-1/8	1	10	096	97.23
866-416C ¹	4X3/4	1-1/8	1	10	096	97.23
866-417C	4X1	1-1/8	1	8	096	97.23
866-418C ¹	4X1-1/4	1-3/4	1	8	096	97.23
866-419C	4X1-1/2	1-3/4	1	8	096	97.23
866-420C	4X2	2-1/4	1	8	096	97.23
866-421C ¹	4X2-1/2	3	1	4	096	106.79
866-422C	4X3	3	1	4	096	119.03
866-523C ¹	6X1/2	1-1/8	1	4	096	162.26
866-524C ¹	6X3/4	1-1/8	1	4	096	162.26
866-525C	6X1	1-1/8	1	4	096	162.26
866-526C ¹	6X1-1/4	2-1/4	1	4	096	162.26
866-527C ¹	6X1-1/2	2-1/4	1	4	096	162.26
866-528C	6X2	2-1/4	1	4	096	162.26
866-529C ¹	6X2-1/2	3	1	4	096	176.39
866-530C	6X3	3	1	4	096	189.21
866-532C	6X4	4	1	4	096	202.20
866-573C ¹	8X1/2	4	1	0	096	356.80
866-574C ¹	8X3/4	4	1	0	096	356.80
866-575C ¹	8X1	4	1	0	096	356.80
866-576C ¹	8X1-1/4	4	1	0	096	356.80
866-577C ¹	8X1-1/2	4	1	0	096	356.80
866-578C	8X2	4	1	0	096	356.80
866-579C ¹	8X2-1/2	4	1	0	096	392.45
866-580C ¹	8X3	4	1	0	096	412.18
866-582C	8X4	4	1	0	096	436.86
866-585C	8X6	6	1	0	096	484.88
866-621C ¹	10X2	4	1	0	096	576.94
866-624C	10X4	4	1	0	096	576.94
866-626C	10X6	4	1	0	096	663.57
866-664C	12X4	4	1	0	096	723.34
866-666C	12X6	6	1	0	096	839.01

¹ Outlet-sized with Bushing



Clamp-On Saddle x Socket Single Outlet, CPVC Gray
with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866S-247C	2X1/2	3/4	1	10	096	92.93
866S-248C	2X3/4	7/8	1	10	096	92.93
866S-249C	2X1	1-1/8	1	10	096	92.93
866S-250C	2X1-1/4	1-1/2	1	10	096	92.93
866S-251C	2X1-1/2	1-1/2	1	10	096	92.93
866S-291C	2-1/2X1-1/2	1-3/4	1	10	096	123.88
866S-333C ¹	3X1/2	7/8	1	10	096	123.88
866S-334C	3X3/4	7/8	1	10	096	123.88
866S-335C	3X1	1-1/8	1	10	096	123.88
866S-336C ¹	3X1-1/4	2-1/4	1	10	096	123.88
866S-337C ¹	3X1-1/2	2-1/4	1	10	096	123.88

Schedule 80 CPVC Product
Clamp-On Saddles



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
Clamp-On Saddle x Socket Single Outlet, CPVC Gray (continued)						
with EPDM O-ring Seal & SS Hardware						
866S-338C	3X2	2-1/4	1	10	096	123.88
866S-415C ¹	4X1/2	1-1/8	1	10	096	158.49
866S-416C ¹	4X3/4	1-1/8	1	10	096	158.49
866S-417C	4X1	1-1/8	1	8	096	158.49
866S-418C ¹	4X1-1/4	1-3/4	1	8	096	158.49
866S-419C	4X1-1/2	1-3/4	1	8	096	158.49
866S-420C	4X2	2-1/4	1	8	096	158.49
866S-421C ¹	4X2-1/2	3	1	4	096	165.18
866S-422C	4X3	3	1	4	096	173.66
866S-523C ¹	6X1/2	1-1/8	1	4	096	249.75
866S-524C ¹	6X3/4	1-1/8	1	4	096	249.75
866S-525C	6X1	1-1/8	1	4	096	249.75
866S-526C ¹	6X1-1/4	2-1/4	1	4	096	249.75
866S-527C ¹	6X1-1/2	2-1/4	1	4	096	249.75
866S-528C	6X2	2-1/4	1	4	096	249.75
866S-529C ¹	6X2-1/2	3	1	4	096	264.36
866S-530C	6X3	3	1	4	096	280.39
866S-532C	6X4	4	1	4	096	293.32
866S-573C ¹	8X1/2	4	1	0	096	469.05
866S-574C ¹	8X3/4	4	1	0	096	469.05
866S-575C ¹	8X1	4	1	0	096	469.05
866S-576C ¹	8X1-1/4	4	1	0	096	469.05
866S-577C ¹	8X1-1/2	4	1	0	096	469.05
866S-578C	8 X 2	4	1	0	096	469.05
866S-579C ¹	8X2-1/2	4	1	0	096	515.85
866S-580C ¹	8X3	4	1	0	096	541.68
866S-582C	8X4	4	1	0	096	574.19
866S-585C	8X6	6	1	0	096	637.17
866S-624C	10X4	4	1	0	096	758.19
866S-626C	10X6	6	1	0	096	871.99
866S-664C	12X4	4	1	0	096	950.34
866S-666C	12X6	6	1	0	096	1102.44

¹ Outlet-sized with Bushing



Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867V-247CSR	2X1/2	3/4	1	10	096	71.93
867V-248CSR	2X3/4	7/8	1	10	096	71.93
867V-249CSR	2X1	1-1/8	1	10	096	71.93
867V-250CSR	2X1-1/4	1-1/2	1	10	096	71.93
867V-251CSR	2X1-1/2	1-1/2	1	10	096	71.93
867V-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	100.36
867V-333CSR ¹	3X1/2	7/8	1	10	096	100.36
867V-334CSR	3X3/4	7/8	1	10	096	100.36
867V-335CSR	3X1	1-1/8	1	10	096	100.36
867V-336CSR ¹	3X1-1/4	2-1/4	1	10	096	100.36

Made in the U.S.A.

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

(continued)

with FKM O-ring Seal & Zinc-Plated Hardware

867V-337CSR ¹	3X1-1/2	2-1/4	1	10	096	100.36
867V-338CSR	3X2	2-1/4	1	10	096	100.36
867V-415CSR ¹	4X1/2	1-1/8	1	10	096	125.15
867V-416CSR ¹	4X3/4	1-1/8	1	10	096	125.15
867V-417CSR	4X1	1-1/8	1	8	096	125.15
867V-418CSR ¹	4X1-1/4	1-3/4	1	8	096	125.15
867V-419CSR	4X1-1/2	1-3/4	1	8	096	125.15
867V-420CSR	4X2	2-1/4	1	8	096	125.15
867V-421CSR ¹	4X2-1/2	3	1	4	096	134.99
867V-422CSR	4X3	3	1	4	096	148.61
867V-523CSR ¹	6X1/2	1-1/8	1	4	096	209.11
867V-524CSR ¹	6X3/4	1-1/8	1	4	096	209.11
867V-525CSR	6X1	1-1/8	1	4	096	209.11
867V-526CSR ¹	6X1-1/4	2-1/4	1	4	096	209.11
867V-527CSR ¹	6X1-1/2	2-1/4	1	4	096	209.11
867V-528CSR	6X2	2-1/4	1	4	096	209.11
867V-529CSR ¹	6X2-1/2	3	1	4	096	223.92
867V-530CSR	6X3	3	1	4	096	231.98
867V-532CSR	6X4	4	1	4	096	248.47
867V-573CSR ¹	8X1/2	4	1	0	096	416.84
867V-574CSR ¹	8X3/4	4	1	0	096	416.84
867V-575CSR ¹	8X1	4	1	0	096	416.84
867V-576CSR ¹	8X1-1/4	4	1	0	096	416.84
867V-577CSR ¹	8X1-1/2	4	1	0	096	416.84
867V-578CSR ¹	8X2	4	1	0	096	416.84
867V-579CSR ¹	8X2-1/2	4	1	0	096	458.49
867V-580CSR ¹	8X3	4	1	0	096	481.46
867V-582CSR	8X4	4	1	0	096	512.25
867V-585CSR	8X6	6	1	0	096	528.18
867V-624CSR	10X4	4	1	0	096	609.44
867V-626CSR	10X6	6	1	0	096	700.82
867V-664CSR	12X4	4	1	0	096	762.39
867V-666CSR	12X6	6	1	0	096	886.28

¹ Outlet-sized with Bushing



Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

with FKM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867SV-245CSR ¹	2X1/4	1-1/8	1	10	096	125.07
867SV-247CSR	2X1/2	3/4	1	10	096	119.36
867SV-248CSR	2X3/4	7/8	1	10	096	119.36
867SV-249CSR	2X1	1-1/8	1	10	096	119.36
867SV-250CSR	2X1-1/4	1-1/2	1	10	096	119.36
867SV-251CSR	2X1-1/2	1-1/2	1	10	096	119.36
867SV-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	160.35
867SV-331CSR ¹	3X1/4	1-1/8	1	10	096	169.51
867SV-333CSR ¹	3X1/2	7/8	1	10	096	160.35
867SV-334CSR	3X3/4	7/8	1	10	096	160.35
867SV-335CSR	3X1	1-1/8	1	10	096	160.35



Schedule 80 CPVC Product
Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

(continued)

with FKM O-ring Seal & SS Hardware

867SV-336CSR ¹	3X1-1/4	2-1/4	1	10	096	160.35
867SV-337CSR ¹	3X1-1/2	2-1/4	1	10	096	160.35
867SV-338CSR	3X2	2-1/4	1	10	096	160.35
867SV-413CSR ¹	4X1/4	1-1/8	1	8	096	202.58
867SV-415CSR ¹	4X1/2	1-1/8	1	10	096	202.58
867SV-416CSR ¹	4X3/4	1-1/8	1	10	096	202.58
867SV-417CSR	4X1	1-1/8	1	8	096	202.58
867SV-418CSR ¹	4X1-1/4	1-3/4	1	8	096	202.58
867SV-419CSR	4X1-1/2	1-3/4	1	8	096	202.58
867SV-420CSR	4X2	2-1/4	1	8	096	202.58
867SV-421CSR ¹	4X2-1/2	3	1	4	096	210.76
867SV-422CSR	4X3	3	1	4	096	222.18
867SV-521CSR ¹	6X1/4	1-1/8	1	4	096	350.67
867SV-523CSR ¹	6X1/2	1-1/8	1	4	096	337.64
867SV-524CSR ¹	6X3/4	1-1/8	1	4	096	337.64
867SV-525CSR	6X1	1-1/8	1	4	096	337.64
867SV-526CSR ¹	6X1-1/4	2-1/4	1	4	096	337.64
867SV-527CSR ¹	6X1-1/2	2-1/4	1	4	096	337.64
867SV-528CSR	6X2	2-1/4	1	4	096	337.64
867SV-529CSR ¹	6X2-1/2	3	1	4	096	353.72
867SV-530CSR	6X3	3	1	4	096	367.97
867SV-532CSR	6X4	4	1	4	096	393.89
867SV-571CSR ¹	8X1/4	4	1	0	096	596.59
867SV-573CSR ¹	8X1/2	4	1	0	096	581.64
867SV-574CSR ¹	8X3/4	4	1	0	096	581.64
867SV-575CSR ¹	8X1	4	1	0	096	581.64
867SV-576CSR ¹	8X1-1/4	4	1	0	096	581.64
867SV-577CSR ¹	8X1-1/2	4	1	0	096	581.64
867SV-578CSR ¹	8X2	4	1	0	096	581.64
867SV-579CSR ¹	8X2-1/2	4	1	0	096	639.84
867SV-580CSR ¹	8X3	4	1	0	096	671.86
867SV-582CSR	8X4	4	1	0	096	712.25
867SV-585CSR	8X6	6	1	0	096	749.82
867SV-624CSR	10X4	4	1	0	096	847.60
867SV-626CSR	10X6	6	1	0	096	974.72
867SV-664CSR	12X4	4	1	0	096	1062.40
867SV-666CSR	12X6	6	1	0	096	1232.40

¹ Outlet-sized with Bushing



Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

with EPDM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867-247CSR	2X1/2	3/4	1	10	096	62.44
867-248CSR	2X3/4	7/8	1	10	096	62.44
867-249CSR	2X1	1-1/8	1	10	096	62.44
867-250CSR	2X1-1/4	1-1/2	1	10	096	62.44

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

(continued)

with EPDM O-ring Seal & Zinc-Plated Hardware

867-251CSR	2X1-1/2	1-1/2	1	10	096	62.44
867-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	85.33
867-333CSR ¹	3X1/2	7/8	1	10	096	85.33
867-334CSR	3X3/4	7/8	1	10	096	85.33
867-335CSR	3X1	1-1/8	1	10	096	85.33
867-336CSR ¹	3X1-1/4	2-1/4	1	10	096	85.33
867-337CSR ¹	3X1-1/12	2-1/4	1	10	096	85.33
867-338CSR	3X2	2-1/4	1	10	096	85.33
867-415CSR ¹	4X1/2	1-1/8	1	10	096	107.46
867-416CSR ¹	4X3/4	1-1/8	1	10	096	107.46
867-417CSR	4X1	1-1/8	1	8	096	107.46
867-418CSR ¹	4X1-1/4	1-3/4	1	8	096	107.46
867-419CSR	4X1-1/2	1-3/4	1	8	096	107.46
867-420CSR	4X2	2-1/4	1	8	096	107.46
867-421CSR ¹	4X2-1/2	3	1	4	096	119.24
867-422CSR	4X3	3	1	4	096	128.71
867-523CSR ¹	6X1/2	1-1/8	1	4	096	179.08
867-524CSR ¹	6X3/4	1-1/8	1	4	096	179.08
867-525CSR	6X1	1-1/8	1	4	096	179.08
867-526CSR ¹	6X1-1/4	2-1/4	1	4	096	179.08
867-527CSR ¹	6X1-1/2	2-1/4	1	4	096	179.08
867-528CSR	6X2	2-1/4	1	4	096	179.08
867-529CSR ¹	6X2-1/2	3	1	4	096	189.49
867-530CSR	6X3	3	1	4	096	200.38
867-532CSR	6X4	4	1	4	096	217.91
867-573CSR ¹	8X1/2	4	1	0	096	378.44
867-574CSR	8X3/4	4	1	0	096	378.44
867-575CSR ¹	8X1	4	1	0	096	378.44
867-576CSR ¹	8X1-1/4	4	1	0	096	378.44
867-577CSR ¹	8X1-1/2	4	1	0	096	378.44
867-578CSR ¹	8X2	4	1	0	096	378.44
867-579CSR ¹	8X2-1/2	4	1	0	096	416.26
867-580CSR ¹	8X3	4	1	0	096	441.24
867-582CSR	8X4	4	1	0	096	467.82
867-585CSR	8X6	6	1	0	096	486.40
867-624CSR	10X4	4	1	0	096	556.75
867-626CSR	10X6	6	1	0	096	640.21
867-664CSR	12X4	4	1	0	096	697.87
867-666CSR	12X6	6	1	0	096	809.47

¹ Outlet-sized with Bushing



Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray

with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867S-245CSR ¹	2X1/4	1-1/8	1	10	096	110.09
867S-247CSR	2X1/2	3/4	1	10	096	107.20
867S-248CSR	2X3/4	7/8	1	10	096	107.20
867S-249CSR	2X1	1-1/8	1	10	096	107.20
867S-250CSR	2X1-1/4	1-1/2	1	10	096	107.20

Schedule 80 CPVC Product
Clamp-On Saddles



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Single Outlet, CPVC Gray
(continued)
with EPDM O-ring Seal & SS Hardware

867S-251CSR	2X1-1/2	1-1/2	1	10	096	107.20
867S-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	143.51
867S-331CSR ¹	3X1/4	1-1/8	1	10	096	148.05
867S-333CSR ¹	3X1/2	7/8	1	10	096	143.51
867S-334CSR	3X3/4	7/8	1	10	096	143.51
867S-335CSR	3X1	1-1/8	1	10	096	143.51
867S-336CSR ¹	3X1-1/4	2-1/4	1	10	096	143.51
867S-337CSR ¹	3X1-1/2	2-1/4	1	10	096	143.51
867S-338CSR	3X2	2-1/4	1	10	096	143.51
867S-413CSR ¹	4X1/4	1-1/8	1	8	096	186.11
867S-415CSR ¹	4X1/2	1-1/8	1	10	096	180.60
867S-416CSR ¹	4X3/4	1-1/8	1	10	096	180.60
867S-417CSR	4X1	1-1/8	1	8	096	180.60
867S-418CSR ¹	4X1-1/4	1-3/4	1	8	096	180.60
867S-419CSR	4X1-1/2	1-3/4	1	8	096	180.60
867S-420CSR	4X2	2-1/4	1	8	096	180.60
867S-421CSR ¹	4X2-1/2	3	1	4	096	191.51
867S-422CSR	4X3	3	1	4	096	200.49
867S-521CSR ¹	6X1/4	1-1/8	1	8	096	312.22
867S-523CSR ¹	6X1/2	1-1/8	1	4	096	301.00
867S-524CSR ¹	6X3/4	1-1/8	1	4	096	301.00
867S-525CSR	6X1	1-1/8	1	4	096	301.00
867S-526CSR ¹	6X1-1/4	2-1/4	1	4	096	301.00
867S-527CSR ¹	6X1-1/2	2-1/4	1	4	096	301.00
867S-528CSR	6X2	2-1/4	1	4	096	301.00
867S-529CSR ¹	6X2-1/2	3	1	4	096	313.03
867S-530CSR	6X3	3	1	4	096	323.53
867S-532CSR	6X4	4	1	4	096	337.78
867S-571CSR ¹	8X1/4	4	1	0	096	554.43
867S-573CSR	8X1/2	4	1	0	096	534.74
867S-574CSR ¹	8X3/4	4	1	0	096	534.74
867S-575CSR ¹	8X1	4	1	0	096	534.74
867S-576CSR ¹	8X1-1/4	4	1	0	096	534.74
867S-577CSR ¹	8X1-1/2	4	1	0	096	534.74
867S-578CSR ¹	8X2	4	1	0	096	534.74
867S-579CSR ¹	8X2-1/2	4	1	0	096	588.19
867S-580CSR ¹	8X3	4	1	0	096	617.55
867S-582CSR	8X4	4	1	0	096	654.59
867S-585CSR	8X6	6	1	0	096	686.64
867S-624CSR	10X4	4	1	0	096	778.97
867S-626CSR	10X6	6	1	0	096	895.82
867S-664CSR	12X4	4	1	0	096	976.44
867S-666CSR	12X6	6	1	0	096	1132.71

¹ Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet, CPVC Gray



with FKM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868V-247C	2X1/2	3/4	1	10	096	85.45
868V-248C	2X3/4	7/8	1	10	096	85.45
868V-249C	2X1	1-1/8	1	10	096	85.45
868V-250C	2X1-1/4	1-1/2	1	10	096	85.45
868V-251C	2X1-1/2	1-1/2	1	10	096	85.45
868V-291C	2-1/2X1-1/2	1-3/4	1	10	096	104.49
868V-333C ¹	3X1/2	7/8	1	10	096	104.49
868V-334C	3X3/4	7/8	1	10	096	104.49
868V-335C	3X1	1-1/8	1	10	096	104.49
868V-336C ¹	3X1-1/4	2-1/4	1	10	096	104.49
868V-337C ¹	3X1-1/2	2-1/4	1	10	096	104.49
868V-338C ¹	3X2	2-1/4	1	10	096	104.49
868V-415C ¹	4X1/2	1-1/8	1	10	096	140.68
868V-416C ¹	4X3/4	1-1/8	1	10	096	140.68
868V-417C	4X1	1-1/8	1	8	096	140.68
868V-418C ¹	4X1-1/4	1-3/4	1	8	096	140.68
868V-419C	4X1-1/2	1-3/4	1	8	096	140.68
868V-420C	4X2	2-1/4	1	8	096	140.68
868V-421C ¹	4X2-1/2	3	1	4	096	146.99
868V-422C	4X3	3	4	0	096	160.42
868V-523C ¹	6X1/2	1-1/8	1	4	096	227.61
868V-524C ¹	6X3/4	1-1/8	1	4	096	227.61
868V-525C	6X1	1-1/8	1	4	096	227.61
868V-526C ¹	6X1-1/4	2-1/4	1	4	096	227.61
868V-527C ¹	6X1-1/2	2-1/4	1	4	096	227.61
868V-528C	6X2	2-1/4	1	4	096	227.61
868V-529C	6X2-1/2	3	1	4	096	263.62
868V-530C	6X3	3	1	4	096	277.95
868V-532C	6X4	4	1	4	096	289.98
868V-573C ¹	8X1/2	4	1	0	096	440.67
868V-574C ¹	8X3/4	4	1	0	096	440.67
868V-575C ¹	8X1	4	1	0	096	440.67
868V-576C ¹	8X1-1/4	4	1	0	096	440.67
868V-577C ¹	8X1-1/2	4	1	0	096	440.67
868V-578C ¹	8X2	4	1	0	096	440.67
868V-579C ¹	8X2-1/2	4	1	0	096	484.69
868V-580C ¹	8X3	4	1	0	096	508.89
868V-582C	8X4	4	1	0	096	539.39
868V-585C	8X6	6	1	0	096	598.77
868V-624C	10X4	4	1	0	096	712.45
868V-626C	10X6	6	1	0	096	819.58
868V-664C	12X4	4	1	0	096	893.15
868V-666C	12X6	6	1	0	096	1035.92

¹ Outlet-sized with Bushing



Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet, CPVC Gray

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868SV-247C	2X1/2	3/4	1	10	096	130.39
868SV-248C	2X3/4	7/8	1	10	096	130.39
868SV-249C	2X1	1-1/8	1	10	096	130.39
868SV-250C	2X1-1/4	1-1/2	1	10	096	130.39
868SV-251C	2X1-1/2	1-1/2	1	10	096	130.39
868SV-291C	2-1/2X1-1/2	1-3/4	1	10	096	173.47
868SV-333C ¹	3X1/2	7/8	1	10	096	173.47
868SV-334C	3X3/4	7/8	1	10	096	173.47
868SV-335C	3X1	1-1/8	1	10	096	173.47
868SV-336C ¹	3X1-1/4	2-1/4	1	10	096	173.47
868SV-337C ¹	3X1-1/2	2-1/4	1	10	096	173.47
868SV-338C	3X2	2-1/4	1	10	096	173.47
868SV-415C ¹	4X1/2	1-1/8	1	10	096	220.45
868SV-416C ¹	4X3/4	1-1/8	1	10	096	220.45
868SV-417C	4X1	1-1/8	1	8	096	220.45
868SV-418C ¹	4X1-1/4	1-3/4	1	8	096	220.45
868SV-419C	4X1-1/2	1-3/4	1	8	096	220.45
868SV-420C	4X2	2-1/4	1	8	096	220.45
868SV-421C ¹	4X2-1/2	3	1	4	096	229.38
868SV-422C	4X3	3	4	0	096	244.36
868SV-523C ¹	6X1/2	1-1/8	1	4	096	366.69
868SV-524C ¹	6X3/4	1-1/8	1	4	096	366.69
868SV-525C	6X1	1-1/8	1	4	096	366.69
868SV-526C ¹	6X1-1/4	2-1/4	1	4	096	366.69
868SV-527C ¹	6X1-1/2	2-1/4	1	4	096	366.69
868SV-528C	6X2	2-1/4	1	4	096	366.69
868SV-529C ¹	6X2-1/2	3	1	4	096	377.97
868SV-530C	6X3	3	1	4	096	395.42
868SV-532C	6X4	4	1	4	096	404.83
868SV-573C ¹	8X1/2	4	1	0	096	618.96
868SV-574C ¹	8X3/4	4	1	0	096	618.96
868SV-575C ¹	8X1	4	1	0	096	618.96
868SV-576C ¹	8X1-1/4	4	1	0	096	618.96
868SV-577C ¹	8X1-1/2	4	1	0	096	618.96
868SV-578C ¹	8X2	4	1	0	096	618.96
868SV-579C ¹	8X2-1/2	4	1	0	096	680.62
868SV-580C ¹	8X3	4	1	0	096	714.83
868SV-582C	8X4	4	1	0	096	757.66
868SV-585C	8X6	6	1	0	096	841.12
868SV-624C	10X4	4	1	0	096	1000.94
868SV-626C	10X6	6	1	0	096	1151.21
868SV-664C	12X4	4	1	0	096	1254.53
868SV-666C	12X6	6	1	0	096	1455.41

¹ Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet, CPVC Gray

with EPDM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868-247C	2X1/2	3/4	1	10	096	71.67
868-248C	2X3/4	7/8	1	10	096	71.67
868-249C	2X1	1-1/8	1	10	096	71.67
868-250C	2X1-1/4	1-1/2	1	10	096	71.67
868-251C	2X1-1/2	1-1/2	1	10	096	71.67
868-291C	2-1/2X1-1/2	1-3/4	1	10	096	98.41
868-333C ¹	3X1/2	7/8	1	10	096	98.41
868-334C	3X3/4	7/8	1	10	096	98.41
868-335C	3X1	1-1/8	1	10	096	98.41
868-336C ¹	3X1-1/4	2-1/4	1	10	096	98.41
868-337C ¹	3X1-1/2	2-1/4	1	10	096	98.41
868-338C	3X2	2-1/4	1	10	096	98.41
868-415C ¹	4X1/2	1-1/8	1	10	096	123.52
868-416C ¹	4X3/4	1-1/8	1	10	096	123.52
868-417C	4X1	1-1/8	1	8	096	123.52
868-418C ¹	4X1-1/4	1-3/4	1	8	096	123.52
868-419C	4X1-1/2	1-3/4	1	8	096	123.52
868-420C	4X2	2-1/4	1	8	096	123.52
868-421C ¹	4X2-1/2	3	1	4	096	130.06
868-422C	4X3	3	1	4	096	141.38
868-523C ¹	6X1/2	1-1/8	1	4	096	206.22
868-524C ¹	6X3/4	1-1/8	1	4	096	206.22
868-525C	6X1	1-1/8	1	4	096	206.22
868-526C ¹	6X1-1/4	2-1/4	1	4	096	206.22
868-527C ¹	6X1-1/2	2-1/4	1	4	096	206.22
868-528C	6X2	2-1/4	1	4	096	206.22
868-529C ¹	6X2-1/2	3	1	4	096	219.22
868-530C	6X3	3	1	4	096	231.76
868-532C	6X4	4	1	4	096	239.23
868-573C ¹	8X1/2	4	1	0	096	413.22
868-574C ¹	8X3/4	4	1	0	096	413.22
868-575C ¹	8X1	4	1	0	096	413.22
868-576C ¹	8X1-1/4	4	1	0	096	413.22
868-577C ¹	8X1-1/2	4	1	0	096	413.22
868-578C ¹	8X2	4	1	0	096	413.22
868-579C ¹	8X2-1/2	4	1	0	096	454.48
868-580C ¹	8X3	4	1	0	096	477.26
868-582C	8X4	4	1	0	096	505.85
868-585C	8X6	6	1	0	096	561.49
868-624C	10X4	4	1	0	096	668.23
868-626C	10X6	6	1	0	096	768.40
868-664C	12X4	4	1	0	096	837.49
868-666C	12X6	6	1	0	096	971.67

¹ Outlet-sized with Bushing

Schedule 80 CPVC Product
Clamp-On Saddles



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet, CPVC Gray

with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868S-247C	2X1/2	3/4	1	10	096	113.36
868S-248C	2X3/4	7/8	1	10	096	113.36
868S-249C	2X1	1-1/8	1	10	096	113.36
868S-250C	2X1-1/4	1-1/2	1	10	096	113.36
868S-251C	2X1-1/2	1-1/2	1	10	096	113.36
868S-291C	2-1/2X1-1/2	1-3/4	1	10	096	150.77
868S-333C ¹	3X1/2	7/8	1	10	096	150.77
868S-334C	3X3/4	7/8	1	10	096	150.77
868S-335C	3X1	1-1/8	1	10	096	150.77
868S-336C ¹	3X1-1/4	2-1/4	1	10	096	150.77
868S-337C ¹	3X1-1/2	2-1/4	1	10	096	150.77
868S-338C	3X2	2-1/4	1	10	096	150.77
868S-415C ¹	4X1/2	1-1/8	1	10	096	193.21
868S-416C ¹	4X3/4	1-1/8	1	10	096	193.21
868S-417C	4X1	1-1/8	1	8	096	193.21
868S-418C ¹	4X1-1/4	1-3/4	1	8	096	193.21
868S-419C	4X1-1/2	1-3/4	1	8	096	193.21
868S-420C	4X2	2-1/4	1	8	096	193.21
868S-421C ¹	4X2-1/2	3	1	4	096	202.20
868S-422C	4X3	3	4	0	096	211.46
868S-523C ¹	6X1/2	1-1/8	1	4	096	322.66
868S-524C ¹	6X3/4	1-1/8	1	4	096	322.66
868S-525C	6X1	1-1/8	1	4	096	322.66
868S-526C ¹	6X1-1/4	2-1/4	1	4	096	322.66
868S-527C ¹	6X1-1/2	2-1/4	1	4	096	322.66
868S-528C	6X2	2-1/4	1	4	096	322.66
868S-529C ¹	6X2-1/2	3	1	4	096	338.66
868S-530C	6X3	3	1	4	096	346.83
868S-532C	6X4	4	1	4	096	359.46
868S-573C ¹	8X1/2	4	1	0	096	562.46
868S-574C ¹	8X3/4	4	1	0	096	562.46
868S-575C ¹	8X1	4	1	0	096	562.46
868S-576C ¹	8X1-1/4	4	1	0	096	562.46
868S-577C ¹	8X1-1/2	4	1	0	096	562.46
868S-578C ¹	8X2	4	1	0	096	562.46
868S-579C ¹	8X2-1/2	4	1	0	096	618.69
868S-580C ¹	8X3	4	1	0	096	649.65
868S-582C	8X4	4	1	0	096	688.62
868S-585C	8X6	6	1	0	096	764.52
868S-624C	10X4	4	1	0	096	909.73
868S-626C	10X6	6	1	0	096	1046.20
868S-664C	12X4	4	1	0	096	1140.36
868S-666C	12X6	6	1	0	096	1322.76



Clamp-On Saddle x SR Thread Double Outlet, CPVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869V-247CSR	2X1/2	3/4	1	10	096	95.59
869V-248CSR	2X3/4	7/8	1	10	096	95.59
869V-249CSR	2X1	1-1/8	1	10	096	95.59
869V-250CSR	2X1-1/4	1-1/2	1	10	096	95.59
869V-251CSR	2X1-1/2	1-1/2	1	10	096	95.59
869V-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	131.07
869V-333CSR ¹	3X1/2	7/8	1	10	096	131.07
869V-334CSR	3X3/4	7/8	1	10	096	131.07
869V-335CSR	3X1	1-1/8	1	10	096	131.07
869V-336CSR ¹	3X1-1/4	2-1/4	1	10	096	131.07
869V-337CSR ¹	3X1-1/2	2-1/4	1	10	096	131.07
869V-338CSR	3X2	2-1/4	1	10	096	131.07
869V-415CSR ¹	4X1/2	4-1/2	1	10	096	160.41
869V-416CSR ¹	4X3/4	1-1/8	1	10	096	160.41
869V-417CSR	4X1	1-1/8	1	8	096	160.41
869V-418CSR ¹	4X1-1/4	1-3/4	1	8	096	160.41
869V-419CSR	4X1-1/2	1-3/4	1	8	096	160.41
869V-420CSR	4X2	2-1/4	1	8	096	160.41
869V-421CSR ¹	4X2-1/2	3	1	4	096	172.27
869V-422CSR	4X3	3	4	0	096	181.44
869V-523CSR ¹	6X1/2	1-1/8	1	4	096	265.98
869V-524CSR ¹	6X3/4	1-1/8	1	4	096	265.98
869V-525CSR	6X1	1-1/8	1	4	096	265.98
869V-526CSR ¹	6X1-1/4	2-1/4	1	4	096	265.98
869V-527CSR ¹	6X1-1/2	2-1/4	1	4	096	265.98
869V-528CSR	6X2	2-1/4	1	4	096	265.98
869V-529CSR ¹	6X2-1/2	3	1	4	096	279.37
869V-530CSR	6X3	3	1	4	096	290.91
869V-532CSR	6X4	4	1	4	096	308.14
869V-573CSR ¹	8X1/2	4	1	0	096	489.85
869V-574CSR ¹	8X3/4	4	1	0	096	489.85
869V-575CSR ¹	8X1	4	1	0	096	489.85
869V-576CSR ¹	8X1-1/4	4	1	0	096	489.85
869V-577CSR ¹	8X1-1/2	4	1	0	096	489.85
869V-578CSR ¹	8X2	4	1	0	096	489.85
869V-579CSR ¹	8X2-1/2	4	1	0	096	538.82
869V-580CSR ¹	8X3	4	1	0	096	565.72
869V-582CSR	8X4	4	1	0	096	599.64
869V-585CSR	8X6	6	1	0	096	663.27
869V-624CSR	10X4	4	1	0	096	713.42
869V-626CSR	10X6	6	1	0	096	820.55
869V-664CSR	12X4	4	1	0	096	894.46
869V-666CSR	12X6	6	1	0	096	1037.43



¹ Outlet-sized with Bushing



Schedule 80 CPVC Product
Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet, CPVC Gray

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869SV-247CSR	2X1/2	3/4	1	10	096	140.68
869SV-248CSR	2X3/4	7/8	1	10	096	140.68
869SV-249CSR	2X1	1-1/8	1	10	096	140.68
869SV-250CSR	2X1-1/4	1-1/2	1	10	096	140.68
869SV-251CSR	2X1-1/2	1-1/2	1	10	096	140.68
869SV-291CSR	2-1/2X1-1/2	1-1/2	1	10	096	178.29
869SV-333CSR ¹	3X1/2	7/8	1	10	096	178.29
869SV-334CSR	3X3/4	7/8	1	10	096	178.29
869SV-335CSR	3X1	1-1/8	1	10	096	178.29
869SV-336CSR ¹	3X1-1/4	2-1/4	1	10	096	178.29
869SV-337CSR ¹	3X1-1/2	2-1/4	1	10	096	178.29
869SV-338CSR	3X2	2-1/4	1	10	096	178.29
869SV-415CSR ¹	4X1/2	1-1/8	1	10	096	234.12
869SV-416CSR ¹	4X3/4	1-1/8	1	10	096	234.12
869SV-417CSR	4X1	1-1/8	1	8	096	234.12
869SV-418CSR ¹	4X1-1/4	1-3/4	1	8	096	234.12
869SV-419CSR	4X1-1/2	1-3/4	1	8	096	234.12
869SV-420CSR	4X2	2-1/4	1	8	096	234.12
869SV-421CSR ¹	4X2-1/2	3	1	4	096	245.80
869SV-422CSR	4X3	3	4	0	096	263.33
869SV-523CSR ¹	6X1/2	1-1/8	1	4	096	418.34
869SV-524CSR ¹	6X3/4	1-1/8	1	4	096	418.34
869SV-525CSR	6X1	1-1/8	1	4	096	418.34
869SV-526CSR ¹	6X1-1/4	2-1/4	1	4	096	418.34
869SV-527CSR ¹	6X1-1/2	2-1/4	1	4	096	418.34
869SV-528CSR	6X2	2-1/4	1	4	096	418.34
869SV-529CSR ¹	6X2-1/2	3	1	4	096	434.41
869SV-530CSR	6X3	3	1	4	096	448.19
869SV-532CSR	6X4	4	1	4	096	458.46
869SV-573CSR ¹	8X1/2	4	1	0	096	685.20
869SV-574CSR ¹	8X3/4	4	1	0	096	685.20
869SV-575CSR ¹	8X1	4	1	0	096	685.20
869SV-576CSR ¹	8X1-1/4	4	1	0	096	685.20
869SV-577CSR ¹	8X1-1/2	4	1	0	096	685.20
869SV-578CSR ¹	8X2	4	1	0	096	685.20
869SV-579CSR ¹	8X2-1/2	4	1	0	096	753.62
869SV-580CSR ¹	8X3	4	1	0	096	777.47
869SV-582CSR	8X4	4	1	0	096	838.82
869SV-585CSR	8X6	6	1	0	096	896.19
869SV-624CSR	10X4	4	1	0	096	998.18
869SV-626CSR	10X6	6	1	0	096	1147.97
869SV-664CSR	12X4	4	1	0	096	1251.27
869SV-666CSR	12X6	6	1	0	096	1451.59

¹ Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet, CPVC Gray

with EPDM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869-247CSR	2X1/2	3/4	1	10	096	83.06
869-248CSR	2X3/4	7/8	1	10	096	83.06
869-249CSR	2X1	1-1/8	1	10	096	83.06
869-250CSR	2X1-1/4	1-1/2	1	10	096	83.06
869-251CSR	2X1-1/2	1-1/2	1	10	096	83.06
869-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	112.16
869-333CSR ¹	3X1/2	7/8	1	10	096	112.16
869-334CSR	3X3/4	7/8	1	10	096	112.16
869-335CSR	3X1	1-1/8	1	10	096	112.16
869-336CSR ¹	3X1-1/4	1-1/8	1	10	096	112.16
869-337CSR ¹	3X1-1/2	2-1/4	1	10	096	112.16
869-338CSR	3X2	2-1/4	1	10	096	112.16
869-415CSR ¹	4X1/2	1-1/8	1	10	096	139.22
869-416CSR ¹	4X3/4	1-1/8	1	10	096	139.22
869-417CSR	4X1	1-1/8	1	8	096	139.22
869-418CSR ¹	4X1-1/4	1-3/4	1	8	096	139.22
869-419CSR	4X1-1/2	1-3/4	1	8	096	139.22
869-420CSR	4X2	2-1/4	1	8	096	139.22
869-421CSR ¹	4X2-1/2	3	1	4	096	153.97
869-422CSR	4X3	3	1	4	096	166.62
869-523CSR ¹	6X1/2	1-1/8	1	4	096	227.42
869-524CSR ¹	6X3/4	1-1/8	1	4	096	227.42
869-525CSR	6X1	1-1/8	1	4	096	227.42
869-526CSR ¹	6X1-1/4	2-1/4	1	4	096	227.42
869-527CSR ¹	6X1-1/2	2-1/4	1	4	096	227.42
869-528CSR	6X2	2-1/4	1	4	096	227.42
869-529CSR ¹	6X2-1/2	3	1	4	096	243.42
869-530CSR	6X3	3	1	4	096	263.37
869-532CSR	6X4	4	1	4	096	279.31
869-573CSR ¹	8X1/2	4	1	0	096	440.29
869-574CSR ¹	8X3/4	4	1	0	096	440.29
869-575CSR ¹	8X1	4	1	0	096	440.29
869-576CSR ¹	8X1-1/4	4	1	0	096	440.29
869-577CSR ¹	8X1-1/2	4	1	0	096	440.29
869-578CSR ¹	8X2	4	1	0	096	440.29
869-579CSR ¹	8X2-1/2	4	1	0	096	484.41
869-580CSR ¹	8X3	4	1	0	096	508.73
869-582CSR	8X4	4	1	0	096	539.19
869-585CSR	8X6	6	1	0	096	582.61
869-624CSR	10X4	4	1	0	096	641.54
869-626CSR	10X6	6	1	0	096	737.91
869-664CSR	12X4	4	1	0	096	804.34
869-666CSR	12X6	6	1	0	096	933.00

¹ Outlet-sized with Bushing

Schedule 80 CPVC Product
Clamp-On Saddles & Hot-Tap Saddles



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------



Clamp-On Saddle x SR Thread Double Outlet, CPVC Gray

with EPDM O-ring Seal & SS Hardware


2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869S-247CSR	2X1/2	3/4	1	10	096	133.49
869S-248CSR	2X3/4	7/8	1	10	096	133.49
869S-249CSR	2X1	1-1/8	1	10	096	133.49
869S-250CSR	2X1-1/4	1-1/2	1	10	096	133.49
869S-251CSR	2X1-1/2	1-1/2	1	10	096	133.49
869S-291CSR	2-1/2X1-1/2	1-3/4	1	10	096	176.05
869S-333CSR ¹	3X1/2	7/8	1	10	096	176.05
869S-334CSR	3X3/4	7/8	1	10	096	176.05
869S-335CSR	3X1	1-1/8	1	10	096	176.05
869S-336CSR ¹	3X1-1/4	2-1/4	1	10	096	176.05
869S-337CSR ¹	3X1-1/2	2-1/4	1	10	096	176.05
869S-338CSR	3X2	2-1/4	1	10	096	176.05
869S-415CSR ¹	4X1/2	1-1/8	1	10	096	220.44
869S-416CSR ¹	4X3/4	1-1/8	1	10	096	220.44
869S-417CSR	4X1	1-1/8	1	8	096	220.44
869S-418CSR ¹	4X1-1/4	1-3/4	1	8	096	220.44
869S-419CSR	4X1-1/2	1-3/4	1	8	096	220.44
869S-420CSR	4X2	2-1/4	1	8	096	220.44
869S-421CSR ¹	4X2-1/2	3	1	4	096	236.81
869S-422CSR	4X3	3	4	0	096	253.83
869S-523CSR ¹	6X1/2	1-1/8	1	4	096	371.27
869S-524CSR ¹	6X3/4	1-1/8	1	4	096	371.27
869S-525CSR	6X1	1-1/8	1	4	096	371.27
869S-526CSR ¹	6X1-1/4	2-1/4	1	4	096	371.27
869S-527CSR ¹	6X1-1/2	2-1/4	1	4	096	371.27
869S-528CSR	6X2	2-1/4	1	4	096	371.27
869S-529CSR ¹	6X2-1/2	3	1	4	096	379.61
869S-530CSR	6X3	3	1	4	096	396.39
869S-532CSR	6X4	4	1	4	096	407.45
869S-573CSR ¹	8X1/2	4	1	0	096	624.89
869S-574CSR ¹	8X3/4	4	1	0	096	624.89
869S-575CSR ¹	8X1	4	1	0	096	624.89
869S-576CSR ¹	8X1-1/4	4	1	0	096	624.89
869S-577CSR ¹	8X1-1/2	4	1	0	096	624.89
869S-578CSR ¹	8X2	4	1	0	096	624.89
869S-579CSR ¹	8X2-1/2	4	1	0	096	687.33
869S-580CSR ¹	8X3	4	1	0	096	721.61
869S-582CSR	8X4	4	1	0	096	764.97
869S-585CSR	8X6	6	1	0	096	803.34
869S-624CSR	10X4	4	1	0	096	910.32
869S-626CSR	10X6	6	1	0	096	1046.78
869S-664CSR	12X4	4	1	0	096	1141.11
869S-666CSR	12X6	6	1	0	096	1323.54

¹ Outlet-sized with Bushing

Hot-Tap Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------



Hot-Tap Saddle CPVC Gray

EPDM Saddle x Socket (Spigot) Zinc Plated Bolts

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2-248C	2X3/4 (1)	1	5	050	94.35
HT2-251C	2X1-1/2 (2)	1	5	050	194.75
HT2-288C	2-1/2X3/4 (1)	1	5	050	100.71
HT2-291C	2-1/2X1-1/2 (2)	1	5	050	201.25
HT2-334C	3X3/4 (1)	1	5	050	115.39
HT2-337C	3X1-1/2 (2)	1	5	050	221.95
HT2-416C	4X3/4 (1)	1	5	050	133.32
HT2-419C	4X1-1/2 (2)	1	0	050	234.67
HT2-524C	6X3/4 (1)	1	5	050	149.93
HT2-527C	6X1-1/2 (2)	1	0	050	249.82
HT2-574C	8X3/4 (1)	1	5	050	138.08
HT2-577C	8X1-1/2 (2)	1	0	050	257.96

Not intended to convey or dispense water for human consumption through drinking or cooking

Hot-Tap Saddle CPVC Gray

EPDM Saddle x Socket (Spigot) SS316 Bolts

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2S-248C	2X3/4 (1)	1	5	050	146.66
HT2S-251C	2X1-1/2 (2)	1	5	050	303.12
HT2S-288C	2-1/2X3/4 (1)	1	5	050	156.77
HT2S-291C	2-1/2X1-1/2 (2)	1	5	050	313.38
HT2S-334C	3X3/4 (1)	1	5	050	179.76
HT2S-337C	3X1-1/2 (2)	1	5	050	345.48
HT2S-416C	4X3/4 (1)	1	5	050	207.62
HT2S-419C	4X1-1/2 (2)	1	0	050	365.38
HT2S-524C	6X3/4 (1)	1	5	050	233.04
HT2S-527C	6X1-1/2 (2)	1	0	050	388.83
HT2S-574C	8X3/4 (1)	1	0	050	251.95
HT2S-577C	8X1-1/2 (2)	1	0	050	420.44

Not intended to convey or dispense water for human consumption through drinking or cooking




Hot-Tap Saddles

Hot-Tap Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Hot-Tap Saddle CPVC Gray

FKM Saddle x Soc (Spigot) Zinc Plated Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3-248C	2X3/4 (1)	1	5	050	102.52
HT3-251C	2X1-1/2 (2)	1	5	050	211.36
HT3-288C	2-1/2X3/4 (1)	1	5	050	109.52
HT3-291C	2-1/2X1-1/2 (2)	1	5	050	218.36
HT3-334C	3X3/4 (1)	1	5	050	125.15
HT3-337C	3X1-1/2 (2)	1	5	050	241.18
HT3-416C	4X3/4 (1)	1	5	050	225.22
HT3-419C	4X1-1/2 (2)	1	0	050	254.87
HT3-524C	6X3/4 (1)	1	5	050	162.79
HT3-527C	6X1-1/2 (2)	1	0	050	270.52
HT3-574C	8X3/4 (1)	1	0	050	175.99
HT3-577C	8X1-1/2 (2)	1	0	050	327.91

Not intended to convey or dispense water for human consumption through drinking or cooking

Hot-Tap Saddle CPVC Gray

FKM Saddle x Socket (Spigot) SS316 Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3S-248C	2X3/4 (1)	1	5	050	159.72
HT3S-251C	2X1-1/2 (2)	1	5	050	329.18
HT3S-288C	2-1/2X3/4 (1)	1	5	050	170.45
HT3S-291C	2-1/2X1-1/2 (2)	1	5	050	339.78
HT3S-334C	3X3/4 (1)	1	5	050	194.58
HT3S-337C	3X1-1/2 (2)	1	5	050	382.32
HT3S-416C	4X3/4 (1)	1	5	050	225.22
HT3S-419C	4X1-1/2 (2)	1	0	050	396.82
HT3S-524C	6X3/4 (1)	1	5	050	253.42
HT3S-527C	6X1-1/2 (2)	1	0	050	421.08
HT3S-574C	8X3/4 (1)	1	0	050	273.94
HT3S-577C	8X1-1/2 (2)	1	5	050	455.23

Not intended to convey or dispense water for human consumption through drinking or cooking

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Hot-Tap Saddle CPVC Gray

EPDM with Stainless Steel Cutter & Bolts




2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS2S-248C	2X3/4 (1)	1	5	050	451.24
HTS2S-251C	2X1-1/2 (2)	1	5	050	668.76
HTS2S-288C	2-1/2X3/4 (1)	1	5	050	482.83
HTS2S-291C	2-1/2X1-1/2 (2)	1	5	050	669.83
HTS2S-334C	3X3/4 (1)	1	5	050	460.52
HTS2S-337C	3X1-1/2 (2)	1	5	050	688.51
HTS2S-416C	4X3/4 (1)	1	5	050	490.35
HTS2S-419C	4X1-1/2 (2)	1	0	050	705.63
HTS2S-524C	6X3/4 (1)	1	5	050	571.58
HTS2S-527C	6X1-1/2 (2)	1	0	050	797.65
HTS2S-574C	8X3/4 (1)	1	0	050	792.91
HTS2S-577C	8X1-1/2 (2)	1	0	050	944.41

Lead Free

Hot-Tap Saddle CPVC Gray

FKM with Stainless Steel Cutter & Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS3S-248C	2X3/4 (1)	1	5	050	458.32
HTS3S-251C	2X1-1/2 (2)	1	5	050	678.94
HTS3S-288C	2-1/2X3/4 (1)	1	5	050	490.51
HTS3S-291C	2-1/2X1-1/2 (2)	1	5	050	681.61
HTS3S-334C	3X3/4 (1)	1	5	050	421.76
HTS3S-337C	3X1-1/2 (2)	1	5	050	700.46
HTS3S-416C	4X3/4 (1)	1	5	050	499.59
HTS3S-419C	4X1-1/2 (2)	1	0	050	723.34
HTS3S-524C	6X3/4 (1)	1	5	050	580.52
HTS3S-527C	6X1-1/2 (2)	1	0	050	815.34
HTS3S-574C	8X3/4 (1)	1	0	050	810.45
HTS3S-577C	8X1-1/2 (2)	1	0	050	952.86

Lead Free