

Schedule 80 PVC Product
PVC Schedule 80 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Grooved Coupling Adapter (continued)					
Groove x Socket					
833-020	2	10	80	080	25.18
833-025	2-1/2	5	0	080	54.35
833-030	3	5	0	080	64.79
833-040	4	5	0	080	73.53
833-050F	5	1	7	084	141.14
833-060	6	5	0	080	158.76
833-080F	8	1	4	084	182.06
833-100F	10	1	0	084	223.57
833-120F	12	1	0	084	302.03

Adapters

Female Adapter

Socket x Fipt



835-002	1/4	25	450	080	11.80
835-003	3/8	25	400	080	11.80
835-098	3/4X1/4	25	150	080	5.64
835-005	1/2	25	150	080	6.53
835-007	3/4	25	150	080	9.71
835-010	1	15	90	080	14.31
835-012	1-1/4	10	120	080	23.17
835-015	1-1/2	10	80	080	28.40
835-020	2	10	0	080	49.55
835-025	2-1/2	5	0	080	78.23
835-030	3	5	0	080	88.06
835-040	4	5	0	080	151.36
835-060	6	6	0	080	179.22
835-060F	6	1	8	083	235.35
835-080	8	3	0	080	336.93
835-080F	8	1	6	083	278.20
835-100F	10	1	2	083	304.94
835-120F	12	1	0	083	384.85

Female Adapter - Brass Transition

Socket x Fipt With Brass Thread Insert



835-005BR	1/2	25	150	086	29.12
835-007BR	3/4	15	90	086	41.83
835-010BR	1	15	90	086	72.07
835-012BR	1-1/4	15	60	086	118.71
835-015BR	1-1/2	10	40	086	155.94
835-020BR	2	8	32	086	193.14
Not intended to convey or dispense water for human consumption through drinking or cooking					

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert



835-101BR	3/4X1/2	50	0	086	43.23
835-131BR	1X3/4	50	0	086	73.49

Not intended to convey or dispense water for human consumption through drinking or cooking

Female Adapter - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar



835-002SR	1/4	25	450	086	6.52
835-003SR	3/8	25	300	086	6.52
835-005SR	1/2	25	150	086	3.62
835-007SR	3/4	25	300	086	5.27
835-010SR	1	25	200	086	7.83
835-012SR	1-1/4	10	60	086	12.66
835-015SR	1-1/2	10	80	086	15.59
835-020SR	2	10	0	086	27.20
835-025SR	2-1/2	5	0	086	42.92
835-030SR	3	15	0	086	48.35
835-040SR	4	5	0	086	83.09
835-060SR	6	6	0	086	107.96

Female Adapter - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar



835-074SR	1/2X3/4	50	400	086	5.27
835-098SR	3/4X1/4	25	150	086	16.39
835-101SR	3/4X1/2	50	400	086	5.27
835-102SR	3/4X1	50	0	086	7.83
835-130SR	1X1/2	50	0	086	7.83
835-131SR	1X3/4	25	200	086	7.83

Female Adapter - Stainless Steel Transition

Socket x Fipt With 316 Stainless Steel Thread Insert



NSF® Certified Lead Free

878-072SS	1/2X1/4	25	150	086	57.07
835-005SS	1/2	25	150	086	57.07
835-007SS	3/4	15	90	086	82.02
835-010SS	1	15	90	086	139.56
835-012SS	1-1/4	25	0	086	233.07
835-015SS	1-1/2	10	40	086	304.46
835-020SS	2	8	32	086	390.57



Schedule 80 PVC Product
PVC Schedule 80 Fittings

Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter - Encapsulated Special Reinforced



Socket x ESR Fipt

835-002ESR	1/4	25	450	086	9.44
835-003ESR	3/8	25	300	086	9.44
835-005ESR	1/2	25	300	086	5.85
835-007ESR	3/4	25	300	086	8.64
835-010ESR	1	25	200	086	11.44
835-012ESR	1-1/4	10	80	086	18.46
835-015ESR	1-1/2	10	80	086	26.67
835-020ESR	2	10	0	086	39.65

Male Adapter

Mipt x Socket



836-053	3/8X1/2	50	900	080	8.13
836-005	1/2	25	150	080	8.16
836-007	3/4	25	300	080	9.00
836-102	3/4X1	50	0	080	19.25
836-131	1X3/4	50	400	080	19.25
836-010	1	20	120	080	15.56
836-012	1-1/4	10	120	080	18.19
836-015	1-1/2	10	120	080	26.14
836-213 ¹	1-1/2X2	25	0	080	56.37
836-251 ¹	2X1-1/2	10	0	080	69.31
836-020	2	10	80	080	37.81
836-025	2-1/2	10	0	080	42.97
836-030	3	5	0	080	47.69
836-040	4	4	0	080	84.86
836-050F	5	1	8	083	257.99
836-060	6	5	0	080	188.51
836-080F	8	1	2	083	203.24
836-100F	10	1	2	083	243.25
836-120F	12	1	0	083	361.49

¹ Sized With Bushing or Coupling

Male Adapter - Internal Reinforced

R Mipt x Socket - Stainless Steel Sleeve



NSF® Certified Lead Free

836-005R	1/2	25	150	086	4.47
836-007R	3/4	25	300	086	4.91
836-010R	1	10	60	086	8.61
836-012R	1-1/4	10	120	086	16.25
836-015R	1-1/2	10	120	086	25.13
836-020R	2	10	0	086	35.72

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Male Adapter - PVC Lined Brass Transition



Brass Mipt x Socket

NSF® Certified Lead Free

836-005BR	1/2	40	160	086	32.05
836-007BR	3/4	40	160	086	48.34
836-010BR	1	10	60	086	78.60
836-012BR	1-1/4	10	40	086	132.40
836-015BR	1-1/2	10	40	086	175.69
836-020BR	2	8	32	086	218.26

Male Spigot Adapter



Spigot x Mipt

861-005	1/2	50	300	080	8.20
861-007	3/4	25	300	080	12.09
861-010	1	50	0	080	17.87
861-131	1X3/4	50	200	080	18.43
861-012	1-1/4	25	0	080	19.36
861-015	1-1/2	25	0	080	21.64
861-020	2	25	0	080	25.18

Female Spigot Adapter - Brass Transition



Spigot x Fipt With Brass Thread Insert

878-005BR	1/2	25	150	086	24.49
878-007BR	3/4	15	90	086	39.66
878-010BR	1	15	90	086	77.93

Not intended to convey or dispense water for human consumption through drinking or cooking

Female Spigot Adapter - Special Reinforced



Spigot x SR Fipt - Stainless Steel Collar

878-005SR	1/2	50	600	086	4.76
878-007SR	3/4	25	300	086	5.61
878-010SR	1	50	0	086	8.64
878-012SR	1-1/4	25	0	086	13.76
878-015SR	1-1/2	25	0	086	16.49
878-020SR	2	15	0	086	27.46
878-030SR	3	5	0	086	50.48
878-040SR	4	5	0	086	85.71

Female Spigot Adapter - Special Reinforced Reducing



Spigot x SR Fipt - Stainless Steel Collar

878-072SR	1/2X1/4	25	450	086	13.24
878-098SR	3/4X1/4	50	400	086	18.24
878-128SR	1X1/4	50	400	086	18.81

Schedule 80 PVC Product
PVC Schedule 80 Fittings



Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Spigot Adapter - Encapsulated Special Reinforced, Spigot



Spigot x ESR Fipt

878-005ESR	1/2	50	600	086	6.49
878-007ESR	3/4	25	300	086	8.94
878-010ESR	1	50	0	086	12.27
878-012ESR	1-1/4	25	0	086	18.89
878-015ESR	1-1/2	25	0	086	26.82
878-020ESR	2	15	0	086	40.42

Female Spigot Adapter - Stainless Steel Transition



Spigot x Fipt With 316 Stainless Steel Thread Insert

878-005SS	1/2	25	150	086	57.07
878-007SS	3/4	15	90	086	76.63
878-010SS	1	15	90	086	98.88

Reducer Bushing



Reducer Bushing Flush Style

Spigot x Socket

837-052	3/8X1/4	50	450	080	6.16
837-072	1/2X1/4	50	300	080	6.16
837-073	1/2X3/8	50	600	080	6.16
837-101	3/4X1/2	50	600	080	2.25
837-129 ¹	1X3/8	50	200	080	12.84
837-130	1X1/2	50	300	080	6.44
837-131	1X3/4	50	400	080	6.44
837-166	1-1/4X1/2	25	150	080	10.09
837-167	1-1/4X3/4	25	300	080	10.09
837-168	1-1/4X1	25	150	080	10.09
837-209	1-1/2X1/2	25	200	080	13.75
837-210	1-1/2X3/4	25	200	080	13.75
837-211	1-1/2X1	25	200	080	13.75
837-212	1-1/2X1-1/4	25	200	080	13.75
837-247	2X1/2	10	120	080	19.60
837-248	2X3/4	10	120	080	19.60
837-249	2X1	10	120	080	19.60
837-250	2X1-1/4	10	120	080	19.60
837-251	2X1-1/2	10	120	080	19.60
837-287 ¹	2-1/2X1/2	10	40	080	45.53
837-288 ¹	2-1/2X3/4	10	40	080	45.53
837-289	2-1/2X1	10	40	080	45.53
837-290	2-1/2X1-1/4	10	80	080	34.05
837-291	2-1/2X1-1/2	10	40	080	34.05
837-292	2-1/2X2	15	0	080	34.05
837-333	3X1/2	10	0	080	62.69

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Socket

837-334 ¹	3X3/4	10	0	080	60.69
837-335	3X1	10	0	080	54.02
837-336	3X1-1/4	10	0	080	54.02
837-337	3X1-1/2	10	0	080	54.02
837-338	3X2	10	0	080	54.02
837-339	3X2-1/2	15	0	080	54.02
837-415 ¹	4X1/2	6	0	080	96.01
837-416 ¹	4X3/4	6	0	080	96.01
837-417 ¹	4X1	6	0	080	96.01
837-418 ¹	4X1-1/4	6	0	080	96.01
837-419	4X1-1/2	6	0	080	96.01
837-420	4X2	6	0	080	74.78
837-421	4X2-1/2	6	0	080	74.78
837-422	4X3	6	0	080	74.78
837-486 ¹	5X2	3	0	080	84.18
837-488 ¹	5X3	5	0	080	110.86
837-490	5X4	4	0	080	98.80
837-490F	5X4	1	4	083	105.36
837-524 ¹	6X3/4	5	0	080	124.82
837-525 ¹	6X1	5	0	080	118.58
837-526 ¹	6X1-1/4	5	0	080	124.82
837-527 ¹	6X1-1/2	5	0	080	124.82
837-528	6X2	5	0	080	103.99
837-529	6X2-1/2	5	0	080	161.23
837-530	6X3	5	0	080	103.99
837-532	6X4	5	0	080	103.99
837-533F	6X5	1	5	083	338.33
837-534	6X5	5	0	080	103.99
837-577 ¹	8X1-1/2	4	0	080	384.72
837-578 ¹	8X2	4	0	080	364.23
837-580 ¹	8X3	4	0	080	364.23
837-582 ¹	8X4	4	0	080	252.98
837-583 ¹	8X5	2	0	080	368.03
837-583F	8X5	1	6	083	598.80
837-585	8X6	4	0	080	252.98
837-621 ¹	10X2	2	0	081	704.33
837-622 ¹	10X2-1/2	2	0	081	767.41
837-623 ¹	10X3	2	0	081	704.33
837-624 ¹	10X4	1	2	081	704.33
837-625F	10X5	1	4	083	917.39
837-626	10X6	3	0	081	594.27
837-628	10X8	3	0	081	594.27
837-628F	10X8	1	6	083	229.83
837-663 ¹	12X3	2	0	081	1043.75
837-664 ¹	12X4	2	0	081	1043.75
837-666 ¹	12X6	1	0	081	958.93
837-666F ¹	12X6	1	2	083	675.14
837-668	12X8	2	0	081	686.77
837-668F ¹	12X8	1	2	083	653.24
837-670	12X10	2	0	081	686.77
837-670F	12X10	3	0	083	261.66
837-694F	14X4	1	3	083	1488.36
837-696F	14X6	1	0	083	1325.22
837-698F	14X8	1	0	083	949.51