



Schedule 80 PVC Product
PVC Schedule 80 Fittings

Couplings

Part Number	Size	Gasket to Gasket - L1	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------------------	--------	----------	-----------	------

Repair Coupling - Fabricated

Gasket x Gasket

828-020F	2	6	1	15	083	95.83
828-030F	3	11- 3/4	1	10	083	122.08
828-040F	4	15	1	4	083	152.13
828-060F	6	18-1/4	1	2	083	176.24
828-080F	8	19	1	2	083	231.72
828-100F	10	21-1/4	1	0	083	414.89
828-120F	12	21-3/8	1	0	083	528.51
828-140F	14	21	1	0	083	1211.54
828-160F	16	22-1/4	1	0	083	1445.74
828-180F	18	22-5/8	1	0	083	2495.02
828-200F	20	23-1/2	1	0	083	2694.65
828-240F	24	23-1/2	1	0	083	3698.17



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - No Stop

Socket x Socket - No Pipe Stop

829-007NS	3/4	1	18	080	28.36
829-010NS	1	1	25	080	30.09
829-012NS	1-1/4	1	10	080	45.89
829-015NS	1-1/2	1	10	080	47.81
829-020NS	2	1	20	080	51.33
829-025NS	2-1/2	1	10	080	126.34
829-030NS	3	1	6	080	145.11
829-040NS	4	1	12	080	181.71
829-050NS	5	5	0	084	28.96
829-060NS	6	1	4	080	214.25
829-080NS	8	1	4	080	272.92
829-100NS	10	1	2	081	936.68
829-120NS	12	1	0	081	1079.48



Coupling

Socket x Socket

829-002	1/4	25	450	080	11.16
829-003	3/8	25	150	080	11.16
829-005	1/2	25	150	080	6.97
829-007	3/4	25	300	080	9.44
829-010	1	25	200	080	9.71
829-012	1-1/4	10	60	080	14.78
829-015	1-1/2	10	80	080	15.94
829-020	2	20	0	080	17.11
829-025	2-1/2	10	0	080	42.12
829-030	3	5	0	080	48.36
829-040	4	5	0	080	60.57



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling (continued)

Socket x Socket

829-050	5	5	0	080	120.12
829-050F	5	1	5	083	74.96
829-060	6	4	0	080	130.35
829-080	8	4	0	080	177.39
829-100	10	1	0	081	608.84
829-100F	10	1	0	083	205.04
829-120	12	1	0	081	701.68
829-120F	12	1	0	083	236.36
829-140	14	1	0	082	892.76
829-140F	14	1	0	083	472.62
829-160F	16	1	0	083	561.89
829-180F	18	1	0	083	1107.56
829-200F	20	1	0	083	1365.56
829-240F	24	1	0	083	1499.40

Coupling - Reducer

Socket x Socket

829-101	3/4X1/2	50	400	080	8.55
829-130	1X1/2	25	200	080	11.93
829-131	1X3/4	25	200	080	12.44
829-166	1-1/4X1/2	25	0	080	25.27
829-167	1-1/4X3/4	25	0	080	25.27
829-168	1-1/4X1	25	0	080	25.27
829-209	1-1/2X1/2	25	0	080	26.45
829-210	1-1/2X3/4	25	0	080	26.45
829-211	1-1/2X1	25	0	080	26.45
829-212	1-1/2X1-1/4	25	0	080	32.69
829-247	2X1/2	25	0	080	29.84
829-248	2X3/4	10	80	080	29.84
829-249	2X1	25	0	080	29.84
829-250	2X1-1/4	10	40	080	29.84
829-251	2X1-1/2	10	40	080	29.84
829-290 ¹	2-1/2X1-1/4	10	0	080	56.37
829-291	2-1/2X1-1/2	10	0	080	39.80
829-292	2-1/2X2	10	0	080	39.80
829-335 ¹	3X1	8	0	080	91.00
829-336 ¹	3X1-1/4	6	0	080	91.00
829-337 ¹	3X1-1/2	8	0	080	91.00
829-338	3X2	10	0	080	73.28
829-339	3X2-1/2	10	0	080	104.49
829-339F	3X2-1/2	1	9	083	127.44
829-416 ¹	4X3/4	6	0	080	151.34
829-417 ¹	4X1	6	0	080	151.34
829-419 ¹	4X1-1/2	6	0	080	151.34
829-420	4X2	6	0	080	139.71
829-421	4X2-1/2	4	0	080	139.71
829-422	4X3	4	0	080	138.06
829-460F	4-1/2X4	1	20	083	91.39
829-487F	5X2-1/2	1	6	083	135.69
829-488F	5X3	1	6	083	131.56
829-490F	5X4	1	8	083	70.96



Schedule 80 PVC Product
PVC Schedule 80 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducer (continued)

Socket x Socket

829-491F	5X4-1/2	1	10	083	100.18
829-528 ¹	6X2	6	0	080	345.68
829-529 ¹	6X2-1/2	4	0	080	414.54
829-530 ¹	6X3	12	0	080	349.21
829-530F	6X3	1	10	083	130.32
829-532	6X4	4	0	080	281.60
829-534F	6X4-1/2	1	5	083	113.93
829-533F	6X5	1	5	083	119.46
829-579F	8X2-1/2	1	6	083	360.67
829-580F	8X3	1	6	083	330.51
829-582	8X4	2	0	080	852.87
829-582F	8X4	1	6	083	308.43
829-583F	8X5	1	4	083	339.04
829-585	8X6	2	0	080	852.87
829-621F	10X2	1	2	083	532.01
829-623F	10X3	1	2	083	498.07
829-624F	10X4	1	2	083	470.07
829-625F	10X5	1	4	083	427.41
829-626	10X6	1	0	081	998.47
829-626F	10X6	1	4	083	385.22
829-628	10X8	1	0	081	998.47
829-628F	10X8	1	4	083	200.47
829-663F	12X3	1	2	083	767.93
829-664F	12X4	1	2	083	656.00
829-665F	12X5	1	2	083	608.61
829-666F	12X6	1	0	083	567.46
829-668	12X8	1	0	081	1136.17
829-668F	12X8	1	0	083	439.38
829-670F	12X10	1	0	083	296.82
829-691F	14X2	1	0	083	1144.63
829-694F	14X4	1	0	083	955.79
829-696F	14X6	1	0	083	807.33
829-698F	14X8	1	0	083	738.76
829-700F	14X10	1	0	083	722.54
829-702F	14X12	1	0	083	433.39
829-754F	16X4	1	0	083	1419.09
829-756F	16X6	1	0	083	1283.45
829-758F	16X8	1	0	083	1127.22
829-760F	16X10	1	0	083	1001.25
829-762F	16X12	1	0	083	843.96
829-764F	16X14	1	0	083	640.66
829-783F	18X3	1	0	083	3079.24
829-784F	18X4	1	0	083	2994.26
829-786F	18X6	1	0	083	2798.95
829-788F	18X8	1	0	083	2650.15
829-790F	18X10	1	0	083	2397.34
829-792F	18X12	1	0	083	1973.31
829-794F	18X14	1	0	083	1335.85
829-796F	18X16	1	0	083	1140.45
829-814F	20X4	1	0	083	2964.35
829-816F	20X6	1	0	083	2729.33

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducer (continued)

Socket x Socket

829-818F	20X8	1	0	083	2608.72
829-820F	20X10	1	0	083	2517.22
829-822F	20X12	1	0	083	2177.63
829-824F	20X14	1	0	083	2171.87
829-826F	20X16	1	0	083	1995.09
829-828F	20X18	1	0	083	1375.77
829-904F	24X4	1	0	083	4741.74
829-906F	24X6	1	0	083	4669.54
829-908F	24X8	1	0	083	4568.36
829-910F	24X10	1	0	083	4458.16
829-912F	24X12	1	0	083	4055.59
829-914F	24X14	1	0	083	3740.75
829-916F	24X16	1	0	083	3409.17
829-918F	24X18	1	0	083	3114.03
829-920F	24X20	1	0	083	2940.28

¹ Sized with Bushing

Coupling - Eccentric Reducer



Socket x Socket

829-101FE	3/4X1/2	1	25	083	44.98
829-130FE	1X1/2	1	16	083	31.55
829-131FE	1X3/4	1	15	083	46.29
829-168FE	1-1/4X1	1	12	083	36.69
829-209FE ²	1-1/2X1/2	1	25	083	58.11
829-210FE ²	1-1/2X3/4	1	25	083	60.14
829-211FE	1-1/2X1	1	25	083	39.41
829-212FE	1-1/2X1-1/4	1	20	083	38.11
829-249FE	2X1	1	25	083	54.34
829-250FE	2X1-1/4	1	25	083	50.49
829-251FE	2X1-1/2	1	10	083	48.18
829-289FE ²	2-1/2X1	1	10	083	57.77
829-290FE ²	2-1/2X1-1/4	1	20	083	74.85
829-291FE ²	2-1/2X1-1/2	1	20	083	72.76
829-292FE	2-1/2X2	1	10	083	56.19
829-335FE ²	3X1	1	20	083	73.73
829-336FE ²	3X1-1/4	1	10	083	71.00
829-337FE ²	3X1-1/2	1	10	083	68.22
829-338E	3X2	15	0	080	73.28
829-338FE	3X2	1	20	083	43.58
829-339FE	3X2-1/2	1	10	083	141.48
829-417FE ³	4X1	1	18	083	179.19
829-418FE ³	4X1-1/4	1	10	083	176.01
829-419FE ³	4X1-1/2	1	12	083	170.41
829-420FE ²	4X2	1	10	083	118.98
829-421FE ²	4X2-1/2	1	6	083	99.21
829-422FE	4X3	1	10	083	89.98
829-490FE	5X4	1	8	083	119.74
829-528FE ³	6X2	1	6	083	210.88
829-529FE ³	6X2-1/2	1	6	083	192.48
829-530FE ²	6X3	1	6	083	185.76
829-532FE	6X4	1	5	083	134.49



Schedule 80 PVC Product
PVC Schedule 80 Fittings


Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Coupling - Eccentric Reducer (continued)					
Socket x Socket					
829-533FE	6X5	1	5	083	124.03
829-575FE ⁵	8X1	1	0	083	430.19
829-577FE ⁵	8X1-1/2	1	0	083	420.55
829-578FE ⁴	8X2	1	0	083	373.64
829-580FE ³	8X3	1	2	083	284.77
829-582FE ²	8X4	1	2	083	232.61
829-583FE ²	8X5	1	2	083	232.12
829-585FE	8X6	1	4	083	178.87
829-624FE ³	10X4	1	0	083	393.62
829-625FE ³	10X5	1	0	083	448.13
829-626FE ²	10X6	1	2	083	390.47
829-628FE	10X8	1	2	083	308.69
829-664FE ⁴	12X4	1	0	083	601.93
829-666FE ³	12X6	1	0	083	495.38
829-668FE ²	12X8	1	0	083	427.98
829-670FE	12X10	1	2	083	273.56
829-696FE ³	14X6	1	0	083	980.54
829-698FE ²	14X8	1	0	083	806.35
829-700FE	14X10	1	0	083	668.78
829-702FE	14X12	1	0	083	429.64
829-756FE ⁴	16X6	1	0	083	1811.58
829-758FE ³	16X8	1	0	083	1658.89
829-760FE ²	16X10	1	0	083	1206.79
829-762FE ²	16X12	1	0	083	1071.43
829-764FE	16X14	1	0	083	829.89
829-786FE ⁵	18X6	1	0	083	2500.73
829-788FE ⁴	18X8	1	0	083	2393.86
829-790FE ³	18X10	1	0	083	2237.00
829-792FE ³	18X12	1	0	083	1996.69
829-794FE ²	18X14	1	0	083	1646.15
829-796FE	18X16	1	0	083	1606.26

Eccentric Reducer Coupling Footnotes

Multi-Step Configurations

The number after the part number denotes steps listed below.



Example: 829-582 FE² (2=2 Step)

Coupling

Fipt x Fipt

830-002	1/4	25	450	080	8.37
830-003	3/8	25	150	080	8.37
830-005	1/2	25	150	080	7.80



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling (continued)

Fipt x Fipt

830-007	3/4	25	300	080	11.13
830-010	1	15	90	080	11.95
830-012	1-1/4	10	120	080	14.78
830-015	1-1/2	10	80	080	32.88
830-020	2	10	0	080	34.53
830-025	2-1/2	5	0	080	82.41
830-030	3	5	0	080	96.64
830-040	4	5	0	080	167.35
830-060F	6	1	8	083	210.92
830-080F	8	1	6	083	310.16
830-100F	10	1	2	083	421.85

Coupling - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar



830-005SR	1/2	25	150	086	4.29
830-007SR	3/4	25	150	086	6.13
830-010SR	1	25	200	086	6.55
830-012SR	1-1/4	10	120	086	8.16
830-015SR	1-1/2	10	80	086	18.04
830-020SR	2	10	0	086	18.92

Coupling - Reducer

Fipt x Fipt



830-072 ¹	1/2X1/4	50	300	080	10.52
830-073 ¹	1/2X3/8	25	150	080	10.52
830-101	3/4X1/2	50	200	080	9.28
830-211 ¹	1-1/2X1	10	40	080	45.25

¹ Sized with Bushing

Coupling - Special Reinforced Reducer

SR Fipt x SR Fipt - Stainless Steel Collar



830-101SR	3/4X1/2	50	200	086	5.57
830-130SR	1X1/2	50	0	086	8.26
830-131SR	1X3/4	25	200	086	8.26
830-168SR	1-1/4X1	25	0	086	17.75
830-210SR	1-1/2X3/4	25	0	086	26.35
830-211SR	1-1/2X1	10	80	086	26.35
830-212SR	1-1/2X1-1/4	10	80	086	26.35
830-249SR	2X1	25	0	086	34.93
830-251SR	2X1-1/2	10	0	086	34.93

Grooved Coupling Adapter

Groove x Socket

833-012	1-1/4	10	60	080	19.36
833-015	1-1/2	10	80	080	21.64



Schedule 80 PVC Product
PVC Schedule 80 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Grooved Coupling Adapter (continued)					
Groove x Socket					
833-020	2	10	80	080	25.18
833-025	2-1/2	5	0	080	54.35
833-030	3	5	0	080	64.79
833-040	4	5	0	080	73.53
833-050F	5	1	7	084	141.14
833-060	6	5	0	080	158.76
833-080F	8	1	4	084	182.06
833-100F	10	1	0	084	223.57
833-120F	12	1	0	084	302.03

Adapters

Female Adapter

Socket x Fipt



835-002	1/4	25	450	080	11.80
835-003	3/8	25	400	080	11.80
835-098	3/4X1/4	25	150	080	5.64
835-005	1/2	25	150	080	6.53
835-007	3/4	25	150	080	9.71
835-010	1	15	90	080	14.31
835-012	1-1/4	10	120	080	23.17
835-015	1-1/2	10	80	080	28.40
835-020	2	10	0	080	49.55
835-025	2-1/2	5	0	080	78.23
835-030	3	5	0	080	88.06
835-040	4	5	0	080	151.36
835-060	6	6	0	080	179.22
835-060F	6	1	8	083	235.35
835-080	8	3	0	080	336.93
835-080F	8	1	6	083	278.20
835-100F	10	1	2	083	304.94
835-120F	12	1	0	083	384.85

Female Adapter - Brass Transition

Socket x Fipt With Brass Thread Insert



835-005BR	1/2	25	150	086	29.12
835-007BR	3/4	15	90	086	41.83
835-010BR	1	15	90	086	72.07
835-012BR	1-1/4	15	60	086	118.71
835-015BR	1-1/2	10	40	086	155.94
835-020BR	2	8	32	086	193.14
Not intended to convey or dispense water for human consumption through drinking or cooking					

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert



835-101BR	3/4X1/2	50	0	086	43.23
835-131BR	1X3/4	50	0	086	73.49

Not intended to convey or dispense water for human consumption through drinking or cooking

Female Adapter - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar



835-002SR	1/4	25	450	086	6.52
835-003SR	3/8	25	300	086	6.52
835-005SR	1/2	25	150	086	3.62
835-007SR	3/4	25	300	086	5.27
835-010SR	1	25	200	086	7.83
835-012SR	1-1/4	10	60	086	12.66
835-015SR	1-1/2	10	80	086	15.59
835-020SR	2	10	0	086	27.20
835-025SR	2-1/2	5	0	086	42.92
835-030SR	3	15	0	086	48.35
835-040SR	4	5	0	086	83.09
835-060SR	6	6	0	086	107.96

Female Adapter - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar



835-074SR	1/2X3/4	50	400	086	5.27
835-098SR	3/4X1/4	25	150	086	16.39
835-101SR	3/4X1/2	50	400	086	5.27
835-102SR	3/4X1	50	0	086	7.83
835-130SR	1X1/2	50	0	086	7.83
835-131SR	1X3/4	25	200	086	7.83

Female Adapter - Stainless Steel Transition

Socket x Fipt With 316 Stainless Steel Thread Insert



NSF® Certified Lead Free

878-072SS	1/2X1/4	25	150	086	57.07
835-005SS	1/2	25	150	086	57.07
835-007SS	3/4	15	90	086	82.02
835-010SS	1	15	90	086	139.56
835-012SS	1-1/4	25	0	086	233.07
835-015SS	1-1/2	10	40	086	304.46
835-020SS	2	8	32	086	390.57