



Schedule 80 PVC Product
PVC Schedule 80 Fittings

Couplings

Part Number	Size	Gasket to Gasket - L1	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------------------	--------	----------	-----------	------

Repair Coupling - Fabricated

Gasket x Gasket

828-020F	2	6	1	15	083	91.04
828-030F	3	11- 3/4	1	10	083	115.98
828-040F	4	15	1	4	083	144.52
828-060F	6	18-1/4	1	2	083	167.43
828-080F	8	19	1	2	083	220.13
828-100F	10	21-1/4	1	0	083	394.15
828-120F	12	21-3/8	1	0	083	502.08
828-140F	14	21	1	0	083	1150.96
828-160F	16	22-1/4	1	0	083	1373.45
828-180F	18	19-7/8	1	0	083	2370.27
828-200F	20	23-1/2	1	0	083	2559.92
828-240F	24	23-1/2	1	0	083	3513.26



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - No Stop

Socket x Socket - No Pipe Stop

829-007NS	3/4	1	18	080	26.94
829-010NS	1	1	25	080	28.59
829-012NS	1-1/4	1	10	080	43.60
829-015NS	1-1/2	1	10	080	45.42
829-020NS	2	1	20	080	48.76
829-025NS	2-1/2	1	10	080	120.02
829-030NS	3	1	6	080	137.85
829-040NS	4	1	12	080	172.62
829-050NS	5	5	0	084	27.51
829-060NS	6	1	4	080	203.54
829-080NS	8	1	4	080	259.27
829-100NS	10	1	2	081	889.85
829-120NS	12	1	0	081	1025.51



Coupling

Socket x Socket

829-002	1/4	25	450	080	10.60
829-003	3/8	25	150	080	10.60
829-005	1/2	25	150	080	6.62
829-007	3/4	25	300	080	8.97
829-010	1	25	200	080	9.22
829-012	1-1/4	10	60	080	14.04
829-015	1-1/2	10	80	080	15.14
829-020	2	20	0	080	16.25
829-025	2-1/2	10	0	080	40.01
829-030	3	5	0	080	45.94
829-040	4	5	0	080	57.54



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling (continued)

Socket x Socket

829-050	5	5	0	080	114.11
829-050F	5	1	5	083	71.21
829-060	6	4	0	080	123.83
829-080	8	4	0	080	168.52
829-100	10	1	0	081	578.40
829-100F	10	1	0	083	194.79
829-120	12	1	0	081	666.60
829-120F	12	1	0	083	224.54
829-140	14	1	0	082	848.12
829-140F	14	1	0	083	448.99
829-160F	16	1	0	083	533.80
829-180F	18	1	0	083	1052.18
829-200F	20	1	0	083	1297.28
829-240F	24	1	0	083	1424.43

Coupling - Reducer

Socket x Socket

829-101	3/4X1/2	50	400	080	8.12
829-130	1X1/2	25	200	080	11.33
829-131	1X3/4	25	200	080	11.82
829-166	1-1/4X1/2	25	0	080	24.01
829-167	1-1/4X3/4	25	0	080	24.01
829-168	1-1/4X1	25	0	080	24.01
829-209	1-1/2X1/2	25	0	080	25.13
829-210	1-1/2X3/4	25	0	080	25.13
829-211	1-1/2X1	25	0	080	25.13
829-212	1-1/2X1-1/4	25	0	080	31.06
829-247	2X1/2	25	0	080	28.35
829-248	2X3/4	10	80	080	28.35
829-249	2X1	25	0	080	28.35
829-250	2X1-1/4	10	40	080	28.35
829-251	2X1-1/2	10	40	080	28.35
829-290 ¹	2-1/2X1-1/4	10	0	080	53.55
829-291	2-1/2X1-1/2	10	0	080	37.81
829-292	2-1/2X2	10	0	080	37.81
829-335 ¹	3X1	8	0	080	86.45
829-336 ¹	3X1-1/4	6	0	080	86.45
829-337 ¹	3X1-1/2	8	0	080	86.45
829-338	3X2	10	0	080	69.62
829-339	3X2-1/2	10	0	080	99.27
829-339F	3X2-1/2	1	9	083	121.07
829-416 ¹	4X3/4	6	0	080	143.77
829-417 ¹	4X1	6	0	080	143.77
829-419 ¹	4X1-1/2	6	0	080	143.77
829-420	4X2	6	0	080	132.72
829-421	4X2-1/2	4	0	080	132.72
829-422	4X3	4	0	080	131.16
829-460F	4-1/2X4	1	20	083	86.82
829-487F	5X2-1/2	1	6	083	128.91
829-488F	5X3	1	6	083	124.98
829-490F	5X4	1	8	083	67.41



Schedule 80 PVC Product
PVC Schedule 80 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Coupling - Reducer (continued)					
Socket x Socket					
829-491F	5X4-1/2	1	10	083	95.17
829-528 ¹	6X2	6	0	080	328.40
829-529 ¹	6X2-1/2	4	0	080	393.81
829-530 ¹	6X3	12	0	080	331.75
829-530F	6X3	1	10	083	123.80
829-532	6X4	4	0	080	267.52
829-534F	6X4-1/2	1	5	083	108.23
829-533F	6X5	1	5	083	113.49
829-579F	8X2-1/2	1	6	083	342.64
829-580F	8X3	1	6	083	313.98
829-582	8X4	2	0	080	810.23
829-582F	8X4	1	6	083	293.01
829-583F	8X5	1	4	083	322.09
829-585	8X6	2	0	080	810.23
829-621F	10X2	1	2	083	505.41
829-623F	10X3	1	2	083	473.17
829-624F	10X4	1	2	083	446.57
829-625F	10X5	1	4	083	406.04
829-626	10X6	1	0	081	948.55
829-626F	10X6	1	4	083	365.96
829-628	10X8	1	0	081	948.55
829-628F	10X8	1	4	083	190.45
829-663F	12X3	1	2	083	729.53
829-664F	12X4	1	2	083	623.20
829-665F	12X5	1	2	083	578.18
829-666F	12X6	1	0	083	539.09
829-668	12X8	1	0	081	1079.36
829-668F	12X8	1	0	083	417.41
829-670F	12X10	1	0	083	281.98
829-691F	14X2	1	0	083	1087.40
829-694F	14X4	1	0	083	908.00
829-696F	14X6	1	0	083	766.96
829-698F	14X8	1	0	083	701.82
829-700F	14X10	1	0	083	686.41
829-702F	14X12	1	0	083	411.72
829-754F	16X4	1	0	083	1348.14
829-756F	16X6	1	0	083	1219.28
829-758F	16X8	1	0	083	1070.86
829-760F	16X10	1	0	083	951.19
829-762F	16X12	1	0	083	801.76
829-764F	16X14	1	0	083	608.63
829-783F	18X3	1	0	083	2925.28
829-784F	18X4	1	0	083	2844.55
829-786F	18X6	1	0	083	2659.00
829-788F	18X8	1	0	083	2517.64
829-790F	18X10	1	0	083	2277.47
829-792F	18X12	1	0	083	1874.64
829-794F	18X14	1	0	083	1269.06
829-796F	18X16	1	0	083	1083.43
829-814F	20X4	1	0	083	2816.13
829-816F	20X6	1	0	083	2592.86

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducer (continued)

Socket x Socket

829-818F	20X8	1	0	083	2478.28
829-820F	20X10	1	0	083	2391.36
829-822F	20X12	1	0	083	2068.75
829-824F	20X14	1	0	083	2063.28
829-826F	20X16	1	0	083	1895.34
829-828F	20X18	1	0	083	1306.98
829-904F	24X4	1	0	083	4504.65
829-906F	24X6	1	0	083	4436.06
829-908F	24X8	1	0	083	4339.94
829-910F	24X10	1	0	083	4235.25
829-912F	24X12	1	0	083	3852.81
829-914F	24X14	1	0	083	3553.71
829-916F	24X16	1	0	083	3238.71
829-918F	24X18	1	0	083	2958.33
829-920F	24X20	1	0	083	2793.27

¹ Sized with Bushing

Coupling - Eccentric Reducer



Socket x Socket

829-101FE	3/4X1/2	1	25	083	42.73
829-130FE	1X1/2	1	16	083	29.97
829-131FE	1X3/4	1	15	083	43.98
829-168FE	1-1/4X1	1	12	083	34.86
829-209FE ²	1-1/2X1/2	1	25	083	55.20
829-210FE ²	1-1/2X3/4	1	25	083	57.13
829-211FE	1-1/2X1	1	25	083	37.44
829-212FE	1-1/2X1-1/4	1	20	083	36.20
829-249FE	2X1	1	25	083	51.62
829-250FE	2X1-1/4	1	25	083	47.97
829-251FE	2X1-1/2	1	10	083	45.77
829-289FE ²	2-1/2X1	1	10	083	54.88
829-290FE ²	2-1/2X1-1/4	1	20	083	71.11
829-291FE ²	2-1/2X1-1/2	1	20	083	69.12
829-292FE	2-1/2X2	1	10	083	53.38
829-335FE ²	3X1	1	20	083	70.04
829-336FE ²	3X1-1/4	1	10	083	67.45
829-337FE ²	3X1-1/2	1	10	083	64.81
829-338E	3X2	15	0	080	69.62
829-338FE	3X2	1	20	083	41.40
829-339FE	3X2-1/2	1	10	083	134.41
829-417FE ³	4X1	1	18	083	170.23
829-418FE ³	4X1-1/4	1	10	083	167.21
829-419FE ³	4X1-1/2	1	12	083	161.89
829-420FE ²	4X2	1	10	083	113.03
829-421FE ²	4X2-1/2	1	6	083	94.25
829-422FE	4X3	1	10	083	85.48
829-490FE	5X4	1	8	083	113.75
829-528FE ³	6X2	1	6	083	200.34
829-529FE ³	6X2-1/2	1	6	083	182.86
829-530FE ²	6X3	1	6	083	176.47
829-532FE	6X4	1	5	083	127.77



Schedule 80 PVC Product
PVC Schedule 80 Fittings


Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Coupling - Eccentric Reducer (continued)					
Socket x Socket					
829-533FE	6X5	1	5	083	117.83
829-575FE ⁵	8X1	1	0	083	408.68
829-577FE ⁵	8X1-1/2	1	0	083	399.52
829-578FE ⁴	8X2	1	0	083	354.96
829-580FE ³	8X3	1	2	083	270.53
829-582FE ²	8X4	1	2	083	220.98
829-583FE ²	8X5	1	2	083	220.51
829-585FE	8X6	1	4	083	169.93
829-624FE ³	10X4	1	0	083	373.94
829-625FE ³	10X5	1	0	083	425.72
829-626FE ²	10X6	1	2	083	370.95
829-628FE	10X8	1	2	083	293.26
829-664FE ⁴	12X4	1	0	083	571.83
829-666FE ³	12X6	1	0	083	470.61
829-668FE ²	12X8	1	0	083	406.58
829-670FE	12X10	1	2	083	259.88
829-696FE ³	14X6	1	0	083	931.51
829-698FE ²	14X8	1	0	083	766.03
829-700FE	14X10	1	0	083	635.34
829-702FE	14X12	1	0	083	408.16
829-756FE ⁴	16X6	1	0	083	1721.00
829-758FE ³	16X8	1	0	083	1575.95
829-760FE ²	16X10	1	0	083	1146.45
829-762FE ²	16X12	1	0	083	1017.86
829-764FE	16X14	1	0	083	788.40
829-786FE ⁵	18X6	1	0	083	2375.69
829-788FE ⁴	18X8	1	0	083	2274.17
829-790FE ³	18X10	1	0	083	2125.15
829-792FE ³	18X12	1	0	083	1896.86
829-794FE ²	18X14	1	0	083	1563.84
829-796FE	18X16	1	0	083	1525.95

Eccentric Reducer Coupling Footnotes

Multi-Step Configurations

The number after the part number denotes steps listed below.



Example: 829-582 FE² (2=2 Step)

Coupling

Fipt x Fipt

830-002	1/4	25	450	080	7.95
830-003	3/8	25	150	080	7.95
830-005	1/2	25	150	080	7.41



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling (continued)

Fipt x Fipt

830-007	3/4	25	300	080	10.57
830-010	1	15	90	080	11.35
830-012	1-1/4	10	120	080	14.04
830-015	1-1/2	10	80	080	31.24
830-020	2	10	0	080	32.80
830-025	2-1/2	5	0	080	78.29
830-030	3	5	0	080	91.81
830-040	4	5	0	080	158.98
830-060F	6	1	8	083	200.37
830-080F	8	1	6	083	294.65
830-100F	10	1	2	083	400.76

Coupling - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar

830-005SR	1/2	25	150	086	4.08
830-007SR	3/4	25	150	086	5.82
830-010SR	1	25	200	086	6.22
830-012SR	1-1/4	10	120	086	7.75
830-015SR	1-1/2	10	80	086	17.14
830-020SR	2	10	0	086	17.97



Coupling - Reducer

Fipt x Fipt

830-072 ¹	1/2X1/4	50	300	080	9.99
830-073 ¹	1/2X3/8	25	150	080	9.99
830-101	3/4X1/2	50	200	080	8.82
830-211 ¹	1-1/2X1	10	40	080	42.99

¹ Sized with Bushing



Coupling - Special Reinforced Reducer

SR Fipt x SR Fipt - Stainless Steel Collar

830-101SR	3/4X1/2	50	200	086	5.29
830-130SR	1X1/2	50	0	086	7.85
830-131SR	1X3/4	25	200	086	7.85
830-168SR	1-1/4X1	25	0	086	16.86
830-210SR	1-1/2X3/4	25	0	086	25.03
830-211SR	1-1/2X1	10	80	086	25.03
830-212SR	1-1/2X1-1/4	10	80	086	25.03
830-249SR	2X1	25	0	086	33.18
830-251SR	2X1-1/2	10	0	086	33.18



Grooved Coupling Adapter

Groove x Socket

833-012	1-1/4	10	60	080	18.39
833-015	1-1/2	10	80	080	20.56



Schedule 80 PVC Product
PVC Schedule 80 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Grooved Coupling Adapter (continued)					
Groove x Socket					
833-020	2	10	80	080	23.92
833-025	2-1/2	5	0	080	51.63
833-030	3	5	0	080	61.55
833-040	4	5	0	080	69.85
833-050F	5	1	7	084	134.08
833-060	6	5	0	080	150.82
833-080F	8	1	4	084	172.96
833-100F	10	1	0	084	212.39
833-120F	12	1	0	084	286.93

Adapters

Female Adapter

Socket x Fipt



835-002	1/4	25	450	080	11.21
835-003	3/8	25	400	080	11.21
835-098	3/4X1/4	25	150	080	5.36
835-005	1/2	25	150	080	6.20
835-007	3/4	25	150	080	9.22
835-010	1	15	90	080	13.59
835-012	1-1/4	10	120	080	22.01
835-015	1-1/2	10	80	080	26.98
835-020	2	10	0	080	47.07
835-025	2-1/2	5	0	080	74.32
835-030	3	5	0	080	83.66
835-040	4	5	0	080	143.79
835-060	6	6	0	080	170.26
835-060F	6	1	8	083	223.58
835-080	8	3	0	080	320.08
835-080F	8	1	6	083	264.29
835-100F	10	1	2	083	289.69
835-120F	12	1	0	083	365.61

Female Adapter - Brass Transition

Socket x Fipt With Brass Thread Insert



835-005BR	1/2	25	150	086	27.66
835-007BR	3/4	15	90	086	39.74
835-010BR	1	15	90	086	68.47
835-012BR	1-1/4	15	60	086	112.77
835-015BR	1-1/2	10	40	086	148.14
835-020BR	2	8	32	086	183.48
Not intended to convey or dispense water for human consumption through drinking or cooking					

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert



835-101BR	3/4X1/2	50	0	086	41.07
835-131BR	1X3/4	50	0	086	69.82

Not intended to convey or dispense water for human consumption through drinking or cooking

Female Adapter - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar



835-002SR	1/4	25	450	086	6.19
835-003SR	3/8	25	300	086	6.19
835-005SR	1/2	25	150	086	3.44
835-007SR	3/4	25	300	086	5.01
835-010SR	1	25	200	086	7.44
835-012SR	1-1/4	10	60	086	12.03
835-015SR	1-1/2	10	80	086	14.81
835-020SR	2	10	0	086	25.84
835-025SR	2-1/2	5	0	086	40.77
835-030SR	3	15	0	086	45.93
835-040SR	4	5	0	086	78.94
835-060SR	6	6	0	086	102.56

Female Adapter - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar



835-074SR	1/2X3/4	50	400	086	5.01
835-098SR	3/4X1/4	25	150	086	15.57
835-101SR	3/4X1/2	50	400	086	5.01
835-102SR	3/4X1	50	0	086	7.44
835-130SR	1X1/2	50	0	086	7.44
835-131SR	1X3/4	25	200	086	7.44

Female Adapter - Stainless Steel Transition

Socket x Fipt With 316 Stainless Steel Thread Insert



NSF® Certified Lead Free

878-072SS	1/2X1/4	25	150	086	54.22
835-005SS	1/2	25	150	086	54.22
835-007SS	3/4	15	90	086	77.92
835-010SS	1	15	90	086	132.58
835-012SS	1-1/4	25	0	086	221.42
835-015SS	1-1/2	10	40	086	289.24
835-020SS	2	8	32	086	371.04