



**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**

**Tees**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Tee - Special Reinforced Reducing (continued)**

**Socket x Socket x SR Fipt - Stainless Steel Collar**

802-413SR <sup>1</sup>	4X1/4	5	0	086	103.76
802-415SR <sup>1</sup>	4X1/2	5	0	086	112.77

<sup>1</sup> Sized with Bushing



**Tee - Brass Transition**

**Socket x Socket x Fipt With Brass Thread Insert**

802-005BR	1/2	20	120	086	36.47
802-007BR	3/4	20	80	086	73.09

**Not intended to convey or dispense water for human consumption through drinking or cooking**



**Tee - Brass Transition Reducing**

**Socket x Socket x Fipt With Brass Thread Insert**

802-072BR	1/2X1/4	20	120	086	39.32
802-101BR	3/4X1/2	50	0	086	45.52

**Not intended to convey or dispense water for human consumption through drinking or cooking**



**Tee - Reducing**

**Socket x Fipt x Socket**

803-095	3/4X1/2X3/4	50	0	080	14.06
---------	-------------	----	---	-----	-------

**Tee - Special Reinforced Reducing**

**Socket x SR Fipt - Stainless Steel Collar x Socket**

(See also Gauge & Instrument Fittings for additional configurations)

803-095SR	3/4X1/2X3/4	15	0	086	14.61
-----------	-------------	----	---	-----	-------



**Tee**

**Fipt x Fipt x Fipt**

805-002	1/4	25	150	080	11.94
805-003	3/8	25	150	080	11.94
805-005	1/2	20	240	080	11.94
805-007	3/4	15	120	080	13.28
805-010	1	15	0	080	29.33
805-012	1-1/4	10	0	080	31.09
805-015	1-1/2	10	0	080	37.69
805-020	2	10	0	080	40.52
805-025	2-1/2	5	0	080	147.54
805-030	3	5	0	080	154.08
805-040	4	5	0	080	250.41

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Tee (continued)**

**Fipt x Fipt x Fipt**

805-060F	6	1	2	083	393.49
805-080F	8	1	0	083	726.13

**Tee - Special Reinforced**



**SR Fipt x SR Fipt x SR Fipt - Stainless Steel Collar**

805-002SR	1/4	25	150	086	10.39
805-003SR	3/8	25	150	086	10.39
805-005SR	1/2	25	150	086	10.73
805-007SR	3/4	25	100	086	11.79
805-010SR	1	15	0	086	28.02
805-015SR	1-1/2	10	0	086	32.80
805-020SR	2	10	0	086	34.48

**Tee - Street**



**Spigot x Socket x Socket**

844-005	1/2	25	200	080	12.91
844-007	3/4	15	120	080	13.54
844-010	1	15	0	080	16.92
844-012	1-1/4	10	0	080	46.51
844-015	1-1/2	10	0	080	46.51
844-020	2	10	0	080	58.12

**90° Ells**



**90° Ell**

**Socket x Socket**

806-002	1/4	50	300	080	3.66
806-003	3/8	25	150	080	3.66
806-005	1/2	20	240	080	3.66
806-007	3/4	20	160	080	4.67
806-010	1	25	0	080	7.54
806-012	1-1/4	10	0	080	10.09
806-015	1-1/2	10	0	080	10.81
806-020	2	25	0	080	13.06
806-025	2-1/2	5	0	080	30.57
806-030	3	6	0	080	34.36
806-040	4	5	0	080	52.25
806-045F	4-1/2	1	2	083	240.24
806-050	5	4	0	080	133.97
806-050F	5	1	4	083	268.23
806-060	6	4	0	080	148.68
806-080	8	2	0	080	409.82
806-080F	8	1	2	083	411.76
806-100	10	1	0	081	1834.08
806-100F	10	1	0	083	731.96
806-120	12	1	0	081	2390.86
806-120F	12	1	0	083	1196.41

Schedule 80 PVC Product  
**PVC Schedule 80 Fittings**



**90° Ells**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>90° Ell (continued)</b>					
<b>Socket x Socket</b>					
806-140	14	1	0	082	2680.68
806-140F	14	1	0	083	1526.15
806-160F	16	1	0	083	1898.04
806-180F	18	1	0	083	2712.55
806-200F	20	1	0	083	3239.37
806-240F	24	1	0	083	4974.45
806-338 <sup>1</sup>	3X2	5	0	080	84.22
806-422 <sup>1</sup>	4X3	5	0	080	125.81

<sup>1</sup> Sized with Bushing



**90° Ell Sweep**

**Socket x Socket**

806-005S	1/2	25	150	080	9.13
806-007S	3/4	25	100	080	11.82
806-010S	1	20	0	080	19.04
806-012S	1-1/4	25	0	080	25.19
806-015S	1-1/2	25	0	080	27.07
806-020S	2	25	0	080	32.80



**90° Ell - Long Sweep**

**Socket x Socket**

806-005LSF	1/2	1	25	083	31.65
806-007LSF	3/4	1	25	083	35.53
806-010LSF	1	1	25	083	39.72
806-012LSF	1-1/4	1	25	083	67.17
806-015LSF	1-1/2	1	25	083	68.02
806-020LSF	2	1	10	083	73.54
806-025LSF	2-1/2	1	7	083	126.28
806-030LSF	3	1	5	083	137.77
806-040LSF	4	1	4	083	154.49
806-060LSF	6	1	2	083	236.62
806-080LSF	8	1	0	083	495.92
806-100LSF	10	1	0	083	843.78

Not Listed for Electrical Conduit Use



**90° Ell**

**Socket x Fipt**

807-002	1/4	25	450	080	14.40
807-003	3/8	25	150	080	14.40
807-005	1/2	20	240	080	14.40
807-007	3/4	20	240	080	16.94
807-010	1	20	0	080	18.33
807-012	1-1/4	10	40	080	21.13
807-015	1-1/2	10	0	080	25.21
807-020	2	10	0	080	32.65

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**90° Ell (continued)**

**Socket x Fipt**

807-030	3	5	0	080	77.99
807-040	4	5	0	080	147.08
807-060 <sup>1</sup>	6	3	0	080	341.26

<sup>1</sup> Thread outlet sized with Female Adapter



**90° Ell - Reducing**

**Socket x Fipt**

807-101	3/4X1/2	10	60	080	8.73
807-130 <sup>1</sup>	1X1/2	10	80	080	13.94
807-131 <sup>1</sup>	1X3/4	10	80	080	13.94

<sup>1</sup> Sized with Bushing



**90° Ell - Special Reinforced**

**Socket x SR Fipt - Stainless Steel Collar**

807-005SR	1/2	20	240	086	8.56
807-007SR	3/4	75	0	086	10.17
807-010SR	1	50	0	086	10.28
807-012SR	1-1/4	25	0	086	13.82
807-015SR	1-1/2	10	0	086	17.07
807-020SR	2	10	0	086	19.59
807-030SR	3	5	0	086	49.74
807-040SR	4	5	0	086	87.88

**90° Ell - Special Reinforced Reducing**

**Socket x SR Fipt - Stainless Steel Collar**

807-101SR	3/4X1/2	50	0	086	10.15
807-130SR	1X1/2	50	0	086	11.39



**90° Ell - Brass Transition**

**Socket x Fipt With Brass Thread Insert**

807-005BR	1/2	20	240	086	32.04
807-007BR	3/4	20	160	086	56.72

**Not intended to convey or dispense water for human consumption through drinking or cooking**



**90° Ell - Brass Transition Reducing**

**Socket x Fipt With Brass Thread Insert**

807-101BR	3/4X1/2	20	120	086	39.99
-----------	---------	----	-----	-----	-------

**Not intended to convey or dispense water for human consumption through drinking or cooking**





**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**

**90° Ells**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**90° Ell**

**Fipt x Fipt**



808-002	1/4	25	450	080	9.08
808-003	3/8	25	150	080	9.08
808-005	1/2	20	120	080	8.47
808-007	3/4	20	240	080	10.56
808-010	1	15	120	080	13.28
808-012	1-1/4	10	40	080	14.32
808-015	1-1/2	10	0	080	20.29
808-020	2	10	0	080	22.87
808-025	2-1/2	5	0	080	89.05
808-030	3	5	0	080	143.60
808-040	4	5	0	080	252.67

**90° Ell - Special Reinforced**

**SR Fipt x SR Fipt - Stainless Steel Collar**



808-003SR	3/8	25	150	086	5.00
808-005SR	1/2	20	120	086	5.00
808-007SR	3/4	20	120	086	6.28
808-010SR	1	50	0	086	7.32
808-012SR	1-1/4	25	0	086	7.81
808-015SR	1-1/2	10	0	086	12.19
808-020SR	2	10	0	086	13.73

**90° Street Ell**

**Spigot x Socket**



809-005	1/2	50	200	080	4.59
809-007	3/4	50	0	080	5.85
809-010	1	50	0	080	9.44
809-012	1-1/4	25	0	080	12.63
809-015	1-1/2	10	0	080	13.54
809-020	2	25	0	080	16.35
809-025	2-1/2	5	0	080	38.72
809-030	3	5	0	080	45.85
809-040	4	4	0	080	69.66
809-060	6	1	0	080	198.26
809-080	8	2	0	080	546.44
809-100	10	1	0	081	2444.78
809-120	12	1	0	081	3186.83
809-140	14	1	0	082	3612.27

**90° Street Ell**

**Mipt x Fipt**



812-002	1/4	50	300	080	19.54
---------	-----	----	-----	-----	-------

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**90° Street Ell (continued)**

**Mipt x Fipt**

812-005 <sup>1</sup>	1/2	25	150	080	16.22
812-007	3/4	25	150	080	18.43
812-010 <sup>1</sup>	1	50	0	080	25.04
812-012 <sup>1</sup>	1-1/4	10	0	080	28.78
812-015 <sup>1</sup>	1-1/2	10	0	080	47.16

<sup>1</sup> Sized with Adapter

**Non 90° Ells**

**11-1/4° Ell**

**Socket x Socket**



811-005F	1/2	1	52	083	29.64
811-007F	3/4	1	52	083	29.85
811-010F	1	1	50	083	32.65
811-012F	1-1/4	1	26	083	35.37
811-015	1-1/2	25	0	080	29.56
811-020	2	10	0	080	36.24
811-025F	2-1/2	1	25	083	43.32
811-030	3	10	0	080	92.89
811-040	4	4	0	080	166.94
811-045F	4-1/2	1	18	083	94.39
811-050F	5	1	4	083	113.21
811-060F	6	1	10	083	115.85
811-080F	8	1	4	083	189.64
811-100F	10	1	2	083	336.09
811-120F	12	1	2	083	491.22
811-140F	14	1	0	083	752.01
811-160F	16	1	0	083	1005.23
811-180F	18	1	0	083	1297.69
811-200F	20	1	0	083	2238.80
811-240F	24	1	0	083	2671.09

**30° Ell**

**Socket x Socket**



815-005F	1/2	1	25	083	29.64
815-007F	3/4	1	25	083	29.85
815-010F	1	1	30	083	32.65
815-012F	1-1/4	1	15	083	35.37
815-015F	1-1/2	1	25	083	35.85
815-020F	2	1	25	083	39.09
815-025F	2-1/2	1	18	083	43.32
815-030F	3	1	20	083	47.25
815-040F	4	1	6	083	61.97
815-045F	4-1/2	1	18	083	94.39
815-050F	5	1	4	083	113.21
815-060	6	5	0	080	210.18
815-080F	8	1	3	083	189.64
815-100F	10	1	2	083	336.09
815-120F	12	1	2	083	491.22