



Schedule 80 PVC Product
PVC Schedule 80 Fittings

Tees

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Special Reinforced Reducing (continued)

Socket x Socket x SR Fipt - Stainless Steel Collar

802-413SR ¹	4X1/4	5	0	086	109.22
802-415SR ¹	4X1/2	5	0	086	118.71

¹ Sized with Bushing

Tee - Brass Transition

Socket x Socket x Fipt With Brass Thread Insert

802-005BR	1/2	20	120	086	38.39
802-007BR	3/4	20	80	086	76.94

Not intended to convey or dispense water for human consumption through drinking or cooking

Tee - Brass Transition Reducing

Socket x Socket x Fipt With Brass Thread Insert

802-072BR	1/2X1/4	20	120	086	41.39
802-101BR	3/4X1/2	50	0	086	47.92

Not intended to convey or dispense water for human consumption through drinking or cooking

Tee - Reducing

Socket x Fipt x Socket

803-095	3/4X1/2X3/4	50	0	080	14.80
---------	-------------	----	---	-----	-------

Tee - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar x Socket

(See also Gauge & Instrument Fittings for additional configurations)

803-095SR	3/4X1/2X3/4	15	0	086	15.38
-----------	-------------	----	---	-----	-------

Tee

Fipt x Fipt x Fipt

805-002	1/4	25	150	080	12.57
805-003	3/8	25	150	080	12.57
805-005	1/2	20	240	080	12.57
805-007	3/4	15	120	080	13.98
805-010	1	15	0	080	30.87
805-012	1-1/4	10	0	080	32.73
805-015	1-1/2	10	0	080	39.67
805-020	2	10	0	080	42.65
805-025	2-1/2	5	0	080	155.31
805-030	3	5	0	080	162.19
805-040	4	5	0	080	263.59

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee (continued)

Fipt x Fipt x Fipt

805-060F	6	1	2	083	414.20
805-080F	8	1	0	083	764.35

Tee - Special Reinforced

SR Fipt x SR Fipt x SR Fipt - Stainless Steel Collar

805-002SR	1/4	25	150	086	10.94
805-003SR	3/8	25	150	086	10.94
805-005SR	1/2	25	150	086	11.29
805-007SR	3/4	25	100	086	12.41
805-010SR	1	15	0	086	29.49
805-015SR	1-1/2	10	0	086	34.53
805-020SR	2	10	0	086	36.29

Tee - Street

Spigot x Socket x Socket

844-005	1/2	25	200	080	13.59
844-007	3/4	15	120	080	14.25
844-010	1	15	0	080	17.81
844-012	1-1/4	10	0	080	48.96
844-015	1-1/2	10	0	080	48.96
844-020	2	10	0	080	61.18

90° Ells

90° Ell

Socket x Socket

806-002	1/4	50	300	080	3.85
806-003	3/8	25	150	080	3.85
806-005	1/2	20	240	080	3.85
806-007	3/4	20	160	080	4.92
806-010	1	25	0	080	7.94
806-012	1-1/4	10	0	080	10.62
806-015	1-1/2	10	0	080	11.38
806-020	2	25	0	080	13.75
806-025	2-1/2	5	0	080	32.18
806-030	3	6	0	080	36.17
806-040	4	5	0	080	55.00
806-045F	4-1/2	1	2	083	252.88
806-050	5	4	0	080	141.02
806-050F	5	1	4	083	282.35
806-060	6	4	0	080	156.51
806-080	8	2	0	080	431.39
806-080F	8	1	2	083	433.43
806-100	10	1	0	081	1930.61
806-100F	10	1	0	083	770.48
806-120	12	1	0	081	2516.69
806-120F	12	1	0	083	1259.38

Schedule 80 PVC Product
PVC Schedule 80 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell (continued)

Socket x Socket

806-140	14	1	0	082	2821.77
806-140F	14	1	0	083	1606.47
806-160F	16	1	0	083	1997.94
806-180F	18	1	0	083	2855.32
806-200F	20	1	0	083	3409.86
806-240F	24	1	0	083	5236.26
806-338 ¹	3X2	5	0	080	88.65
806-422 ¹	4X3	5	0	080	132.43

¹ Sized with Bushing



90° Ell Sweep

Socket x Socket

806-005S	1/2	25	150	080	9.61
806-007S	3/4	25	100	080	12.44
806-010S	1	20	0	080	20.04
806-012S	1-1/4	25	0	080	26.52
806-015S	1-1/2	25	0	080	28.49
806-020S	2	25	0	080	34.53



90° Ell - Long Sweep

Socket x Socket

806-005LSF	1/2	1	25	083	33.32
806-007LSF	3/4	1	25	083	37.40
806-010LSF	1	1	25	083	41.81
806-012LSF	1-1/4	1	25	083	70.71
806-015LSF	1-1/2	1	25	083	71.60
806-020LSF	2	1	10	083	77.41
806-025LSF	2-1/2	1	7	083	132.93
806-030LSF	3	1	5	083	145.02
806-040LSF	4	1	4	083	162.62
806-060LSF	6	1	2	083	249.07
806-080LSF	8	1	0	083	522.02
806-100LSF	10	1	0	083	888.19

Not Listed for Electrical Conduit Use



90° Ell

Socket x Fipt

807-002	1/4	25	450	080	15.16
807-003	3/8	25	150	080	15.16
807-005	1/2	20	240	080	15.16
807-007	3/4	20	240	080	17.83
807-010	1	20	0	080	19.29
807-012	1-1/4	10	40	080	22.24
807-015	1-1/2	10	0	080	26.54
807-020	2	10	0	080	34.37

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell (continued)

Socket x Fipt

807-030	3	5	0	080	82.09
807-040	4	5	0	080	154.82
807-060 ¹	6	3	0	080	359.22

¹ Thread outlet sized with Female Adapter



90° Ell - Reducing

Socket x Fipt

807-101	3/4X1/2	10	60	080	9.19
807-130 ¹	1X1/2	10	80	080	14.67
807-131 ¹	1X3/4	10	80	080	14.67

¹ Sized with Bushing



90° Ell - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar

807-005SR	1/2	20	240	086	9.01
807-007SR	3/4	75	0	086	10.71
807-010SR	1	50	0	086	10.82
807-012SR	1-1/4	25	0	086	14.55
807-015SR	1-1/2	10	0	086	17.97
807-020SR	2	10	0	086	20.62
807-030SR	3	5	0	086	52.36
807-040SR	4	5	0	086	92.51

90° Ell - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar

807-101SR	3/4X1/2	50	0	086	10.68
807-130SR	1X1/2	50	0	086	11.99



90° Ell - Brass Transition

Socket x Fipt With Brass Thread Insert

807-005BR	1/2	20	240	086	33.73
807-007BR	3/4	20	160	086	59.71

Not intended to convey or dispense water for human consumption through drinking or cooking



90° Ell - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert

807-101BR	3/4X1/2	20	120	086	42.09
-----------	---------	----	-----	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking





Schedule 80 PVC Product
PVC Schedule 80 Fittings

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell

Fipt x Fipt

808-002	1/4	25	450	080	9.56
808-003	3/8	25	150	080	9.56
808-005	1/2	20	120	080	8.92
808-007	3/4	20	240	080	11.12
808-010	1	15	120	080	13.98
808-012	1-1/4	10	40	080	15.07
808-015	1-1/2	10	0	080	21.36
808-020	2	10	0	080	24.07
808-025	2-1/2	5	0	080	93.74
808-030	3	5	0	080	151.16
808-040	4	5	0	080	265.97



90° Ell - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar

808-003SR	3/8	25	150	086	5.26
808-005SR	1/2	20	120	086	5.26
808-007SR	3/4	20	120	086	6.61
808-010SR	1	50	0	086	7.71
808-012SR	1-1/4	25	0	086	8.22
808-015SR	1-1/2	10	0	086	12.83
808-020SR	2	10	0	086	14.45



90° Street Ell

Spigot x Socket

809-005	1/2	50	200	080	4.83
809-007	3/4	50	0	080	6.16
809-010	1	50	0	080	9.94
809-012	1-1/4	25	0	080	13.29
809-015	1-1/2	10	0	080	14.25
809-020	2	25	0	080	17.21
809-025 ¹	2-1/2	5	0	080	40.76
809-030	3	5	0	080	48.26
809-040	4	4	0	080	73.33
809-060 ¹	6	1	0	080	208.69
809-080 ¹	8	2	0	080	575.20
809-100 ¹	10	1	0	081	2573.45
809-120 ¹	12	1	0	081	3354.56
809-140 ¹	14	1	0	082	3802.39



¹ = Assembled with Molded Components

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Street Ell

Mipt x Fipt

812-002	1/4	50	300	080	20.57
812-005 ¹	1/2	25	150	080	17.07
812-007	3/4	25	150	080	19.40
812-010 ¹	1	50	0	080	26.36
812-012 ¹	1-1/4	10	0	080	30.29
812-015 ¹	1-1/2	10	0	080	49.64

¹ Sized with Adapter



Non 90° Ells

11-1/4° Ell

Socket x Socket

811-005F	1/2	1	52	083	31.20
811-007F	3/4	1	52	083	31.42
811-010F	1	1	50	083	34.37
811-012F	1-1/4	1	26	083	37.23
811-015	1-1/2	25	0	080	31.12
811-020	2	10	0	080	38.15
811-025F	2-1/2	1	25	083	45.60
811-030	3	10	0	080	97.78
811-040	4	4	0	080	175.73
811-045F	4-1/2	1	18	083	99.36
811-050F	5	1	4	083	119.17
811-060F	6	1	10	083	121.95
811-080F	8	1	4	083	199.62
811-100F	10	1	2	083	353.78
811-120F	12	1	2	083	517.07
811-140F	14	1	0	083	791.59
811-160F	16	1	0	083	1058.14
811-180F	18	1	0	083	1365.99
811-200F	20	1	0	083	2356.63
811-240F	24	1	0	083	2811.67



30° Ell

Socket x Socket

815-005F	1/2	1	25	083	31.20
815-007F	3/4	1	25	083	31.42
815-010F	1	1	30	083	34.37
815-012F	1-1/4	1	15	083	37.23
815-015F	1-1/2	1	25	083	37.74
815-020F	2	1	25	083	41.15
815-025F	2-1/2	1	18	083	45.60
815-030F	3	1	20	083	49.74
815-040F	4	1	6	083	65.23
815-045F	4-1/2	1	18	083	99.36
815-050F	5	1	4	083	119.17

