

Schedule 80 PVC Product
PVC Schedule 80 Fittings



Tees

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Special Reinforced Reducing (continued)

Socket x Socket x SR Fipt - Stainless Steel Collar

802-413SR ¹	4X1/4	5	0	086	98.57
802-415SR ¹	4X1/2	5	0	086	107.13

¹ Sized with Bushing

Tee - Brass Transition

Socket x Socket x Fipt With Brass Thread Insert

802-005BR	1/2	20	120	086	34.65
802-007BR	3/4	20	80	086	69.44

Not intended to convey or dispense water for human consumption through drinking or cooking

Tee - Brass Transition Reducing

Socket x Socket x Fipt With Brass Thread Insert

802-072BR	1/2X1/4	20	120	086	37.35
802-101BR	3/4X1/2	50	0	086	43.24

Not intended to convey or dispense water for human consumption through drinking or cooking

Tee - Reducing

Socket x Fipt x Socket

803-095	3/4X1/2X3/4	50	0	080	13.36
---------	-------------	----	---	-----	-------

Tee - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar x Socket

(See also Gauge & Instrument Fittings for additional configurations)

803-095SR	3/4X1/2X3/4	15	0	086	13.88
-----------	-------------	----	---	-----	-------

Tee

Fipt x Fipt x Fipt

805-002	1/4	25	150	080	11.34
805-003	3/8	25	150	080	11.34
805-005	1/2	20	240	080	11.34
805-007	3/4	15	120	080	12.62
805-010	1	15	0	080	27.86
805-012	1-1/4	10	0	080	29.54
805-015	1-1/2	10	0	080	35.81
805-020	2	10	0	080	38.49
805-025	2-1/2	5	0	080	140.16
805-030	3	5	0	080	146.38
805-040	4	5	0	080	237.89

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee (continued)

Fipt x Fipt x Fipt

805-060F	6	1	2	083	373.82
805-080F	8	1	0	083	689.82

Tee - Special Reinforced

SR Fipt x SR Fipt x SR Fipt - Stainless Steel Collar

805-002SR	1/4	25	150	086	9.87
805-003SR	3/8	25	150	086	9.87
805-005SR	1/2	25	150	086	10.19
805-007SR	3/4	25	100	086	11.20
805-010SR	1	15	0	086	26.62
805-015SR	1-1/2	10	0	086	31.16
805-020SR	2	10	0	086	32.76

Tee - Street

Spigot x Socket x Socket

844-005	1/2	25	200	080	12.26
844-007	3/4	15	120	080	12.86
844-010	1	15	0	080	16.07
844-012	1-1/4	10	0	080	44.18
844-015	1-1/2	10	0	080	44.18
844-020	2	10	0	080	55.21

90° Ells

90° Ell

Socket x Socket

806-002	1/4	50	300	080	3.48
806-003	3/8	25	150	080	3.48
806-005	1/2	20	240	080	3.48
806-007	3/4	20	160	080	4.44
806-010	1	25	0	080	7.16
806-012	1-1/4	10	0	080	9.59
806-015	1-1/2	10	0	080	10.27
806-020	2	25	0	080	12.41
806-025	2-1/2	5	0	080	29.04
806-030	3	6	0	080	32.64
806-040	4	5	0	080	49.64
806-045F	4-1/2	1	2	083	228.23
806-050	5	4	0	080	127.27
806-050F	5	1	4	083	254.82
806-060	6	4	0	080	141.25
806-080	8	2	0	080	389.33
806-080F	8	1	2	083	391.17
806-100	10	1	0	081	1742.38
806-100F	10	1	0	083	695.36
806-120	12	1	0	081	2271.32
806-120F	12	1	0	083	1136.59



Schedule 80 PVC Product PVC Schedule 80 Fittings

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell (continued)

Socket x Socket

806-140	14	1	0	082	2546.65
806-140F	14	1	0	083	1449.84
806-160F	16	1	0	083	1803.14
806-180F	18	1	0	083	2576.92
806-200F	20	1	0	083	3077.40
806-240F	24	1	0	083	4725.73
806-338 ¹	3X2	5	0	080	80.01
806-422 ¹	4X3	5	0	080	119.52

¹ Sized with Bushing



90° Ell Sweep

Socket x Socket

806-005S	1/2	25	150	080	8.67
806-007S	3/4	25	100	080	11.23
806-010S	1	20	0	080	18.09
806-012S	1-1/4	25	0	080	23.93
806-015S	1-1/2	25	0	080	25.72
806-020S	2	25	0	080	31.16



90° Ell - Long Sweep

Socket x Socket

806-005LSF	1/2	1	25	083	30.07
806-007LSF	3/4	1	25	083	33.75
806-010LSF	1	1	25	083	37.73
806-012LSF	1-1/4	1	25	083	63.81
806-015LSF	1-1/2	1	25	083	64.62
806-020LSF	2	1	10	083	69.86
806-025LSF	2-1/2	1	7	083	119.97
806-030LSF	3	1	5	083	130.88
806-040LSF	4	1	4	083	146.77
806-060LSF	6	1	2	083	224.79
806-080LSF	8	1	0	083	471.12
806-100LSF	10	1	0	083	801.59

Not Listed for Electrical Conduit Use



90° Ell

Socket x Fipt

807-002	1/4	25	450	080	13.68
807-003	3/8	25	150	080	13.68
807-005	1/2	20	240	080	13.68
807-007	3/4	20	240	080	16.09
807-010	1	20	0	080	17.41
807-012	1-1/4	10	40	080	20.07
807-015	1-1/2	10	0	080	23.95
807-020	2	10	0	080	31.02

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell (continued)

Socket x Fipt

807-030	3	5	0	080	74.09
807-040	4	5	0	080	139.73
807-060 ¹	6	3	0	080	324.20

¹ Thread outlet sized with Female Adapter



90° Ell - Reducing

Socket x Fipt

807-101	3/4X1/2	10	60	080	8.29
807-130 ¹	1X1/2	10	80	080	13.24
807-131 ¹	1X3/4	10	80	080	13.24

¹ Sized with Bushing



90° Ell - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar

807-005SR	1/2	20	240	086	8.13
807-007SR	3/4	75	0	086	9.66
807-010SR	1	50	0	086	9.77
807-012SR	1-1/4	25	0	086	13.13
807-015SR	1-1/2	10	0	086	16.22
807-020SR	2	10	0	086	18.61
807-030SR	3	5	0	086	47.25
807-040SR	4	5	0	086	83.49



90° Ell - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar

807-101SR	3/4X1/2	50	0	086	9.64
807-130SR	1X1/2	50	0	086	10.82



90° Ell - Brass Transition

Socket x Fipt With Brass Thread Insert

807-005BR	1/2	20	240	086	30.44
807-007BR	3/4	20	160	086	53.88

Not intended to convey or dispense water for human consumption through drinking or cooking



90° Ell - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert

807-101BR	3/4X1/2	20	120	086	37.99
-----------	---------	----	-----	-----	-------

Not intended to convey or dispense water for human consumption through drinking or cooking

Schedule 80 PVC Product
PVC Schedule 80 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell

Fipt x Fipt



808-002	1/4	25	450	080	8.63
808-003	3/8	25	150	080	8.63
808-005	1/2	20	120	080	8.05
808-007	3/4	20	240	080	10.03
808-010	1	15	120	080	12.62
808-012	1-1/4	10	40	080	13.60
808-015	1-1/2	10	0	080	19.28
808-020	2	10	0	080	21.73
808-025	2-1/2	5	0	080	84.60
808-030	3	5	0	080	136.42
808-040	4	5	0	080	240.04

90° Ell - Special Reinforced

SR Fipt x SR Fipt - Stainless Steel Collar



808-003SR	3/8	25	150	086	4.75
808-005SR	1/2	20	120	086	4.75
808-007SR	3/4	20	120	086	5.97
808-010SR	1	50	0	086	6.95
808-012SR	1-1/4	25	0	086	7.42
808-015SR	1-1/2	10	0	086	11.58
808-020SR	2	10	0	086	13.04

90° Street Ell

Spigot x Socket



809-005	1/2	50	200	080	4.36
809-007	3/4	50	0	080	5.56
809-010	1	50	0	080	8.97
809-012	1-1/4	25	0	080	12.00
809-015	1-1/2	10	0	080	12.86
809-020	2	25	0	080	15.53
809-025	2-1/2	5	0	080	36.78
809-030	3	5	0	080	43.56
809-040	4	4	0	080	66.18
809-060	6	1	0	080	188.35
809-080	8	2	0	080	519.12
809-100	10	1	0	081	2322.54
809-120	12	1	0	081	3027.49
809-140	14	1	0	082	3431.66

90° Street Ell

Mipt x Fipt



812-002	1/4	50	300	080	18.56
---------	-----	----	-----	-----	-------

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Street Ell (continued)

Mipt x Fipt

812-005 ¹	1/2	25	150	080	15.41
812-007	3/4	25	150	080	17.51
812-010 ¹	1	50	0	080	23.79
812-012 ¹	1-1/4	10	0	080	27.34
812-015 ¹	1-1/2	10	0	080	44.80

¹ Sized with Adapter

Non 90° Ells

11-1/4° Ell

Socket x Socket



811-005F	1/2	1	52	083	28.16
811-007F	3/4	1	52	083	28.36
811-010F	1	1	50	083	31.02
811-012F	1-1/4	1	26	083	33.60
811-015	1-1/2	25	0	080	28.08
811-020	2	10	0	080	34.43
811-025F	2-1/2	1	25	083	41.15
811-030	3	10	0	080	88.25
811-040	4	4	0	080	158.59
811-045F	4-1/2	1	18	083	89.67
811-050F	5	1	4	083	107.55
811-060F	6	1	10	083	110.06
811-080F	8	1	4	083	180.16
811-100F	10	1	2	083	319.29
811-120F	12	1	2	083	466.66
811-140F	14	1	0	083	714.41
811-160F	16	1	0	083	954.97
811-180F	18	1	0	083	1232.81
811-200F	20	1	0	083	2126.86
811-240F	24	1	0	083	2537.54

30° Ell

Socket x Socket



815-005F	1/2	1	25	083	28.16
815-007F	3/4	1	25	083	28.36
815-010F	1	1	30	083	31.02
815-012F	1-1/4	1	15	083	33.60
815-015F	1-1/2	1	25	083	34.06
815-020F	2	1	25	083	37.14
815-025F	2-1/2	1	18	083	41.15
815-030F	3	1	20	083	44.89
815-040F	4	1	6	083	58.87
815-045F	4-1/2	1	18	083	89.67
815-050F	5	1	4	083	107.55
815-060	6	5	0	080	199.67
815-080F	8	1	3	083	180.16
815-100F	10	1	2	083	319.29
815-120F	12	1	2	083	466.66