



**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**

**90° Ells**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**90° Ell**

**Fipt x Fipt**

808-002	1/4	25	450	080	9.08
808-003	3/8	25	150	080	9.08
808-005	1/2	20	120	080	8.47
808-007	3/4	20	240	080	10.56
808-010	1	15	120	080	13.28
808-012	1-1/4	10	40	080	14.32
808-015	1-1/2	10	0	080	20.29
808-020	2	10	0	080	22.87
808-025	2-1/2	5	0	080	89.05
808-030	3	5	0	080	143.60
808-040	4	5	0	080	252.67



**90° Ell - Special Reinforced**

**SR Fipt x SR Fipt - Stainless Steel Collar**

808-003SR	3/8	25	150	086	5.00
808-005SR	1/2	20	120	086	5.00
808-007SR	3/4	20	120	086	6.28
808-010SR	1	50	0	086	7.32
808-012SR	1-1/4	25	0	086	7.81
808-015SR	1-1/2	10	0	086	12.19
808-020SR	2	10	0	086	13.73



**90° Street Ell**

**Spigot x Socket**

809-005	1/2	50	200	080	4.59
809-007	3/4	50	0	080	5.85
809-010	1	50	0	080	9.44
809-012	1-1/4	25	0	080	12.63
809-015	1-1/2	10	0	080	13.54
809-020	2	25	0	080	16.35
809-025 <sup>1</sup>	2-1/2	5	0	080	38.72
809-030	3	5	0	080	45.85
809-040	4	4	0	080	69.66
809-060 <sup>1</sup>	6	1	0	080	198.26
809-080 <sup>1</sup>	8	2	0	080	546.44
809-100 <sup>1</sup>	10	1	0	081	2444.78
809-120 <sup>1</sup>	12	1	0	081	3186.83
809-140 <sup>1</sup>	14	1	0	082	3612.27



<sup>1</sup> = Assembled with Molded Components

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**90° Street Ell**

**Mipt x Fipt**

812-002	1/4	50	300	080	19.54
812-005 <sup>1</sup>	1/2	25	150	080	16.22
812-007	3/4	25	150	080	18.43
812-010 <sup>1</sup>	1	50	0	080	25.04
812-012 <sup>1</sup>	1-1/4	10	0	080	28.78
812-015 <sup>1</sup>	1-1/2	10	0	080	47.16

<sup>1</sup> Sized with Adapter



**Non 90° Ells**

**11-1/4° Ell**

**Socket x Socket**

811-005F	1/2	1	52	083	29.64
811-007F	3/4	1	52	083	29.85
811-010F	1	1	50	083	32.65
811-012F	1-1/4	1	26	083	35.37
811-015	1-1/2	25	0	080	29.56
811-020	2	10	0	080	36.24
811-025F	2-1/2	1	25	083	43.32
811-030	3	10	0	080	92.89
811-040	4	4	0	080	166.94
811-045F	4-1/2	1	18	083	94.39
811-050F	5	1	4	083	113.21
811-060F	6	1	10	083	115.85
811-080F	8	1	4	083	189.64
811-100F	10	1	2	083	336.09
811-120F	12	1	2	083	491.22
811-140F	14	1	0	083	752.01
811-160F	16	1	0	083	1005.23
811-180F	18	1	0	083	1297.69
811-200F	20	1	0	083	2238.80
811-240F	24	1	0	083	2671.09



**30° Ell**

**Socket x Socket**

815-005F	1/2	1	25	083	29.64
815-007F	3/4	1	25	083	29.85
815-010F	1	1	30	083	32.65
815-012F	1-1/4	1	15	083	35.37
815-015F	1-1/2	1	25	083	35.85
815-020F	2	1	25	083	39.09
815-025F	2-1/2	1	18	083	43.32
815-030F	3	1	20	083	47.25
815-040F	4	1	6	083	61.97
815-045F	4-1/2	1	18	083	94.39
815-050F	5	1	4	083	113.21



Schedule 80 PVC Product  
**PVC Schedule 80 Fittings**



**Non 90° Ells**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>30° Ell (continued)</b>					
<b>Socket x Socket</b>					
815-060	6	5	0	080	210.18
815-080F	8	1	3	083	189.64
815-100F	10	1	2	083	336.09
815-120F	12	1	2	083	491.22
815-140F	14	1	0	083	752.01
815-160F	16	1	0	083	1005.23
815-180F	18	1	0	083	1544.23
815-200F	20	1	0	083	2238.80
815-240F	24	1	0	083	2671.09



**22-1/2° Ell**

**Socket x Socket**


816-005	1/2	20	240	080	8.14
816-007	3/4	20	240	080	12.41
816-010	1	20	160	080	18.59
816-010F	1	1	25	083	17.93
816-015F	1-1/2	1	25	083	31.27
816-012	1-1/4	20	0	080	23.66
816-015	1-1/2	20	0	080	27.98
816-020	2	20	0	080	36.24
816-025	2-1/2	5	0	080	74.46
816-025F	2-1/2	1	18	083	43.32
816-030	3	5	0	080	92.89
816-040	4	4	0	080	166.94
816-045F	4-1/2	1	18	083	94.39
816-050F	5	1	8	083	113.21
816-060	6	4	0	080	210.18
816-060F	6	1	8	083	115.85
816-080	8	4	0	080	455.79
816-080F	8	1	4	083	189.64
816-100F	10	1	2	083	336.09
816-120F	12	1	2	083	491.22
816-140F	14	1	0	083	752.01
816-160F	16	1	0	083	1005.23
816-180F	18	1	0	083	1297.69
816-200F	20	1	0	083	2238.80
816-240F	24	1	0	083	2671.09



**45° Ell**

**Socket x Socket**

817-002	1/4	25	450	080	13.15
817-003	3/8	25	150	080	13.15
817-005	1/2	20	240	080	6.89
817-007	3/4	20	240	080	10.54
817-010	1	15	120	080	15.79
817-012	1-1/4	10	80	080	20.12
817-015	1-1/2	10	0	080	23.78



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**45° Ell (continued)**

**Socket x Socket**

817-020	2	10	0	080	30.83
817-025	2-1/2	5	0	080	64.73
817-030	3	5	0	080	78.79
817-040	4	5	0	080	141.88
817-045F	4-1/2	1	2	083	98.29
817-050	5	4	0	080	169.75
817-050F	5	1	4	083	134.13
817-060	6	4	0	080	178.68
817-080	8	2	0	080	387.40
817-100	10	1	0	081	1219.66
817-100F	10	1	2	083	514.73
817-120	12	1	0	081	1573.28
817-120F	12	1	0	083	724.17
817-140	14	1	0	082	1847.27
817-140F	14	1	0	083	1180.36
817-160F	16	1	0	083	1445.04
817-180F	18	1	0	083	1758.86
817-200F	20	1	0	083	2415.88
817-240F	24	1	0	083	2992.44



**15° Ell**

**Socket x Socket**

818-005F	1/2	1	25	083	29.64
818-007F	3/4	1	23	083	29.85
818-010F	1	1	20	083	32.65
818-012F	1-1/4	15	0	083	35.37
818-015F	1-1/2	1	25	083	35.85
818-020F	2	1	25	083	39.09
818-025F	2-1/2	1	18	083	127.63
818-030F	3	1	35	083	47.25
818-040F	4	1	20	083	61.97
818-045F	4-1/2	1	18	083	94.39
818-050F	5	1	4	083	113.21
818-060F	6	1	8	083	115.85
818-080F	8	1	4	083	189.64
818-100F	10	1	2	083	336.09
818-120F	12	1	2	083	491.22
818-140F	14	1	0	083	752.01
818-160F	16	1	0	083	1005.23
818-180F	18	1	0	083	1297.69
818-200F	20	1	0	083	2238.80
818-240F	24	1	0	083	2671.09



**45° Ell**

**Fipt x Fipt**

819-002	1/4	25	450	080	14.92
819-003	3/8	25	150	080	14.92
819-005	1/2	25	150	080	13.61
819-007	3/4	10	60	080	14.62



**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**

**Non 90° Ells**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>45° Ell (continued)</b>					
<b>Fipt x Fipt</b>					
819-010	1	10	60	080	18.35
819-012	1-1/4	10	80	080	27.99
819-015	1-1/2	10	0	080	35.19
819-020	2	10	0	080	52.17
819-025	2-1/2	5	0	080	103.22
819-030	3	5	0	080	166.03
819-040	4	5	0	080	238.24

**45° Ell - Special Reinforced**

**SR Fipt x SR Fipt - Stainless Steel Collar**

819-005SR	1/2	25	150	086	7.86
819-007SR	3/4	10	120	086	8.60
819-010SR	1	10	60	086	14.22

**60° Ell**

**Socket x Socket**

824-005F	1/2	1	7	083	82.24
824-007F	3/4	1	25	083	97.11
824-010F	1	1	25	083	105.66
824-012F	1-1/4	1	16	083	107.73
824-015F	1-1/2	1	16	083	115.07
824-020F	2	1	16	083	145.98
824-025F	2-1/2	1	10	083	171.86
824-030F	3	1	4	083	172.18
824-040F	4	1	4	083	221.24
824-060F	6	1	2	083	395.12
824-080F	8	1	2	083	478.89
824-100F	10	1	2	083	818.22
824-120F	12	1	0	083	1068.71
824-140F	14	1	0	083	1330.77
824-160F	16	1	0	083	1503.64
824-180F	18	1	0	083	2662.81
824-200F	20	1	0	083	2937.82
824-240F	24	1	0	083	4898.94

**45° Street Ell**

**Spigot x Socket**

827-005	1/2	50	400	080	6.89
827-007	3/4	50	0	080	10.54
827-010	1	50	0	080	15.79
827-012	1-1/4	25	0	080	20.12
827-015	1-1/2	25	0	080	23.78
827-020	2	10	0	080	30.83
827-025 <sup>1</sup>	2-1/2	12	0	080	40.65
827-030	3	10	0	080	78.79

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**45° Street Ell (continued)**

**Spigot x Socket**

827-040	4	5	0	080	141.88
827-050F	5	1	2	083	171.65
827-060	6	4	0	080	210.18
827-080	8	2	0	080	455.79
827-100 <sup>1</sup>	10	1	0	081	1434.94
827-120 <sup>1</sup>	12	1	0	081	1850.93
827-140F	14	1	0	083	1089.44
827-160F	16	1	0	083	1747.60
827-180F	18	1	0	083	1953.65
827-200F	20	1	0	083	2570.16
827-240F	24	1	0	083	4086.77

<sup>1</sup> = Assembled with Molded Components

**22-1/2° Street Ell**

**Spigot x Socket**

842-005	1/2	50	400	080	8.44
842-007	3/4	50	0	080	12.98
842-010	1	50	0	080	20.39
842-012	1-1/4	20	0	080	25.39
842-015	1-1/2	25	0	080	28.78
842-020	2	20	0	080	36.24
842-025	2-1/2	5	0	080	94.60
842-030	3	5	0	080	103.85
842-040	4	4	0	080	182.65
842-040F	4	1	5	084	116.37
842-060	6	6	0	080	259.59
842-060F	6	1	6	083	145.98
842-080	8	1	2	080	561.26
842-080F	8	1	4	083	192.66
842-100F	10	1	0	083	393.75
842-120F	12	1	2	084	513.05

**Crosses**

**Cross**

**Socket x Socket x Socket x Socket**

820-002	1/4	25	150	080	50.91
820-005	1/2	50	0	080	50.91
820-007	3/4	50	0	080	53.57
820-010	1	50	0	080	62.73
820-012	1-1/4	25	0	080	75.27
820-015	1-1/2	25	0	080	81.14
820-020	2	10	0	080	100.46
820-025	2-1/2	10	0	080	136.99
820-030	3	5	0	080	170.86
820-040	4	3	0	080	297.27
820-060F	6	1	0	083	714.36
820-080F	8	1	0	083	1044.54
820-100F	10	1	0	083	1684.75