

Schedule 80 PVC Product  
**PVC Schedule 80 Fittings**



**Reducer Bushing**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Reducer Bushing Flush Style**

**Spigot x Socket**



837-052	3/8X1/4	50	450	080	5.85
837-072	1/2X1/4	50	300	080	5.85
837-073	1/2X3/8	50	600	080	5.85
837-101	3/4X1/2	50	600	080	2.14
837-129 <sup>1</sup>	1X3/8	50	200	080	12.20
837-130	1X1/2	50	300	080	6.12
837-131	1X3/4	50	400	080	6.12
837-166	1-1/4X1/2	25	150	080	9.59
837-167	1-1/4X3/4	25	300	080	9.59
837-168	1-1/4X1	25	150	080	9.59
837-209	1-1/2X1/2	25	200	080	13.06
837-210	1-1/2X3/4	25	200	080	13.06
837-211	1-1/2X1	25	200	080	13.06
837-212	1-1/2X1-1/4	25	200	080	13.06
837-247	2X1/2	10	120	080	18.62
837-248	2X3/4	10	120	080	18.62
837-249	2X1	10	120	080	18.62
837-250	2X1-1/4	10	120	080	18.62
837-251	2X1-1/2	10	120	080	18.62
837-287 <sup>1</sup>	2-1/2X1/2	10	40	080	43.25
837-288 <sup>1</sup>	2-1/2X3/4	10	40	080	43.25
837-289	2-1/2X1	10	40	080	43.25
837-290	2-1/2X1-1/4	10	80	080	32.35
837-291	2-1/2X1-1/2	10	40	080	32.35
837-292	2-1/2X2	15	0	080	32.35
837-333	3X1/2	10	0	080	59.56
837-334 <sup>1</sup>	3X3/4	10	0	080	57.66
837-335	3X1	10	0	080	51.32
837-336	3X1-1/4	10	0	080	51.32
837-337	3X1-1/2	10	0	080	51.32
837-338	3X2	10	0	080	51.32
837-339	3X2-1/2	15	0	080	51.32
837-415 <sup>1</sup>	4X1/2	6	0	080	91.21
837-416 <sup>1</sup>	4X3/4	6	0	080	91.21
837-417 <sup>1</sup>	4X1	6	0	080	91.21
837-418 <sup>1</sup>	4X1-1/4	6	0	080	91.21
837-419	4X1-1/2	6	0	080	91.21
837-420	4X2	6	0	080	71.04
837-421	4X2-1/2	6	0	080	71.04
837-422	4X3	6	0	080	71.04
837-486 <sup>1</sup>	5X2	3	0	080	79.97
837-488 <sup>1</sup>	5X3	5	0	080	105.32
837-490	5X4	4	0	080	93.86
837-490F	5X4	1	4	083	100.09
837-524 <sup>1</sup>	6X3/4	5	0	080	118.58
837-525 <sup>1</sup>	6X1	5	0	080	112.65
837-526 <sup>1</sup>	6X1-1/4	5	0	080	118.58
837-527 <sup>1</sup>	6X1-1/2	5	0	080	118.58

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Reducer Bushing Flush Style (continued)**

**Spigot x Socket**

837-528	6X2	5	0	080	98.79
837-529	6X2-1/2	5	0	080	153.17
837-530	6X3	5	0	080	98.79
837-532	6X4	5	0	080	98.79
837-533F	6X5	1	5	083	321.41
837-534	6X5	5	0	080	98.79
837-577 <sup>1</sup>	8X1-1/2	4	0	080	365.48
837-578 <sup>1</sup>	8X2	4	0	080	346.02
837-580 <sup>1</sup>	8X3	4	0	080	346.02
837-582 <sup>1</sup>	8X4	4	0	080	240.33
837-583 <sup>1</sup>	8X5	2	0	080	349.63
837-583F	8X5	1	6	083	568.86
837-585	8X6	4	0	080	240.33
837-621 <sup>1</sup>	10X2	2	0	081	669.11
837-622 <sup>1</sup>	10X2-1/2	2	0	081	729.04
837-623 <sup>1</sup>	10X3	2	0	081	669.11
837-624 <sup>1</sup>	10X4	1	2	081	669.11
837-625F	10X5	1	4	083	871.52
837-626	10X6	3	0	081	564.56
837-628	10X8	3	0	081	564.56
837-628F	10X8	1	6	083	218.34
837-663 <sup>1</sup>	12X3	2	0	081	991.56
837-664 <sup>1</sup>	12X4	2	0	081	991.56
837-666 <sup>1</sup>	12X6	1	0	081	910.98
837-666F <sup>1</sup>	12X6	1	2	083	641.38
837-668	12X8	2	0	081	652.43
837-668F <sup>1</sup>	12X8	1	2	083	620.58
837-670	12X10	2	0	081	652.43
837-670F	12X10	3	0	083	248.58
837-694F	14X4	1	3	083	1413.94
837-696F	14X6	1	0	083	1258.96
837-698F	14X8	1	0	083	902.03
837-700F	14X10	1	3	083	563.13
837-702F	14X12	1	3	083	241.57
837-754F	16X4	1	0	083	1615.28
837-756F	16X6	1	0	083	1499.93
837-758F	16X8	1	0	083	1180.92
837-760F	16X10	1	0	083	855.97
837-762F	16X12	1	2	083	505.19
837-764F	16X14	1	2	083	493.51
837-786F	18X6	1	0	083	2542.81
837-788F	18X8	1	0	083	2329.75
837-790F	18X10	1	0	083	1912.45
837-792F	18X12	1	0	083	1218.69
837-794F	18X14	1	0	083	1207.09
837-796F	18X16	1	0	083	557.49
837-816F	20X6	1	0	083	3547.44
837-818F	20X8	1	0	083	3280.87
837-820F	20X10	1	0	083	3037.15
837-822F	20X12	1	0	083	2693.03
837-824F	20X14	1	0	083	2214.35
837-826F	20X16	1	0	083	1737.44
837-828F	20X18	1	0	083	906.99
837-906F	24X6	1	0	083	5572.80



**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**

**Reducer Bushing**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Reducer Bushing Flush Style (continued)</b>					
<b>Spigot x Socket</b>					
837-908F	24X8	1	0	083	5403.13
837-910F	24X10	1	0	083	4746.07
837-912F	24X12	1	0	083	4282.03
837-914F	24X14	1	0	083	4010.47
837-916F	24X16	1	0	083	3793.66
837-918F	24X18	1	0	083	3288.27
837-920F	24X20	1	0	083	2717.57

<sup>1</sup> Sized with Bushing

**Reducer Bushing Flush Style**

**Spigot x Fipt**

838-052	3/8X1/4	50	450	080	5.85
838-071	1/2X1/8	50	600	080	5.85
838-072	1/2X1/4	50	350	080	5.85
838-073	1/2X3/8	50	500	080	5.85
838-098	3/4X1/4	50	300	080	3.86
838-099	3/4X3/8	50	600	080	3.86
838-101	3/4X1/2	50	300	080	3.86
838-127	1X1/8	25	150	080	6.12
838-128	1X1/4	50	200	080	6.71
838-129	1X3/8	50	400	080	6.12
838-130	1X1/2	50	300	080	6.12
838-131	1X3/4	50	400	080	6.12
838-166	1-1/4X1/2	25	300	080	12.42
838-167	1-1/4X3/4	25	300	080	12.42
838-168	1-1/4X1	25	300	080	12.42
838-206	1-1/2X1/8	25	100	080	15.56
838-207	1-1/2X1/4	25	200	080	14.78
838-209	1-1/2X1/2	25	200	080	15.56
838-210	1-1/2X3/4	25	200	080	15.56
838-211	1-1/2X1	25	200	080	15.56
838-212	1-1/2X1-1/4	25	200	080	15.56
838-247	2X1/2	10	60	080	19.03
838-248	2X3/4	10	60	080	19.03
838-249	2X1	10	120	080	19.03
838-250	2X1-1/4	10	120	080	19.03
838-251	2X1-1/2	10	120	080	19.03
838-287	2-1/2X1/2	10	0	080	40.29
838-288	2-1/2X3/4	10	40	080	40.29
838-289	2-1/2X1	10	40	080	40.29
838-290	2-1/2X1-1/4	10	40	080	40.29
838-291	2-1/2X1-1/2	10	0	080	40.29
838-292	2-1/2X2	10	40	080	40.29
838-334	3X3/4	10	0	080	74.60
838-335	3X1	10	0	080	74.60
838-336	3X1-1/4	10	0	080	74.60
838-337	3X1-1/2	10	0	080	74.60
838-338	3X2	10	0	080	74.60
838-339	3X2-1/2	10	0	080	74.60



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Reducer Bushing Flush Style (continued)**

**Spigot x Fipt**

838-419	4X1-1/2	6	0	080	144.19
838-420	4X2	6	0	080	114.60
838-421	4X2-1/2	6	0	080	114.60
838-422	4X3	6	0	080	114.60
838-528	6X2	5	0	080	132.01
838-530	6X3	5	0	080	132.01
838-532	6X4	5	0	080	132.01

**Special Reinforced Reducer Bushing Flush Style**

**Spigot x SR Fipt - Stainless Steel Collar**

838-128SR	1X1/4	25	150	086	3.66
838-207SR	1-1/2X1/4	25	200	086	9.34
838-166SR	1-1/4X1/2	25	100	086	6.69
838-209SR	1-1/2X1/2	10	60	086	9.34
838-210SR	1-1/2X3/4	25	200	086	9.34
838-247SR	2X1/2	10	80	086	11.43
838-248SR	2X3/4	10	80	086	11.43
838-249SR	2X1	10	120	086	11.43
838-334SR	3X3/4	10	0	086	44.75
838-335SR	3X1	10	0	086	44.75
838-336SR	3X1-1/4	10	0	086	44.75
838-337SR	3X1-1/2	10	0	086	44.75
838-528SR	6X2	5	0	086	79.20
838-530SR	6X3	5	0	086	71.31
838-532SR	6X4	5	0	086	79.20



**Reducer Bushing (T.T.) Flush Style**

**Mipt x Fipt**

839-041	1/4X1/8	25	500	080	13.35
839-052	3/8X1/4	50	450	080	13.35
839-072	1/2X1/4	50	300	080	13.35
839-073	1/2X3/8	50	300	080	13.35
839-098	3/4X1/4	50	300	080	9.95
839-099	3/4X3/8	50	300	080	9.95
839-101	3/4X1/2	50	300	080	8.20
839-128	1X1/4	25	150	080	16.05
839-129	1X3/8	50	600	080	12.84
839-130	1X1/2	50	300	080	12.84
839-131	1X3/4	50	700	080	12.84
839-166	1-1/4X1/2	25	150	080	13.62
839-167	1-1/4X3/4	25	150	080	13.62
839-168	1-1/4X1	25	300	080	13.62
839-209	1-1/2X1/2	25	150	080	16.15
839-210	1-1/2X3/4	25	300	080	16.15
839-211	1-1/2X1	25	300	080	16.15
839-212	1-1/2X1-1/4	25	300	080	16.15
839-247	2X1/2	10	60	080	23.65
839-248	2X3/4	10	60	080	23.65
839-249	2X1	10	60	080	23.65



Schedule 80 PVC Product  
**PVC Schedule 80 Fittings**



**Reducer Bushing**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Reducer Bushing (T.T.) Flush Style (continued)</b>					
<b>Mipt x Fipt</b>					
839-250	2X1-1/4	10	60	080	23.65
839-251	2X1-1/2	10	60	080	23.65
839-292	2-1/2X2	10	80	080	32.03
839-337	3X1-1/2	10	0	080	43.54
839-338	3X2	10	0	080	43.54
839-339	3X2-1/2	10	0	080	43.54
839-420	4X2	6	0	080	89.74
839-422	4X3	6	0	080	114.60
839-532	6X4	5	0	080	150.57



**Reducer Bushing - Special Reinforced**

**Mipt x SR Fipt - Stainless Steel Collar**

839-128SR	1X1/4	25	150	086	6.62
839-209SR	1-1/2X1/2	25	300	086	9.68
839-210SR	1-1/2X3/4	25	300	086	9.68
839-247SR	2X1/2	10	60	086	14.22
839-248SR	2X3/4	10	60	086	14.22
839-249SR	2X1	10	120	086	14.22
839-420SR	4X2	6	0	086	53.84

**Caps**



**Cap**

**Socket**

847-002	1/4	25	450	080	8.42
847-003	3/8	25	450	080	8.42
847-005	1/2	25	150	080	6.48
847-007	3/4	25	300	080	6.83
847-010	1	15	90	080	12.15
847-012	1-1/4	10	60	080	14.65
847-015	1-1/2	10	120	080	14.65
847-020	2	10	80	080	28.93
847-025	2-1/2	5	40	080	59.07
847-030	3	5	0	080	69.12
847-040	4	5	0	080	116.56
847-050F	5	1	6	083	148.02
847-060	6	4	0	080	289.95
847-080	8	3	0	080	372.27
847-100F	10	1	5	083	380.81
847-120F	12	1	4	083	571.52
847-140F	14	1	2	083	632.92
847-160F	16	1	2	083	819.95
847-180F	18	1	0	083	1197.09
847-200F	20	1	0	083	1604.76
847-240F	24	1	0	083	2985.54

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cap**



**Fipt**

848-002	1/4	25	450	080	8.12
848-003	3/8	25	450	080	8.12
848-005	1/2	25	150	080	8.12
848-007	3/4	25	300	080	9.08
848-010	1	15	90	080	11.44
848-012	1-1/4	10	60	080	13.62
848-015	1-1/2	10	120	080	15.56
848-020	2	10	40	080	30.57
848-025	2-1/2	5	40	080	61.15
848-030	3	5	0	080	71.99
848-040	4	5	0	080	126.76
848-060F	6	1	4	083	211.48
848-080F	8	1	3	083	275.22
848-100F	10	1	2	084	497.08
848-120F	12	1	0	083	1060.77

**Cap - Special Reinforced**



**SR Fipt - Stainless Steel Collar**

848-002SR	1/4	25	500	086	4.46
848-003SR	3/8	25	450	086	4.46
848-005SR	1/2	50	300	086	4.88
848-007SR	3/4	25	300	086	6.26
848-030SR	3	5	0	086	38.60

**Plugs**

**Plug**



**Spigot**

849-005	1/2	50	300	080	6.06
849-007	3/4	50	300	080	6.75
849-010	1	50	200	080	7.61
849-012	1-1/4	25	100	080	9.72
849-015	1-1/2	10	120	080	10.66
849-020	2	10	120	080	14.11
849-025F <sup>4</sup>	2-1/2	1	4	083	33.02
849-030F <sup>4</sup>	3	1	4	083	39.82
849-040F <sup>4</sup>	4	1	4	083	87.11
849-060F <sup>4</sup>	6	1	6	083	242.19
849-080F <sup>4</sup>	8	1	6	083	315.35
849-100F <sup>4</sup>	10	1	2	083	512.79
849-120F <sup>4</sup>	12	1	0	083	949.93

<sup>4</sup> Plug fabricated using Cap and pipe spigot.