



Schedule 80 PVC Product
PVC Schedule 80 Fittings

Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style

Spigot x Socket



837-052	3/8X1/4	50	450	080	5.56
837-072	1/2X1/4	50	300	080	5.56
837-073	1/2X3/8	50	600	080	5.56
837-101	3/4X1/2	50	600	080	2.03
837-129 ¹	1X3/8	50	200	080	11.59
837-130	1X1/2	50	300	080	5.81
837-131	1X3/4	50	400	080	5.81
837-166	1-1/4X1/2	25	150	080	9.11
837-167	1-1/4X3/4	25	300	080	9.11
837-168	1-1/4X1	25	150	080	9.11
837-209	1-1/2X1/2	25	200	080	12.41
837-210	1-1/2X3/4	25	200	080	12.41
837-211	1-1/2X1	25	200	080	12.41
837-212	1-1/2X1-1/4	25	200	080	12.41
837-247	2X1/2	10	120	080	17.69
837-248	2X3/4	10	120	080	17.69
837-249	2X1	10	120	080	17.69
837-250	2X1-1/4	10	120	080	17.69
837-251	2X1-1/2	10	120	080	17.69
837-287 ¹	2-1/2X1/2	10	40	080	41.09
837-288 ¹	2-1/2X3/4	10	40	080	41.09
837-289	2-1/2X1	10	40	080	41.09
837-290	2-1/2X1-1/4	10	80	080	30.73
837-291	2-1/2X1-1/2	10	40	080	30.73
837-292	2-1/2X2	15	0	080	30.73
837-333	3X1/2	10	0	080	56.58
837-334 ¹	3X3/4	10	0	080	54.78
837-335	3X1	10	0	080	48.75
837-336	3X1-1/4	10	0	080	48.75
837-337	3X1-1/2	10	0	080	48.75
837-338	3X2	10	0	080	48.75
837-339	3X2-1/2	15	0	080	48.75
837-415 ¹	4X1/2	6	0	080	86.65
837-416 ¹	4X3/4	6	0	080	86.65
837-417 ¹	4X1	6	0	080	86.65
837-418 ¹	4X1-1/4	6	0	080	86.65
837-419	4X1-1/2	6	0	080	86.65
837-420	4X2	6	0	080	67.49
837-421	4X2-1/2	6	0	080	67.49
837-422	4X3	6	0	080	67.49
837-486 ¹	5X2	3	0	080	75.97
837-488 ¹	5X3	5	0	080	100.05
837-490	5X4	4	0	080	89.17
837-490F	5X4	1	4	083	95.09
837-524 ¹	6X3/4	5	0	080	112.65
837-525 ¹	6X1	5	0	080	107.02
837-526 ¹	6X1-1/4	5	0	080	112.65
837-527 ¹	6X1-1/2	5	0	080	112.65

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Socket

837-528	6X2	5	0	080	93.85
837-529	6X2-1/2	5	0	080	145.51
837-530	6X3	5	0	080	93.85
837-532	6X4	5	0	080	93.85
837-533F	6X5	1	5	083	305.34
837-534	6X5	5	0	080	93.85
837-577 ¹	8X1-1/2	4	0	080	347.21
837-578 ¹	8X2	4	0	080	328.72
837-580 ¹	8X3	4	0	080	328.72
837-582 ¹	8X4	4	0	080	228.31
837-583 ¹	8X5	2	0	080	332.15
837-583F	8X5	1	6	083	540.42
837-585	8X6	4	0	080	228.31
837-621 ¹	10X2	2	0	081	635.65
837-622 ¹	10X2-1/2	2	0	081	692.59
837-623 ¹	10X3	2	0	081	635.65
837-624 ¹	10X4	1	2	081	635.65
837-625F	10X5	1	4	083	827.94
837-626	10X6	3	0	081	536.33
837-628	10X8	3	0	081	536.33
837-628F	10X8	1	6	083	207.42
837-663 ¹	12X3	2	0	081	941.98
837-664 ¹	12X4	2	0	081	941.98
837-666 ¹	12X6	1	0	081	865.43
837-666F ¹	12X6	1	2	083	609.31
837-668	12X8	2	0	081	619.81
837-668F ¹	12X8	1	2	083	589.55
837-670	12X10	2	0	081	619.81
837-670F	12X10	3	0	083	236.15
837-694F	14X4	1	3	083	1343.24
837-696F	14X6	1	0	083	1196.01
837-698F	14X8	1	0	083	856.93
837-700F	14X10	1	3	083	534.97
837-702F	14X12	1	3	083	229.49
837-754F	16X4	1	0	083	1534.52
837-756F	16X6	1	0	083	1424.93
837-758F	16X8	1	0	083	1121.87
837-760F	16X10	1	0	083	813.17
837-762F	16X12	1	2	083	479.93
837-764F	16X14	1	2	083	468.83
837-786F	18X6	1	0	083	2415.67
837-788F	18X8	1	0	083	2213.26
837-790F	18X10	1	0	083	1816.83
837-792F	18X12	1	0	083	1157.76
837-794F	18X14	1	0	083	1146.74
837-796F	18X16	1	0	083	529.62
837-816F	20X6	1	0	083	3370.07
837-818F	20X8	1	0	083	3116.83
837-820F	20X10	1	0	083	2885.29
837-822F	20X12	1	0	083	2558.38
837-824F	20X14	1	0	083	2103.63
837-826F	20X16	1	0	083	1650.57
837-828F	20X18	1	0	083	861.64
837-906F	24X6	1	0	083	5294.16

Schedule 80 PVC Product
PVC Schedule 80 Fittings



Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Socket

837-908F	24X8	1	0	083	5132.97
837-910F	24X10	1	0	083	4508.77
837-912F	24X12	1	0	083	4067.93
837-914F	24X14	1	0	083	3809.95
837-916F	24X16	1	0	083	3603.98
837-918F	24X18	1	0	083	3123.86
837-920F	24X20	1	0	083	2581.69

¹ Sized with Bushing



Reducer Bushing Flush Style

Spigot x Fipt

838-052	3/8X1/4	50	450	080	5.56
838-071	1/2X1/8	50	600	080	5.56
838-072	1/2X1/4	50	350	080	5.56
838-073	1/2X3/8	50	500	080	5.56
838-098	3/4X1/4	50	300	080	3.67
838-099	3/4X3/8	50	600	080	3.67
838-101	3/4X1/2	50	300	080	3.67
838-127	1X1/8	25	150	080	5.81
838-128	1X1/4	50	200	080	6.37
838-129	1X3/8	50	400	080	5.81
838-130	1X1/2	50	300	080	5.81
838-131	1X3/4	50	400	080	5.81
838-166	1-1/4X1/2	25	300	080	11.80
838-167	1-1/4X3/4	25	300	080	11.80
838-168	1-1/4X1	25	300	080	11.80
838-206	1-1/2X1/8	25	100	080	14.78
838-207	1-1/2X1/4	25	200	080	14.04
838-209	1-1/2X1/2	25	200	080	14.78
838-210	1-1/2X3/4	25	200	080	14.78
838-211	1-1/2X1	25	200	080	14.78
838-212	1-1/2X1-1/4	25	200	080	14.78
838-247	2X1/2	10	60	080	18.08
838-248	2X3/4	10	60	080	18.08
838-249	2X1	10	120	080	18.08
838-250	2X1-1/4	10	120	080	18.08
838-251	2X1-1/2	10	120	080	18.08
838-287	2-1/2X1/2	10	0	080	38.28
838-288	2-1/2X3/4	10	40	080	38.28
838-289	2-1/2X1	10	40	080	38.28
838-290	2-1/2X1-1/4	10	40	080	38.28
838-291	2-1/2X1-1/2	10	0	080	38.28
838-292	2-1/2X2	10	40	080	38.28
838-334	3X3/4	10	0	080	70.87
838-335	3X1	10	0	080	70.87
838-336	3X1-1/4	10	0	080	70.87
838-337	3X1-1/2	10	0	080	70.87
838-338	3X2	10	0	080	70.87
838-339	3X2-1/2	10	0	080	70.87

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Fipt

838-419	4X1-1/2	6	0	080	136.98
838-420	4X2	6	0	080	108.87
838-421	4X2-1/2	6	0	080	108.87
838-422	4X3	6	0	080	108.87
838-528	6X2	5	0	080	125.41
838-530	6X3	5	0	080	125.41
838-532	6X4	5	0	080	125.41



Special Reinforced Reducer Bushing Flush Style

Spigot x SR Fipt - Stainless Steel Collar

838-128SR	1X1/4	25	150	086	3.48
838-207SR	1-1/2X1/4	25	200	086	8.87
838-166SR	1-1/4X1/2	25	100	086	6.36
838-209SR	1-1/2X1/2	10	60	086	8.87
838-210SR	1-1/2X3/4	25	200	086	8.87
838-247SR	2X1/2	10	80	086	10.86
838-248SR	2X3/4	10	80	086	10.86
838-249SR	2X1	10	120	086	10.86
838-334SR	3X3/4	10	0	086	42.51
838-335SR	3X1	10	0	086	42.51
838-336SR	3X1-1/4	10	0	086	42.51
838-337SR	3X1-1/2	10	0	086	42.51
838-528SR	6X2	5	0	086	75.24
838-530SR	6X3	5	0	086	67.74
838-532SR	6X4	5	0	086	75.24

Reducer Bushing (T.T.) Flush Style

Mipt x Fipt

839-041	1/4X1/8	25	500	080	12.68
839-052	3/8X1/4	50	450	080	12.68
839-072	1/2X1/4	50	300	080	12.68
839-073	1/2X3/8	50	300	080	12.68
839-098	3/4X1/4	50	300	080	9.45
839-099	3/4X3/8	50	300	080	9.45
839-101	3/4X1/2	50	300	080	7.79
839-128	1X1/4	25	150	080	15.25
839-129	1X3/8	50	600	080	12.20
839-130	1X1/2	50	300	080	12.20
839-131	1X3/4	50	700	080	12.20
839-166	1-1/4X1/2	25	150	080	12.94
839-167	1-1/4X3/4	25	150	080	12.94
839-168	1-1/4X1	25	300	080	12.94
839-209	1-1/2X1/2	25	150	080	15.34
839-210	1-1/2X3/4	25	300	080	15.34
839-211	1-1/2X1	25	300	080	15.34
839-212	1-1/2X1-1/4	25	300	080	15.34
839-247	2X1/2	10	60	080	22.47
839-248	2X3/4	10	60	080	22.47
839-249	2X1	10	60	080	22.47





Schedule 80 PVC Product
PVC Schedule 80 Fittings

Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Reducer Bushing (T.T.) Flush Style (continued)					
Mipt x Fipt					
839-250	2X1-1/4	10	60	080	22.47
839-251	2X1-1/2	10	60	080	22.47
839-292	2-1/2X2	10	80	080	30.43
839-337	3X1-1/2	10	0	080	41.36
839-338	3X2	10	0	080	41.36
839-339	3X2-1/2	10	0	080	41.36
839-420	4X2	6	0	080	85.25
839-422	4X3	6	0	080	108.87
839-532	6X4	5	0	080	143.04



Reducer Bushing - Special Reinforced

Mipt x SR Fipt - Stainless Steel Collar

839-128SR	1X1/4	25	150	086	6.29
839-209SR	1-1/2X1/2	25	300	086	9.20
839-210SR	1-1/2X3/4	25	300	086	9.20
839-247SR	2X1/2	10	60	086	13.51
839-248SR	2X3/4	10	60	086	13.51
839-249SR	2X1	10	120	086	13.51
839-420SR	4X2	6	0	086	51.15

Caps

Cap

Socket



847-002	1/4	25	450	080	8.00
847-003	3/8	25	450	080	8.00
847-005	1/2	25	150	080	6.16
847-007	3/4	25	300	080	6.49
847-010	1	15	90	080	11.54
847-012	1-1/4	10	60	080	13.92
847-015	1-1/2	10	120	080	13.92
847-020	2	10	80	080	27.48
847-025	2-1/2	5	40	080	56.12
847-030	3	5	0	080	65.66
847-040	4	5	0	080	110.73
847-050F	5	1	6	083	140.62
847-060	6	4	0	080	275.45
847-080	8	3	0	080	353.66
847-100F	10	1	5	083	361.77
847-120F	12	1	4	083	542.94
847-140F	14	1	2	083	601.27
847-160F	16	1	2	083	778.95
847-180F	18	1	0	083	1137.24
847-200F	20	1	0	083	1524.52
847-240F	24	1	0	083	2836.26

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cap

Fipt



848-002	1/4	25	450	080	7.71
848-003	3/8	25	450	080	7.71
848-005	1/2	25	300	080	7.71
848-007	3/4	25	300	080	8.63
848-010	1	15	90	080	10.87
848-012	1-1/4	10	60	080	12.94
848-015	1-1/2	10	120	080	14.78
848-020	2	10	40	080	29.04
848-025	2-1/2	5	40	080	58.09
848-030	3	5	0	080	68.39
848-040	4	5	0	080	120.42
848-060F	6	1	4	083	200.91
848-080F	8	1	3	083	261.46
848-100F	10	1	2	084	472.23
848-120F	12	1	0	083	1007.73

Cap - Special Reinforced

SR Fipt - Stainless Steel Collar



848-002SR	1/4	25	500	086	4.24
848-003SR	3/8	25	450	086	4.24
848-005SR	1/2	50	300	086	4.64
848-007SR	3/4	25	300	086	5.95
848-030SR	3	5	0	086	36.67

Plugs

Plug

Spigot



849-005	1/2	50	300	080	5.76
849-007	3/4	50	300	080	6.41
849-010	1	50	200	080	7.23
849-012	1-1/4	25	100	080	9.23
849-015	1-1/2	10	120	080	10.13
849-020	2	10	120	080	13.40
849-025F ⁴	2-1/2	1	4	083	31.37
849-030F ⁴	3	1	4	083	37.83
849-040F ⁴	4	1	4	083	82.75
849-060F ⁴	6	1	6	083	230.08
849-080F ⁴	8	1	6	083	299.58
849-100F ⁴	10	1	2	083	487.15
849-120F ⁴	12	1	0	083	902.43

⁴ Plug fabricated using Cap and pipe spigot.