

Schedule 80 PVC Product  
**PVC Schedule 80 Fittings**



**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Spigot Adapter - Encapsulated Special Reinforced, Spigot**



**Spigot x ESR Fipt**

878-005ESR	1/2	50	600	086	6.49
878-007ESR	3/4	25	300	086	8.94
878-010ESR	1	50	0	086	12.27
878-012ESR	1-1/4	25	0	086	18.89
878-015ESR	1-1/2	25	0	086	26.82
878-020ESR	2	15	0	086	40.42

**Female Spigot Adapter - Stainless Steel Transition**



**Spigot x Fipt With 316 Stainless Steel Thread Insert**

878-005SS	1/2	25	150	086	57.07
878-007SS	3/4	15	90	086	76.63
878-010SS	1	15	90	086	98.88

**Reducer Bushing**



**Reducer Bushing Flush Style**

**Spigot x Socket**

837-052	3/8X1/4	50	450	080	6.16
837-072	1/2X1/4	50	300	080	6.16
837-073	1/2X3/8	50	600	080	6.16
837-101	3/4X1/2	50	600	080	2.25
837-129 <sup>1</sup>	1X3/8	50	200	080	12.84
837-130	1X1/2	50	300	080	6.44
837-131	1X3/4	50	400	080	6.44
837-166	1-1/4X1/2	25	150	080	10.09
837-167	1-1/4X3/4	25	300	080	10.09
837-168	1-1/4X1	25	150	080	10.09
837-209	1-1/2X1/2	25	200	080	13.75
837-210	1-1/2X3/4	25	200	080	13.75
837-211	1-1/2X1	25	200	080	13.75
837-212	1-1/2X1-1/4	25	200	080	13.75
837-247	2X1/2	10	120	080	19.60
837-248	2X3/4	10	120	080	19.60
837-249	2X1	10	120	080	19.60
837-250	2X1-1/4	10	120	080	19.60
837-251	2X1-1/2	10	120	080	19.60
837-287 <sup>1</sup>	2-1/2X1/2	10	40	080	45.53
837-288 <sup>1</sup>	2-1/2X3/4	10	40	080	45.53
837-289	2-1/2X1	10	40	080	45.53
837-290	2-1/2X1-1/4	10	80	080	34.05
837-291	2-1/2X1-1/2	10	40	080	34.05
837-292	2-1/2X2	15	0	080	34.05
837-333	3X1/2	10	0	080	62.69

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Reducer Bushing Flush Style (continued)**

**Spigot x Socket**

837-334 <sup>1</sup>	3X3/4	10	0	080	60.69
837-335	3X1	10	0	080	54.02
837-336	3X1-1/4	10	0	080	54.02
837-337	3X1-1/2	10	0	080	54.02
837-338	3X2	10	0	080	54.02
837-339	3X2-1/2	15	0	080	54.02
837-415 <sup>1</sup>	4X1/2	6	0	080	96.01
837-416 <sup>1</sup>	4X3/4	6	0	080	96.01
837-417 <sup>1</sup>	4X1	6	0	080	96.01
837-418 <sup>1</sup>	4X1-1/4	6	0	080	96.01
837-419	4X1-1/2	6	0	080	96.01
837-420	4X2	6	0	080	74.78
837-421	4X2-1/2	6	0	080	74.78
837-422	4X3	6	0	080	74.78
837-486 <sup>1</sup>	5X2	3	0	080	84.18
837-488 <sup>1</sup>	5X3	5	0	080	110.86
837-490	5X4	4	0	080	98.80
837-490F	5X4	1	4	083	105.36
837-524 <sup>1</sup>	6X3/4	5	0	080	124.82
837-525 <sup>1</sup>	6X1	5	0	080	118.58
837-526 <sup>1</sup>	6X1-1/4	5	0	080	124.82
837-527 <sup>1</sup>	6X1-1/2	5	0	080	124.82
837-528	6X2	5	0	080	103.99
837-529	6X2-1/2	5	0	080	161.23
837-530	6X3	5	0	080	103.99
837-532	6X4	5	0	080	103.99
837-533F	6X5	1	5	083	338.33
837-534	6X5	5	0	080	103.99
837-577 <sup>1</sup>	8X1-1/2	4	0	080	384.72
837-578 <sup>1</sup>	8X2	4	0	080	364.23
837-580 <sup>1</sup>	8X3	4	0	080	364.23
837-582 <sup>1</sup>	8X4	4	0	080	252.98
837-583 <sup>1</sup>	8X5	2	0	080	368.03
837-583F	8X5	1	6	083	598.80
837-585	8X6	4	0	080	252.98
837-621 <sup>1</sup>	10X2	2	0	081	704.33
837-622 <sup>1</sup>	10X2-1/2	2	0	081	767.41
837-623 <sup>1</sup>	10X3	2	0	081	704.33
837-624 <sup>1</sup>	10X4	1	2	081	704.33
837-625F	10X5	1	4	083	917.39
837-626	10X6	3	0	081	594.27
837-628	10X8	3	0	081	594.27
837-628F	10X8	1	6	083	229.83
837-663 <sup>1</sup>	12X3	2	0	081	1043.75
837-664 <sup>1</sup>	12X4	2	0	081	1043.75
837-666 <sup>1</sup>	12X6	1	0	081	958.93
837-666F <sup>1</sup>	12X6	1	2	083	675.14
837-668	12X8	2	0	081	686.77
837-668F <sup>1</sup>	12X8	1	2	083	653.24
837-670	12X10	2	0	081	686.77
837-670F	12X10	3	0	083	261.66
837-694F	14X4	1	3	083	1488.36
837-696F	14X6	1	0	083	1325.22
837-698F	14X8	1	0	083	949.51



**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**

**Reducer Bushing**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Reducer Bushing Flush Style (continued)**

**Spigot x Socket**

837-700F	14X10	1	3	083	592.77
837-702F	14X12	1	3	083	254.28
837-754F	16X4	1	0	083	1700.29
837-756F	16X6	1	0	083	1578.87
837-758F	16X8	1	0	083	1243.07
837-760F	16X10	1	0	083	901.02
837-762F	16X12	1	0	083	531.78
837-764F	16X14	1	2	083	519.48
837-786F	18X6	1	0	083	2676.64
837-788F	18X8	1	0	083	2452.37
837-790F	18X10	1	0	083	2013.11
837-792F	18X12	1	0	083	1282.83
837-794F	18X14	1	0	083	1270.62
837-796F	18X16	1	0	083	586.83
837-816F	20X6	1	0	083	3734.15
837-818F	20X8	1	0	083	3453.55
837-820F	20X10	1	0	083	3197.00
837-822F	20X12	1	0	083	2834.77
837-824F	20X14	1	0	083	2330.89
837-826F	20X16	1	0	083	1828.88
837-828F	20X18	1	0	083	954.73
837-906F	24X6	1	0	083	5866.11
837-908F	24X8	1	0	083	5687.51
837-910F	24X10	1	0	083	4995.86
837-912F	24X12	1	0	083	4507.40
837-914F	24X14	1	0	083	4221.55
837-916F	24X16	1	0	083	3993.33
837-918F	24X18	1	0	083	3461.34
837-920F	24X20	1	0	083	2860.60

<sup>1</sup> Sized with Bushing

**Reducer Bushing Flush Style**

**Spigot x Fipt**

838-052	3/8X1/4	50	450	080	6.16
838-071	1/2X1/8	50	600	080	6.16
838-072	1/2X1/4	50	350	080	6.16
838-073	1/2X3/8	50	500	080	6.16
838-098	3/4X1/4	50	300	080	4.06
838-099	3/4X3/8	50	600	080	4.06
838-101	3/4X1/2	50	300	080	4.06
838-127	1X1/8	25	150	080	6.44
838-128	1X1/4	50	200	080	7.06
838-129	1X3/8	50	400	080	6.44
838-130	1X1/2	50	300	080	6.44
838-131	1X3/4	50	400	080	6.44
838-166	1-1/4X1/2	25	300	080	13.07
838-167	1-1/4X3/4	25	300	080	13.07
838-168	1-1/4X1	25	300	080	13.07
838-206	1-1/2X1/8	25	100	080	16.38



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Reducer Bushing Flush Style (continued)**

**Spigot x Fipt**

838-207	1-1/2X1/4	25	200	080	15.56
838-209	1-1/2X1/2	25	200	080	16.38
838-210	1-1/2X3/4	25	200	080	16.38
838-211	1-1/2X1	25	200	080	16.38
838-212	1-1/2X1-1/4	25	200	080	16.38
838-247	2X1/2	10	60	080	20.03
838-248	2X3/4	10	60	080	20.03
838-249	2X1	10	120	080	20.03
838-250	2X1-1/4	10	120	080	20.03
838-251	2X1-1/2	10	120	080	20.03
838-287	2-1/2X1/2	10	0	080	42.41
838-288	2-1/2X3/4	10	40	080	42.41
838-289	2-1/2X1	10	40	080	42.41
838-290	2-1/2X1-1/4	10	40	080	42.41
838-291	2-1/2X1-1/2	10	0	080	42.41
838-292	2-1/2X2	10	40	080	42.41
838-334	3X3/4	10	0	080	78.53
838-335	3X1	10	0	080	78.53
838-336	3X1-1/4	10	0	080	78.53
838-337	3X1-1/2	10	0	080	78.53
838-338	3X2	10	0	080	78.53
838-339	3X2-1/2	10	0	080	78.53
838-419	4X1-1/2	6	0	080	151.78
838-420	4X2	6	0	080	120.63
838-421	4X2-1/2	6	0	080	120.63
838-422	4X3	6	0	080	120.63
838-528	6X2	5	0	080	138.96
838-530	6X3	5	0	080	138.96
838-532	6X4	5	0	080	138.96

**Special Reinforced Reducer Bushing Flush Style**

**Spigot x SR Fipt - Stainless Steel Collar**

838-128SR	1X1/4	25	150	086	3.85
838-207SR	1-1/2X1/4	25	200	086	9.83
838-166SR	1-1/4X1/2	25	100	086	7.04
838-209SR	1-1/2X1/2	10	60	086	9.83
838-210SR	1-1/2X3/4	25	200	086	9.83
838-247SR	2X1/2	10	80	086	12.03
838-248SR	2X3/4	10	80	086	12.03
838-249SR	2X1	10	120	086	12.03
838-334SR	3X3/4	10	0	086	47.11
838-335SR	3X1	10	0	086	47.11
838-336SR	3X1-1/4	10	0	086	47.11
838-337SR	3X1-1/2	10	0	086	47.11
838-528SR	6X2	5	0	086	83.37
838-530SR	6X3	5	0	086	75.06
838-532SR	6X4	5	0	086	83.37



Schedule 80 PVC Product  
**PVC Schedule 80 Fittings**



**Reducer Bushing**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Reducer Bushing (T.T.) Flush Style**

**Mipt x Fipt**



839-041	1/4X1/8	25	500	080	14.05
839-052	3/8X1/4	50	450	080	14.05
839-072	1/2X1/4	50	300	080	14.05
839-073	1/2X3/8	50	300	080	14.05
839-098	3/4X1/4	50	300	080	10.47
839-099	3/4X3/8	50	300	080	10.47
839-101	3/4X1/2	50	300	080	8.63
839-128	1X1/4	25	150	080	16.89
839-129	1X3/8	50	600	080	13.52
839-130	1X1/2	50	300	080	13.52
839-131	1X3/4	50	700	080	13.52
839-166	1-1/4X1/2	25	150	080	14.34
839-167	1-1/4X3/4	25	150	080	14.34
839-168	1-1/4X1	25	300	080	14.34
839-209	1-1/2X1/2	25	150	080	17.00
839-210	1-1/2X3/4	25	300	080	17.00
839-211	1-1/2X1	25	300	080	17.00
839-212	1-1/2X1-1/4	25	300	080	17.00
839-247	2X1/2	10	60	080	24.89
839-248	2X3/4	10	60	080	24.89
839-249	2X1	10	60	080	24.89
839-250	2X1-1/4	10	60	080	24.89
839-251	2X1-1/2	10	60	080	24.89
839-292	2-1/2X2	10	80	080	33.72
839-337	3X1-1/2	10	0	080	45.83
839-338	3X2	10	0	080	45.83
839-339	3X2-1/2	10	0	080	45.83
839-420	4X2	6	0	080	94.46
839-422	4X3	6	0	080	120.63
839-532	6X4	5	0	080	158.49

**Reducer Bushing - Special Reinforced**

**Mipt x SR Fipt - Stainless Steel Collar**



839-128SR	1X1/4	25	150	086	6.97
839-209SR	1-1/2X1/2	25	300	086	10.19
839-210SR	1-1/2X3/4	25	300	086	10.19
839-247SR	2X1/2	10	60	086	14.97
839-248SR	2X3/4	10	60	086	14.97
839-249SR	2X1	10	120	086	14.97
839-420SR	4X2	6	0	086	56.67

**Caps**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cap**

**Socket**



847-002	1/4	25	450	080	8.86
847-003	3/8	25	450	080	8.86
847-005	1/2	25	150	080	6.82
847-007	3/4	25	300	080	7.19
847-010	1	15	90	080	12.79
847-012	1-1/4	10	60	080	15.42
847-015	1-1/2	10	120	080	15.42
847-020	2	10	80	080	30.45
847-025	2-1/2	5	40	080	62.18
847-030	3	5	0	080	72.76
847-040	4	5	0	080	122.69
847-050F	5	1	6	083	155.81
847-060	6	4	0	080	305.21
847-080	8	3	0	080	391.86
847-100F	10	1	5	083	400.85
847-120F	12	1	4	083	601.60
847-140F	14	1	2	083	666.23
847-160F	16	1	2	083	863.11
847-180F	18	1	0	083	1260.09
847-200F	20	1	0	083	1689.22
847-240F	24	1	0	083	3142.67

**Cap**

**Fipt**



848-002	1/4	25	450	080	8.55
848-003	3/8	25	450	080	8.55
848-005	1/2	25	150	080	8.55
848-007	3/4	25	300	080	9.56
848-010	1	15	90	080	12.04
848-012	1-1/4	10	60	080	14.34
848-015	1-1/2	10	120	080	16.38
848-020	2	10	40	080	32.18
848-025	2-1/2	5	40	080	64.37
848-030	3	5	0	080	75.78
848-040	4	5	0	080	133.43
848-060F	6	1	4	083	222.61
848-080F	8	1	3	083	289.71
848-100F	10	1	2	084	523.24
848-120F	12	1	0	083	1116.60

**Cap - Special Reinforced**

**SR Fipt - Stainless Steel Collar**



848-002SR	1/4	25	500	086	4.69
848-003SR	3/8	25	450	086	4.69