

Schedule 80 PVC Product
PVC Schedule 80 Fittings



Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style

Spigot x Socket



837-052	3/8X1/4	50	450	080	5.85
837-072	1/2X1/4	50	300	080	5.85
837-073	1/2X3/8	50	600	080	5.85
837-101	3/4X1/2	50	600	080	2.14
837-129 ¹	1X3/8	50	200	080	12.20
837-130	1X1/2	50	300	080	6.12
837-131	1X3/4	50	400	080	6.12
837-166	1-1/4X1/2	25	150	080	9.59
837-167	1-1/4X3/4	25	300	080	9.59
837-168	1-1/4X1	25	150	080	9.59
837-209	1-1/2X1/2	25	200	080	13.06
837-210	1-1/2X3/4	25	200	080	13.06
837-211	1-1/2X1	25	200	080	13.06
837-212	1-1/2X1-1/4	25	200	080	13.06
837-247	2X1/2	10	120	080	18.62
837-248	2X3/4	10	120	080	18.62
837-249	2X1	10	120	080	18.62
837-250	2X1-1/4	10	120	080	18.62
837-251	2X1-1/2	10	120	080	18.62
837-287 ¹	2-1/2X1/2	10	40	080	43.25
837-288 ¹	2-1/2X3/4	10	40	080	43.25
837-289	2-1/2X1	10	40	080	43.25
837-290	2-1/2X1-1/4	10	80	080	32.35
837-291	2-1/2X1-1/2	10	40	080	32.35
837-292	2-1/2X2	15	0	080	32.35
837-333	3X1/2	10	0	080	59.56
837-334 ¹	3X3/4	10	0	080	57.66
837-335	3X1	10	0	080	51.32
837-336	3X1-1/4	10	0	080	51.32
837-337	3X1-1/2	10	0	080	51.32
837-338	3X2	10	0	080	51.32
837-339	3X2-1/2	15	0	080	51.32
837-415 ¹	4X1/2	6	0	080	91.21
837-416 ¹	4X3/4	6	0	080	91.21
837-417 ¹	4X1	6	0	080	91.21
837-418 ¹	4X1-1/4	6	0	080	91.21
837-419	4X1-1/2	6	0	080	91.21
837-420	4X2	6	0	080	71.04
837-421	4X2-1/2	6	0	080	71.04
837-422	4X3	6	0	080	71.04
837-486 ¹	5X2	3	0	080	79.97
837-488 ¹	5X3	5	0	080	105.32
837-490	5X4	4	0	080	93.86
837-490F	5X4	1	4	083	100.09
837-524 ¹	6X3/4	5	0	080	118.58
837-525 ¹	6X1	5	0	080	112.65
837-526 ¹	6X1-1/4	5	0	080	118.58
837-527 ¹	6X1-1/2	5	0	080	118.58

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Socket

837-528	6X2	5	0	080	98.79
837-529	6X2-1/2	5	0	080	153.17
837-530	6X3	5	0	080	98.79
837-532	6X4	5	0	080	98.79
837-533F	6X5	1	5	083	321.41
837-534	6X5	5	0	080	98.79
837-577 ¹	8X1-1/2	4	0	080	365.48
837-578 ¹	8X2	4	0	080	346.02
837-580 ¹	8X3	4	0	080	346.02
837-582 ¹	8X4	4	0	080	240.33
837-583 ¹	8X5	2	0	080	349.63
837-583F	8X5	1	6	083	568.86
837-585	8X6	4	0	080	240.33
837-621 ¹	10X2	2	0	081	669.11
837-622 ¹	10X2-1/2	2	0	081	729.04
837-623 ¹	10X3	2	0	081	669.11
837-624 ¹	10X4	1	2	081	669.11
837-625F	10X5	1	4	083	871.52
837-626	10X6	3	0	081	564.56
837-628	10X8	3	0	081	564.56
837-628F	10X8	1	6	083	218.34
837-663 ¹	12X3	2	0	081	991.56
837-664 ¹	12X4	2	0	081	991.56
837-666 ¹	12X6	1	0	081	910.98
837-666F ¹	12X6	1	2	083	641.38
837-668	12X8	2	0	081	652.43
837-668F ¹	12X8	1	2	083	620.58
837-670	12X10	2	0	081	652.43
837-670F	12X10	3	0	083	248.58
837-694F	14X4	1	3	083	1413.94
837-696F	14X6	1	0	083	1258.96
837-698F	14X8	1	0	083	902.03
837-700F	14X10	1	3	083	563.13
837-702F	14X12	1	3	083	241.57
837-754F	16X4	1	0	083	1615.28
837-756F	16X6	1	0	083	1499.93
837-758F	16X8	1	0	083	1180.92
837-760F	16X10	1	0	083	855.97
837-762F	16X12	1	2	083	505.19
837-764F	16X14	1	2	083	493.51
837-786F	18X6	1	0	083	2542.81
837-788F	18X8	1	0	083	2329.75
837-790F	18X10	1	0	083	1912.45
837-792F	18X12	1	0	083	1218.69
837-794F	18X14	1	0	083	1207.09
837-796F	18X16	1	0	083	557.49
837-816F	20X6	1	0	083	3547.44
837-818F	20X8	1	0	083	3280.87
837-820F	20X10	1	0	083	3037.15
837-822F	20X12	1	0	083	2693.03
837-824F	20X14	1	0	083	2214.35
837-826F	20X16	1	0	083	1737.44
837-828F	20X18	1	0	083	906.99
837-906F	24X6	1	0	083	5572.80



Schedule 80 PVC Product
PVC Schedule 80 Fittings

Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Reducer Bushing Flush Style (continued)					
Spigot x Socket					
837-908F	24X8	1	0	083	5403.13
837-910F	24X10	1	0	083	4746.07
837-912F	24X12	1	0	083	4282.03
837-914F	24X14	1	0	083	4010.47
837-916F	24X16	1	0	083	3793.66
837-918F	24X18	1	0	083	3288.27
837-920F	24X20	1	0	083	2717.57

¹ Sized with Bushing

Reducer Bushing Flush Style

Spigot x Fipt

838-052	3/8X1/4	50	450	080	5.85
838-071	1/2X1/8	50	600	080	5.85
838-072	1/2X1/4	50	350	080	5.85
838-073	1/2X3/8	50	500	080	5.85
838-098	3/4X1/4	50	300	080	3.86
838-099	3/4X3/8	50	600	080	3.86
838-101	3/4X1/2	50	300	080	3.86
838-127	1X1/8	25	150	080	6.12
838-128	1X1/4	50	200	080	6.71
838-129	1X3/8	50	400	080	6.12
838-130	1X1/2	50	300	080	6.12
838-131	1X3/4	50	400	080	6.12
838-166	1-1/4X1/2	25	300	080	12.42
838-167	1-1/4X3/4	25	300	080	12.42
838-168	1-1/4X1	25	300	080	12.42
838-206	1-1/2X1/8	25	100	080	15.56
838-207	1-1/2X1/4	25	200	080	14.78
838-209	1-1/2X1/2	25	200	080	15.56
838-210	1-1/2X3/4	25	200	080	15.56
838-211	1-1/2X1	25	200	080	15.56
838-212	1-1/2X1-1/4	25	200	080	15.56
838-247	2X1/2	10	60	080	19.03
838-248	2X3/4	10	60	080	19.03
838-249	2X1	10	120	080	19.03
838-250	2X1-1/4	10	120	080	19.03
838-251	2X1-1/2	10	120	080	19.03
838-287	2-1/2X1/2	10	0	080	40.29
838-288	2-1/2X3/4	10	40	080	40.29
838-289	2-1/2X1	10	40	080	40.29
838-290	2-1/2X1-1/4	10	40	080	40.29
838-291	2-1/2X1-1/2	10	0	080	40.29
838-292	2-1/2X2	10	40	080	40.29
838-334	3X3/4	10	0	080	74.60
838-335	3X1	10	0	080	74.60
838-336	3X1-1/4	10	0	080	74.60
838-337	3X1-1/2	10	0	080	74.60
838-338	3X2	10	0	080	74.60
838-339	3X2-1/2	10	0	080	74.60



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Fipt

838-419	4X1-1/2	6	0	080	144.19
838-420	4X2	6	0	080	114.60
838-421	4X2-1/2	6	0	080	114.60
838-422	4X3	6	0	080	114.60
838-528	6X2	5	0	080	132.01
838-530	6X3	5	0	080	132.01
838-532	6X4	5	0	080	132.01

Special Reinforced Reducer Bushing Flush Style

Spigot x SR Fipt - Stainless Steel Collar

838-128SR	1X1/4	25	150	086	3.66
838-207SR	1-1/2X1/4	25	200	086	9.34
838-166SR	1-1/4X1/2	25	100	086	6.69
838-209SR	1-1/2X1/2	10	60	086	9.34
838-210SR	1-1/2X3/4	25	200	086	9.34
838-247SR	2X1/2	10	80	086	11.43
838-248SR	2X3/4	10	80	086	11.43
838-249SR	2X1	10	120	086	11.43
838-334SR	3X3/4	10	0	086	44.75
838-335SR	3X1	10	0	086	44.75
838-336SR	3X1-1/4	10	0	086	44.75
838-337SR	3X1-1/2	10	0	086	44.75
838-528SR	6X2	5	0	086	79.20
838-530SR	6X3	5	0	086	71.31
838-532SR	6X4	5	0	086	79.20



Reducer Bushing (T.T.) Flush Style

Mipt x Fipt

839-041	1/4X1/8	25	500	080	13.35
839-052	3/8X1/4	50	450	080	13.35
839-072	1/2X1/4	50	300	080	13.35
839-073	1/2X3/8	50	300	080	13.35
839-098	3/4X1/4	50	300	080	9.95
839-099	3/4X3/8	50	300	080	9.95
839-101	3/4X1/2	50	300	080	8.20
839-128	1X1/4	25	150	080	16.05
839-129	1X3/8	50	600	080	12.84
839-130	1X1/2	50	300	080	12.84
839-131	1X3/4	50	700	080	12.84
839-166	1-1/4X1/2	25	150	080	13.62
839-167	1-1/4X3/4	25	150	080	13.62
839-168	1-1/4X1	25	300	080	13.62
839-209	1-1/2X1/2	25	150	080	16.15
839-210	1-1/2X3/4	25	300	080	16.15
839-211	1-1/2X1	25	300	080	16.15
839-212	1-1/2X1-1/4	25	300	080	16.15
839-247	2X1/2	10	60	080	23.65
839-248	2X3/4	10	60	080	23.65
839-249	2X1	10	60	080	23.65



Schedule 80 PVC Product
PVC Schedule 80 Fittings



Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Reducer Bushing (T.T.) Flush Style (continued)					
Mipt x Fipt					
839-250	2X1-1/4	10	60	080	23.65
839-251	2X1-1/2	10	60	080	23.65
839-292	2-1/2X2	10	80	080	32.03
839-337	3X1-1/2	10	0	080	43.54
839-338	3X2	10	0	080	43.54
839-339	3X2-1/2	10	0	080	43.54
839-420	4X2	6	0	080	89.74
839-422	4X3	6	0	080	114.60
839-532	6X4	5	0	080	150.57



Reducer Bushing - Special Reinforced

Mipt x SR Fipt - Stainless Steel Collar

839-128SR	1X1/4	25	150	086	6.62
839-209SR	1-1/2X1/2	25	300	086	9.68
839-210SR	1-1/2X3/4	25	300	086	9.68
839-247SR	2X1/2	10	60	086	14.22
839-248SR	2X3/4	10	60	086	14.22
839-249SR	2X1	10	120	086	14.22
839-420SR	4X2	6	0	086	53.84

Caps



Cap

Socket

847-002	1/4	25	450	080	8.42
847-003	3/8	25	450	080	8.42
847-005	1/2	25	150	080	6.48
847-007	3/4	25	300	080	6.83
847-010	1	15	90	080	12.15
847-012	1-1/4	10	60	080	14.65
847-015	1-1/2	10	120	080	14.65
847-020	2	10	80	080	28.93
847-025	2-1/2	5	40	080	59.07
847-030	3	5	0	080	69.12
847-040	4	5	0	080	116.56
847-050F	5	1	6	083	148.02
847-060	6	4	0	080	289.95
847-080	8	3	0	080	372.27
847-100F	10	1	5	083	380.81
847-120F	12	1	4	083	571.52
847-140F	14	1	2	083	632.92
847-160F	16	1	2	083	819.95
847-180F	18	1	0	083	1197.09
847-200F	20	1	0	083	1604.76
847-240F	24	1	0	083	2985.54

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cap



Fipt

848-002	1/4	25	450	080	8.12
848-003	3/8	25	450	080	8.12
848-005	1/2	25	150	080	8.12
848-007	3/4	25	300	080	9.08
848-010	1	15	90	080	11.44
848-012	1-1/4	10	60	080	13.62
848-015	1-1/2	10	120	080	15.56
848-020	2	10	40	080	30.57
848-025	2-1/2	5	40	080	61.15
848-030	3	5	0	080	71.99
848-040	4	5	0	080	126.76
848-060F	6	1	4	083	211.48
848-080F	8	1	3	083	275.22
848-100F	10	1	2	084	497.08
848-120F	12	1	0	083	1060.77

Cap - Special Reinforced



SR Fipt - Stainless Steel Collar

848-002SR	1/4	25	500	086	4.46
848-003SR	3/8	25	450	086	4.46
848-005SR	1/2	50	300	086	4.88
848-007SR	3/4	25	300	086	6.26
848-030SR	3	5	0	086	38.60

Plugs

Plug



Spigot

849-005	1/2	50	300	080	6.06
849-007	3/4	50	300	080	6.75
849-010	1	50	200	080	7.61
849-012	1-1/4	25	100	080	9.72
849-015	1-1/2	10	120	080	10.66
849-020	2	10	120	080	14.11
849-025F ⁴	2-1/2	1	4	083	33.02
849-030F ⁴	3	1	4	083	39.82
849-040F ⁴	4	1	4	083	87.11
849-060F ⁴	6	1	6	083	242.19
849-080F ⁴	8	1	6	083	315.35
849-100F ⁴	10	1	2	083	512.79
849-120F ⁴	12	1	0	083	949.93

⁴ Plug fabricated using Cap and pipe spigot.