



PVC Gray Saddles & Hot-Tap Saddles



PRODUCT

Contact Spears® for any Information not found.



Schedule 80 PVC Product
Glue-On Saddles

Glue-On Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Saddle

IPS O.D. x Socket Schedule 80



Non Pressure Rated

3963-528	6X2	1	6	400	60.22
3963-530	6X3	1	10	400	60.76
3963-532	6X4	1	8	400	61.28
3963-578	8X2	1	10	400	85.07
3963-580	8X3	1	8	400	86.11
3963-582	8X4	1	5	400	87.03
3963-585	8X6	1	5	400	89.06
3963-621	10X2	1	8	400	78.77
3963-623	10X3	1	5	400	79.88
3963-624	10X4	1	8	400	80.22
3963-626	10X6	1	5	400	93.28
3963-628	10X8	1	5	400	149.49
3963-661	12X2	1	10	400	93.06
3963-663	12X3	1	8	400	93.61
3963-664	12X4	1	10	400	94.40
3963-666	12X6	1	5	400	109.48
3963-668	12X8	1	2	400	172.28
3963-670	12X10	1	4	400	210.86
3963-693	14X3	1	8	400	115.68
3963-694	14X4	1	5	400	116.24
3963-696	14X6	1	8	400	132.32
3963-698	14X8	1	4	400	202.85
3963-700	14X10	1	3	400	259.77
3963-702	14X12	1	4	400	286.83
3963-751	16X2	1	8	400	120.69
3963-753	16X3	1	8	400	121.74
3963-754	16X4	1	10	400	122.43
3963-756	16X6	1	8	400	139.54
3963-758	16X8	1	3	400	208.08
3963-760	16X10	1	0	400	264.96
3963-762	16X12	1	0	400	294.28
3963-764	16X14	1	0	400	306.66
3963-781	18X2	1	8	400	177.31
3963-783	18X3	1	4	400	178.38
3963-784	18X4	1	5	400	179.19
3963-786	18X6	1	5	400	189.65
3963-788	18X8	1	5	400	278.65
3963-790	18X10	1	0	400	308.91
3963-792	18X12	1	0	400	440.55
3963-794	18X14	1	0	400	479.48
3963-796	18X16	1	0	400	627.41
3963-811	20X2	1	12	400	179.33
3963-813	20X3	1	4	400	179.75
3963-814	20X4	1	6	400	181.91
3963-816	20X6	1	0	400	190.82
3963-818	20X8	1	5	400	275.64

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Saddle (continued)

IPS O.D. x Socket Schedule 80

3963-820	20X10	1	0	400	305.68
3963-822	20X12	1	0	400	436.02
3963-824	20X14	1	0	400	475.54
3963-826	20X16	1	0	400	623.04
3963-828	20X18	1	0	400	707.43
3963-901	24X2	1	5	400	182.47
3963-903	24X3	1	5	400	183.44
3963-904	24X4	1	5	400	184.28
3963-906	24X6	1	5	400	192.29
3963-908	24X8	1	5	409	273.18
3963-910	24X10	1	5	400	307.00
3963-912	24X12	1	0	409	428.69
3963-914	24X14	1	0	400	473.88
3963-916	24X16	1	0	400	648.61
3963-918	24X18	1	0	400	731.41
3963-920	24X20	1	0	400	823.20

Stub Saddle

IPS O.D. x Socket Schedule 80



Non Pressure Rated

3965-528	6X2	1	8	400	64.76
3965-530	6X3	1	3	400	65.32
3965-532	6X4	1	10	400	65.91
3965-578	8X2	1	5	409	90.52
3965-580	8X3	1	4	400	92.59
3965-582	8X4	1	6	400	93.58
3965-585	8X6	1	4	400	95.77
3965-621	10X2	1	6	400	84.71
3965-623	10X3	1	6	409	85.00
3965-624	10X4	1	4	400	86.26
3965-626	10X6	1	4	400	100.29
3965-628	10X8	1	2	400	160.74
3965-661	12X2	1	4	400	100.06
3965-663	12X3	1	4	400	101.13
3965-664	12X4	1	2	400	101.51
3965-666	12X6	1	2	400	117.73
3965-668	12X8	1	2	400	185.25
3965-670	12X10	1	2	400	271.75
3965-691	14X2	1	4	400	123.25
3965-693	14X3	1	4	400	124.40
3965-694	14X4	1	5	400	124.98
3965-696	14X6	1	2	400	142.27
3965-700	14X10	1	0	400	279.33
3965-702	14X12	1	0	400	308.41
3965-751	16X2	1	5	400	129.77
3965-753	16X3	1	4	400	130.89
3965-754	16X4	1	3	400	131.63
3965-756	16X6	1	2	400	150.03
3965-758	16X8	1	3	400	223.75
3965-760	16X10	1	3	400	284.92

Schedule 80 PVC Product
Glue-On Saddles & Clamp-On Saddles



Glue-On Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Stub Saddle (continued)


IPS O.D. x Socket Schedule 80

3965-762	16X12	1	0	400	316.43
3965-764	16X14	1	0	400	329.76
3965-781	18X2	1	2	400	190.64
3965-783	18X3	1	0	400	191.80
3965-784	18X4	1	0	400	192.67
3965-786	18X6	1	2	400	203.93
3965-788	18X8	1	0	400	299.62
3965-790	18X10	1	0	400	332.16
3965-792	18X12	1	0	400	473.71
3965-794	18X14	1	0	400	515.58
3965-796	18X16	1	0	400	674.63
3965-811	20X2	1	4	400	192.82
3965-813	20X3	1	2	400	193.27
3965-814	20X4	1	4	400	195.59
3965-816	20X6	1	0	400	205.17
3965-818	20X8	1	0	400	296.39
3965-820	20X10	1	0	400	328.69
3965-822	20X12	1	0	400	468.84
3965-824	20X14	1	0	400	511.33
3965-826	20X16	1	0	400	669.96
3965-828	20X18	1	0	400	760.68
3965-901	24X2	1	5	400	196.20
3965-903	24X3	1	2	400	197.24
3965-904	24X4	1	5	400	198.15
3965-906	24X6	1	3	400	206.78
3965-908	24X8	1	0	400	296.86
3965-910	24X10	1	0	400	330.12
3965-912	24X12	1	0	409	460.98
3965-914	24X14	1	0	400	509.55
3965-916	24X16	1	0	400	697.43
3965-918	24X18	1	0	400	786.46
3965-920	24X20	1	0	400	885.16

Clamp-On Saddles

Clamp-On Saddle x Socket Single Outlet PVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866V-247	2X1/2	3/4	1	10	086	35.79
866V-248	2X3/4	7/8	1	10	086	35.79
866V-249	2X1	1-1/8	1	10	086	35.79
866V-250	2X1-1/4	1-1/2	1	10	086	35.79
866V-251	2X1-1/2	1-1/2	1	10	086	35.79
866V-291	2-1/2X1-1/2	1-3/4	1	10	086	49.56
866V-333 ¹	3X1/2	7/8	1	10	086	49.56
866V-334	3X3/4	7/8	1	10	086	49.56
866V-335	3X1	1-1/8	1	10	086	49.56

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------


Clamp-On Saddle x Socket Single Outlet PVC Gray (continued)
with FKM O-ring Seal & Zinc-Plated Hardware

866V-336 ¹	3X1-1/4	2-1/4	1	10	086	49.56
866V-337 ¹	3X1-1/2	2-1/4	1	10	086	49.56
866V-338	3X2	2-1/4	1	10	086	49.56
866V-415 ¹	4X1/2	1-1/8	1	10	086	59.41
866V-416 ¹	4X3/4	1-1/8	1	10	086	59.41
866V-417	4X1	1-1/8	1	8	086	59.41
866V-418 ¹	4X1-1/4	1-3/4	1	8	086	59.41
866V-419	4X1-1/2	1-3/4	1	8	086	59.41
866V-420	4X2	2-1/4	1	8	086	59.41
866V-421 ¹	4X2-1/2	3	1	4	086	64.80
866V-422	4X3	3	1	4	086	70.52
866V-523 ¹	6X1/2	1-1/8	1	4	086	98.98
866V-524 ¹	6X3/4	1-1/8	1	4	086	98.98
866V-525	6X1	1-1/8	1	4	086	98.98
866V-526 ¹	6X1-1/4	2-1/4	1	4	086	98.98
866V-527 ¹	6X1-1/2	2-1/4	1	4	086	98.98
866V-528	6X2	2-1/4	1	4	086	98.98
866V-529 ¹	6X2-1/2	3	1	4	086	124.54
866V-530	6X3	3	1	4	086	129.66
866V-532	6X4	4	1	4	086	136.56
866V-573 ¹	8X1/2	4	1	0	086	212.14
866V-574 ¹	8X3/4	4	1	0	086	212.14
866V-575 ¹	8X1	4	1	0	086	212.14
866V-576 ¹	8X1-1/4	4	1	0	086	212.14
866V-577 ¹	8X1-1/2	4	1	0	086	212.14
866V-578	8 X 2	4	1	0	086	212.14
866V-579 ¹	8X2-1/2	4	1	0	086	222.55
866V-580 ¹	8X3	4	1	0	086	233.76
866V-582	8X4	4	1	0	086	247.79
866V-585	8X6	6	1	0	086	275.03
866V-624	10X4	4	1	0	086	327.19
866V-626	10X6	6	1	0	086	376.24
866V-664	12X4	4	1	0	086	410.32
866V-666	12X6	6	1	0	086	475.85

¹ Outlet-sized with Bushing

Clamp-On Saddle x Socket Single Outlet PVC Gray

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866SV-247	2X1/2	3/4	1	10	086	60.99
866SV-248	2X3/4	7/8	1	10	086	60.99
866SV-249	2X1	1-1/8	1	10	086	60.99
866SV-250	2X1-1/4	1-1/2	1	10	086	60.99
866SV-251	2X1-1/2	1-1/2	1	10	086	60.99
866SV-291	2-1/2X1-1/2	1-3/4	1	10	086	81.75
866SV-333 ¹	3X1/2	7/8	1	10	086	81.75
866SV-334	3X3/4	7/8	1	10	086	81.75
866SV-335	3X1	1-1/8	1	10	086	81.75
866SV-336 ¹	3X1-1/4	2-1/4	1	10	086	81.75
866SV-337 ¹	3X1-1/2	2-1/4	1	10	086	81.75



Schedule 80 PVC Product
Clamp-On Saddles


Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Single Outlet PVC Gray (continued)
with FKM O-ring Seal & SS Hardware

866SV-338	3X2	2-1/4	1	10	086	81.75
866SV-415 ¹	4X1/2	1-1/8	1	10	086	105.19
866SV-416 ¹	4X3/4	1-1/8	1	10	086	105.19
866SV-417	4X1	1-1/8	1	8	086	105.19
866SV-418 ¹	4X1-1/4	1-3/4	1	8	086	105.19
866SV-419	4X1-1/2	1-3/4	1	8	086	105.19
866SV-420	4X2	2-1/4	1	8	086	105.19
866SV-421 ¹	4X2-1/2	3	1	4	086	109.36
866SV-422	4X3	3	1	4	086	115.00
866SV-523 ¹	6X1/2	1-1/8	1	4	086	155.87
866SV-524 ¹	6X3/4	1-1/8	1	4	086	155.87
866SV-525	6X1	1-1/8	1	4	086	155.87
866SV-526 ¹	6X1-1/4	2-1/4	1	4	086	155.87
866SV-527 ¹	6X1-1/2	2-1/4	1	4	086	155.87
866SV-528	6X2	2-1/4	1	4	086	155.87
866SV-529 ¹	6X2-1/2	3	1	4	086	161.93
866SV-530	6X3	3	1	4	086	167.38
866SV-532	6X4	4	1	4	086	173.08
866SV-573 ¹	8X1/2	4	1	0	086	284.64
866SV-574 ¹	8X3/4	4	1	0	086	284.64
866SV-575 ¹	8 X 1	4	1	0	086	284.64
866SV-576 ¹	8X1-1/4	4	1	0	086	284.64
866SV-577 ¹	8X1-1/2	4	1	0	086	284.64
866SV-578	8 X 2	4	1	0	086	284.64
866SV-579 ¹	8X2-1/2	4	1	0	086	313.07
866SV-580 ¹	8X3	4	1	0	086	328.72
866SV-582	8X4	4	1	0	086	348.46
866SV-585	8X6	6	1	0	086	386.76
866SV-624	10X4	4	1	0	086	460.37
866SV-626	10X6	6	1	0	086	529.27
866SV-664	12X4	4	1	0	086	576.87
866SV-666	12X6	6	1	0	086	669.23

¹ Outlet-sized with Bushing



Clamp-On Saddle x Socket Single Outlet PVC Gray

with EPDM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)


866-247	2X1/2	3/4	1	10	086	34.11
866-248	2X3/4	7/8	1	10	086	34.11
866-249	2X1	1-1/8	1	10	086	34.11
866-250	2X1-1/4	1-1/2	1	10	086	34.11
866-251	2X1-1/2	1-1/2	1	10	086	34.11
866-291	2-1/2X1-1/2	1-3/4	1	10	086	45.54
866-333 ¹	3X1/2	7/8	1	10	086	45.54
866-334	3X3/4	7/8	1	10	086	45.54
866-335	3X1	1-1/8	1	10	086	45.54
866-336 ¹	3X1-1/4	2-1/4	1	10	086	45.54

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Single Outlet PVC Gray (continued)
with EPDM O-ring Seal & Zinc-Plated Hardware

866-337 ¹	3X1-1/2	2-1/4	1	10	086	45.54
866-338	3X2	2-1/4	1	10	086	45.54
866-415 ¹	4X1/2	1-1/8	1	10	086	55.35
866-416 ¹	4X3/4	1-1/8	1	10	086	55.35
866-417	4X1	1-1/8	1	10	086	55.35
866-418 ¹	4X1-1/4	1-3/4	1	8	086	55.35
866-419	4X1-1/2	1-3/4	1	8	086	55.35
866-420	4X2	2-1/4	1	8	086	55.35
866-421 ¹	4X2-1/2	3	1	4	086	60.46
866-422	4X3	3	1	4	086	66.17
866-523 ¹	6X1/2	1-1/8	1	4	086	92.25
866-524 ¹	6X3/4	1-1/8	1	4	086	92.25
866-525	6X1	1-1/8	1	4	086	92.25
866-526 ¹	6X1-1/4	2-1/4	1	4	086	92.25
866-527 ¹	6X1-1/2	2-1/4	1	4	086	92.25
866-528	6X2	2-1/4	1	4	086	92.25
866-529 ¹	6X2-1/2	3	1	4	086	100.69
866-530	6X3	3	1	4	086	110.73
866-532	6X4	4	1	4	086	115.40
866-573 ¹	8X1/2	4	1	0	086	177.45
866-574 ¹	8X3/4	4	1	0	086	177.45
866-575 ¹	8X1	4	1	0	086	177.45
866-576 ¹	8X1-1/4	4	1	0	086	177.45
866-577 ¹	8X1-1/2	4	1	0	086	177.45
866-578	8 X 2	4	1	0	086	177.45
866-579 ¹	8X2-1/2	4	1	0	086	195.20
866-580 ¹	8X3	4	1	0	086	204.98
866-582	8X4	4	1	0	086	217.09
866-585	8X6	6	1	0	086	241.19
866-621 ¹	10X2	4	1	0	086	287.55
866-624	10X4	4	1	0	086	287.55
866-626	10X6	6	1	0	086	329.02
866-664	12X4	4	1	0	086	359.60
866-666	12X6	6	1	0	086	415.92

¹ Outlet-sized with Bushing



Clamp-On Saddle x Socket Single Outlet PVC Gray

with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866S-247	2X1/2	3/4	1	10	086	54.64
866S-248	2X3/4	7/8	1	10	086	54.64
866S-249	2X1	1-1/8	1	10	086	54.64
866S-250	2X1-1/4	1-1/2	1	10	086	54.64
866S-251	2X1-1/2	1-1/2	1	10	086	54.64
866S-291	2-1/2X1-1/2	1-3/4	1	10	086	73.45
866S-333 ¹	3X1/2	7/8	1	10	086	73.45
866S-334	3X3/4	7/8	1	10	086	73.45
866S-335	3X1	1-1/8	1	10	086	73.45
866S-336 ¹	3X1-1/4	2-1/4	1	10	086	73.45
866S-337 ¹	3X1-1/2	2-1/4	1	10	086	73.45

Schedule 80 PVC Product
Clamp-On Saddles




Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Single Outlet PVC Gray (continued)
with EPDM O-ring Seal & SS Hardware

866S-338	3X2	2-1/4	1	10	086	73.45
866S-415 ¹	4X1/2	1-1/8	1	10	086	94.56
866S-416 ¹	4X3/4	1-1/8	1	10	086	94.56
866S-417	4X1	1-1/8	1	8	086	94.56
866S-418 ¹	4X1-1/4	1-3/4	1	8	086	94.56
866S-419	4X1-1/2	1-3/4	1	8	086	94.56
866S-420	4X2	2-1/4	1	8	086	94.56
866S-421 ¹	4X2-1/2	3	1	4	086	97.89
866S-422	4X3	3	1	4	086	103.67
866S-523 ¹	6X1/2	1-1/8	1	4	086	142.31
866S-524 ¹	6X3/4	1-1/8	1	4	086	142.31
866S-525	6X1	1-1/8	1	4	086	142.31
866S-526 ¹	6X1-1/4	2-1/4	1	4	086	142.31
866S-527 ¹	6X1-1/2	2-1/4	1	4	086	142.31
866S-528	6X2	2-1/4	1	4	086	142.31
866S-529 ¹	6X2-1/2	3	1	4	086	149.06
866S-530	6X3	3	1	4	086	154.15
866S-532	6X4	4	1	4	086	159.92
866S-573 ¹	8X1/2	4	1	0	086	267.43
866S-574 ¹	8X3/4	4	1	0	086	267.43
866S-575	8X1	4	1	0	086	267.43
866S-576 ¹	8X1-1/4	4	1	0	086	267.43
866S-577 ¹	8X1-1/2	4	1	0	086	267.43
866S-578	8 X 2	4	1	0	086	267.43
866S-579 ¹	8X2-1/2	4	1	0	086	294.24
866S-580 ¹	8X3	4	1	0	086	309.00
866S-582	8X4	4	1	0	086	326.09
866S-585	8X6	6	1	0	086	363.58
866S-624	10X4	4	1	0	086	432.77
866S-626	10X6	6	1	0	086	497.57
866S-664	12X4	4	1	0	086	542.48
866S-666	12X6	6	1	0	086	629.22

¹ Outlet-sized with Bushing



Clamp-On Saddle x SR Thread Single Outlet PVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867V-247SR	2X1/2	3/4	1	10	086	40.02
867V-248SR	2X3/4	7/8	1	10	086	40.02
867V-249SR	2X1	1-1/8	1	10	086	40.02
867V-250SR	2X1-1/4	1-1/2	1	10	086	40.02
867V-251SR	2X1-1/2	1-1/2	1	10	086	40.02
867V-291SR	2-1/2X1-1/2	1-3/4	1	10	086	55.77
867V-333SR ¹	3X1/2	7/8	1	10	086	55.77
867V-334SR	3X3/4	7/8	1	10	086	55.77
867V-335SR	3X1	1-1/8	1	10	086	55.77
867V-336SR ¹	3X1-1/4	2-1/4	1	10	086	55.77

Made in the U.S.A.

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued)
with FKM O-ring Seal & Zinc-Plated Hardware

867V-337SR ¹	3X1-1/2	2-1/4	1	10	086	55.77
867V-338SR	3X2	2-1/4	1	10	086	55.77
867V-415SR ¹	4X1/2	1-1/8	1	10	086	69.69
867V-416SR ¹	4X3/4	1-1/8	1	10	086	69.69
867V-417SR	4X1	1-1/8	1	8	086	69.69
867V-418SR ¹	4X1-1/4	1-3/4	1	8	086	69.69
867V-419SR	4X1-1/2	1-3/4	1	8	086	69.69
867V-420SR	4X2	2-1/4	1	8	086	69.69
867V-421SR ¹	4X2-1/2	3	1	4	086	75.06
867V-422SR	4X3	3	1	4	086	79.45
867V-523SR ¹	6X1/2	1-1/8	1	4	086	116.16
867V-524SR ¹	6X3/4	1-1/8	1	4	086	116.16
867V-525SR	6X1	1-1/8	1	4	086	116.16
867V-526SR ¹	6X1-1/4	2-1/4	1	4	086	116.16
867V-527SR ¹	6X1-1/2	2-1/4	1	4	086	116.16
867V-528SR	6X2	2-1/4	1	4	086	116.16
867V-529SR ¹	6X2-1/2	3	1	4	086	148.93
867V-530SR	6X3	3	1	4	086	154.77
867V-532SR	6X4	4	1	4	086	161.46
867V-573SR ¹	8X1/2	4	1	0	086	234.13
867V-574SR ¹	8X3/4	4	1	0	086	234.13
867V-575SR ¹	8X1	4	1	0	086	234.13
867V-576SR ¹	8X1-1/4	4	1	0	086	234.13
867V-577SR ¹	8X1-1/2	4	1	0	086	234.13
867V-578SR ¹	8X2	4	1	0	086	234.13
867V-579SR ¹	8X2-1/2	4	1	0	086	257.48
867V-580SR ¹	8X3	4	1	0	086	270.40
867V-582SR	8X4	4	1	0	086	286.64
867V-585SR	8X6	4	1	0	086	319.04
867V-624SR	10X4	4	1	0	086	341.12
867V-626SR	10X6	6	1	0	086	392.21
867V-664SR	12X4	4	1	0	086	427.60
867V-666SR	12X6	6	1	0	086	495.95

¹ Outlet-sized with Bushing



Clamp-On Saddle x SR Thread Single Outlet PVC Gray

with FKM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867SV-245SR ¹	2X1/4	1-1/8	1	10	086	74.09
867SV-247SR	2X1/2	3/4	1	10	086	68.04
867SV-248SR	2X3/4	7/8	1	10	086	68.04
867SV-249SR	2X1	1-1/8	1	10	086	68.04
867SV-250SR	2X1-1/4	1-1/2	1	10	086	68.04
867SV-251SR	2X1-1/2	1-1/2	1	10	086	68.04
867SV-291SR	2-1/2X1-1/2	1-3/4	1	10	086	90.97
867SV-331SR ¹	3X1/4	1-1/8	1	10	086	90.97
867SV-333SR ¹	3X1/2	7/8	1	10	086	90.97
867SV-334SR	3X3/4	7/8	1	10	086	90.97
867SV-335SR	3X1	1-1/8	1	10	086	90.97




Schedule 80 PVC Product
Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued) with FKM O-ring Seal & SS Hardware						
867SV-336SR ¹	3X1-1/4	2-1/4	1	10	086	90.97
867SV-337SR ¹	3X1-1/2	2-1/4	1	10	086	90.97
867SV-338SR	3X2	2-1/4	1	10	086	90.97
867SV-413SR ¹	4X1/4	1-1/8	1	8	086	116.07
867SV-415SR ¹	4X1/2	1-1/8	1	10	086	114.86
867SV-416SR ¹	4X3/4	1-1/8	1	10	086	114.86
867SV-417SR	4X1	1-1/8	1	8	086	114.86
867SV-418SR ¹	4X1-1/4	1-3/4	1	8	086	114.86
867SV-419SR	4X1-1/2	1-3/4	1	8	086	114.86
867SV-420SR	4X2	2-1/4	1	8	086	114.86
867SV-421SR ¹	4X2-1/2	3	1	4	086	118.67
867SV-422SR	4X3	3	1	4	086	124.73
867SV-521SR ¹	6X1/4	1-1/8	1	8	086	172.38
867SV-523SR ¹	6X1/2	1-1/8	1	4	086	168.71
867SV-524SR ¹	6X3/4	1-1/8	1	4	086	168.71
867SV-525SR	6X1	1-1/8	1	4	086	168.71
867SV-526SR ¹	6X1-1/4	2-1/4	1	4	086	168.71
867SV-527SR ¹	6X1-1/2	2-1/4	1	4	086	168.71
867SV-528SR	6X2	2-1/4	1	4	086	168.71
867SV-529SR ¹	6X2-1/2	3	1	4	086	182.78
867SV-530SR	6X3	3	1	4	086	191.21
867SV-532SR	6X4	4	1	4	086	197.96
867SV-571SR ¹	8X1/4	4	1	0	086	313.61
867SV-573SR ¹	8X1/2	4	1	0	086	301.49
867SV-574SR ¹	8X3/4	4	1	0	086	301.49
867SV-575SR ¹	8X1	4	1	0	086	301.49
867SV-576SR ¹	8X1-1/4	4	1	0	086	301.49
867SV-577SR ¹	8X1-1/2	4	1	0	086	301.49
867SV-578SR ¹	8X2	4	1	0	086	301.49
867SV-579SR ¹	8X2-1/2	4	1	0	086	331.63
867SV-580SR ¹	8X3	4	1	0	086	348.21
867SV-582SR	8X4	4	1	0	086	369.11
867SV-585SR	8X6	6	1	0	086	404.49
867SV-624SR	10X4	4	1	0	086	439.08
867SV-626SR	10X6	6	1	0	086	505.21
867SV-664SR	12X4	4	1	0	086	550.64
867SV-666SR	12X6	6	1	0	086	638.65

¹ Outlet-sized with Bushing



Clamp-On Saddle x SR Thread Single Outlet PVC Gray

with EPDM O-ring Seal & Zinc-Plated Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)


867-247SR	2X1/2	3/4	1	10	086	35.59
867-248SR	2X3/4	7/8	1	10	086	35.59
867-249SR	2X1	1-1/8	1	10	086	35.59
867-250SR	2X1-1/4	1-1/2	1	10	086	35.59

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued) with EPDM O-ring Seal & Zinc-Plated Hardware

867-251SR	2X1-1/2	1-1/2	1	10	086	35.59
867-291SR	2-1/2X1-1/2	1-3/4	1	10	086	48.63
867-333SR ¹	3X1/2	7/8	1	10	086	48.63
867-334SR	3X3/4	7/8	1	10	086	48.63
867-335SR	3X1	1-1/8	1	10	086	48.63
867-336SR ¹	3X1-1/4	2-1/4	1	10	086	48.63
867-337SR ¹	3X1-1/2	2-1/4	1	10	086	48.63
867-338SR	3X2	2-1/4	1	10	086	48.63
867-415SR ¹	4X1/2	1-1/8	1	10	086	61.27
867-416SR ¹	4X3/4	1-1/8	1	10	086	61.27
867-417SR	4X1	1-1/8	1	8	086	61.27
867-418SR ¹	4X1-1/4	1-3/4	1	8	086	61.27
867-419SR ¹	4X1-1/2	1-3/4	1	8	086	61.27
867-420SR	4X2	2-1/4	1	8	086	61.27
867-421SR ¹	4X2-1/2	3	1	4	086	62.72
867-422SR	4X3	3	1	4	086	71.87
867-523SR ¹	6X1/2	1-1/8	1	4	086	102.09
867-524SR ¹	6X3/4	1-1/8	1	4	086	102.09
867-525SR	6X1	1-1/8	1	4	086	102.09
867-526SR ¹	6X1-1/4	2-1/4	1	4	086	102.09
867-527SR ¹	6X1-1/2	2-1/4	1	4	086	102.09
867-528SR	6X2	2-1/4	1	4	086	102.09
867-529SR ¹	6X2-1/2	3	1	4	086	126.82
867-530SR	6X3	3	1	4	086	136.54
867-532SR	6X4	4	1	4	086	142.97
867-573SR	8X1/2	4	1	0	086	216.09
867-574SR ¹	8X3/4	4	1	0	086	216.09
867-575SR	8X1	4	1	0	086	216.09
867-576SR ¹	8X1-1/4	4	1	0	086	216.09
867-577SR ¹	8X1-1/2	4	1	0	086	216.09
867-578SR ¹	8X2	4	1	0	086	216.09
867-579SR ¹	8X2-1/2	4	1	0	086	237.74
867-580SR ¹	8X3	4	1	0	086	249.52
867-582SR	8X4	4	1	0	086	264.56
867-585SR	8X6	6	1	0	086	304.68
867-624SR	10X4	4	1	0	086	314.71
867-626SR	10X6	4	1	0	086	361.95
867-664SR	12X4	4	1	0	086	394.36
867-666SR	12X6	6	1	0	086	457.74

¹ Outlet-sized with Bushing



Clamp-On Saddle x SR Thread Single Outlet PVC Gray

with EPDM O-ring Seal & SS Hardware

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867S-245SR ¹	2X1/4	1-1/8	1	10	086	68.04
867S-247SR	2X1/2	3/4	1	10	086	60.81
867S-248SR	2X3/4	7/8	1	10	086	60.81
867S-249SR	2X1	1-1/8	1	10	086	60.81
867S-250SR	2X1-1/4	1-1/2	1	10	086	60.81

Schedule 80 PVC Product
Clamp-On Saddles



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued)
with EPDM O-ring Seal & SS Hardware


867S-251SR	2X1-1/2	1-1/2	1	10	086	60.81
867S-291SR	2-1/2X1-1/2	1-3/4	1	10	086	81.76
867S-331SR ¹	3X1/4	1-1/8	1	10	086	90.44
867S-333SR ¹	3X1/2	7/8	1	10	086	81.76
867S-334SR	3X3/4	7/8	1	10	086	81.76
867S-335SR	3X1	1-1/8	1	10	086	81.76
867S-336SR ¹	3X1-1/4	2-1/4	1	10	086	81.76
867S-337SR ¹	3X1-1/2	2-1/4	1	10	086	81.76
867S-338SR	3X2	2-1/4	1	10	086	81.76
867S-413SR	4X1/4		1	8	086	106.41
867S-415SR ¹	4X1/2	1-1/8	1	10	086	102.94
867S-416SR ¹	4X3/4	1-1/8	1	10	086	102.94
867S-417SR	4X1	1-1/8	1	8	086	102.94
867S-418SR ¹	4X1-1/4	1-3/4	1	8	086	102.94
867S-419SR	4X1-1/2	1-3/4	1	8	086	102.94
867S-420SR	4X2	2-1/4	1	8	086	102.94
867S-421SR ¹	4X2-1/2	3	1	4	086	107.74
867S-422SR	4X3	3	1	4	086	116.13
867S-521SR ¹	6X1/4	1-1/8	1	8	086	163.28
867S-523SR ¹	6X1/2	1-1/8	1	4	086	148.81
867S-524SR ¹	6X3/4	1-1/8	1	4	086	148.81
867S-525SR	6X1	1-1/8	1	4	086	148.81
867S-526SR ¹	6X1-1/4	2-1/4	1	4	086	148.81
867S-527SR ¹	6X1-1/2	2-1/4	1	4	086	148.81
867S-528SR	6X2	2-1/4	1	4	086	148.81
867S-529SR ¹	6X2-1/2	3	1	4	086	169.87
867S-530SR	6X3	3	1	4	086	175.39
867S-532SR	6X4	4	1	4	086	182.68
867S-571SR ¹	8X1/4	4	1	0	086	322.40
867S-573SR ¹	8X1/2	4	1	0	086	275.94
867S-574SR ¹	8X3/4	4	1	0	086	275.94
867S-575SR ¹	8X1	4	1	0	086	275.94
867S-576SR ¹	8X1-1/4	4	1	0	086	275.94
867S-577SR ¹	8X1-1/2	4	1	0	086	275.94
867S-578SR ¹	8X2	4	1	0	086	275.94
867S-579SR ¹	8X2-1/2	4	1	0	086	307.82
867S-580SR ¹	8X3	4	1	0	086	325.31
867S-582SR	8X4	4	1	0	086	343.67
867S-585SR	8X6	6	1	0	086	360.79
867S-624SR	10X4	4	1	0	086	423.64
867S-626SR	10X6	6	1	0	086	445.43
867S-664SR	12X4	4	1	0	086	485.63
867S-666SR	12X6	6	1	0	086	563.31

¹ Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet PVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868V-247	2X1/2	3/4	1	10	086	44.35
868V-248	2X3/4	7/8	1	10	086	44.35
868V-249	2X1	1-1/8	1	10	086	44.35
868V-250	2X1-1/4	1-1/2	1	10	086	44.35
868V-251	2X1-1/2	1-1/2	1	10	086	44.35
868V-291	2-1/2X1-1/2	1-3/4	1	10	086	56.81
868V-333 ¹	3X1/2	7/8	1	10	086	56.81
868V-334	3X3/4	7/8	1	10	086	56.81
868V-335	3X1	1-1/8	1	10	086	56.81
868V-336 ¹	3X1-1/4	2-1/4	1	10	086	56.81
868V-337 ¹	3X1-1/2	2-1/4	1	10	086	56.81
868V-338	3X2	2-1/4	1	10	086	56.81
868V-415 ¹	4X1/2	1-1/8	1	10	086	75.84
868V-416 ¹	4X3/4	1-1/8	1	10	086	75.84
868V-417	4X1	1-1/8	1	8	086	75.84
868V-418 ¹	4X1-1/4	1-3/4	1	8	086	75.84
868V-419	4X1-1/2	1-3/4	1	8	086	75.84
868V-420	4X2	2-1/4	1	8	086	75.84
868V-421 ¹	4X2-1/2	3	1	4	086	82.44
868V-422	4X3	3	1	4	086	88.87
868V-523 ¹	6X1/2	1-1/8	1	4	086	124.52
868V-524 ¹	6X3/4	1-1/8	1	4	086	124.52
868V-525	6X1	1-1/8	1	4	086	124.52
868V-526 ¹	6X1-1/4	2-1/4	1	4	086	124.52
868V-527 ¹	6X1-1/2	2-1/4	1	4	086	124.52
868V-528	6X2	2-1/4	1	4	086	124.52
868V-529 ¹	6X2-1/2	3	1	4	086	129.28
868V-530	6X3	3	1	4	086	136.36
868V-532	6X4	4	1	4	086	145.74
868V-573 ¹	8X1/2	4	1	0	086	261.84
868V-574 ¹	8X3/4	4	1	0	086	261.84
868V-575 ¹	8X1	4	1	0	086	261.84
868V-576 ¹	8X1-1/4	4	1	0	086	261.84
868V-577 ¹	8X1-1/2	4	1	0	086	261.84
868V-578 ¹	8X2	4	1	0	086	261.84
868V-579 ¹	8X2-1/2	4	1	0	086	274.67
868V-580 ¹	8X3	4	1	0	086	288.62
868V-582	8X4	4	1	0	086	305.84
868V-585	8X6	6	1	0	086	339.49
868V-624	10X4	4	1	0	086	404.05
868V-626	10X6	6	1	0	086	426.40
868V-664	12X4	4	1	0	086	506.47
868V-666	12X6	6	1	0	086	587.39

¹ Outlet-sized with Bushing




Schedule 80 PVC Product
Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet PVC Gray

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)


868SV-247	2X1/2	3/4	1	10	086	71.33
868SV-248	2X3/4	7/8	1	10	086	71.33
868SV-249	2X1	1-1/8	1	10	086	71.33
868SV-250	2X1-1/4	1-1/2	1	10	086	71.33
868SV-251	2X1-1/2	1-1/2	1	10	086	71.33
868SV-291	2-1/2X1-1/2	1-3/4	1	10	086	94.78
868SV-333 ¹	3X1/2	7/8	1	10	086	94.78
868SV-334	3X3/4	7/8	1	10	086	94.78
868SV-335	3X1	1-1/8	1	10	086	94.78
868SV-336 ¹	3X1-1/4	2-1/4	1	10	086	94.78
868SV-337 ¹	3X1-1/2	2-1/4	1	10	086	94.78
868SV-338	3X2	2-1/4	1	10	086	94.78
868SV-415 ¹	4X1/2	1-1/8	1	10	086	121.36
868SV-416 ¹	4X3/4	1-1/8	1	10	086	121.36
868SV-417	4X1	1-1/8	1	8	086	121.36
868SV-418 ¹	4X1-1/4	1-3/4	1	8	086	121.36
868SV-419	4X1-1/2	1-3/4	1	8	086	121.36
868SV-420	4X2	2-1/4	1	16	086	121.36
868SV-421 ¹	4X2-1/2	3	1	4	086	130.32
868SV-422	4X3	3	1	4	086	135.73
868SV-523 ¹	6X1/2	1-1/8	1	4	086	188.00
868SV-524 ¹	6X3/4	1-1/8	1	4	086	188.00
868SV-525	6X1	1-1/8	1	4	086	188.00
868SV-526 ¹	6X1-1/4	2-1/4	1	4	086	188.00
868SV-527 ¹	6X1-1/2	2-1/4	1	4	086	188.00
868SV-528	6X2	2-1/4	1	4	086	188.00
868SV-529 ¹	6X2-1/2	3	1	4	086	199.27
868SV-530	6X3	3	1	4	086	204.80
868SV-532	6X4	4	1	4	086	210.76
868SV-573 ¹	8X1/2	4	1	0	086	351.45
868SV-574 ¹	8X3/4	4	1	0	086	351.45
868SV-575 ¹	8X1	4	1	0	086	351.45
868SV-576 ¹	8X1-1/4	4	1	0	086	351.45
868SV-577 ¹	8X1-1/2	4	1	0	086	351.45
868SV-578 ¹	8X2	4	1	0	086	351.45
868SV-579 ¹	8X2-1/2	4	1	0	086	386.59
868SV-580 ¹	8X3	4	1	0	086	405.88
868SV-582	8X4	4	1	0	086	407.85
868SV-585	8X6	6	1	0	086	477.48
868SV-624	10X4	4	1	0	086	568.20
868SV-626	10X6	6	1	0	086	653.48
868SV-664	12X4	4	1	0	086	712.24
868SV-666	12X6	6	1	0	086	826.23

¹ Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet PVC Gray

with EPDM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868-247	2X1/2	3/4	1	10	086	40.59
868-248	2X3/4	7/8	1	10	086	40.59
868-249	2X1	1-1/8	1	10	086	40.59
868-250	2X1-1/4	1-1/2	1	10	086	40.59
868-251	2X1-1/2	1-1/2	1	10	086	40.59
868-291	2-1/2X1-1/2	1-3/4	1	10	086	55.78
868-333 ¹	3X1/2	7/8	1	10	086	55.78
868-334	3X3/4	7/8	1	10	086	55.78
868-335	3X1	1-1/8	1	10	086	55.78
868-336 ¹	3X1-1/4	2-1/4	1	10	086	55.78
868-337 ¹	3X1-1/2	2-1/4	1	10	086	55.78
868-338	3X2	2-1/4	1	10	086	55.78
868-415 ¹	4X1/2	1-1/8	1	10	086	70.37
868-416 ¹	4X3/4	1-1/8	1	10	086	70.37
868-417	4X1	1-1/8	1	8	086	70.37
868-418 ¹	4X1-1/4	1-3/4	1	8	086	70.37
868-419	4X1-1/2	1-3/4	1	8	086	70.37
868-420	4X2	2-1/4	1	8	086	70.37
868-421 ¹	4X2-1/2	3	1	4	086	75.57
868-422	4X3	3	1	4	086	79.97
868-523 ¹	6X1/2	1-1/8	1	4	086	117.55
868-524 ¹	6X3/4	1-1/8	1	4	086	117.55
868-525	6X1	1-1/8	1	4	086	117.55
868-526 ¹	6X1-1/4	2-1/4	1	4	086	117.55
868-527 ¹	6X1-1/2	2-1/4	1	4	086	117.55
868-528	6X2	2-1/4	1	4	086	117.55
868-529 ¹	6X2-1/2	3	1	4	086	124.23
868-530	6X3	3	1	4	086	131.29
868-532	6X4	4	1	4	086	136.55
868-573 ¹	8X1/2	4	1	0	086	219.82
868-574 ¹	8X3/4	4	1	0	086	219.82
868-575 ¹	8X1	4	1	0	086	219.82
868-576 ¹	8X1-1/4	4	1	0	086	219.82
868-577 ¹	8X1-1/2	4	1	0	086	219.82
868-578 ¹	8X2	4	1	0	086	219.82
868-579 ¹	8X2-1/2	4	1	0	086	241.01
868-580 ¹	8X3	4	1	0	086	252.96
868-582	8X4	4	1	0	086	267.97
868-585	8X6	6	1	0	086	297.67
868-624	10X4	4	1	0	086	354.17
868-626	10X6	6	1	0	086	407.41
868-664	12X4	4	1	0	086	443.97
868-666	12X6	6	1	0	086	514.97

¹ Outlet-sized with Bushing

Schedule 80 PVC Product
Clamp-On Saddles




Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x Socket Double Outlet PVC Gray

with EPDM O-ring Seal & SS Hardware



2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)


868S-247	2X1/2	3/4	1	10	086	61.87
868S-248	2X3/4	7/8	1	10	086	61.87
868S-249	2X1	1-1/8	1	10	086	61.87
868S-250	2X1-1/4	1-1/2	1	10	086	61.87
868S-251	2X1-1/2	1-1/2	1	10	086	61.87
868S-291	2-1/2X1-1/2	1-3/4	1	10	086	83.15
868S-333 ¹	3X1/2	7/8	1	10	086	83.15
868S-334	3X3/4	7/8	1	10	086	83.15
868S-335	3X1	1-1/8	1	10	086	83.15
868S-336 ¹	3X1-1/4	2-1/4	1	10	086	83.15
868S-337 ¹	3X1-1/2	2-1/4	1	10	086	83.15
868S-338	3X2	2-1/4	1	10	086	83.15
868S-415 ¹	4X1/2	1-1/8	1	10	086	107.07
868S-416 ¹	4X3/4	1-1/8	1	10	086	107.07
868S-417	4X1	1-1/8	1	8	086	107.07
868S-418 ¹	4X1-1/4	1-3/4	1	8	086	107.07
868S-419	4X1-1/2	1-3/4	1	8	086	107.07
868S-420	4X2	2-1/4	1	8	086	107.07
868S-421 ¹	4X2-1/2	3	1	4	086	116.19
868S-422	4X3	3	1	4	086	119.31
868S-523 ¹	6X1/2	1-1/8	1	4	086	178.44
868S-524 ¹	6X3/4	1-1/8	1	4	086	178.44
868S-525	6X1	1-1/8	1	4	086	178.44
868S-526 ¹	6X1-1/4	2-1/4	1	4	086	178.44
868S-527 ¹	6X1-1/2	2-1/4	1	4	086	178.44
868S-528	6X2	2-1/4	1	4	086	178.44
868S-529 ¹	6X2-1/2	3	1	4	086	184.48
868S-530	6X3	3	1	4	086	191.98
868S-532	6X4	4	1	4	086	199.62
868S-573 ¹	8X1/2	4	1	0	086	330.08
868S-574 ¹	8X3/4	4	1	0	086	330.08
868S-575 ¹	8X1	4	1	0	086	330.08
868S-576 ¹	8X1-1/4	4	1	0	086	330.08
868S-577 ¹	8X1-1/2	4	1	0	086	330.08
868S-578 ¹	8X2	4	1	0	086	330.08
868S-579 ¹	8X2-1/2	4	1	0	086	363.23
868S-580 ¹	8X3	4	1	0	086	381.51
868S-582	8X4	4	1	0	086	402.53
868S-585	8X6	6	1	0	086	480.14
868S-624	10X4	4	1	0	086	534.17
868S-626	10X6	6	1	0	086	614.28
868S-664	12X4	4	1	0	086	669.61
868S-666	12X6	6	1	0	086	776.61

¹ Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet PVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware



2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869V-247SR	2X1/2	3/4	1	10	086	49.35
869V-248SR	2X3/4	7/8	1	10	086	49.35
869V-249SR	2X1	1-1/8	1	10	086	49.35
869V-250SR	2X1-1/4	1-1/2	1	10	086	49.35
869V-251SR	2X1-1/2	1-1/2	1	10	086	49.35
869V-291SR	2-1/2X1-1/2	1-3/4	1	10	086	67.84
869V-333SR ¹	3X1/2	7/8	1	10	086	67.84
869V-334SR	3X3/4	7/8	1	10	086	67.84
869V-335SR	3X1	1-1/8	1	10	086	67.84
869V-336SR ¹	3X1-1/4	2-1/4	1	10	086	67.84
869V-337SR ¹	3X1-1/2	2-1/4	1	10	086	67.84
869V-338SR	3X2	2-1/4	1	10	086	67.84
869V-415SR ¹	4X1/2	1-1/8	1	10	086	84.25
869V-416SR ¹	4X3/4	1-1/8	1	10	086	84.25
869V-417SR	4X1	1-1/8	1	8	086	84.25
869V-418SR ¹	4X1-1/4	1-3/4	1	8	086	84.25
869V-419SR	4X1-1/2	1-3/4	1	8	086	84.25
869V-420SR	4X2	2-1/4	1	8	086	84.25
869V-421SR ¹	4X2-1/2	3	1	4	086	90.57
869V-422SR	4X3	3	1	4	086	95.69
869V-523SR ¹	6X1/2	1-1/8	1	4	086	142.69
869V-524SR ¹	6X3/4	1-1/8	1	4	086	142.69
869V-525SR	6X1	1-1/8	1	4	086	142.69
869V-526SR ¹	6X1-1/4	2-1/4	1	4	086	142.69
869V-527SR ¹	6X1-1/2	2-1/4	1	4	086	142.69
869V-528SR	6X2	2-1/4	1	4	086	142.69
869V-529SR ¹	6X2-1/2	3	1	4	086	172.37
869V-530SR	6X3	3	1	4	086	182.16
869V-532SR	6X4	4	1	4	086	191.35
869V-573SR ¹	8X1/2	4	1	0	086	288.98
869V-574SR ¹	8X3/4	4	1	0	086	288.98
869V-575SR ¹	8X1	4	1	0	086	288.98
869V-576SR ¹	8X1-1/4	4	1	0	086	288.98
869V-577SR ¹	8X1-1/2	4	1	0	086	288.98
869V-578SR ¹	8X2	4	1	0	086	288.98
869V-579SR ¹	8X2-1/2	4	1	0	086	317.96
869V-580SR ¹	8X3	4	1	0	086	333.89
869V-582SR	8X4	4	1	0	086	353.99
869V-585SR	8X6	6	1	0	086	412.05
869V-624SR	10X4	4	1	0	086	421.18
869V-626SR	10X6	6	1	0	086	484.35
869V-664SR	12X4	4	1	0	086	527.98
869V-666SR	12X6	6	1	0	086	614.36

¹ Outlet-sized with Bushing




Schedule 80 PVC Product
Clamp-On Saddles

Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet PVC Gray

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)


869SV-247SR	2X1/2	3/4	1	10	086	79.34
869SV-248SR	2X3/4	7/8	1	10	086	79.34
869SV-249SR	2X1	1-1/8	1	10	086	79.34
869SV-250SR	2X1-1/4	1-1/2	1	10	086	79.34
869SV-251SR	2X1-1/2	1-1/2	1	10	086	79.34
869SV-291SR	2-1/2X1-1/2	1-3/4	1	10	086	105.25
869SV-333SR ¹	3X1/2	7/8	1	10	086	105.25
869SV-335SR	3X1	1-1/8	1	10	086	105.25
869SV-334SR	3X3/4	7/8	1	10	086	105.25
869SV-336SR ¹	3X1-1/4	2-1/4	1	10	086	105.25
869SV-337SR ¹	3X1-1/2	2-1/4	1	10	086	105.25
869SV-338SR	3X2	2-1/4	1	10	086	105.25
869SV-415SR ¹	4X1/2	1-1/8	1	10	086	132.34
869SV-416SR ¹	4X3/4	1-1/8	1	10	086	132.34
869SV-417SR	4X1	1-1/8	1	8	086	132.34
869SV-418SR ¹	4X1-1/4	1-3/4	1	8	086	132.34
869SV-419SR	4X1-1/2	1-3/4	1	8	086	132.34
869SV-420SR	4X2	2-1/4	1	8	086	132.34
869SV-421SR ¹	4X2-1/2	3	1	4	086	139.37
869SV-422SR	4X3	3	1	4	086	146.48
869SV-523SR ¹	6X1/2	1-1/8	1	4	086	220.47
869SV-524SR ¹	6X3/4	1-1/8	1	4	086	220.47
869SV-525SR	6X1	1-1/8	1	4	086	220.47
869SV-526SR ¹	6X1-1/4	2-1/4	1	4	086	220.47
869SV-527SR ¹	6X1-1/2	2-1/4	1	4	086	220.47
869SV-528SR	6X2	2-1/4	1	4	086	220.47
869SV-529SR ¹	6X2-1/2	3	1	4	086	236.05
869SV-530SR	6X3	3	1	4	086	251.08
869SV-532SR	6X4	4	1	4	086	257.61
869SV-573SR ¹	8X1/2	4	1	0	086	372.27
869SV-574SR ¹	8X3/4	4	1	0	086	372.27
869SV-575SR ¹	8X1	4	1	0	086	372.27
869SV-576SR ¹	8X1-1/4	4	1	0	086	372.27
869SV-577SR ¹	8X1-1/2	4	1	0	086	372.27
869SV-578SR ¹	8X2	4	1	0	086	372.27
869SV-579SR ¹	8X2-1/2	4	1	0	086	409.40
869SV-580SR ¹	8X3	4	1	0	086	429.86
869SV-582SR	8X4	4	1	0	086	455.76
869SV-585SR	8X6	6	1	0	086	497.67
869SV-624SR	10X4	4	1	0	086	542.31
869SV-626SR	10X6	4	1	0	086	623.69
869SV-664SR	12X4	4	1	0	086	679.73
869SV-666SR	12X6	6	1	0	086	788.57

¹ Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

Clamp-On Saddle x SR Thread Double Outlet PVC Gray

with EPDM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869-247SR	2X1/2	3/4	1	10	086	44.21
869-248SR	2X3/4	7/8	1	10	086	44.21
869-249SR	2X1	1-1/8	1	10	086	44.21
869-250SR	2X1-1/4	1-1/2	1	10	086	44.21
869-251SR	2X1-1/2	1-1/2	1	10	086	44.21
869-291SR	2-1/2X1-1/2	1-3/4	1	10	086	59.54
869-333SR ¹	3X1/2	7/8	1	10	086	59.54
869-334SR	3X3/4	7/8	1	10	086	59.54
869-335SR	3X1	1-1/8	1	10	086	59.54
869-336SR ¹	3X1-1/4	1-1/8	1	10	086	59.54
869-337SR ¹	3X1-1/2	2-1/4	1	10	086	59.54
869-338SR	3X2	2-1/4	1	10	086	59.54
869-415SR ¹	4X1/2	1-1/8	1	10	086	74.44
869-416SR ¹	4X3/4	1-1/8	1	10	086	74.44
869-417SR	4X1	1-1/8	1	8	086	74.44
869-418SR ¹	4X1-1/4	1-3/4	1	8	086	74.44
869-419SR	4X1-1/2	1-3/4	1	8	086	74.44
869-420SR	4X2	2-1/4	1	8	086	74.44
869-421SR ¹	4X2-1/2	3	1	4	086	81.41
869-422SR	4X3	3	1	4	086	86.41
869-523SR ¹	6X1/2	1-1/8	1	4	086	124.05
869-524SR ¹	6X3/4	1-1/8	1	4	086	124.05
869-525SR	6X1	1-1/8	1	4	086	124.05
869-526SR ¹	6X1-1/4	2-1/4	1	4	086	124.05
869-527SR ¹	6X1-1/2	2-1/4	1	4	086	124.05
869-528SR	6X2	2-1/4	1	4	086	124.05
869-529SR ¹	6X2-1/2	3	1	4	086	153.85
869-530SR	6X3	3	1	4	086	162.93
869-532SR	6X4	4	1	4	086	181.55
869-573SR ¹	8X1/2	4	1	0	086	266.72
869-574SR ¹	8X3/4	4	1	0	086	266.72
869-575SR ¹	8X1	4	1	0	086	266.72
869-576SR ¹	8X1-1/4	4	1	0	086	266.72
869-577SR ¹	8X1-1/2	4	1	0	086	266.72
869-578SR ¹	8X2	4	1	0	086	266.72
869-579SR ¹	8X2-1/2	4	1	0	086	293.52
869-580SR ¹	8X3	4	1	0	086	307.82
869-582SR	8X4	4	1	0	086	326.46
869-585SR	8X6	6	1	0	086	368.82
869-624SR	10X4	4	1	0	086	388.38
869-626SR	10X6	6	1	0	086	446.71
869-664SR	12X4	4	1	0	086	487.08
869-666SR	12X6	6	1	0	086	564.96


¹ Outlet-sized with Bushing

Schedule 80 PVC Product
Clamp-On Saddles & Hot-Tap Saddles



Clamp-On Saddles

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------



Clamp-On Saddle x SR Thread Double Outlet PVC Gray

with EPDM O-ring Seal & SS Hardware


2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869S-247SR	2X1/2	3/4	1	10	086	71.15
869S-248SR	2X3/4	7/8	1	10	086	71.15
869S-249SR	2X1	1-1/8	1	10	086	71.15
869S-250SR	2X1-1/4	1-1/2	1	10	086	71.15
869S-251SR	2X1-1/2	1-1/2	1	10	086	71.15
869S-291SR	2-1/2X1-1/2	1-3/4	1	10	086	94.85
869S-333SR ¹	3X1/2	7/8	1	10	086	94.85
869S-334SR	3X3/4	7/8	1	10	086	94.85
869S-335SR	3X1	1-1/8	1	10	086	94.85
869S-336SR ¹	3X1-1/4	2-1/4	1	10	086	94.85
869S-337SR ¹	3X1-1/2	2-1/4	1	10	086	94.85
869S-338SR	3X2	2-1/4	1	10	086	94.85
869S-415SR ¹	4X1/2	1-1/8	1	10	086	118.82
869S-416SR ¹	4X3/4	1-1/8	1	10	086	118.82
869S-417SR	4X1	1-1/8	1	8	086	118.82
869S-418SR ¹	4X1-1/4	1-3/4	1	8	086	118.82
869S-419SR	4X1-1/2	1-3/4	1	8	086	118.82
869S-420SR	4X2	2-1/4	1	8	086	118.82
869S-421SR ¹	4X2-1/2	3	1	4	086	126.94
869S-422SR	4X3	3	1	4	086	132.62
869S-523SR ¹	6X1/2	1-1/8	1	4	086	197.96
869S-524SR ¹	6X3/4	1-1/8	1	4	086	197.96
869S-525SR	6X1	1-1/8	1	4	086	197.96
869S-526SR ¹	6X1-1/4	2-1/4	1	4	086	197.96
869S-527SR ¹	6X1-1/2	2-1/4	1	4	086	197.96
869S-528SR	6X2	2-1/4	1	4	086	197.96
869S-529SR ¹	6X2-1/2	3	1	4	086	207.74
869S-530SR	6X3	3	1	4	086	216.26
869S-532SR	6X4	4	1	4	086	223.13
869S-573SR ¹	8X1/2	4	1	0	086	340.68
869S-574SR ¹	8X3/4	4	1	0	086	340.68
869S-575SR ¹	8X1	4	1	0	086	340.68
869S-576SR ¹	8X1-1/4	4	1	0	086	340.68
869S-577SR ¹	8X1-1/2	4	1	0	086	340.68
869S-578SR ¹	8X2	4	1	0	086	340.68
869S-579SR ¹	8X2-1/2	4	1	0	086	357.61
869S-580SR ¹	8X3	4	1	0	086	379.17
869S-582SR	8X4	4	1	0	086	401.98
869S-585SR	8X6	6	1	0	086	441.26
869S-624SR	10X4	4	1	0	086	388.38
869S-626SR	10X6	6	1	0	086	550.11
869S-664SR	12X4	4	1	0	086	599.71
869S-666SR	12X6	6	1	0	086	695.58

¹ Outlet-sized with Bushing

Hot-Tap Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------



Hot-Tap Saddle PVC Gray

EPDM Saddle x Socket (Spigot) Zinc Plated Bolts

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2-248	2X3/4 (1)	1	5	049	53.88
HT2-251	2X1-1/2 (2)	1	5	049	111.33
HT2-288	2-1/2X3/4 (1)	1	5	049	57.59
HT2-291	2-1/2X1-1/2 (2)	1	5	049	115.03
HT2-334	3X3/4 (1)	1	5	049	65.95
HT2-337	3X1-1/2 (2)	1	5	049	126.79
HT2-416	4X3/4 (1)	1	5	049	76.17
HT2-419	4X1-1/2 (2)	1	0	049	134.06
HT2-524	6X3/4 (1)	1	5	049	85.62
HT2-527	6X1-1/2 (2)	1	0	049	142.74
HT2-574	8X3/4 (1)	1	0	049	94.75
HT2-577	8X1-1/2 (2)	1	0	049	152.19

Not intended to convey or dispense water for human consumption through drinking or cooking

Hot-Tap Saddle PVC Gray

EPDM Saddle x Socket (Spigot) SS316 Bolts

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2S-248	2X3/4 (1)	1	5	049	83.91
HT2S-251	2X1-1/2 (2)	1	5	049	173.23
HT2S-288	2-1/2X3/4 (1)	1	5	049	89.63
HT2S-291	2-1/2X1-1/2 (2)	1	5	049	178.96
HT2S-334	3X3/4 (1)	1	5	049	102.66
HT2S-337	3X1-1/2 (2)	1	5	049	197.40
HT2S-416	4X3/4 (1)	1	5	049	118.59
HT2S-419	4X1-1/2 (2)	1	0	049	208.68
HT2S-524	6X3/4 (1)	1	5	049	133.15
HT2S-527	6X1-1/2 (2)	1	0	049	221.99
HT2S-574	8X3/4 (1)	1	0	049	146.76
HT2S-577	8X1-1/2 (2)	1	0	049	235.94

Not intended to convey or dispense water for human consumption through drinking or cooking




Schedule 80 PVC Product
Hot-Tap Saddles

Hot-Tap Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Hot-Tap Saddle PVC Gray

FKM Saddle x Socket (Spigot) Zinc Plated Bolts




2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT3-248	2X3/4 (1)	1	5	049	58.53
HT3-251	2X1-1/2 (2)	1	5	049	120.77
HT3-288	2-1/2X3/4 (1)	1	5	049	62.55
HT3-291	2-1/2X1-1/2 (2)	1	5	049	124.79
HT3-334	3X3/4 (1)	1	5	049	71.52
HT3-337	3X1-1/2 (2)	1	5	049	137.78
HT3-416	4X3/4 (1)	1	5	049	82.67
HT3-419	4X1-1/2 (2)	1	0	049	143.73
HT3-524	6X3/4 (1)	1	5	049	92.89
HT3-527	6X1-1/2 (2)	1	0	049	154.51
HT3-574	8X3/4 (1)	1	0	049	103.25
HT3-577	8X1-1/2 (2)	1	0	049	182.98

Not intended to convey or dispense water for human consumption through drinking or cooking

Hot-Tap Saddle PVC Gray

FKM Saddle x Socket (Spigot) SS316 Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)


HT3S-248	2X3/4 (1)	1	5	049	91.02
HT3S-251	2X1-1/2 (2)	1	5	049	187.96
HT3S-288	2-1/2X3/4 (1)	1	5	049	97.53
HT3S-291	2-1/2X1-1/2 (2)	1	5	049	194.28
HT3S-334	3X3/4 (1)	1	5	049	111.33
HT3S-337	3X1-1/2 (2)	1	5	049	214.41
HT3S-416	4X3/4 (1)	1	5	049	128.49
HT3S-419	4X1-1/2 (2)	1	0	049	226.49
HT3S-524	6X3/4 (1)	1	5	049	144.60
HT3S-527	6X1-1/2 (2)	1	0	049	240.60
HT3S-574	8X3/4 (1)	1	0	049	159.93
HT3S-577	8X1-1/2 (2)	1	0	049	255.01

Not intended to convey or dispense water for human consumption through drinking or cooking

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Hot-Tap Saddle PVC Gray

EPDM with Stainless Steel Cutter & Bolts




2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS2S-248	2X3/4 (1)	1	5	049	401.96
HTS2S-251	2X1-1/2 (2)	1	5	049	605.80
HTS2S-288	2-1/2X3/4 (1)	1	5	049	430.09
HTS2S-291	2-1/2X1-1/2 (2)	1	5	049	608.01
HTS2S-334	3X3/4 (1)	1	5	049	407.08
HTS2S-337	3X1-1/2 (2)	1	5	049	617.49
HTS2S-416	4X3/4 (1)	1	5	049	440.94
HTS2S-419	4X1-1/2 (2)	1	0	049	635.23
HTS2S-524	6X3/4 (1)	1	5	049	487.14
HTS2S-527	6X1-1/2 (2)	1	0	049	698.54
HTS2S-574	8X3/4 (1)	1	0	049	694.95
HTS2S-577	8X1-1/2 (2)	1	0	049	825.26

Lead Free

Hot-Tap Saddle PVC Gray

FKM with Stainless Steel Cutter & Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HTS3S-248	2X3/4 (1)	1	5	049	408.33
HTS3S-251	2X1-1/2 (2)	1	5	049	617.06
HTS3S-288	2-1/2X3/4 (1)	1	5	049	436.94
HTS3S-291	2-1/2X1-1/2 (2)	1	5	049	619.21
HTS3S-334	3X3/4 (1)	1	5	049	412.04
HTS3S-337	3X1-1/2 (2)	1	5	049	631.84
HTS3S-416	4X3/4 (1)	1	5	049	449.72
HTS3S-419	4X1-1/2 (2)	1	0	049	652.80
HTS3S-524	6X3/4 (1)	1	5	049	495.87
HTS3S-527	6X1-1/2 (2)	1	0	049	715.34
HTS3S-574	8X3/4 (1)	1	0	049	701.99
HTS3S-577	8X1-1/2 (2)	1	0	049	840.83

Lead Free