



# Glue-On Saddles & Clamp-On Saddles

## Glue-On Saddles

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

### Stub Saddle (continued)

#### IPS O.D. x Socket Schedule 80

3965-762	16X12	1	0	400	350.61
3965-764	16X14	1	0	400	365.39
3965-781	18X2	1	2	400	211.23
3965-783	18X3	1	0	400	212.52
3965-784	18X4	1	0	400	213.48
3965-786	18X6	1	2	400	225.96
3965-788	18X8	1	0	400	331.99
3965-790	18X10	1	0	400	368.04
3965-792	18X12	1	0	400	524.88
3965-794	18X14	1	0	400	571.28
3965-796	18X16	1	0	400	747.52
3965-811	20X2	1	4	400	213.65
3965-813	20X3	1	2	400	214.15
3965-814	20X4	1	4	400	216.72
3965-816	20X6	1	0	400	227.34
3965-818	20X8	1	0	400	328.41
3965-820	20X10	1	0	400	364.20
3965-822	20X12	1	0	400	519.49
3965-824	20X14	1	0	400	566.57
3965-826	20X16	1	0	400	742.34
3965-828	20X18	1	0	400	842.86
3965-901	24X2	1	5	400	217.40
3965-903	24X3	1	2	400	218.55
3965-904	24X4	1	5	400	219.56
3965-906	24X6	1	3	400	229.12
3965-908	24X8	1	0	400	328.93
3965-910	24X10	1	0	400	365.78
3965-912	24X12	1	0	409	510.78
3965-914	24X14	1	0	400	564.60
3965-916	24X16	1	0	400	772.78
3965-918	24X18	1	0	400	871.42
3965-920	24X20	1	0	400	980.79

## Clamp-On Saddles

### Clamp-On Saddle x Socket Single Outlet PVC Gray

with FKM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866V-247	2X1/2	3/4	1	10	086	39.65
866V-248	2X3/4	7/8	1	10	086	39.65
866V-249	2X1	1-1/8	1	10	086	39.65
866V-250	2X1-1/4	1-1/2	1	10	086	39.65
866V-251	2X1-1/2	1-1/2	1	10	086	39.65
866V-291	2-1/2X1-1/2	1-3/4	1	10	086	54.92
866V-333 <sup>1</sup>	3X1/2	7/8	1	10	086	54.92
866V-334	3X3/4	7/8	1	10	086	54.92
866V-335	3X1	1-1/8	1	10	086	54.92

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

### Clamp-On Saddle x Socket Single Outlet PVC Gray (continued) with FKM O-ring Seal & Zinc-Plated Hardware

866V-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	54.92
866V-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	54.92
866V-338	3X2	2-1/4	1	10	086	54.92
866V-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	65.83
866V-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	65.83
866V-417	4X1	1-1/8	1	8	086	65.83
866V-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	65.83
866V-419	4X1-1/2	1-3/4	1	8	086	65.83
866V-420	4X2	2-1/4	1	8	086	65.83
866V-421 <sup>1</sup>	4X2-1/2	3	1	4	086	71.80
866V-422	4X3	3	1	4	086	78.14
866V-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	109.67
866V-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	109.67
866V-525	6X1	1-1/8	1	4	086	109.67
866V-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	109.67
866V-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	109.67
866V-528	6X2	2-1/4	1	4	086	109.67
866V-529 <sup>1</sup>	6X2-1/2	3	1	4	086	137.99
866V-530	6X3	3	1	4	086	143.66
866V-532	6X4	4	1	4	086	151.32
866V-573 <sup>1</sup>	8X1/2	4	1	0	086	235.06
866V-574 <sup>1</sup>	8X3/4	4	1	0	086	235.06
866V-575 <sup>1</sup>	8X1	4	1	0	086	235.06
866V-576 <sup>1</sup>	8X1-1/4	4	1	0	086	235.06
866V-577 <sup>1</sup>	8X1-1/2	4	1	0	086	235.06
866V-578	8 X 2	4	1	0	086	235.06
866V-579 <sup>1</sup>	8X2-1/2	4	1	0	086	246.59
866V-580 <sup>1</sup>	8X3	4	1	0	086	259.01
866V-582	8X4	4	1	0	086	274.56
866V-585	8X6	6	1	0	086	304.75
866V-624	10X4	4	1	0	086	362.54
866V-626	10X6	6	1	0	086	416.88
866V-664	12X4	4	1	0	086	454.65
866V-666	12X6	6	1	0	086	527.25

<sup>1</sup> Outlet-sized with Bushing

### Clamp-On Saddle x Socket Single Outlet PVC Gray

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866SV-247	2X1/2	3/4	1	10	086	67.58
866SV-248	2X3/4	7/8	1	10	086	67.58
866SV-249	2X1	1-1/8	1	10	086	67.58
866SV-250	2X1-1/4	1-1/2	1	10	086	67.58
866SV-251	2X1-1/2	1-1/2	1	10	086	67.58
866SV-291	2-1/2X1-1/2	1-3/4	1	10	086	90.58
866SV-333 <sup>1</sup>	3X1/2	7/8	1	10	086	90.58
866SV-334	3X3/4	7/8	1	10	086	90.58
866SV-335	3X1	1-1/8	1	10	086	90.58
866SV-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	90.58
866SV-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	90.58

Schedule 80 PVC Product  
**Clamp-On Saddles**



**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Clamp-On Saddle x Socket Single Outlet PVC Gray (continued)</b> <b>with FKM O-ring Seal &amp; SS Hardware</b>						
866SV-338	3X2	2-1/4	1	10	086	90.58
866SV-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	116.56
866SV-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	116.56
866SV-417	4X1	1-1/8	1	8	086	116.56
866SV-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	116.56
866SV-419	4X1-1/2	1-3/4	1	8	086	116.56
866SV-420	4X2	2-1/4	1	8	086	116.56
866SV-421 <sup>1</sup>	4X2-1/2	3	1	4	086	121.18
866SV-422	4X3	3	1	4	086	127.42
866SV-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	172.71
866SV-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	172.71
866SV-525	6X1	1-1/8	1	4	086	172.71
866SV-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	172.71
866SV-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	172.71
866SV-528	6X2	2-1/4	1	4	086	172.71
866SV-529 <sup>1</sup>	6X2-1/2	3	1	4	086	179.42
866SV-530	6X3	3	1	4	086	185.46
866SV-532	6X4	4	1	4	086	191.78
866SV-573 <sup>1</sup>	8X1/2	4	1	0	086	315.39
866SV-574 <sup>1</sup>	8X3/4	4	1	0	086	315.39
866SV-575 <sup>1</sup>	8 X 1	4	1	0	086	315.39
866SV-576 <sup>1</sup>	8X1-1/4	4	1	0	086	315.39
866SV-577 <sup>1</sup>	8X1-1/2	4	1	0	086	315.39
866SV-578	8 X 2	4	1	0	086	315.39
866SV-579 <sup>1</sup>	8X2-1/2	4	1	0	086	346.89
866SV-580 <sup>1</sup>	8X3	4	1	0	086	364.23
866SV-582	8X4	4	1	0	086	386.11
866SV-585	8X6	6	1	0	086	428.55
866SV-624	10X4	4	1	0	086	510.11
866SV-626	10X6	6	1	0	086	586.45
866SV-664	12X4	4	1	0	086	639.19
866SV-666	12X6	6	1	0	086	741.53

<sup>1</sup> Outlet-sized with Bushing

**Clamp-On Saddle x Socket Single Outlet PVC Gray**

**with EPDM O-ring Seal & Zinc-Plated Hardware**



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866-247	2X1/2	3/4	1	10	086	37.80
866-248	2X3/4	7/8	1	10	086	37.80
866-249	2X1	1-1/8	1	10	086	37.80
866-250	2X1-1/4	1-1/2	1	10	086	37.80
866-251	2X1-1/2	1-1/2	1	10	086	37.80
866-291	2-1/2X1-1/2	1-3/4	1	10	086	50.46
866-333 <sup>1</sup>	3X1/2	7/8	1	10	086	50.46
866-334	3X3/4	7/8	1	10	086	50.46
866-335	3X1	1-1/8	1	10	086	50.46
866-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	50.46

Made in the U.S.A.

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Single Outlet PVC Gray (continued)**  
**with EPDM O-ring Seal & Zinc-Plated Hardware**

866-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	50.46
866-338	3X2	2-1/4	1	10	086	50.46
866-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	61.33
866-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	61.33
866-417	4X1	1-1/8	1	10	086	61.33
866-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	61.33
866-419	4X1-1/2	1-3/4	1	8	086	61.33
866-420	4X2	2-1/4	1	8	086	61.33
866-421 <sup>1</sup>	4X2-1/2	3	1	4	086	66.99
866-422	4X3	3	1	4	086	73.32
866-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	102.22
866-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	102.22
866-525	6X1	1-1/8	1	4	086	102.22
866-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	102.22
866-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	102.22
866-528	6X2	2-1/4	1	4	086	102.22
866-529 <sup>1</sup>	6X2-1/2	3	1	4	086	111.57
866-530	6X3	3	1	4	086	122.69
866-532	6X4	4	1	4	086	127.86
866-573 <sup>1</sup>	8X1/2	4	1	0	086	196.62
866-574 <sup>1</sup>	8X3/4	4	1	0	086	196.62
866-575 <sup>1</sup>	8X1	4	1	0	086	196.62
866-576 <sup>1</sup>	8X1-1/4	4	1	0	086	196.62
866-577 <sup>1</sup>	8X1-1/2	4	1	0	086	196.62
866-578	8 X 2	4	1	0	086	196.62
866-579 <sup>1</sup>	8X2-1/2	4	1	0	086	216.28
866-580 <sup>1</sup>	8X3	4	1	0	086	227.13
866-582	8X4	4	1	0	086	240.55
866-585	8X6	6	1	0	086	267.24
866-621 <sup>1</sup>	10X2	4	1	0	086	318.61
866-624	10X4	4	1	0	086	318.61
866-626	10X6	6	1	0	086	364.57
866-664	12X4	4	1	0	086	398.45
866-665 <sup>1</sup>	12X5	6	1	0	086	419.02
866-666	12X6	6	1	0	086	460.85

<sup>1</sup> Outlet-sized with Bushing

**Clamp-On Saddle x Socket Single Outlet PVC Gray**

**with EPDM O-ring Seal & SS Hardware**



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

866S-247	2X1/2	3/4	1	10	086	60.55
866S-248	2X3/4	7/8	1	10	086	60.55
866S-249	2X1	1-1/8	1	10	086	60.55
866S-250	2X1-1/4	1-1/2	1	10	086	60.55
866S-251	2X1-1/2	1-1/2	1	10	086	60.55
866S-291	2-1/2X1-1/2	1-3/4	1	10	086	81.39
866S-333 <sup>1</sup>	3X1/2	7/8	1	10	086	81.39
866S-334	3X3/4	7/8	1	10	086	81.39
866S-335	3X1	1-1/8	1	10	086	81.39
866S-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	81.39



Schedule 80 PVC Product  
**Clamp-On Saddles**

**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Single Outlet PVC Gray (continued)  
with EPDM O-ring Seal & SS Hardware**

866S-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	81.39
866S-338	3X2	2-1/4	1	10	086	81.39
866S-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	104.78
866S-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	104.78
866S-417	4X1	1-1/8	1	8	086	104.78
866S-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	104.78
866S-419	4X1-1/2	1-3/4	1	8	086	104.78
866S-420	4X2	2-1/4	1	8	086	104.78
866S-421 <sup>1</sup>	4X2-1/2	3	1	4	086	108.46
866S-422	4X3	3	1	4	086	114.87
866S-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	157.68
866S-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	157.68
866S-525	6X1	1-1/8	1	4	086	157.68
866S-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	157.68
866S-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	157.68
866S-528	6X2	2-1/4	1	4	086	157.68
866S-529 <sup>1</sup>	6X2-1/2	3	1	4	086	165.17
866S-530	6X3	3	1	4	086	170.80
866S-532	6X4	4	1	4	086	177.20
866S-573 <sup>1</sup>	8X1/2	4	1	0	086	296.33
866S-574 <sup>1</sup>	8X3/4	4	1	0	086	296.33
866S-575	8X1	4	1	0	086	296.33
866S-576 <sup>1</sup>	8X1-1/4	4	1	0	086	296.33
866S-577 <sup>1</sup>	8X1-1/2	4	1	0	086	296.33
866S-578	8 X 2	4	1	0	086	296.33
866S-579 <sup>1</sup>	8X2-1/2	4	1	0	086	326.03
866S-580 <sup>1</sup>	8X3	4	1	0	086	342.38
866S-582	8X4	4	1	0	086	361.32
866S-585	8X6	6	1	0	086	402.86
866S-624	10X4	4	1	0	086	479.53
866S-626	10X6	6	1	0	086	551.33
866S-664	12X4	4	1	0	086	601.08
866S-666	12X6	6	1	0	086	697.20

<sup>1</sup> Outlet-sized with Bushing

**Clamp-On Saddle x SR Thread Single Outlet  
PVC Gray**

**with FKM O-ring Seal & Zinc-Plated  
Hardware**



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867V-247SR	2X1/2	3/4	1	10	086	44.35
867V-248SR	2X3/4	7/8	1	10	086	44.35
867V-249SR	2X1	1-1/8	1	10	086	44.35
867V-250SR	2X1-1/4	1-1/2	1	10	086	44.35
867V-251SR	2X1-1/2	1-1/2	1	10	086	44.35
867V-291SR	2-1/2X1-1/2	1-3/4	1	10	086	61.80
867V-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	61.80
867V-334SR	3X3/4	7/8	1	10	086	61.80
867V-335SR	3X1	1-1/8	1	10	086	61.80

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued)  
with FKM O-ring Seal & Zinc-Plated Hardware**

867V-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	61.80
867V-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	61.80
867V-338SR	3X2	2-1/4	1	10	086	61.80
867V-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	77.22
867V-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	77.22
867V-417SR	4X1	1-1/8	1	8	086	77.22
867V-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	77.22
867V-419SR	4X1-1/2	1-3/4	1	8	086	77.22
867V-420SR	4X2	2-1/4	1	8	086	77.22
867V-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	83.17
867V-422SR	4X3	3	1	4	086	88.03
867V-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	128.71
867V-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	128.71
867V-525SR	6X1	1-1/8	1	4	086	128.71
867V-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	128.71
867V-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	128.71
867V-528SR	6X2	2-1/4	1	4	086	128.71
867V-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	165.02
867V-530SR	6X3	3	1	4	086	171.49
867V-532SR	6X4	4	1	4	086	178.91
867V-573SR <sup>1</sup>	8X1/2	4	1	0	086	259.42
867V-574SR <sup>1</sup>	8X3/4	4	1	0	086	259.42
867V-575SR <sup>1</sup>	8X1	4	1	0	086	259.42
867V-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	259.42
867V-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	259.42
867V-578SR <sup>1</sup>	8X2	4	1	0	086	259.42
867V-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	285.29
867V-580SR <sup>1</sup>	8X3	4	1	0	086	299.61
867V-582SR	8X4	4	1	0	086	317.61
867V-585SR	8X6	4	1	0	086	353.51
867V-624SR	10X4	4	1	0	086	377.97
867V-626SR	10X6	6	1	0	086	434.58
867V-664SR	12X4	4	1	0	086	473.80
867V-666SR	12X6	6	1	0	086	549.53

<sup>1</sup> Outlet-sized with Bushing

**Clamp-On Saddle x SR Thread Single Outlet  
PVC Gray**

**with FKM O-ring Seal & SS Hardware**



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867SV-245SR <sup>1</sup>	2X1/4	1-1/8	1	10	086	82.09
867SV-247SR	2X1/2	3/4	1	10	086	75.39
867SV-248SR	2X3/4	7/8	1	10	086	75.39
867SV-249SR	2X1	1-1/8	1	10	086	75.39
867SV-250SR	2X1-1/4	1-1/2	1	10	086	75.39
867SV-251SR	2X1-1/2	1-1/2	1	10	086	75.39
867SV-291SR	2-1/2X1-1/2	1-3/4	1	10	086	100.80
867SV-331SR <sup>1</sup>	3X1/4	1-1/8	1	10	086	100.80
867SV-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	100.80
867SV-334SR	3X3/4	7/8	1	10	086	100.80

**Schedule 80 PVC Product**  
**Clamp-On Saddles**



**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued)**  
**with FKM O-ring Seal & SS Hardware**

867SV-335SR	3X1	1-1/8	1	10	086	100.80
867SV-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	100.80
867SV-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	100.80
867SV-338SR	3X2	2-1/4	1	10	086	100.80
867SV-413SR <sup>1</sup>	4X1/4	1-1/8	1	8	086	128.61
867SV-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	127.27
867SV-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	127.27
867SV-417SR	4X1	1-1/8	1	8	086	127.27
867SV-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	127.27
867SV-419SR	4X1-1/2	1-3/4	1	8	086	127.27
867SV-420SR	4X2	2-1/4	1	8	086	127.27
867SV-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	131.49
867SV-422SR	4X3	3	1	4	086	138.20
867SV-521SR <sup>1</sup>	6X1/4	1-1/8	1	8	086	191.00
867SV-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	186.94
867SV-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	186.94
867SV-525SR	6X1	1-1/8	1	4	086	186.94
867SV-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	186.94
867SV-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	186.94
867SV-528SR	6X2	2-1/4	1	4	086	186.94
867SV-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	202.53
867SV-530SR	6X3	3	1	4	086	211.86
867SV-532SR	6X4	4	1	4	086	219.35
867SV-571SR <sup>1</sup>	8X1/4	4	1	0	086	347.49
867SV-573SR <sup>1</sup>	8X1/2	4	1	0	086	334.06
867SV-574SR <sup>1</sup>	8X3/4	4	1	0	086	334.06
867SV-575SR <sup>1</sup>	8X1	4	1	0	086	334.06
867SV-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	334.06
867SV-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	334.06
867SV-578SR <sup>1</sup>	8X2	4	1	0	086	334.06
867SV-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	367.45
867SV-580SR <sup>1</sup>	8X3	4	1	0	086	385.83
867SV-582SR	8X4	4	1	0	086	408.99
867SV-585SR	8X6	6	1	0	086	448.19
867SV-624SR	10X4	4	1	0	086	486.52
867SV-626SR	10X6	6	1	0	086	559.79
867SV-664SR	12X4	4	1	0	086	610.13
867SV-666SR	12X6	6	1	0	086	707.64

<sup>1</sup> Outlet-sized with Bushing

**Clamp-On Saddle x SR Thread Single Outlet PVC Gray**

**with EPDM O-ring Seal & Zinc-Plated Hardware**



2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867-247SR	2X1/2	3/4	1	10	086	39.43
867-248SR	2X3/4	7/8	1	10	086	39.43
867-249SR	2X1	1-1/8	1	10	086	39.43

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued)**  
**with EPDM O-ring Seal & Zinc-Plated Hardware**

867-250SR	2X1-1/4	1-1/2	1	10	086	39.43
867-251SR	2X1-1/2	1-1/2	1	10	086	39.43
867-291SR	2-1/2X1-1/2	1-3/4	1	10	086	53.88
867-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	53.88
867-334SR	3X3/4	7/8	1	10	086	53.88
867-335SR	3X1	1-1/8	1	10	086	53.88
867-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	53.88
867-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	53.88
867-338SR	3X2	2-1/4	1	10	086	53.88
867-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	67.88
867-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	67.88
867-417SR	4X1	1-1/8	1	8	086	67.88
867-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	67.88
867-419SR <sup>1</sup>	4X1-1/2	1-3/4	1	8	086	67.88
867-420SR	4X2	2-1/4	1	8	086	67.88
867-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	69.49
867-422SR	4X3	3	1	4	086	79.63
867-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	113.12
867-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	113.12
867-525SR	6X1	1-1/8	1	4	086	113.12
867-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	113.12
867-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	113.12
867-528SR	6X2	2-1/4	1	4	086	113.12
867-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	140.52
867-530SR	6X3	3	1	4	086	151.29
867-532SR	6X4	4	1	4	086	158.41
867-573SR	8X1/2	4	1	0	086	239.43
867-574SR <sup>1</sup>	8X3/4	4	1	0	086	239.43
867-575SR	8X1	4	1	0	086	239.43
867-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	239.43
867-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	239.43
867-578SR <sup>1</sup>	8X2	4	1	0	086	239.43
867-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	263.42
867-580SR <sup>1</sup>	8X3	4	1	0	086	276.47
867-582SR	8X4	4	1	0	086	293.14
867-585SR	8X6	6	1	0	086	337.60
867-624SR	10X4	4	1	0	086	348.71
867-626SR	10X6	6	1	0	086	401.05
867-664SR	12X4	4	1	0	086	436.97
867-666SR	12X6	6	1	0	086	507.19

<sup>1</sup> Outlet-sized with Bushing

**Clamp-On Saddle x SR Thread Single Outlet PVC Gray**

**with EPDM O-ring Seal & SS Hardware**



2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

867S-245SR <sup>1</sup>	2X1/4	1-1/8	1	10	086	75.39
867S-247SR	2X1/2	3/4	1	10	086	67.38
867S-248SR	2X3/4	7/8	1	10	086	67.38
867S-249SR	2X1	1-1/8	1	10	086	67.38



Schedule 80 PVC Product  
**Clamp-On Saddles**

**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Clamp-On Saddle x SR Thread Single Outlet PVC Gray (continued) with EPDM O-ring Seal &amp; SS Hardware</b>						
867S-250SR	2X1-1/4	1-1/2	1	10	086	67.38
867S-251SR	2X1-1/2	1-1/2	1	10	086	67.38
867S-291SR	2-1/2X1-1/2	1-3/4	1	10	086	90.59
867S-331SR <sup>1</sup>	3X1/4	1-1/8	1	10	086	100.21
867S-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	90.59
867S-334SR	3X3/4	7/8	1	10	086	90.59
867S-335SR	3X1	1-1/8	1	10	086	90.59
867S-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	90.59
867S-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	90.59
867S-338SR	3X2	2-1/4	1	10	086	90.59
867S-413SR	4X1/4		1	8	086	117.91
867S-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	114.06
867S-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	114.06
867S-417SR	4X1	1-1/8	1	8	086	114.06
867S-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	114.06
867S-419SR	4X1-1/2	1-3/4	1	8	086	114.06
867S-420SR	4X2	2-1/4	1	8	086	114.06
867S-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	119.38
867S-422SR	4X3	3	1	4	086	128.67
867S-521SR <sup>1</sup>	6X1/4	1-1/8	1	8	086	180.92
867S-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	164.88
867S-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	164.88
867S-525SR	6X1	1-1/8	1	4	086	164.88
867S-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	164.88
867S-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	164.88
867S-528SR	6X2	2-1/4	1	4	086	164.88
867S-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	188.22
867S-530SR	6X3	3	1	4	086	194.34
867S-532SR	6X4	4	1	4	086	202.41
867S-571SR <sup>1</sup>	8X1/4	4	1	0	086	357.23
867S-573SR <sup>1</sup>	8X1/2	4	1	0	086	305.75
867S-574SR <sup>1</sup>	8X3/4	4	1	0	086	305.75
867S-575SR <sup>1</sup>	8X1	4	1	0	086	305.75
867S-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	305.75
867S-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	305.75
867S-578SR <sup>1</sup>	8X2	4	1	0	086	305.75
867S-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	341.07
867S-580SR <sup>1</sup>	8X3	4	1	0	086	360.45
867S-582SR	8X4	4	1	0	086	380.80
867S-585SR	8X6	6	1	0	086	399.77
867S-624SR	10X4	4	1	0	086	469.41
867S-626SR	10X6	6	1	0	086	493.55
867S-664SR	12X4	4	1	0	086	538.09
867S-666SR	12X6	6	1	0	086	624.17

<sup>1</sup> Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Double Outlet PVC Gray**

**with FKM O-ring Seal & Zinc-Plated Hardware**



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868V-247	2X1/2	3/4	1	10	086	49.14
868V-248	2X3/4	7/8	1	10	086	49.14
868V-249	2X1	1-1/8	1	10	086	49.14
868V-250	2X1-1/4	1-1/2	1	10	086	49.14
868V-251	2X1-1/2	1-1/2	1	10	086	49.14
868V-291	2-1/2X1-1/2	1-3/4	1	10	086	62.95
868V-333 <sup>1</sup>	3X1/2	7/8	1	10	086	62.95
868V-334	3X3/4	7/8	1	10	086	62.95
868V-335	3X1	1-1/8	1	10	086	62.95
868V-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	62.95
868V-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	62.95
868V-338	3X2	2-1/4	1	10	086	62.95
868V-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	84.03
868V-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	84.03
868V-417	4X1	1-1/8	1	8	086	84.03
868V-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	84.03
868V-419	4X1-1/2	1-3/4	1	8	086	84.03
868V-420	4X2	2-1/4	1	8	086	84.03
868V-421 <sup>1</sup>	4X2-1/2	3	1	4	086	91.35
868V-422	4X3	3	1	4	086	98.47
868V-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	137.97
868V-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	137.97
868V-525	6X1	1-1/8	1	4	086	137.97
868V-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	137.97
868V-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	137.97
868V-528	6X2	2-1/4	1	4	086	137.97
868V-529 <sup>1</sup>	6X2-1/2	3	1	4	086	143.24
868V-530	6X3	3	1	4	086	151.09
868V-532	6X4	4	1	4	086	161.48
868V-573 <sup>1</sup>	8X1/2	4	1	0	086	290.13
868V-574 <sup>1</sup>	8X3/4	4	1	0	086	290.13
868V-575 <sup>1</sup>	8X1	4	1	0	086	290.13
868V-576 <sup>1</sup>	8X1-1/4	4	1	0	086	290.13
868V-577 <sup>1</sup>	8X1-1/2	4	1	0	086	290.13
868V-578 <sup>1</sup>	8X2	4	1	0	086	290.13
868V-579 <sup>1</sup>	8X2-1/2	4	1	0	086	304.35
868V-580 <sup>1</sup>	8X3	4	1	0	086	319.80
868V-582	8X4	4	1	0	086	338.88
868V-585	8X6	6	1	0	086	376.17
868V-624	10X4	4	1	0	086	447.71
868V-626	10X6	6	1	0	086	472.46
868V-664	12X4	4	1	0	086	561.19
868V-666	12X6	6	1	0	086	650.85

<sup>1</sup> Outlet-sized with Bushing

Schedule 80 PVC Product  
**Clamp-On Saddles**



**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Double Outlet PVC Gray**

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868SV-247	2X1/2	3/4	1	10	086	79.03
868SV-248	2X3/4	7/8	1	10	086	79.03
868SV-249	2X1	1-1/8	1	10	086	79.03
868SV-250	2X1-1/4	1-1/2	1	10	086	79.03
868SV-251	2X1-1/2	1-1/2	1	10	086	79.03
868SV-291	2-1/2X1-1/2	1-3/4	1	10	086	105.02
868SV-333 <sup>1</sup>	3X1/2	7/8	1	10	086	105.02
868SV-334	3X3/4	7/8	1	10	086	105.02
868SV-335	3X1	1-1/8	1	10	086	105.02
868SV-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	105.02
868SV-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	105.02
868SV-338	3X2	2-1/4	1	10	086	105.02
868SV-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	134.47
868SV-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	134.47
868SV-417	4X1	1-1/8	1	8	086	134.47
868SV-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	134.47
868SV-419	4X1-1/2	1-3/4	1	8	086	134.47
868SV-420	4X2	2-1/4	1	16	086	134.47
868SV-421 <sup>1</sup>	4X2-1/2	3	1	4	086	144.40
868SV-422	4X3	3	1	4	086	150.39
868SV-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	208.31
868SV-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	208.31
868SV-525	6X1	1-1/8	1	4	086	208.31
868SV-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	208.31
868SV-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	208.31
868SV-528	6X2	2-1/4	1	4	086	208.31
868SV-529 <sup>1</sup>	6X2-1/2	3	1	4	086	220.80
868SV-530	6X3	3	1	4	086	226.93
868SV-532	6X4	4	1	4	086	233.53
868SV-573 <sup>1</sup>	8X1/2	4	1	0	086	389.42
868SV-574 <sup>1</sup>	8X3/4	4	1	0	086	389.42
868SV-575 <sup>1</sup>	8X1	4	1	0	086	389.42
868SV-576 <sup>1</sup>	8X1-1/4	4	1	0	086	389.42
868SV-577 <sup>1</sup>	8X1-1/2	4	1	0	086	389.42
868SV-578 <sup>1</sup>	8X2	4	1	0	086	389.42
868SV-579 <sup>1</sup>	8X2-1/2	4	1	0	086	428.36
868SV-580 <sup>1</sup>	8X3	4	1	0	086	449.73
868SV-582	8X4	4	1	0	086	451.92
868SV-585	8X6	6	1	0	086	529.06
868SV-624	10X4	4	1	0	086	629.59
868SV-626	10X6	6	1	0	086	724.07
868SV-664	12X4	4	1	0	086	789.19
868SV-666	12X6	6	1	0	086	915.49

<sup>1</sup> Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Double Outlet PVC Gray**

with EPDM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868-247	2X1/2	3/4	1	10	086	44.98
868-248	2X3/4	7/8	1	10	086	44.98
868-249	2X1	1-1/8	1	10	086	44.98
868-250	2X1-1/4	1-1/2	1	10	086	44.98
868-251	2X1-1/2	1-1/2	1	10	086	44.98
868-291	2-1/2X1-1/2	1-3/4	1	10	086	61.81
868-333 <sup>1</sup>	3X1/2	7/8	1	10	086	61.81
868-334	3X3/4	7/8	1	10	086	61.81
868-335	3X1	1-1/8	1	10	086	61.81
868-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	61.81
868-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	61.81
868-338	3X2	2-1/4	1	10	086	61.81
868-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	77.97
868-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	77.97
868-417	4X1	1-1/8	1	8	086	77.97
868-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	77.97
868-419	4X1-1/2	1-3/4	1	8	086	77.97
868-420	4X2	2-1/4	1	8	086	77.97
868-421 <sup>1</sup>	4X2-1/2	3	1	4	086	83.74
868-422	4X3	3	1	4	086	88.61
868-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	130.25
868-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	130.25
868-525	6X1	1-1/8	1	4	086	130.25
868-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	130.25
868-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	130.25
868-528	6X2	2-1/4	1	4	086	130.25
868-529 <sup>1</sup>	6X2-1/2	3	1	4	086	137.65
868-530	6X3	3	1	4	086	145.47
868-532	6X4	4	1	4	086	151.31
868-573 <sup>1</sup>	8X1/2	4	1	0	086	243.57
868-574 <sup>1</sup>	8X3/4	4	1	0	086	243.57
868-575 <sup>1</sup>	8X1	4	1	0	086	243.57
868-576 <sup>1</sup>	8X1-1/4	4	1	0	086	243.57
868-577 <sup>1</sup>	8X1-1/2	4	1	0	086	243.57
868-578 <sup>1</sup>	8X2	4	1	0	086	243.57
868-579 <sup>1</sup>	8X2-1/2	4	1	0	086	267.04
868-580 <sup>1</sup>	8X3	4	1	0	086	280.28
868-582	8X4	4	1	0	086	296.92
868-585	8X6	6	1	0	086	329.83
868-624	10X4	4	1	0	086	392.43
868-626	10X6	6	1	0	086	451.42
868-664	12X4	4	1	0	086	491.94
868-666	12X6	6	1	0	086	570.60

<sup>1</sup> Outlet-sized with Bushing



Schedule 80 PVC Product  
**Clamp-On Saddles**

**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x Socket Double Outlet PVC Gray**

with EPDM O-ring Seal & SS Hardware



2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

868S-247	2X1/2	3/4	1	10	086	68.56
868S-248	2X3/4	7/8	1	10	086	68.56
868S-249	2X1	1-1/8	1	10	086	68.56
868S-250	2X1-1/4	1-1/2	1	10	086	68.56
868S-251	2X1-1/2	1-1/2	1	10	086	68.56
868S-291	2-1/2X1-1/2	1-3/4	1	10	086	92.14
868S-333 <sup>1</sup>	3X1/2	7/8	1	10	086	92.14
868S-334	3X3/4	7/8	1	10	086	92.14
868S-335	3X1	1-1/8	1	10	086	92.14
868S-336 <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	92.14
868S-337 <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	92.14
868S-338	3X2	2-1/4	1	10	086	92.14
868S-415 <sup>1</sup>	4X1/2	1-1/8	1	10	086	118.64
868S-416 <sup>1</sup>	4X3/4	1-1/8	1	10	086	118.64
868S-417	4X1	1-1/8	1	8	086	118.64
868S-418 <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	118.64
868S-419	4X1-1/2	1-3/4	1	8	086	118.64
868S-420	4X2	2-1/4	1	8	086	118.64
868S-421 <sup>1</sup>	4X2-1/2	3	1	4	086	128.75
868S-422	4X3	3	1	4	086	132.20
868S-523 <sup>1</sup>	6X1/2	1-1/8	1	4	086	197.72
868S-524 <sup>1</sup>	6X3/4	1-1/8	1	4	086	197.72
868S-525	6X1	1-1/8	1	4	086	197.72
868S-526 <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	197.72
868S-527 <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	197.72
868S-528	6X2	2-1/4	1	4	086	197.72
868S-529 <sup>1</sup>	6X2-1/2	3	1	4	086	204.41
868S-530	6X3	3	1	4	086	212.72
868S-532	6X4	4	1	4	086	221.19
868S-573 <sup>1</sup>	8X1/2	4	1	0	086	365.74
868S-574 <sup>1</sup>	8X3/4	4	1	0	086	365.74
868S-575 <sup>1</sup>	8X1	4	1	0	086	365.74
868S-576 <sup>1</sup>	8X1-1/4	4	1	0	086	365.74
868S-577 <sup>1</sup>	8X1-1/2	4	1	0	086	365.74
868S-578 <sup>1</sup>	8X2	4	1	0	086	365.74
868S-579 <sup>1</sup>	8X2-1/2	4	1	0	086	402.47
868S-580 <sup>1</sup>	8X3	4	1	0	086	422.73
868S-582	8X4	4	1	0	086	446.02
868S-585	8X6	6	1	0	086	532.01
868S-624	10X4	4	1	0	086	591.87
868S-626	10X6	6	1	0	086	680.64
868S-664	12X4	4	1	0	086	741.95
868S-666	12X6	6	1	0	086	860.51

<sup>1</sup> Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Double Outlet PVC Gray**

with FKM O-ring Seal & Zinc-Plated Hardware



2" - 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869V-247SR	2X1/2	3/4	1	10	086	54.68
869V-248SR	2X3/4	7/8	1	10	086	54.68
869V-249SR	2X1	1-1/8	1	10	086	54.68
869V-250SR	2X1-1/4	1-1/2	1	10	086	54.68
869V-251SR	2X1-1/2	1-1/2	1	10	086	54.68
869V-291SR	2-1/2X1-1/2	1-3/4	1	10	086	75.17
869V-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	75.17
869V-334SR	3X3/4	7/8	1	10	086	75.17
869V-335SR	3X1	1-1/8	1	10	086	75.17
869V-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	75.17
869V-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	75.17
869V-338SR	3X2	2-1/4	1	10	086	75.17
869V-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	93.35
869V-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	93.35
869V-417SR	4X1	1-1/8	1	8	086	93.35
869V-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	93.35
869V-419SR	4X1-1/2	1-3/4	1	8	086	93.35
869V-420SR	4X2	2-1/4	1	8	086	93.35
869V-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	100.36
869V-422SR	4X3	3	1	4	086	106.03
869V-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	158.11
869V-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	158.11
869V-525SR	6X1	1-1/8	1	4	086	158.11
869V-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	158.11
869V-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	158.11
869V-528SR	6X2	2-1/4	1	4	086	158.11
869V-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	190.99
869V-530SR	6X3	3	1	4	086	201.84
869V-532SR	6X4	4	1	4	086	212.02
869V-573SR <sup>1</sup>	8X1/2	4	1	0	086	320.20
869V-574SR <sup>1</sup>	8X3/4	4	1	0	086	320.20
869V-575SR <sup>1</sup>	8X1	4	1	0	086	320.20
869V-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	320.20
869V-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	320.20
869V-578SR <sup>1</sup>	8X2	4	1	0	086	320.20
869V-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	352.31
869V-580SR <sup>1</sup>	8X3	4	1	0	086	369.96
869V-582SR	8X4	4	1	0	086	392.23
869V-585SR	8X6	6	1	0	086	456.57
869V-624SR	10X4	4	1	0	086	466.68
869V-626SR	10X6	6	1	0	086	536.67
869V-664SR	12X4	4	1	0	086	585.02
869V-666SR	12X6	6	1	0	086	680.73

<sup>1</sup> Outlet-sized with Bushing

Schedule 80 PVC Product  
**Clamp-On Saddles**



**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Double Outlet PVC Gray**

with FKM O-ring Seal & SS Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869SV-247SR	2X1/2	3/4	1	10	086	87.92
869SV-248SR	2X3/4	7/8	1	10	086	87.92
869SV-249SR	2X1	1-1/8	1	10	086	87.92
869SV-250SR	2X1-1/4	1-1/2	1	10	086	87.92
869SV-251SR	2X1-1/2	1-1/2	1	10	086	87.92
869SV-291SR	2-1/2X1-1/2	1-3/4	1	10	086	116.62
869SV-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	116.62
869SV-335SR	3X1	1-1/8	1	10	086	116.62
869SV-334SR	3X3/4	7/8	1	10	086	116.62
869SV-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	116.62
869SV-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	116.62
869SV-338SR	3X2	2-1/4	1	10	086	116.62
869SV-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	146.64
869SV-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	146.64
869SV-417SR	4X1	1-1/8	1	8	086	146.64
869SV-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	146.64
869SV-419SR	4X1-1/2	1-3/4	1	8	086	146.64
869SV-420SR	4X2	2-1/4	1	8	086	146.64
869SV-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	154.43
869SV-422SR	4X3	3	1	4	086	162.31
869SV-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	244.28
869SV-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	244.28
869SV-525SR	6X1	1-1/8	1	4	086	244.28
869SV-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	244.28
869SV-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	244.28
869SV-528SR	6X2	2-1/4	1	4	086	244.28
869SV-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	261.55
869SV-530SR	6X3	3	1	4	086	278.20
869SV-532SR	6X4	4	1	4	086	285.44
869SV-573SR <sup>1</sup>	8X1/2	4	1	0	086	412.48
869SV-574SR <sup>1</sup>	8X3/4	4	1	0	086	412.48
869SV-575SR <sup>1</sup>	8X1	4	1	0	086	412.48
869SV-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	412.48
869SV-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	412.48
869SV-578SR <sup>1</sup>	8X2	4	1	0	086	412.48
869SV-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	453.63
869SV-580SR <sup>1</sup>	8X3	4	1	0	086	476.29
869SV-582SR	8X4	4	1	0	086	505.00
869SV-585SR	8X6	6	1	0	086	551.43
869SV-624SR	10X4	4	1	0	086	600.89
869SV-626SR	10X6	4	1	0	086	691.07
869SV-664SR	12X4	4	1	0	086	753.17
869SV-666SR	12X6	6	1	0	086	873.76

<sup>1</sup> Outlet-sized with Bushing

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Double Outlet PVC Gray**

with EPDM O-ring Seal & Zinc-Plated Hardware



2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869-247SR	2X1/2	3/4	1	10	086	48.99
869-248SR	2X3/4	7/8	1	10	086	48.99
869-249SR	2X1	1-1/8	1	10	086	48.99
869-250SR	2X1-1/4	1-1/2	1	10	086	48.99
869-251SR	2X1-1/2	1-1/2	1	10	086	48.99
869-291SR	2-1/2X1-1/2	1-3/4	1	10	086	65.97
869-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	65.97
869-334SR	3X3/4	7/8	1	10	086	65.97
869-335SR	3X1	1-1/8	1	10	086	65.97
869-336SR <sup>1</sup>	3X1-1/4	1-1/8	1	10	086	65.97
869-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	65.97
869-338SR	3X2	2-1/4	1	10	086	65.97
869-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	82.48
869-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	82.48
869-417SR	4X1	1-1/8	1	8	086	82.48
869-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	82.48
869-419SR	4X1-1/2	1-3/4	1	8	086	82.48
869-420SR	4X2	2-1/4	1	8	086	82.48
869-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	90.20
869-422SR	4X3	3	1	4	086	95.75
869-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	137.45
869-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	137.45
869-525SR	6X1	1-1/8	1	4	086	137.45
869-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	137.45
869-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	137.45
869-528SR	6X2	2-1/4	1	4	086	137.45
869-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	170.47
869-530SR	6X3	3	1	4	086	180.54
869-532SR	6X4	4	1	4	086	201.17
869-573SR <sup>1</sup>	8X1/2	4	1	0	086	295.54
869-574SR <sup>1</sup>	8X3/4	4	1	0	086	295.54
869-575SR <sup>1</sup>	8X1	4	1	0	086	295.54
869-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	295.54
869-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	295.54
869-578SR <sup>1</sup>	8X2	4	1	0	086	295.54
869-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	325.23
869-580SR <sup>1</sup>	8X3	4	1	0	086	341.07
869-582SR	8X4	4	1	0	086	361.73
869-585SR	8X6	6	1	0	086	408.66
869-624SR	10X4	4	1	0	086	430.34
869-626SR	10X6	6	1	0	086	494.97
869-664SR	12X4	4	1	0	086	539.71
869-666SR	12X6	6	1	0	086	625.99

<sup>1</sup> Outlet-sized with Bushing





Schedule 80 PVC Product  
**Clamp-On Saddles & Hot-Tap Saddles**

**Clamp-On Saddles**

Part Number	Size	Hole Saw Dia	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------------	--------	----------	-----------	------

**Clamp-On Saddle x SR Thread Double Outlet PVC Gray**

**with EPDM O-ring Seal & SS Hardware**

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

869S-247SR	2X1/2	3/4	1	10	086	78.83
869S-248SR	2X3/4	7/8	1	10	086	78.83
869S-249SR	2X1	1-1/8	1	10	086	78.83
869S-250SR	2X1-1/4	1-1/2	1	10	086	78.83
869S-251SR	2X1-1/2	1-1/2	1	10	086	78.83
869S-291SR	2-1/2X1-1/2	1-3/4	1	10	086	105.09
869S-333SR <sup>1</sup>	3X1/2	7/8	1	10	086	105.09
869S-334SR	3X3/4	7/8	1	10	086	105.09
869S-335SR	3X1	1-1/8	1	10	086	105.09
869S-336SR <sup>1</sup>	3X1-1/4	2-1/4	1	10	086	105.09
869S-337SR <sup>1</sup>	3X1-1/2	2-1/4	1	10	086	105.09
869S-338SR	3X2	2-1/4	1	10	086	105.09
869S-415SR <sup>1</sup>	4X1/2	1-1/8	1	10	086	131.65
869S-416SR <sup>1</sup>	4X3/4	1-1/8	1	10	086	131.65
869S-417SR	4X1	1-1/8	1	8	086	131.65
869S-418SR <sup>1</sup>	4X1-1/4	1-3/4	1	8	086	131.65
869S-419SR	4X1-1/2	1-3/4	1	8	086	131.65
869S-420SR	4X2	2-1/4	1	8	086	131.65
869S-421SR <sup>1</sup>	4X2-1/2	3	1	4	086	140.65
869S-422SR	4X3	3	1	4	086	146.95
869S-523SR <sup>1</sup>	6X1/2	1-1/8	1	4	086	219.35
869S-524SR <sup>1</sup>	6X3/4	1-1/8	1	4	086	219.35
869S-525SR	6X1	1-1/8	1	4	086	219.35
869S-526SR <sup>1</sup>	6X1-1/4	2-1/4	1	4	086	219.35
869S-527SR <sup>1</sup>	6X1-1/2	2-1/4	1	4	086	219.35
869S-528SR	6X2	2-1/4	1	4	086	219.35
869S-529SR <sup>1</sup>	6X2-1/2	3	1	4	086	230.18
869S-530SR	6X3	3	1	4	086	239.62
869S-532SR	6X4	4	1	4	086	247.23
869S-573SR <sup>1</sup>	8X1/2	4	1	0	086	377.48
869S-574SR <sup>1</sup>	8X3/4	4	1	0	086	377.48
869S-575SR <sup>1</sup>	8X1	4	1	0	086	377.48
869S-576SR <sup>1</sup>	8X1-1/4	4	1	0	086	377.48
869S-577SR <sup>1</sup>	8X1-1/2	4	1	0	086	377.48
869S-578SR <sup>1</sup>	8X2	4	1	0	086	377.48
869S-579SR <sup>1</sup>	8X2-1/2	4	1	0	086	396.24
869S-580SR <sup>1</sup>	8X3	4	1	0	086	420.14
869S-582SR	8X4	4	1	0	086	445.41
869S-585SR	8X6	6	1	0	086	488.93
869S-624SR	10X4	4	1	0	086	430.34
869S-626SR	10X6	6	1	0	086	609.54
869S-664SR	12X4	4	1	0	086	664.49
869S-666SR	12X6	6	1	0	086	770.73



**Hot-Tap Saddles**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Hot-Tap Saddle PVC Gray**

**EPDM Saddle x Socket (Spigot) Zinc Plated Bolts**

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2-248	2X3/4 (1)	1	5	049	59.71
HT2-251	2X1-1/2 (2)	1	5	049	123.36
HT2-288	2-1/2X3/4 (1)	1	5	049	63.81
HT2-291	2-1/2X1-1/2 (2)	1	5	049	127.45
HT2-334	3X3/4 (1)	1	5	049	73.07
HT2-337	3X1-1/2 (2)	1	5	049	140.48
HT2-416	4X3/4 (1)	1	5	049	84.40
HT2-419	4X1-1/2 (2)	1	0	049	148.55
HT2-524	6X3/4 (1)	1	5	049	94.87
HT2-527	6X1-1/2 (2)	1	0	049	158.16
HT2-574	8X3/4 (1)	1	0	049	104.99
HT2-577	8X1-1/2 (2)	1	0	049	168.63



**Not intended to convey or dispense water for human consumption through drinking or cooking**

**Hot-Tap Saddle PVC Gray**

**EPDM Saddle x Socket (Spigot) SS316 Bolts**

2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

HT2S-248	2X3/4 (1)	1	5	049	92.98
HT2S-251	2X1-1/2 (2)	1	5	049	191.95
HT2S-288	2-1/2X3/4 (1)	1	5	049	99.32
HT2S-291	2-1/2X1-1/2 (2)	1	5	049	198.29
HT2S-334	3X3/4 (1)	1	5	049	113.75
HT2S-337	3X1-1/2 (2)	1	5	049	218.73
HT2S-416	4X3/4 (1)	1	5	049	131.40
HT2S-419	4X1-1/2 (2)	1	0	049	231.22
HT2S-524	6X3/4 (1)	1	5	049	147.54
HT2S-527	6X1-1/2 (2)	1	0	049	245.97
HT2S-574	8X3/4 (1)	1	0	049	162.61
HT2S-577	8X1-1/2 (2)	1	0	049	261.43



**Not intended to convey or dispense water for human consumption through drinking or cooking**

<sup>1</sup> Outlet-sized with Bushing