

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Coupling - Deep Socket (continued)					
Socket x Socket					
479-012	1-1/4	18	0	040	4.04
479-015	1-1/2	50	0	040	4.59
479-020	2	60	0	040	7.59
479-025	2-1/2	25	0	040	9.76
479-030	3	15	0	040	14.71
479-040	4	8	0	040	29.54
479-045F	4-1/2	1	10	047	79.34
479-050F	5	1	4	047	99.79
479-060F	6	1	10	048	113.41

Adapters

IPS to PIP Adapter

Spigot x Socket

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
431-060	6	5	0	040	32.27
431-080	8	10	0	040	39.76
431-100F	10	10	0	047	54.32
431-120F	12	8	0	047	82.94

Female Adapter

Socket x Fipt

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
435-003	3/8	50	600	040	2.75
435-005	1/2	50	600	040	.84
D435-005	1/2	50	400	040	1.23
435-007	3/4	50	400	040	1.07
D435-007	3/4	50	400	040	1.64
435-010	1	50	0	040	1.24
435-012	1-1/4	25	0	040	1.92
435-015	1-1/2	25	0	040	2.19
435-020	2	10	80	040	2.95
435-025	2-1/2	10	0	040	7.45
435-030	3	5	0	040	10.03
435-040	4	6	0	040	16.62
435-050	5	5	0	040	43.04
435-060	6	5	0	040	61.17
435-080	8	2	0	040	115.33
435-100F	10	1	2	047	216.65
435-120F	12	1	0	047	322.81

"D" prefix indicates Deep Socket Adapter

Female Adapter - Reducing

Socket x Fipt

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
435-072	1/2X1/4	50	300	040	1.51
435-073	1/2X3/8	50	300	040	1.51
435-074	1/2X3/4	50	400	040	1.51

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter - Reducing (continued)

Socket x Fipt

435-098	3/4X1/4	25	150	040	2.09
435-101	3/4X1/2	50	400	040	1.51
435-102	3/4X1	50	0	040	2.01
435-130	1X1/2	50	0	040	2.01
435-131	1X3/4	50	0	040	2.01
435-133	1X1-1/2	25	0	040	4.03
435-168	1-1/4X1	25	0	040	5.18
435-247	2X1/2	25	0	040	6.96
435-460F ¹	4-1/2X4	1	8	047	67.96
435-532 ¹	6X4	4	0	040	89.09
435-578F ¹	8X2	1	8	047	178.66
435-582F ¹	8X4	1	8	047	206.02
435-628F	10X8	1	2	047	225.47

¹ Outlet sizes with Threaded Adapter

Female Adapter - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar

435-002SR	1/4	25	450	046	6.52
435-003SR	3/8	25	300	046	6.52
435-005SR	1/2	25	150	046	3.62
435-007SR	3/4	25	300	046	5.27
435-010SR	1	25	200	046	7.83
435-012SR	1-1/4	10	60	046	12.66
435-015SR	1-1/2	10	80	046	15.59
435-020SR	2	10	0	046	27.20
435-025SR	2-1/2	5	0	046	42.92
435-030SR	3	15	0	046	48.35
435-040SR	4	5	0	046	83.09

Female Adapter - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar

435-072SR	1/2X1/4	50	600	046	4.73
435-073SR	1/2X3/8	50	600	046	4.26
435-074SR	1/2X3/4	50	400	046	5.27
435-098SR	3/4X1/4	25	150	046	5.27
435-101SR	3/4X1/2	50	400	046	5.27
435-102SR	3/4X1	50	0	046	7.83
435-130SR	1X1/2	50	0	046	7.83
435-131SR	1X3/4	25	200	046	7.83
435-247SR	2X1/2	25	0	046	27.20

Male Adapter

Mipt x Socket

436-003	3/8	50	300	040	2.57
436-005	1/2	50	300	040	.67
436-007	3/4	50	400	040	.75
436-010	1	50	300	040	1.35



Schedule 40 Fittings Product
PVC Schedule 40 Fittings

Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Male Adapter (continued)					
Mipt x Socket					
436-012	1-1/4	25	0	040	1.64
436-015	1-1/2	25	0	040	2.19
436-020	2	25	0	040	2.88
436-025	2-1/2	10	0	040	8.49
436-030	3	10	0	040	12.44
436-040	4	5	0	040	15.87
436-050	5	5	0	040	26.15
436-060	6	7	0	040	41.39
436-080	8	3	0	040	188.09
436-100F	10	1	2	047	243.25
436-120F	12	1	0	047	361.49

Male Adapter - Reducing

Mipt x Socket

436-053	3/8X1/2	50	300	040	1.35
436-073	1/2X3/8	50	300	040	1.35
436-074	1/2X3/4	50	200	040	1.35
436-075	1/2X1	50	200	040	1.82
436-101	3/4X1/2	50	300	040	1.24
436-102	3/4X1	50	0	040	1.92
436-131	1X3/4	50	400	040	4.14
436-132	1X1-1/4	50	0	040	4.48
436-133	1X1-1/2	50	0	040	5.06
436-168	1-1/4X1	25	200	040	5.06
436-169	1-1/4X1-1/2	25	0	040	5.06
436-212	1-1/2X1-1/4	25	0	040	6.12
436-213	1-1/2X2	25	0	040	6.12
436-251	2X1-1/2	10	80	040	6.97
436-252	2X2-1/2	10	0	040	10.86
436-253	2X3	10	0	040	12.20
436-294	2-1/2X3	10	0	040	13.13
436-296	2-1/2X4	10	0	040	20.17
436-342	3X4	5	0	040	21.02
436-492F	5X6	1	15	047	114.77
436-535F	6X8	1	4	047	152.56
436-537F	6X10	1	2	047	297.35

IPT Adapter

Mipt x Fipt

446-003	3/8	50	300	040	2.31
446-012	1-1/4	25	100	040	5.26
446-053	3/8X1/2	50	300	040	2.31
446-074	1/2X3/4	50	300	040	2.88

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Insert Adapter (White PVC)

Insert x I.P.S. Spigot x I.P.S. Socket

460-007N	3/4X3/4X1/2	50	200	040	3.46
460-012N	1-1/4X1-1/4X1	20	160	040	3.74
460-131N	3/4X1X3/4	20	160	040	4.03
460-132N	1X1-1/4X1	20	160	040	4.37

ASTM D 2609 - Plastic Insert Fitting for Polyethylene (PE) pipe
N=Nesting

Insert Adapter (White PVC)

Insert x I.P.S. Spigot

460-005	1/2	50	300	040	2.64
460-007	3/4	50	200	040	3.46
460-010	1	50	0	040	3.62
460-012	1-1/4	20	160	040	3.74
460-015	1-1/2	25	0	040	4.01
460-020	2	10	0	040	6.67
460-030	3	25	0	040	22.53
460-040	4	10	0	040	25.94
1432-060	6	8	0	140	111.52
1432-080	8	4	0	140	221.40

ASTM D 2609 - Plastic Insert Fitting for Polyethylene (PE) pipe

Male Spigot Adapter

Spigot x Mipt

461-005	1/2	50	300	040	1.19
461-007	3/4	50	400	040	1.35
461-010	1	50	0	040	2.34
461-131	1X3/4	50	200	040	6.89
461-012	1-1/4	25	100	040	2.88
461-015	1-1/2	25	0	040	3.85
461-020	2	25	0	040	4.75

Insert Adapter (White PVC)

Insert x Socket

474-005	1/2	50	600	040	2.40
474-007	3/4	50	400	040	2.88
474-010	1	50	0	040	3.06
474-012	1-1/4	25	0	040	4.85
474-015	1-1/2	25	0	040	5.38
474-020	2	25	0	040	9.96
474-030	3	15	0	040	29.68
474-040	4	15	0	040	33.93
474-060F	6	1	4	047	175.36
474-080F	8	1	4	047	278.58

ASTM D 2609 Plastic Insert Fittings for Polyethylene (PE) pipe

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Spigot Adapter

Spigot x Fipt



478-005	1/2	50	600	040	.94
478-007	3/4	25	300	040	1.11
478-010	1	50	0	040	1.77
478-012	1-1/4	25	0	040	2.47
478-015	1-1/2	20	0	040	3.06
478-020	2	20	0	040	4.48
478-030	3	10	0	040	15.22
478-040	4	5	0	040	25.27

Female Spigot Adapter - Special Reinforced

Spigot x SR Fipt - Stainless Steel Collar



478-005SR	1/2	50	600	046	4.76
478-007SR	3/4	25	300	046	5.61
478-010SR	1	50	0	046	8.64
478-012SR	1-1/4	25	0	046	13.76
478-015SR	1-1/2	25	0	046	16.49
478-020SR	2	15	0	046	27.46
478-030SR	3	5	0	046	50.48
478-040SR	4	5	0	046	77.97

Female Spigot Adapter - Special Reinforced Reducing

Spigot x SR Fipt - Stainless Steel Collar



478-072SR	1/2X1/4	25	450	046	13.24
478-098SR	3/4X1/4	50	300	046	19.28
478-128SR	1X1/4	50	400	046	19.87

Spears® SR Series reinforced spigot adapters can be user-installed in a variety of socket type tees, elbows and reducer bushings for superior thread reinforcement demanding applications.

Riser Extensions

Riser Extension

Fipt x Mipt



(See also Polyethylene Cut-Off Riser Extensions in this catalog)

434-005	1/2	50	300	040	1.38
434-007	3/4	50	300	040	2.31
434-010	1	50	0	040	2.88

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Riser Extension - Polyethylene Cut-Off

Fipt x Mipt



(1/2" = 3-Section Cut-Off; 3/4" = 4-Section Cut-Off)

M434-005-3	1/2X3	50	600	120	1.65
M434-007-4	3/4X4	50	0	120	2.19

High Density Polyethylene - Not NSF-listed - Not pressure rated. For use on open ended irrigation systems.

Reducer Bushing

Reducer Bushing Flush Style

Spigot x Socket



437-052	3/8X1/4	50	450	040	1.38
437-072	1/2X1/4	50	300	040	1.42
437-073	1/2X3/8	50	300	040	1.42
437-101	3/4X1/2	50	300	040	.79
437-130	1X1/2	50	300	040	1.42
437-131	1X3/4	50	300	040	1.42
437-166	1-1/4X1/2	25	300	040	1.92
437-167	1-1/4X3/4	25	300	040	1.92
437-168	1-1/4X1	25	300	040	1.92
437-209	1-1/2X1/2	25	200	040	2.03
437-210	1-1/2X3/4	25	200	040	2.03
437-211	1-1/2X1	25	200	040	2.03
437-212	1-1/2X1-1/4	25	200	040	2.03
437-247	2X1/2	10	120	040	3.35
437-248	2X3/4	10	60	040	3.35
437-249	2X1	10	60	040	3.35
437-250	2X1-1/4	10	120	040	3.35
437-251	2X1-1/2	25	0	040	3.35
437-287	2-1/2X1/2	10	80	040	5.39
437-288	2-1/2X3/4	10	40	040	5.39
437-289	2-1/2X1	10	40	040	5.39
437-290	2-1/2X1-1/4	10	40	040	5.39
437-291	2-1/2X1-1/2	10	40	040	5.39
437-292	2-1/2X2	10	80	040	5.39
437-333	3X1/2	10	0	040	10.60
437-334	3X3/4	10	0	040	7.94
437-335	3X1	10	0	040	7.94
437-336	3X1-1/4	10	0	040	7.94
437-337	3X1-1/2	10	0	040	7.94
437-338	3X2	10	0	040	7.94
437-339	3X2-1/2	15	0	040	7.94
437-417 ¹	4X1	6	0	040	21.54
437-418 ¹	4X1-1/4	6	0	040	21.76
437-419	4X1-1/2	6	0	040	21.76
437-420	4X2	6	0	040	17.76
437-421	4X2-1/2	6	0	040	17.76
437-422	4X3	6	0	040	17.76
437-486	5X2	5	0	040	24.98