



Schedule 40 Fittings Product PVC Schedule 40 Fittings

Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Coupling - Deep Socket (continued)					
Socket x Socket					
479-015	1-1/2	50	0	040	4.14
479-020	2	60	0	040	6.85
479-025	2-1/2	25	0	040	8.81
479-030	3	15	0	040	13.27
479-040	4	8	0	040	26.66
479-045F	4-1/2	1	10	047	71.60
479-050F	5	1	4	047	90.06
479-060F	6	1	10	048	102.35

Adapters

IPS to PIP Adapter

Spigot x Socket

431-060	6	5	0	040	29.13
431-080	8	10	0	040	35.88
431-100F	10	10	0	047	49.02
431-120F	12	8	0	047	74.85

Female Adapter

Socket x Fipt

435-003	3/8	50	600	040	2.48
435-005	1/2	50	600	040	.76
D435-005	1/2	50	400	040	1.11
435-007	3/4	50	400	040	.97
D435-007	3/4	50	400	040	1.48
435-010	1	50	0	040	1.12
435-012	1-1/4	25	0	040	1.73
435-015	1-1/2	25	0	040	1.98
435-020	2	10	80	040	2.66
435-025	2-1/2	10	0	040	6.73
435-030	3	5	0	040	9.05
435-040	4	6	0	040	15.00
435-050	5	5	0	040	38.85
435-060	6	5	0	040	55.20
435-080	8	2	0	040	104.08
435-100F	10	1	2	047	195.53
435-120F	12	1	0	047	291.34

"D" prefix indicates Deep Socket Adapter

Female Adapter - Reducing

Socket x Fipt

435-072	1/2X1/4	50	300	040	1.36
435-073	1/2X3/8	50	300	040	1.36
435-074	1/2X3/4	50	400	040	1.36
435-098	3/4X1/4	25	150	040	1.89

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Female Adapter - Reducing (continued)					
Socket x Fipt					
435-101	3/4X1/2	50	400	040	1.36
435-102	3/4X1	50	0	040	1.81
435-130	1X1/2	50	0	040	1.81
435-131	1X3/4	50	0	040	1.81
435-133	1X1-1/2	25	0	040	3.64
435-168	1-1/4X1	25	0	040	4.67
435-247	2X1/2	25	0	040	6.28
435-460F ¹	4-1/2X4	1	8	047	61.33
435-532 ¹	6X4	4	0	040	80.41
435-578F ¹	8X2	1	8	047	161.24
435-582F ¹	8X4	1	8	047	185.93
435-628F	10X8	1	2	047	203.49

¹ Outlet sizes with Threaded Adapter

Female Adapter - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar

435-002SR	1/4	25	450	046	5.88
435-003SR	3/8	25	300	046	5.88
435-005SR	1/2	25	150	046	3.27
435-007SR	3/4	25	300	046	4.76
435-010SR	1	25	200	046	7.07
435-012SR	1-1/4	10	60	046	11.43
435-015SR	1-1/2	10	80	046	14.07
435-020SR	2	10	0	046	24.55
435-025SR	2-1/2	5	0	046	38.73
435-030SR	3	15	0	046	43.63
435-040SR	4	5	0	046	74.99

Female Adapter - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar

435-072SR	1/2X1/4	50	600	046	4.27
435-073SR	1/2X3/8	50	600	046	3.85
435-074SR	1/2X3/4	50	400	046	4.76
435-098SR	3/4X1/4	25	150	046	4.76
435-101SR	3/4X1/2	50	400	046	4.76
435-102SR	3/4X1	50	0	046	7.07
435-130SR	1X1/2	50	0	046	7.07
435-131SR	1X3/4	25	200	046	7.07
435-247SR	2X1/2	25	0	046	24.55

Female Adapter - Reducing

Socket x Fipt

435-072	1/2X1/4	50	300	040	1.36
435-073	1/2X3/8	50	300	040	1.36
435-074	1/2X3/4	50	400	040	1.36
435-098	3/4X1/4	25	150	040	1.89

Male Adapter

Mipt x Socket

436-003	3/8	50	300	040	2.32
436-005	1/2	50	300	040	.61
436-007	3/4	50	400	040	.67
436-010	1	50	300	040	1.22
436-012	1-1/4	25	0	040	1.48

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Male Adapter (continued)

Mipt x Socket

436-015	1-1/2	25	0	040	1.98
436-020	2	25	0	040	2.60
436-025	2-1/2	10	0	040	7.67
436-030	3	10	0	040	11.23
436-040	4	5	0	040	14.33
436-050	5	5	0	040	23.60
436-060	6	7	0	040	37.35
436-080	8	3	0	040	169.76
436-100F	10	1	2	047	219.54
436-120F	12	1	0	047	326.25

Male Adapter - Reducing

Mipt x Socket

436-053	3/8X1/2	50	300	040	1.22
436-073	1/2X3/8	50	300	040	1.22
436-074	1/2X3/4	50	200	040	1.22
436-075	1/2X1	50	200	040	1.64
436-101	3/4X1/2	50	300	040	1.12
436-102	3/4X1	50	0	040	1.73
436-131	1X3/4	50	400	040	3.73
436-132	1X1-1/4	50	0	040	4.05
436-133	1X1-1/2	50	0	040	4.57
436-168	1-1/4X1	25	200	040	4.57
436-169	1-1/4X1-1/2	25	0	040	4.57
436-212	1-1/2X1-1/4	25	0	040	5.52
436-213	1-1/2X2	25	0	040	5.52
436-251	2X1-1/2	10	80	040	6.29
436-252	2X2-1/2	10	0	040	9.80
436-253	2X3	10	0	040	11.01
436-294	2-1/2X3	10	0	040	11.85
436-296	2-1/2X4	10	0	040	18.20
436-342	3X4	5	0	040	18.97
436-492F	5X6	1	15	047	103.58
436-535F	6X8	1	4	047	137.68
436-537F	6X10	1	2	047	268.36

IPT Adapter

Mipt x Fipt

446-003	3/8	50	300	040	2.08
446-012	1-1/4	25	100	040	4.75
446-053	3/8X1/2	50	300	040	2.08
446-074	1/2X3/4	50	300	040	2.60

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Insert Adapter (White PVC)

Insert x I.P.S. Spigot x I.P.S. Socket

460-007N	3/4X3/4X1/2	50	200	040	3.13
460-012N	1-1/4X1-1/4X1	20	160	040	3.37
460-131N	3/4X1X3/4	20	160	040	3.64
460-132N	1X1-1/4X1	20	160	040	3.94

ASTM D 2609 - Plastic Insert Fitting for Polyethylene (PE) pipe
N=Nesting

Insert Adapter (White PVC)

Insert x I.P.S. Spigot

460-005	1/2	50	300	040	2.38
460-007	3/4	50	200	040	3.13
460-010	1	50	0	040	3.27
460-012	1-1/4	20	160	040	3.37
460-015	1-1/2	25	0	040	3.62
460-020	2	10	0	040	6.02
460-030	3	25	0	040	20.33
460-040	4	10	0	040	23.41
1432-060	6	8	0	140	100.64
1432-080	8	4	0	140	199.81

ASTM D 2609 - Plastic Insert Fitting for Polyethylene (PE) pipe

Male Spigot Adapter

Spigot x Mipt

461-005	1/2	50	300	040	1.07
461-007	3/4	50	400	040	1.22
461-010	1	50	0	040	2.11
461-131	1X3/4	50	200	040	6.22
461-012	1-1/4	25	100	040	2.60
461-015	1-1/2	25	0	040	3.48
461-020	2	25	0	040	4.28

Insert Adapter (White PVC)

Insert x Socket

474-005	1/2	50	600	040	2.17
474-007	3/4	50	400	040	2.60
474-010	1	50	0	040	2.76
474-012	1-1/4	25	0	040	4.38
474-015	1-1/2	25	0	040	4.85
474-020	2	25	0	040	8.99
474-030	3	15	0	040	26.79
474-040	4	15	0	040	30.62
474-060F	6	1	4	047	158.26
474-080F	8	1	4	047	251.42

ASTM D 2609 Plastic Insert Fittings for Polyethylene (PE) pipe



Schedule 40 Fittings Product PVC Schedule 40 Fittings

Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Spigot Adapter

Spigot x Fipt

478-005	1/2	50	600	040	.85
478-007	3/4	25	300	040	1.00
478-010	1	50	0	040	1.60
478-012	1-1/4	25	0	040	2.23
478-015	1-1/2	20	0	040	2.76
478-020	2	20	0	040	4.05
478-030	3	10	0	040	13.74
478-040	4	5	0	040	22.81



Female Spigot Adapter - Special Reinforced

Spigot x SR Fipt - Stainless Steel Collar

478-005SR	1/2	50	600	046	4.29
478-007SR	3/4	25	300	046	5.06
478-010SR	1	50	0	046	7.80
478-012SR	1-1/4	25	0	046	12.42
478-015SR	1-1/2	25	0	046	14.89
478-020SR	2	15	0	046	24.79
478-030SR	3	5	0	046	45.56
478-040SR	4	5	0	046	70.37



Female Spigot Adapter - Special Reinforced Reducing

Spigot x SR Fipt - Stainless Steel Collar

478-072SR	1/2X1/4	25	450	046	11.95
478-098SR	3/4X1/4	50	300	046	17.40
478-128SR	1X1/4	50	400	046	17.94

Spears® SR Series reinforced spigot adapters can be user-installed in a variety of socket type tees, elbows and reducer bushings for superior thread reinforcement demanding applications.



Riser Extensions

Riser Extension

Fipt x Mipt

(See also Polyethylene Cut-Off Riser Extensions in this catalog)

434-005	1/2	50	300	040	1.24
434-007	3/4	50	300	040	2.08
434-010	1	50	0	040	2.60



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Riser Extension - Polyethylene Cut-Off

Fipt x Mipt

(1/2" = 3-Section Cut-Off; 3/4" = 4-Section Cut-Off)

M434-005-3	1/2X3	50	600	120	1.49
M434-007-4	3/4X4	50	0	120	1.98

High Density Polyethylene - Not NSF-listed - Not pressure rated. For use on open ended irrigation systems.



Reducer Bushing

Reducer Bushing Flush Style

Spigot x Socket

437-052	3/8X1/4	50	450	040	1.24
437-072	1/2X1/4	50	300	040	1.28
437-073	1/2X3/8	50	300	040	1.28
437-101	3/4X1/2	50	300	040	.71
437-130	1X1/2	50	300	040	1.28
437-131	1X3/4	50	300	040	1.28
437-166	1-1/4X1/2	25	300	040	1.73
437-167	1-1/4X3/4	25	300	040	1.73
437-168	1-1/4X1	25	300	040	1.73
437-209	1-1/2X1/2	25	200	040	1.83
437-210	1-1/2X3/4	25	200	040	1.83
437-211	1-1/2X1	25	200	040	1.83
437-212	1-1/2X1-1/4	25	200	040	1.83
437-247	2X1/2	10	120	040	3.02
437-248	2X3/4	10	60	040	3.02
437-249	2X1	10	60	040	3.02
437-250	2X1-1/4	10	120	040	3.02
437-251	2X1-1/2	25	0	040	3.02
437-287	2-1/2X1/2	10	80	040	4.86
437-288	2-1/2X3/4	10	0	040	4.86
437-289	2-1/2X1	10	40	040	4.86
437-290	2-1/2X1-1/4	10	40	040	4.86
437-291	2-1/2X1-1/2	10	40	040	4.86
437-292	2-1/2X2	10	80	040	4.86
437-333	3X1/2	10	0	040	9.57
437-334	3X3/4	10	0	040	7.16
437-335	3X1	10	0	040	7.16
437-336	3X1-1/4	10	0	040	7.16
437-337	3X1-1/2	10	0	040	7.16
437-338	3X2	10	0	040	7.16
437-339	3X2-1/2	15	0	040	7.16
437-417 ¹	4X1	6	0	040	19.44
437-418 ¹	4X1-1/4	6	0	040	19.64
437-419	4X1-1/2	6	0	040	19.64
437-420	4X2	6	0	040	16.03
437-421	4X2-1/2	6	0	040	16.03
437-422	4X3	6	0	040	16.03
437-486	5X2	5	0	040	22.54

