

**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Coupling - Deep Socket (continued)</b>					
<b>Socket x Socket</b>					
479-012	1-1/4	18	0	040	3.84
479-015	1-1/2	50	0	040	4.36
479-020	2	60	0	040	7.21
479-025	2-1/2	25	0	040	9.27
479-030	3	15	0	040	13.97
479-040	4	8	0	040	28.06
479-045F	4-1/2	1	10	047	75.37
479-050F	5	1	4	047	94.80
479-060F	6	1	10	048	107.74

**Adapters**

**IPS to PIP Adapter**

**Spigot x Socket**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
431-060	6	5	0	040	30.66
431-080	8	10	0	040	37.77
431-100F	10	10	0	047	51.60
431-120F	12	8	0	047	78.79

**Female Adapter**

**Socket x Fipt**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
435-003	3/8	50	600	040	2.61
435-005	1/2	50	600	040	.80
D435-005	1/2	50	400	040	1.17
435-007	3/4	50	400	040	1.02
D435-007	3/4	50	400	040	1.56
435-010	1	50	0	040	1.18
435-012	1-1/4	25	0	040	1.82
435-015	1-1/2	25	0	040	2.08
435-020	2	10	80	040	2.80
435-025	2-1/2	10	0	040	7.08
435-030	3	5	0	040	9.53
435-040	4	6	0	040	15.79
435-050	5	5	0	040	40.89
435-060	6	5	0	040	58.11
435-080	8	2	0	040	109.56
435-100F	10	1	2	047	205.82
435-120F	12	1	0	047	306.67

"D" prefix indicates Deep Socket Adapter

**Female Adapter - Reducing**

**Socket x Fipt**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
435-072	1/2X1/4	50	300	040	1.43
435-073	1/2X3/8	50	300	040	1.43
435-074	1/2X3/4	50	400	040	1.43

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Adapter - Reducing (continued)**

**Socket x Fipt**

435-098	3/4X1/4	25	150	040	1.99
435-101	3/4X1/2	50	400	040	1.43
435-102	3/4X1	50	0	040	1.91
435-130	1X1/2	50	0	040	1.91
435-131	1X3/4	50	0	040	1.91
435-133	1X1-1/2	25	0	040	3.83
435-168	1-1/4X1	25	0	040	4.92
435-247	2X1/2	25	0	040	6.61
435-460F <sup>1</sup>	4-1/2X4	1	8	047	64.56
435-532 <sup>1</sup>	6X4	4	0	040	84.64
435-578F <sup>1</sup>	8X2	1	8	047	169.73
435-582F <sup>1</sup>	8X4	1	8	047	195.72
435-628F	10X8	1	2	047	214.20

<sup>1</sup> Outlet sizes with Threaded Adapter

**Female Adapter - Special Reinforced**

**Socket x SR Fipt - Stainless Steel Collar**

435-002SR	1/4	25	450	046	6.19
435-003SR	3/8	25	300	046	6.19
435-005SR	1/2	25	150	046	3.44
435-007SR	3/4	25	300	046	5.01
435-010SR	1	25	200	046	7.44
435-012SR	1-1/4	10	60	046	12.03
435-015SR	1-1/2	10	80	046	14.81
435-020SR	2	10	0	046	25.84
435-025SR	2-1/2	5	0	046	40.77
435-030SR	3	15	0	046	45.93
435-040SR	4	5	0	046	78.94

**Female Adapter - Special Reinforced Reducing**

**Socket x SR Fipt - Stainless Steel Collar**

435-072SR	1/2X1/4	50	600	046	4.49
435-073SR	1/2X3/8	50	600	046	4.05
435-074SR	1/2X3/4	50	400	046	5.01
435-098SR	3/4X1/4	25	150	046	5.01
435-101SR	3/4X1/2	50	400	046	5.01
435-102SR	3/4X1	50	0	046	7.44
435-130SR	1X1/2	50	0	046	7.44
435-131SR	1X3/4	25	200	046	7.44
435-247SR	2X1/2	25	0	046	25.84

**Male Adapter**

**Mipt x Socket**

436-003	3/8	50	300	040	2.44
436-005	1/2	50	300	040	.64
436-007	3/4	50	400	040	.71
436-010	1	50	300	040	1.28



**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**

**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Male Adapter (continued)</b>					
<b>Mipt x Socket</b>					
436-012	1-1/4	25	0	040	1.56
436-015	1-1/2	25	0	040	2.08
436-020	2	25	0	040	2.74
436-025	2-1/2	10	0	040	8.07
436-030	3	10	0	040	11.82
436-040	4	5	0	040	15.08
436-050	5	5	0	040	24.84
436-060	6	7	0	040	39.32
436-080	8	3	0	040	178.69
436-100F	10	1	2	047	231.09
436-120F	12	1	0	047	343.42

**Male Adapter - Reducing**

**Mipt x Socket**

436-053	3/8X1/2	50	300	040	1.28
436-073	1/2X3/8	50	300	040	1.28
436-074	1/2X3/4	50	200	040	1.28
436-075	1/2X1	50	200	040	1.73
436-101	3/4X1/2	50	300	040	1.18
436-102	3/4X1	50	0	040	1.82
436-131	1X3/4	50	400	040	3.93
436-132	1X1-1/4	50	0	040	4.26
436-133	1X1-1/2	50	0	040	4.81
436-168	1-1/4X1	25	200	040	4.81
436-169	1-1/4X1-1/2	25	0	040	4.81
436-212	1-1/2X1-1/4	25	0	040	5.81
436-213	1-1/2X2	25	0	040	5.81
436-251	2X1-1/2	10	80	040	6.62
436-252	2X2-1/2	10	0	040	10.32
436-253	2X3	10	0	040	11.59
436-294	2-1/2X3	10	0	040	12.47
436-296	2-1/2X4	10	0	040	19.16
436-342	3X4	5	0	040	19.97
436-492F	5X6	1	15	047	109.03
436-535F	6X8	1	4	047	144.93
436-537F	6X10	1	2	047	282.48

**IPT Adapter**

**Mipt x Fipt**

446-003	3/8	50	300	040	2.19
446-012	1-1/4	25	100	040	5.00
446-053	3/8X1/2	50	300	040	2.19
446-074	1/2X3/4	50	300	040	2.74

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Insert Adapter (White PVC)**

**Insert x I.P.S. Spigot x I.P.S. Socket**

460-007N	3/4X3/4X1/2	50	200	040	3.29
460-012N	1-1/4X1-1/4X1	20	160	040	3.55
460-131N	3/4X1X3/4	20	160	040	3.83
460-132N	1X1-1/4X1	20	160	040	4.15

ASTM D 2609 - Plastic Insert Fitting for Polyethylene (PE) pipe  
N=Nesting

**Insert Adapter (White PVC)**

**Insert x I.P.S. Spigot**

460-005	1/2	50	300	040	2.51
460-007	3/4	50	200	040	3.29
460-010	1	50	0	040	3.44
460-012	1-1/4	20	160	040	3.55
460-015	1-1/2	25	0	040	3.81
460-020	2	10	0	040	6.34
460-030	3	25	0	040	21.40
460-040	4	10	0	040	24.64
1432-060	6	8	0	140	105.94
1432-080	8	4	0	140	210.33

ASTM D 2609 - Plastic Insert Fitting for Polyethylene (PE) pipe

**Male Spigot Adapter**

**Spigot x Mipt**

461-005	1/2	50	300	040	1.13
461-007	3/4	50	400	040	1.28
461-010	1	50	0	040	2.22
461-131	1X3/4	50	200	040	6.55
461-012	1-1/4	25	100	040	2.74
461-015	1-1/2	25	0	040	3.66
461-020	2	25	0	040	4.51

**Insert Adapter (White PVC)**

**Insert x Socket**

474-005	1/2	50	600	040	2.28
474-007	3/4	50	400	040	2.74
474-010	1	50	0	040	2.91
474-012	1-1/4	25	0	040	4.61
474-015	1-1/2	25	0	040	5.11
474-020	2	25	0	040	9.46
474-030	3	15	0	040	28.20
474-040	4	15	0	040	32.23
474-060F	6	1	4	047	166.59
474-080F	8	1	4	047	264.65

ASTM D 2609 Plastic Insert Fittings for Polyethylene (PE) pipe

**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Spigot Adapter**

**Spigot x Fipt**



478-005	1/2	50	600	040	.89
478-007	3/4	25	300	040	1.05
478-010	1	50	0	040	1.68
478-012	1-1/4	25	0	040	2.35
478-015	1-1/2	20	0	040	2.91
478-020	2	20	0	040	4.26
478-030	3	10	0	040	14.46
478-040	4	5	0	040	24.01

**Female Spigot Adapter - Special Reinforced**

**Spigot x SR Fipt - Stainless Steel Collar**



478-005SR	1/2	50	600	046	4.52
478-007SR	3/4	25	300	046	5.33
478-010SR	1	50	0	046	8.21
478-012SR	1-1/4	25	0	046	13.07
478-015SR	1-1/2	25	0	046	15.67
478-020SR	2	15	0	046	26.09
478-030SR	3	5	0	046	47.96
478-040SR	4	5	0	046	74.07

**Female Spigot Adapter - Special Reinforced Reducing**

**Spigot x SR Fipt - Stainless Steel Collar**



478-072SR	1/2X1/4	25	450	046	12.58
478-098SR	3/4X1/4	50	300	046	18.32
478-128SR	1X1/4	50	400	046	18.88

Spears® SR Series reinforced spigot adapters can be user-installed in a variety of socket type tees, elbows and reducer bushings for superior thread reinforcement demanding applications.

**Riser Extensions**

**Riser Extension**

**Fipt x Mipt**



(See also Polyethylene Cut-Off Riser Extensions in this catalog)

434-005	1/2	50	300	040	1.31
434-007	3/4	50	300	040	2.19
434-010	1	50	0	040	2.74

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Riser Extension - Polyethylene Cut-Off**

**Fipt x Mipt**



(1/2" = 3-Section Cut-Off; 3/4" = 4-Section Cut-Off)

M434-005-3	1/2X3	50	600	120	1.57
M434-007-4	3/4X4	50	0	120	2.08

High Density Polyethylene - Not NSF-listed - Not pressure rated. For use on open ended irrigation systems.

**Reducer Bushing**

**Reducer Bushing Flush Style**

**Spigot x Socket**



437-052	3/8X1/4	50	450	040	1.31
437-072	1/2X1/4	50	300	040	1.35
437-073	1/2X3/8	50	300	040	1.35
437-101	3/4X1/2	50	300	040	.75
437-130	1X1/2	50	300	040	1.35
437-131	1X3/4	50	300	040	1.35
437-166	1-1/4X1/2	25	300	040	1.82
437-167	1-1/4X3/4	25	300	040	1.82
437-168	1-1/4X1	25	300	040	1.82
437-209	1-1/2X1/2	25	200	040	1.93
437-210	1-1/2X3/4	25	200	040	1.93
437-211	1-1/2X1	25	200	040	1.93
437-212	1-1/2X1-1/4	25	200	040	1.93
437-247	2X1/2	10	120	040	3.18
437-248	2X3/4	10	60	040	3.18
437-249	2X1	10	60	040	3.18
437-250	2X1-1/4	10	120	040	3.18
437-251	2X1-1/2	25	0	040	3.18
437-287	2-1/2X1/2	10	80	040	5.12
437-288	2-1/2X3/4	10	40	040	5.12
437-289	2-1/2X1	10	40	040	5.12
437-290	2-1/2X1-1/4	10	40	040	5.12
437-291	2-1/2X1-1/2	10	40	040	5.12
437-292	2-1/2X2	10	80	040	5.12
437-333	3X1/2	10	0	040	10.07
437-334	3X3/4	10	0	040	7.54
437-335	3X1	10	0	040	7.54
437-336	3X1-1/4	10	0	040	7.54
437-337	3X1-1/2	10	0	040	7.54
437-338	3X2	10	0	040	7.54
437-339	3X2-1/2	15	0	040	7.54
437-417 <sup>1</sup>	4X1	6	0	040	20.46
437-418 <sup>1</sup>	4X1-1/4	6	0	040	20.67
437-419	4X1-1/2	6	0	040	20.67
437-420	4X2	6	0	040	16.87
437-421	4X2-1/2	6	0	040	16.87
437-422	4X3	6	0	040	16.87
437-486	5X2	5	0	040	23.73