

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Fipt

438-534	6X5	5	0	040	64.88
---------	-----	---	---	-----	-------

Reducer Bushing - Special Reinforced Flush Style



Spigot x SR Fipt - Stainless Steel Collar

438-128SR	1X1/4	25	150	046	3.85
438-166SR	1-1/4X1/2	25	100	046	7.04
438-207SR	1-1/2X1/4	25	100	046	9.83
438-209SR	1-1/2X1/2	25	100	046	9.83
438-210SR	1-1/2X3/4	25	100	046	9.83
438-247SR	2X1/2	10	80	046	12.03
438-248SR	2X3/4	10	80	046	12.03
438-249SR	2X1	10	120	046	12.03
438-334SR	3X3/4	10	0	046	47.11
438-335SR	3X1	10	0	046	47.11
438-336SR	3X1-1/4	10	0	046	47.11
438-337SR	3X1-1/2	10	0	046	47.11
438-420SR	4X2	6	0	046	72.40
438-421SR	4X2-1/2	6	0	046	81.48
438-528SR	6X2	5	0	046	83.37
438-530SR	6X3	5	0	046	75.06
438-532SR	6X4	5	0	046	83.37

Reducer (T.T.) Bushing



Mipt x Fipt

439-052	3/8X1/4	50	450	040	3.55
439-071	1/2X1/8	50	300	040	3.55
439-072	1/2X1/4	50	300	040	3.55
439-073	1/2X3/8	50	300	040	3.55
439-098	3/4X1/4	50	300	040	2.19
439-099	3/4X3/8	50	300	040	2.19
439-101	3/4X1/2	50	300	040	2.19
439-128	1X1/4	25	150	040	3.08
439-130	1X1/2	50	300	040	3.08
439-131	1X3/4	50	800	040	3.08
439-166	1-1/4X1/2	25	150	040	4.59
439-167	1-1/4X3/4	25	150	040	4.59
439-168	1-1/4X1	25	150	040	4.59
439-209	1-1/2X1/2	25	300	040	5.54
439-210	1-1/2X3/4	25	300	040	5.54
439-211	1-1/2X1	25	300	040	5.54
439-212	1-1/2X1-1/4	25	300	040	5.54
439-247	2X1/2	10	60	040	5.93
439-248	2X3/4	10	60	040	5.93
439-249	2X1	10	60	040	5.93
439-250	2X1-1/4	10	60	040	5.93
439-251	2X1-1/2	10	60	040	5.93
439-292	2-1/2X2	10	80	040	20.73

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer (T.T.) Bushing (continued)

Mipt x Fipt

439-337	3X1-1/2	10	0	040	24.52
439-338	3X2	10	0	040	24.52
439-339	3X2-1/2	10	0	040	24.52
439-420	4X2	6	0	040	73.28
439-422	4X3	6	0	040	56.67

Reducer Bushing - Special Reinforced Flush Style



Mipt X SR Fipt - Stainless Steel Collar

439-209SR	1-1/2X1/2	25	300	046	10.19
439-210SR	1-1/2X3/4	25	300	046	10.19
439-247SR	2X1/2	10	60	046	5.93
439-248SR	2X3/4	10	60	046	9.23
439-249SR	2X1	10	120	046	14.97
439-420SR	4X2	6	0	046	56.67

Caps



Cap

Socket

447-003	3/8	50	1000	040	1.92
447-005	1/2	50	300	040	.67
447-007	3/4	50	300	040	.79
447-010	1	50	200	040	1.24
447-012	1-1/4	25	100	040	1.76
447-015	1-1/2	25	0	040	1.92
447-020	2	25	0	040	2.31
447-025	2-1/2	10	0	040	7.36
447-030	3	10	0	040	8.03
447-040	4	6	0	040	18.27
447-045F	4-1/2	10	0	047	58.75
447-050	5	5	0	040	30.71
447-060	6	4	0	040	43.82
447-080	8	3	0	040	110.08
447-100F	10	1	5	047	245.39
447-120F	12	1	5	047	356.51
447-140F	14	1	2	047	447.42
447-160F	16	1	2	047	534.03
447-180F	18	1	2	047	941.01
447-200F	20	1	0	047	1428.91
447-240F	24	1	0	047	2274.28

Cap

Fipt



448-003	3/8	50	1000	040	2.58
448-005	1/2	50	300	040	1.42
448-007	3/4	50	300	040	1.64
448-010	1	50	200	040	2.48



Schedule 40 Fittings Product
PVC Schedule 40 Fittings

Caps

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Cap (continued)					
Fipt					
448-012	1-1/4	25	100	040	2.95
448-015	1-1/2	25	100	040	3.08
448-020	2	10	120	040	5.45
448-025	2-1/2	10	0	040	8.03
448-030	3	10	0	040	10.51
448-040	4	6	0	040	18.44
448-050	5	5	0	040	35.73
448-060	6	8	0	040	43.59
448-080F	8	1	2	047	212.72
448-100F	10	1	2	047	432.27
448-120F	12	1	0	047	863.73

Cap - Special Reinforced

SR Fipt - Stainless Steel Collar

448-012SR	1-1/4	25	100	046	7.85
-----------	-------	----	-----	-----	------

Plugs

Plug

Spigot

449-003	3/8	50	700	040	2.03
449-005	1/2	50	1000	040	1.64
449-007	3/4	50	300	040	1.92
449-010	1	50	200	040	2.31
449-012	1-1/4	25	150	040	3.08
449-015	1-1/2	25	100	040	3.93
449-020	2	10	120	040	4.85
449-025	2-1/2	10	0	040	8.33
449-030	3	10	0	040	10.98
449-040	4	6	0	040	24.85
449-060	6	6	0	040	33.65
449-060F ⁴	6	1	6	047	85.14
449-080F ⁴	8	1	6	047	131.09
449-100F ⁴	10	1	0	047	300.93
449-120F ⁴	12	1	0	047	492.04
449-140F ⁴	14	1	2	047	539.42
449-160F ⁴	16	1	0	047	596.52
449-180F ⁴	18	1	0	047	1064.51
449-200F ⁴	20	1	0	047	1947.48
449-240F ⁴	24	1	0	047	2592.36

⁴ Plug fabricated using Cap and pipe spigot.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Plug - Counter Sunk

Spigot

449-007CS	3/4	50	300	040	1.92
449-010CS	1	50	300	040	2.31

Plug

Mipt

450-003	3/8	50	700	040	2.20
450-005	1/2	50	300	040	2.03
450-007	3/4	50	300	040	2.18
450-010	1	50	300	040	3.55
450-012	1-1/4	25	300	040	3.74
450-015	1-1/2	25	150	040	4.01
450-020	2	10	120	040	5.18
450-025	2-1/2	10	80	040	7.19
450-030	3	10	0	040	10.89
450-040	4	6	0	040	24.58
450-060	6	6	0	040	72.05
450-080	8	6	0	040	88.04
450-080F ⁴	8	1	4	047	191.02
450-100F ⁴	10	1	3	047	380.65
450-120F ⁴	12	1	0	047	531.42

⁴ Plug fabricated using Cap and threaded pipe.

Wyes

Wye

Socket x Socket x Socket

1/2" - 2" - 235 psi Max Internal Pressure Rating @ 73°F (23°C)
2 - 1/2" - 6" - 150 psi Max Internal Pressure Rating @ 73°F (23°C)
8" - Larger & All Fabricated Sizes- 100 psi Max Internal Pressure Rating @ 73°F (23°C)

475-005	1/2	25	100	040	3.22
475-007	3/4	20	0	040	5.05
475-010	1	25	0	040	7.07
475-012	1-1/4	20	0	040	10.87
475-015	1-1/2	20	0	040	13.94
475-020	2	10	0	040	41.82
475-025	2-1/2	8	0	040	95.59
475-030	3	5	0	040	70.45
475-040	4	4	0	040	132.87
475-050F ²	5	1	3	047	518.52
475-060	6	3	0	040	281.12
475-080	8	1	0	040	452.16
475-100	10	1	0	041	1498.26
475-100F ²	10	1	0	047	1257.22