

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Fipt

438-534	6X5	5	0	040	61.64
---------	-----	---	---	-----	-------

Reducer Bushing - Special Reinforced Flush Style



Spigot x SR Fipt - Stainless Steel Collar

438-128SR	1X1/4	25	150	046	3.66
438-166SR	1-1/4X1/2	25	100	046	6.69
438-207SR	1-1/2X1/4	25	100	046	9.34
438-209SR	1-1/2X1/2	25	100	046	9.34
438-210SR	1-1/2X3/4	25	100	046	9.34
438-247SR	2X1/2	10	80	046	11.43
438-248SR	2X3/4	10	80	046	11.43
438-249SR	2X1	10	120	046	11.43
438-334SR	3X3/4	10	0	046	44.75
438-335SR	3X1	10	0	046	44.75
438-336SR	3X1-1/4	10	0	046	44.75
438-337SR	3X1-1/2	10	0	046	44.75
438-420SR	4X2	6	0	046	68.78
438-421SR	4X2-1/2	6	0	046	77.41
438-528SR	6X2	5	0	046	79.20
438-530SR	6X3	5	0	046	71.31
438-532SR	6X4	5	0	046	79.20

Reducer (T.T.) Bushing



Mipt x Fipt

439-052	3/8X1/4	50	450	040	3.37
439-071	1/2X1/8	50	300	040	3.37
439-072	1/2X1/4	50	300	040	3.37
439-073	1/2X3/8	50	300	040	3.37
439-098	3/4X1/4	50	300	040	2.08
439-099	3/4X3/8	50	300	040	2.08
439-101	3/4X1/2	50	300	040	2.08
439-128	1X1/4	25	150	040	2.93
439-130	1X1/2	50	300	040	2.93
439-131	1X3/4	50	800	040	2.93
439-166	1-1/4X1/2	25	150	040	4.36
439-167	1-1/4X3/4	25	150	040	4.36
439-168	1-1/4X1	25	150	040	4.36
439-209	1-1/2X1/2	25	300	040	5.26
439-210	1-1/2X3/4	25	300	040	5.26
439-211	1-1/2X1	25	300	040	5.26
439-212	1-1/2X1-1/4	25	300	040	5.26
439-247	2X1/2	10	60	040	5.63
439-248	2X3/4	10	60	040	5.63
439-249	2X1	10	60	040	5.63
439-250	2X1-1/4	10	60	040	5.63
439-251	2X1-1/2	10	60	040	5.63
439-292	2-1/2X2	10	80	040	19.69

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer (T.T.) Bushing (continued)

Mipt x Fipt

439-337	3X1-1/2	10	0	040	23.29
439-338	3X2	10	0	040	23.29
439-339	3X2-1/2	10	0	040	23.29
439-420	4X2	6	0	040	69.62
439-422	4X3	6	0	040	53.84

Reducer Bushing - Special Reinforced Flush Style



Mipt X SR Fipt - Stainless Steel Collar

439-209SR	1-1/2X1/2	25	300	046	9.68
439-210SR	1-1/2X3/4	25	300	046	9.68
439-247SR	2X1/2	10	60	046	5.63
439-248SR	2X3/4	10	60	046	8.77
439-249SR	2X1	10	120	046	14.22
439-420SR	4X2	6	0	046	53.84

Caps



Cap

Socket

447-003	3/8	50	1000	040	1.82
447-005	1/2	50	300	040	.64
447-007	3/4	50	300	040	.75
447-010	1	50	200	040	1.18
447-012	1-1/4	25	100	040	1.67
447-015	1-1/2	25	0	040	1.82
447-020	2	25	0	040	2.19
447-025	2-1/2	10	0	040	6.99
447-030	3	10	0	040	7.63
447-040	4	6	0	040	17.36
447-045F	4-1/2	10	0	047	55.81
447-050	5	5	0	040	29.17
447-060	6	4	0	040	41.63
447-080	8	3	0	040	104.58
447-100F	10	1	5	047	233.12
447-120F	12	1	5	047	338.68
447-140F	14	1	2	047	425.05
447-160F	16	1	2	047	507.33
447-180F	18	1	2	047	893.96
447-200F	20	1	0	047	1357.46
447-240F	24	1	0	047	2160.57

Cap

Fipt



448-003	3/8	50	1000	040	2.45
448-005	1/2	50	300	040	1.35
448-007	3/4	50	300	040	1.56
448-010	1	50	200	040	2.36



Schedule 40 Fittings Product
PVC Schedule 40 Fittings

Caps

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Cap (continued)					
Fipt					
448-012	1-1/4	25	100	040	2.80
448-015	1-1/2	25	100	040	2.93
448-020	2	10	120	040	5.18
448-025	2-1/2	10	0	040	7.63
448-030	3	10	0	040	9.98
448-040	4	6	0	040	17.52
448-050	5	5	0	040	33.94
448-060	6	8	0	040	41.41
448-080F	8	1	2	047	202.08
448-100F	10	1	2	047	410.66
448-120F	12	1	0	047	820.54

Cap - Special Reinforced

SR Fipt - Stainless Steel Collar

448-012SR	1-1/4	25	100	046	7.46
-----------	-------	----	-----	-----	------

Plugs

Plug

Spigot

449-003	3/8	50	700	040	1.93
449-005	1/2	50	1000	040	1.56
449-007	3/4	50	300	040	1.82
449-010	1	50	200	040	2.19
449-012	1-1/4	25	150	040	2.93
449-015	1-1/2	25	100	040	3.73
449-020	2	10	120	040	4.61
449-025	2-1/2	10	0	040	7.91
449-030	3	10	0	040	10.43
449-040	4	6	0	040	23.61
449-060	6	6	0	040	31.97
449-060F ⁴	6	1	6	047	80.88
449-080F ⁴	8	1	6	047	124.54
449-100F ⁴	10	1	0	047	285.88
449-120F ⁴	12	1	0	047	467.44
449-140F ⁴	14	1	2	047	512.45
449-160F ⁴	16	1	0	047	566.69
449-180F ⁴	18	1	0	047	1011.28
449-200F ⁴	20	1	0	047	1850.11
449-240F ⁴	24	1	0	047	2462.74

⁴ Plug fabricated using Cap and pipe spigot.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Plug - Counter Sunk

Spigot

449-007CS	3/4	50	300	040	1.82
449-010CS	1	50	300	040	2.19

Plug

Mipt

450-003	3/8	50	700	040	2.09
450-005	1/2	50	300	040	1.93
450-007	3/4	50	300	040	2.07
450-010	1	50	300	040	3.37
450-012	1-1/4	25	300	040	3.55
450-015	1-1/2	25	150	040	3.81
450-020	2	10	120	040	4.92
450-025	2-1/2	10	80	040	6.83
450-030	3	10	0	040	10.35
450-040	4	6	0	040	23.35
450-060	6	6	0	040	68.45
450-080	8	6	0	040	83.64
450-080F ⁴	8	1	4	047	181.47
450-100F ⁴	10	1	3	047	361.62
450-120F ⁴	12	1	0	047	504.85

⁴ Plug fabricated using Cap and threaded pipe.

Wyes

Wye

Socket x Socket x Socket

1/2" - 2" - 235 psi Max Internal Pressure Rating @ 73°F (23°C)
2 - 1/2" - 6" - 150 psi Max Internal Pressure Rating @ 73°F (23°C)
8" - Larger & All Fabricated Sizes- 100 psi Max Internal Pressure Rating @ 73°F (23°C)

475-005	1/2	25	100	040	3.06
475-007	3/4	20	0	040	4.80
475-010	1	25	0	040	6.72
475-012	1-1/4	20	0	040	10.33
475-015	1-1/2	20	0	040	13.24
475-020	2	10	0	040	39.73
475-025	2-1/2	8	0	040	90.81
475-030	3	5	0	040	66.93
475-040	4	4	0	040	126.23
475-050F	5	1	3	047	492.59
475-060	6	3	0	040	267.06
475-080	8	1	0	040	429.55
475-100	10	1	0	041	1423.35
475-100F ²	10	1	0	047	1194.36