



Schedule 40 Fittings Product
PVC Schedule 40 Fittings

Crosses

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cross - Reducing (continued)

Socket x Socket x Socket x Socket

420-668F	12X8	1	0	047	1059.15
420-670F	12X10	1	0	047	1206.96
420-691F	14X2	1	0	047	1147.92
420-693F	14X3	1	0	047	1230.62
420-694F	14X4	1	0	047	1257.34
420-696F	14X6	1	0	047	1475.63
420-698F	14X8	1	0	047	1643.16
420-700F	14X10	1	0	047	1867.53
420-702F	14X12	1	0	047	2121.28
420-751F	16X2	1	0	047	1402.75
420-753F	16X3	1	0	047	1508.73
420-754F	16X4	1	0	047	1559.25
420-756F	16X6	1	0	047	1686.65
420-758F	16X8	1	0	047	1975.64
420-760F	16X10	1	0	047	2129.14
420-762F	16X12	1	0	047	2402.64
420-764F	16X14	1	0	047	2658.46
420-781F	18X2	1	0	047	1577.17
420-783F	18X3	1	0	047	1672.02
420-784F	18X4	1	0	047	1689.11
420-786F	18X6	1	0	047	1804.92
420-788F	18X8	1	0	047	2094.61
420-790F	18X10	1	0	047	2663.64
420-792F	18X12	1	0	047	2860.47
420-794F	18X14	1	0	047	3309.39
420-796F	18X16	1	0	047	3409.12
420-811F	20X2	1	0	047	1668.61
420-813F	20X3	1	0	047	1781.12
420-814F	20X4	1	0	047	1885.84
420-816F	20X6	1	0	047	2018.49
420-818F	20X8	1	0	047	2210.05
420-820F	20X10	1	0	047	3765.03
420-822F	20X12	1	0	047	3986.67
420-824F	20X14	1	0	047	4226.99
420-826F	20X16	1	0	047	4931.81
420-828F	20X18	1	0	047	5500.29
420-901F	24X2	1	0	047	2780.06
420-903F	24X3	1	0	047	2862.86
420-904F	24X4	1	0	047	2959.56
420-906F	24X6	1	0	047	3128.63
420-908F	24X8	1	0	047	3368.12
420-910F	24X10	1	0	047	4835.46
420-912F	24X12	1	0	047	4930.43
420-914F	24X14	1	0	047	5102.15
420-916F	24X16	1	0	047	6322.43
420-918F	24X18	1	0	047	6952.20
420-920F	24X20	1	0	047	8082.60

¹ Outlet sized with Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cross



Socket x Mipt x Socket x Mipt

421A-010	1	50	0	040	6.62
----------	---	----	---	-----	------

Couplings

Coupling



Socket x Socket

429-003	3/8	50	300	040	1.28
429-005	1/2	50	600	040	.46
429-005N	1/2	50	300	040	.46
429-007	3/4	50	400	040	.64
429-007N	3/4	50	400	040	.64
429-010	1	50	0	040	1.13
429-010N	1	50	0	040	1.13
429-012	1-1/4	25	150	040	1.56
429-015	1-1/2	25	0	040	1.67
429-020	2	25	0	040	2.54
429-025	2-1/2	12	0	040	5.63
429-030	3	20	0	040	8.82
429-040	4	6	0	040	12.77
429-045F	4-1/2	1	10	047	56.79
429-050	5	5	0	040	23.36
429-060	6	5	0	040	40.35
429-080	8	8	0	040	75.34
429-100	10	1	0	041	219.56
429-100F	10	1	0	047	137.39
429-120	12	1	0	041	437.44
429-120F	12	1	0	047	146.25
429-140	14	1	0	044	639.59
429-140F	14	1	0	047	237.53
429-160F	16	1	0	047	264.87
429-180F	18	1	0	047	451.71
429-200F	20	1	0	047	788.00
429-240F	24	1	0	047	1094.37

Coupling - Reducer



Socket x Socket

429-101	3/4X1/2	50	200	040	1.18
429-130 ¹	1X1/2	25	200	040	2.80
429-131	1X3/4	50	0	040	2.01
429-166 ¹	1-1/4X1/2	25	0	040	5.29
429-167	1-1/4X3/4	25	0	040	5.29
429-168	1-1/4X1	25	0	040	3.37
429-209 ¹	1-1/2X1/2	8	48	040	4.41
429-210	1-1/2X3/4	25	0	040	3.57
429-211 ¹	1-1/2X1	25	0	040	5.52
429-212	1-1/2X1-1/4	25	0	040	3.57

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Coupling - Reducer (continued)					
Socket x Socket					
429-247 ¹	2X1/2	10	0	040	7.78
429-248 ¹	2X3/4	10	0	040	7.78
429-249 ¹	2X1	25	0	040	8.19
429-250	2X1-1/4	10	40	040	7.78
429-251	2X1-1/2	10	40	040	5.69
429-291 ¹	2-1/2X1-1/2	10	0	040	15.21
429-292	2-1/2X2	10	0	040	11.72
429-335 ¹	3X1	10	0	040	34.48
429-337 ¹	3X1-1/2	8	0	040	34.48
429-338	3X2	10	0	040	30.60
429-339	3X2-1/2	10	0	040	25.97
429-340F	3X2-1/2	1	10	047	32.73
429-416 ¹	4X3/4	10	0	040	40.03
429-417 ¹	4X1	8	0	040	63.57
429-420	4X2	4	0	040	37.06
429-421 ¹	4X2-1/2	6	0	040	46.69
429-422	4X3	4	0	040	38.24
429-422F	4X3	1	10	047	41.62
429-460F	4-1/2X4	1	4	047	60.97
429-486F	5X2	1	4	047	135.16
429-487F	5X2-1/2	1	10	047	116.92
429-488F	5X3	1	6	047	104.03
429-490F	5X4	1	6	047	67.18
429-491F	5X4-1/2	1	15	047	64.46
429-528F	6X2	1	4	047	99.56
429-530F	6X3	1	15	047	87.29
429-532	6X4	4	0	040	50.46
429-532F	6X4	1	4	047	47.95
429-533F	6X5	1	15	047	76.97
429-534F	6X4-1/2	1	15	047	93.01
429-578F	8X2	1	4	047	221.63
429-580F	8X3	1	4	047	198.31
429-582	8X4	2	0	040	117.01
429-582F	8X4	1	8	047	146.55
429-583F	8X5	1	4	047	149.67
429-585	8X6	2	0	040	129.22
429-585F	8X6	1	4	047	89.40
429-621F	10X2	1	2	047	316.00
429-623F	10X3	1	2	047	280.76
429-624	10X4	1	2	041	619.77
429-624F	10X4	1	2	047	234.72
429-625F	10X5	1	2	047	232.84
429-626	10X6	1	0	041	619.77
429-626F	10X6	1	4	047	218.74
429-628	10X8	1	0	041	619.77
429-628F	10X8	1	2	047	153.09
429-661F	12X2	1	0	047	497.78
429-663F	12X3	1	0	047	452.73
429-664F	12X4	1	2	047	417.61
429-665F	12X5	1	2	047	319.76
429-666	12X6	1	0	041	705.66

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Coupling - Reducer (continued)					
Socket x Socket					
429-666F	12X6	1	2	047	384.79
429-668	12X8	1	0	041	705.66
429-668F	12X8	1	0	047	373.11
429-670	12X10	1	0	041	705.66
429-670F	12X10	1	0	047	222.86
429-693F	14X3	1	0	047	793.86
429-694F	14X4	1	0	047	695.81
429-696F	14X6	1	0	047	632.04
429-698F	14X8	1	0	047	626.34
429-700F	14X10	1	0	047	495.63
429-702F	14X12	1	0	047	373.28
429-751F	16X2	1	0	047	877.72
429-754F	16X4	1	0	047	814.39
429-756F	16X6	1	0	047	806.37
429-758F	16X8	1	0	047	619.38
429-760F	16X10	1	0	047	574.37
429-762F	16X12	1	0	047	469.83
429-764F	16X14	1	0	047	448.00
429-786F	18X6	1	0	047	1182.69
429-788F	18X8	1	0	047	1108.22
429-790F	18X10	1	0	047	991.07
429-792F	18X12	1	0	047	788.42
429-794F	18X14	1	0	047	731.75
429-796F	18X16	1	0	047	662.46
429-814F	20X4	1	0	047	1904.22
429-816F	20X6	1	0	047	1584.87
429-818F	20X8	1	0	047	1556.69
429-820F	20X10	1	0	047	1496.85
429-822F	20X12	1	0	047	1439.59
429-824F	20X14	1	0	047	1349.31
429-826F	20X16	1	0	047	1236.59
429-828F	20X18	1	0	047	1124.40
429-906F	24X6	1	0	047	2821.86
429-908F	24X8	1	0	047	2596.33
429-910F	24X10	1	0	047	2368.21
429-912F	24X12	1	0	047	2330.89
429-914F	24X14	1	0	047	2241.12
429-916F	24X16	1	0	047	2155.34
429-918F	24X18	1	0	047	1908.56
429-920F	24X20	1	0	047	1716.81

¹ Outlet sized with Bushing



Coupling - Eccentric Reducer

Socket x Socket

429-131FE	1X3/4	1	15	047	32.73
429-168FE	1-1/4X1	1	12	047	29.71
429-211FE	1-1/2X1	1	25	047	34.44
429-212FE	1-1/2X1-1/4	1	25	047	30.78
429-249FE	2X1	1	25	047	48.27
429-250FE	2X1-1/4	1	25	047	42.31
429-251FE	2X1-1/2	1	20	047	40.87



Schedule 40 Fittings Product PVC Schedule 40 Fittings

Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Eccentric Reducer (continued) Socket x Socket

429-290FE ²	2-1/2X1-1/4	1	25	047	62.28
429-291FE ²	2-1/2X1-1/2	1	10	047	62.20
429-292FE	2-1/2X2	1	10	047	48.34
429-335FE ³	3X1	1	10	047	67.35
429-336FE ²	3X1-1/4	1	10	047	65.82
429-337FE ²	3X1-1/2	1	20	047	60.78
429-338E	3X2	20	0	040	38.83
429-338FE	3X2	1	20	047	37.26
429-339FE	3X2-1/2	1	24	047	35.41
429-417FE ³	4X1	1	10	047	102.04
429-418FE ³	4X1-1/4	1	12	047	98.57
429-419FE ³	4X1-1/2	1	10	047	94.09
429-420E	4X2	15	0	040	56.33
429-420FE ²	4X2	1	6	047	50.60
429-421FE ²	4X2-1/2	1	5	047	49.78
429-422FE	4X3	1	10	047	46.77
429-490FE	5X4	1	6	047	75.63
429-527FE ⁴	6X1-1/2	1	6	047	168.03
429-528FE ²	6X2	1	4	047	164.58
429-529FE ³	6X2-1/2	1	4	047	150.23
429-530FE ²	6X3	1	6	047	105.22
429-532E	6X4	10	0	040	67.07
429-532FE	6X4	1	6	047	52.61
429-533FE	6X5	1	10	047	52.15
429-578FE ⁴	8X2	1	3	047	230.41
429-580FE ³	8X3	1	2	047	217.02
429-582FE ²	8X4	1	2	047	108.37
429-583FE ²	8X5	1	2	047	102.66
429-585FE	8X6	1	4	047	87.60
429-624FE ²	10X4	1	2	047	247.79
429-625FE	10X5	1	0	047	234.72
429-626FE	10X6	1	2	047	227.83
429-628FE	10X8	1	2	047	214.80
429-664FE ³	12X4	1	0	047	462.32
429-666FE ²	12X6	1	0	047	379.87
429-668FE ²	12X8	1	0	047	251.92
429-670FE	12X10	1	0	047	218.41
429-696FE ²	14X6	1	0	047	771.71
429-698FE ²	14X8	1	0	047	632.16
429-700FE	14X10	1	0	047	573.86
429-702FE	14X12	1	0	047	316.31
429-756FE ³	16X6	1	0	047	752.77
429-758FE ³	16X8	1	0	047	628.21
429-760FE ²	16X10	1	0	047	565.23
429-762FE ¹	16X12	1	0	047	530.11
429-764FE	16X14	1	0	047	497.09
429-786FE ⁴	18X6	1	0	047	1190.13
429-788FE ⁴	18X8	1	0	047	1173.18
429-790FE ³	18X10	1	0	047	1048.33
429-792FE ²	18X12	1	0	047	946.09
429-794FE ²	18X14	1	0	047	836.48

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Eccentric Reducer (continued) Socket x Socket

429-796FE	18X16	1	0	047	674.77
-----------	-------	---	---	-----	--------

Eccentric Reducer Coupling Footnotes

Multi-Step Configurations

The number after the part number denotes steps listed below.

Example: 429-582 FE² (2= 2 Step)

Coupling



Fipt x Fipt

430-005	1/2	50	600	040	.89
430-007	3/4	50	400	040	1.67
430-010	1	50	0	040	2.19
430-012	1-1/4	10	120	040	7.38

Coupling - Special Reinforced



SR Fipt x SR Fipt - Stainless Steel Collar

430-005SR	1/2	25	300	046	4.08
430-007SR	3/4	25	150	046	5.82
430-010SR	1	25	200	046	6.22
430-012SR	1-1/4	10	120	046	7.75
430-015SR	1-1/2	10	60	046	17.14
430-020SR	2	10	0	046	17.97

Coupling - Reducer



Fipt x Fipt

430-101	3/4X1/2	50	200	040	2.16
---------	---------	----	-----	-----	------

Coupling - Special Reinforced Reducer



SR Fipt x SR Fipt - Stainless Steel Collar

430-101SR	3/4X1/2	50	200	046	8.82
-----------	---------	----	-----	-----	------

Coupling - Deep Socket



Socket x Socket

479-005N	1/2	50	400	040	.91
479-007	3/4	50	0	040	2.20
479-010	1	50	0	040	3.15

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Coupling - Deep Socket (continued)					
Socket x Socket					
479-012	1-1/4	18	0	040	3.84
479-015	1-1/2	50	0	040	4.36
479-020	2	60	0	040	7.21
479-025	2-1/2	25	0	040	9.27
479-030	3	15	0	040	13.97
479-040	4	8	0	040	28.06
479-045F	4-1/2	1	10	047	75.37
479-050F	5	1	4	047	94.80
479-060F	6	1	10	048	107.74

Adapters

IPS to PIP Adapter

Spigot x Socket

431-060	6	5	0	040	30.66
431-080	8	10	0	040	37.77
431-100F	10	10	0	047	51.60
431-120F	12	8	0	047	78.79

Female Adapter

Socket x Fipt

435-003	3/8	50	600	040	2.61
435-005	1/2	50	600	040	.80
D435-005	1/2	50	400	040	1.17
435-007	3/4	50	400	040	1.02
D435-007	3/4	50	400	040	1.56
435-010	1	50	0	040	1.18
435-012	1-1/4	25	0	040	1.82
435-015	1-1/2	25	0	040	2.08
435-020	2	10	80	040	2.80
435-025	2-1/2	10	0	040	7.08
435-030	3	5	0	040	9.53
435-040	4	6	0	040	15.79
435-050	5	5	0	040	40.89
435-060	6	5	0	040	58.11
435-080	8	2	0	040	109.56
435-100F	10	1	2	047	205.82
435-120F	12	1	0	047	306.67

"D" prefix indicates Deep Socket Adapter

Female Adapter - Reducing

Socket x Fipt

435-072	1/2X1/4	50	300	040	1.43
435-073	1/2X3/8	50	300	040	1.43
435-074	1/2X3/4	50	400	040	1.43

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter - Reducing (continued)

Socket x Fipt

435-098	3/4X1/4	25	150	040	1.99
435-101	3/4X1/2	50	400	040	1.43
435-102	3/4X1	50	0	040	1.91
435-130	1X1/2	50	0	040	1.91
435-131	1X3/4	50	0	040	1.91
435-133	1X1-1/2	25	0	040	3.83
435-168	1-1/4X1	25	0	040	4.92
435-247	2X1/2	25	0	040	6.61
435-460F ¹	4-1/2X4	1	8	047	64.56
435-532 ¹	6X4	4	0	040	84.64
435-578F ¹	8X2	1	8	047	169.73
435-582F ¹	8X4	1	8	047	195.72
435-628F	10X8	1	2	047	214.20

¹ Outlet sizes with Threaded Adapter

Female Adapter - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar

435-002SR	1/4	25	450	046	6.19
435-003SR	3/8	25	300	046	6.19
435-005SR	1/2	25	150	046	3.44
435-007SR	3/4	25	300	046	5.01
435-010SR	1	25	200	046	7.44
435-012SR	1-1/4	10	60	046	12.03
435-015SR	1-1/2	10	80	046	14.81
435-020SR	2	10	0	046	25.84
435-025SR	2-1/2	5	0	046	40.77
435-030SR	3	15	0	046	45.93
435-040SR	4	5	0	046	78.94

Female Adapter - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar

435-072SR	1/2X1/4	50	600	046	4.49
435-073SR	1/2X3/8	50	600	046	4.05
435-074SR	1/2X3/4	50	400	046	5.01
435-098SR	3/4X1/4	25	150	046	5.01
435-101SR	3/4X1/2	50	400	046	5.01
435-102SR	3/4X1	50	0	046	7.44
435-130SR	1X1/2	50	0	046	7.44
435-131SR	1X3/4	25	200	046	7.44
435-247SR	2X1/2	25	0	046	25.84

Male Adapter

Mipt x Socket

436-003	3/8	50	300	040	2.44
436-005	1/2	50	300	040	.64
436-007	3/4	50	400	040	.71
436-010	1	50	300	040	1.28