



**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**

**Crosses**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cross - Reducing (continued)**

**Socket x Socket x Socket x Socket**

420-668F	12X8	1	0	047	1114.89
420-670F	12X10	1	0	047	1270.48
420-691F	14X2	1	0	047	1208.34
420-693F	14X3	1	0	047	1295.39
420-694F	14X4	1	0	047	1323.52
420-696F	14X6	1	0	047	1553.29
420-698F	14X8	1	0	047	1729.64
420-700F	14X10	1	0	047	1965.82
420-702F	14X12	1	0	047	2232.93
420-751F	16X2	1	0	047	1476.58
420-753F	16X3	1	0	047	1588.14
420-754F	16X4	1	0	047	1641.32
420-756F	16X6	1	0	047	1775.42
420-758F	16X8	1	0	047	2079.62
420-760F	16X10	1	0	047	2241.20
420-762F	16X12	1	0	047	2529.09
420-764F	16X14	1	0	047	2798.38
420-781F	18X2	1	0	047	1660.18
420-783F	18X3	1	0	047	1760.02
420-784F	18X4	1	0	047	1778.01
420-786F	18X6	1	0	047	1899.92
420-788F	18X8	1	0	047	2204.85
420-790F	18X10	1	0	047	2803.83
420-792F	18X12	1	0	047	3011.02
420-794F	18X14	1	0	047	3483.57
420-796F	18X16	1	0	047	3588.55
420-811F	20X2	1	0	047	1756.43
420-813F	20X3	1	0	047	1874.86
420-814F	20X4	1	0	047	1985.09
420-816F	20X6	1	0	047	2124.73
420-818F	20X8	1	0	047	2326.37
420-820F	20X10	1	0	047	3963.19
420-822F	20X12	1	0	047	4196.49
420-824F	20X14	1	0	047	4449.46
420-826F	20X16	1	0	047	5191.38
420-828F	20X18	1	0	047	5789.78
420-901F	24X2	1	0	047	2926.38
420-903F	24X3	1	0	047	3013.54
420-904F	24X4	1	0	047	3115.33
420-906F	24X6	1	0	047	3293.29
420-908F	24X8	1	0	047	3545.39
420-910F	24X10	1	0	047	5089.96
420-912F	24X12	1	0	047	5189.93
420-914F	24X14	1	0	047	5370.68
420-916F	24X16	1	0	047	6655.19
420-918F	24X18	1	0	047	7318.11
420-920F	24X20	1	0	047	8508.00

<sup>1</sup> Outlet sized with Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cross**



**Socket x Mipt x Socket x Mipt**

421A-010	1	50	0	040	6.97
----------	---	----	---	-----	------

**Couplings**

**Coupling**



**Socket x Socket**

429-003	3/8	50	300	040	1.35
429-005	1/2	50	600	040	.48
429-005N	1/2	50	300	040	.48
429-007	3/4	50	400	040	.67
429-007N	3/4	50	400	040	.67
429-010	1	50	0	040	1.19
429-010N	1	50	0	040	1.19
429-012	1-1/4	25	150	040	1.64
429-015	1-1/2	25	0	040	1.76
429-020	2	25	0	040	2.67
429-025	2-1/2	12	0	040	5.93
429-030	3	20	0	040	9.28
429-040	4	6	0	040	13.44
429-045F	4-1/2	1	10	047	59.78
429-050	5	5	0	040	24.59
429-060	6	5	0	040	42.47
429-080	8	8	0	040	79.31
429-100	10	1	0	041	231.12
429-100F	10	1	0	047	144.62
429-120	12	1	0	041	460.46
429-120F	12	1	0	047	153.95
429-140	14	1	0	044	673.25
429-140F	14	1	0	047	250.03
429-160F	16	1	0	047	278.81
429-180F	18	1	0	047	475.48
429-200F	20	1	0	047	829.47
429-240F	24	1	0	047	1151.97

**Coupling - Reducer**



**Socket x Socket**

429-101	3/4X1/2	50	200	040	1.24
429-130	1X1/2	25	200	040	2.95
429-131	1X3/4	50	0	040	2.12
429-166	1-1/4X1/2	25	0	040	5.57
429-167	1-1/4X3/4	25	0	040	5.57
429-168	1-1/4X1	25	0	040	3.55
429-209 <sup>1</sup>	1-1/2X1/2	8	48	040	4.64
429-210	1-1/2X3/4	25	0	040	3.76
429-211	1-1/2X1	25	0	040	5.81
429-212	1-1/2X1-1/4	25	0	040	3.76

**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Reducer (continued)**

**Socket x Socket**

429-247	2X1/2	10	0	040	8.19
429-248	2X3/4	10	0	040	8.19
429-249	2X1	25	0	040	8.62
429-250	2X1-1/4	10	40	040	8.19
429-251	2X1-1/2	10	40	040	5.99
429-291	2-1/2X1-1/2	10	0	040	16.01
429-292	2-1/2X2	10	0	040	12.34
429-335 <sup>1</sup>	3X1	10	0	040	36.29
429-337	3X1-1/2	8	0	040	36.29
429-338	3X2	10	0	040	32.21
429-339	3X2-1/2	10	0	040	27.34
429-340F	3X2-1/2	1	10	047	34.45
429-416 <sup>1</sup>	4X3/4	10	0	040	42.14
429-417 <sup>1</sup>	4X1	8	0	040	66.92
429-420	4X2	4	0	040	39.01
429-421	4X2-1/2	6	0	040	49.15
429-422	4X3	4	0	040	40.25
429-422F	4X3	1	10	047	43.81
429-460F	4-1/2X4	1	4	047	64.18
429-486F	5X2	1	4	047	142.27
429-487F	5X2-1/2	1	10	047	123.07
429-488F	5X3	1	6	047	109.51
429-490F	5X4	1	6	047	70.72
429-491F	5X4-1/2	1	15	047	67.85
429-528F	6X2	1	4	047	104.80
429-530F	6X3	1	15	047	91.88
429-532	6X4	4	0	040	53.12
429-532F	6X4	1	4	047	50.47
429-533F	6X5	1	15	047	81.02
429-534F	6X4-1/2	1	15	047	97.91
429-578F	8X2	1	4	047	233.29
429-580F	8X3	1	4	047	208.75
429-582	8X4	2	0	040	123.17
429-582F	8X4	1	8	047	154.26
429-583F	8X5	1	4	047	157.55
429-585	8X6	2	0	040	136.02
429-585F	8X6	1	4	047	94.11
429-621F	10X2	1	2	047	332.63
429-623F	10X3	1	2	047	295.54
429-624	10X4	1	2	041	652.39
429-624F	10X4	1	2	047	247.07
429-625F	10X5	1	2	047	245.09
429-626	10X6	1	0	041	652.39
429-626F	10X6	1	4	047	230.25
429-628	10X8	1	0	041	652.39
429-628F	10X8	1	2	047	161.15
429-661F	12X2	1	0	047	523.98
429-663F	12X3	1	0	047	476.56
429-664F	12X4	1	2	047	439.59
429-665F	12X5	1	2	047	336.59
429-666	12X6	1	0	041	742.80

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Reducer (continued)**

**Socket x Socket**

429-666F	12X6	1	2	047	405.04
429-668	12X8	1	0	041	742.80
429-668F	12X8	1	0	047	392.75
429-670	12X10	1	0	041	742.80
429-670F	12X10	1	0	047	234.59
429-693F	14X3	1	0	047	835.64
429-694F	14X4	1	0	047	732.43
429-696F	14X6	1	0	047	665.31
429-698F	14X8	1	0	047	659.31
429-700F	14X10	1	0	047	521.72
429-702F	14X12	1	0	047	392.93
429-751F	16X2	1	0	047	923.92
429-754F	16X4	1	0	047	857.25
429-756F	16X6	1	0	047	848.81
429-758F	16X8	1	0	047	651.98
429-760F	16X10	1	0	047	604.60
429-762F	16X12	1	0	047	494.56
429-764F	16X14	1	0	047	471.58
429-786F	18X6	1	0	047	1244.94
429-788F	18X8	1	0	047	1166.55
429-790F	18X10	1	0	047	1043.23
429-792F	18X12	1	0	047	829.92
429-794F	18X14	1	0	047	770.26
429-796F	18X16	1	0	047	697.33
429-814F	20X4	1	0	047	2004.44
429-816F	20X6	1	0	047	1668.28
429-818F	20X8	1	0	047	1638.62
429-820F	20X10	1	0	047	1575.63
429-822F	20X12	1	0	047	1515.36
429-824F	20X14	1	0	047	1420.33
429-826F	20X16	1	0	047	1301.67
429-828F	20X18	1	0	047	1183.58
429-906F	24X6	1	0	047	2970.38
429-908F	24X8	1	0	047	2732.98
429-910F	24X10	1	0	047	2492.85
429-912F	24X12	1	0	047	2453.57
429-914F	24X14	1	0	047	2359.07
429-916F	24X16	1	0	047	2268.78
429-918F	24X18	1	0	047	2009.01
429-920F	24X20	1	0	047	1807.17

<sup>1</sup> Outlet sized with Bushing



**Coupling - Eccentric Reducer**

**Socket x Socket**

429-131FE	1X3/4	1	15	047	34.45
429-168FE	1-1/4X1	1	12	047	31.27
429-211FE	1-1/2X1	1	25	047	36.25
429-212FE	1-1/2X1-1/4	1	25	047	32.40
429-249FE	2X1	1	25	047	50.81
429-250FE	2X1-1/4	1	25	047	44.54
429-251FE	2X1-1/2	1	20	047	43.02



**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**

**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Eccentric Reducer (continued)**  
**Socket x Socket**

429-290FE <sup>2</sup>	2-1/2X1-1/4	1	25	047	65.56
429-291FE <sup>2</sup>	2-1/2X1-1/2	1	10	047	65.47
429-292FE	2-1/2X2	1	10	047	50.88
429-335FE <sup>3</sup>	3X1	1	10	047	70.89
429-336FE <sup>2</sup>	3X1-1/4	1	10	047	69.28
429-337FE <sup>2</sup>	3X1-1/2	1	20	047	63.98
429-338E	3X2	20	0	040	40.87
429-338FE	3X2	1	20	047	39.22
429-339FE	3X2-1/2	1	24	047	37.27
429-417FE <sup>4</sup>	4X1	1	10	047	107.41
429-418FE <sup>3</sup>	4X1-1/4	1	12	047	103.76
429-419FE <sup>3</sup>	4X1-1/2	1	10	047	99.04
429-420E	4X2	15	0	040	59.29
429-420FE <sup>2</sup>	4X2	1	6	047	53.26
429-421FE <sup>2</sup>	4X2-1/2	1	5	047	52.40
429-422FE	4X3	1	10	047	49.23
429-490FE	5X4	1	6	047	79.61
429-527FE <sup>4</sup>	6X1-1/2	1	6	047	176.87
429-528FE <sup>2</sup>	6X2	1	4	047	173.24
429-529FE <sup>3</sup>	6X2-1/2	1	4	047	158.14
429-530FE <sup>2</sup>	6X3	1	6	047	110.76
429-532E	6X4	10	0	040	70.60
429-532FE	6X4	1	6	047	55.38
429-533FE	6X5	1	10	047	54.89
429-578FE <sup>3</sup>	8X2	1	3	047	242.54
429-580FE <sup>3</sup>	8X3	1	2	047	228.44
429-582FE <sup>2</sup>	8X4	1	4	047	114.07
429-583FE <sup>2</sup>	8X5	1	2	047	108.06
429-585FE	8X6	1	4	047	92.21
429-624FE <sup>2</sup>	10X4	1	2	047	260.83
429-625FE <sup>2</sup>	10X5	1	0	047	247.07
429-626FE	10X6	1	2	047	239.82
429-628FE	10X8	1	2	047	226.11
429-664FE <sup>3</sup>	12X4	1	0	047	486.65
429-666FE <sup>2</sup>	12X6	1	0	047	399.86
429-668FE <sup>2</sup>	12X8	1	0	047	265.18
429-670FE	12X10	1	0	047	229.91
429-696FE <sup>2</sup>	14X6	1	0	047	812.33
429-698FE <sup>2</sup>	14X8	1	0	047	665.43
429-700FE	14X10	1	0	047	604.06
429-702FE	14X12	1	0	047	332.96
429-756FE <sup>3</sup>	16X6	1	0	047	792.39
429-758FE <sup>3</sup>	16X8	1	0	047	661.27
429-760FE <sup>2</sup>	16X10	1	0	047	594.98
429-762FE <sup>1</sup>	16X12	1	0	047	558.01
429-764FE	16X14	1	0	047	523.25
429-786FE <sup>4</sup>	18X6	1	0	047	1252.77
429-788FE <sup>4</sup>	18X8	1	0	047	1234.93
429-790FE <sup>3</sup>	18X10	1	0	047	1103.51
429-792FE <sup>2</sup>	18X12	1	0	047	995.88
429-794FE <sup>2</sup>	18X14	1	0	047	880.51

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Eccentric Reducer (continued)**  
**Socket x Socket**

429-796FE	18X16	1	0	047	710.28
-----------	-------	---	---	-----	--------

**Eccentric Reducer Coupling Footnotes**  
Multi-Step Configurations

The number after the part number denotes steps listed below.

Example: 429-582 FE<sup>2</sup> (2 = 2 Step)

**Coupling**



**Fipt x Fipt**

430-005	1/2	50	600	040	.94
430-007	3/4	50	400	040	1.76
430-010	1	50	0	040	2.31
430-012	1-1/4	10	120	040	7.77

**Coupling - Special Reinforced**



**SR Fipt x SR Fipt - Stainless Steel Collar**

430-005SR	1/2	25	300	046	4.29
430-007SR	3/4	25	150	046	6.13
430-010SR	1	25	200	046	6.55
430-012SR	1-1/4	10	120	046	8.16
430-015SR	1-1/2	10	60	046	18.04
430-020SR	2	10	0	046	18.92

**Coupling - Reducer**



**Fipt x Fipt**

430-101	3/4X1/2	50	200	040	2.27
---------	---------	----	-----	-----	------

**Coupling - Special Reinforced Reducer**



**SR Fipt x SR Fipt - Stainless Steel Collar**

430-101SR	3/4X1/2	50	200	046	9.28
-----------	---------	----	-----	-----	------

**Coupling - Deep Socket**



**Socket x Socket**

479-005N	1/2	50	400	040	.96
479-007	3/4	50	0	040	2.32
479-010	1	50	0	040	3.32

**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Coupling - Deep Socket (continued)</b>					
<b>Socket x Socket</b>					
479-012	1-1/4	18	0	040	4.04
479-015	1-1/2	50	0	040	4.59
479-020	2	60	0	040	7.59
479-025	2-1/2	25	0	040	9.76
479-030	3	15	0	040	14.71
479-040	4	8	0	040	29.54
479-045F	4-1/2	1	10	047	79.34
479-050F	5	1	4	047	99.79
479-060F	6	1	10	048	113.41

**Adapters**

**IPS to PIP Adapter**

**Spigot x Socket**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
431-060	6	5	0	040	32.27
431-080	8	10	0	040	39.76
431-100F	10	10	0	047	54.32
431-120F	12	8	0	047	82.94

**Female Adapter**

**Socket x Fipt**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
435-003	3/8	50	600	040	2.75
435-005	1/2	50	600	040	.84
D435-005	1/2	50	400	040	1.23
435-007	3/4	50	400	040	1.07
D435-007	3/4	50	400	040	1.64
435-010	1	50	0	040	1.24
435-012	1-1/4	25	0	040	1.92
435-015	1-1/2	25	0	040	2.19
435-020	2	10	80	040	2.95
435-025	2-1/2	10	0	040	7.45
435-030	3	5	0	040	10.03
435-040	4	6	0	040	16.62
435-050	5	5	0	040	43.04
435-060	6	5	0	040	61.17
435-080	8	2	0	040	115.33
435-100F	10	1	2	047	216.65
435-120F	12	1	0	047	322.81

"D" prefix indicates Deep Socket Adapter

**Female Adapter - Reducing**

**Socket x Fipt**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
435-072	1/2X1/4	50	300	040	1.51
435-073	1/2X3/8	50	300	040	1.51
435-074	1/2X3/4	50	400	040	1.51

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Adapter - Reducing (continued)**

**Socket x Fipt**

435-098	3/4X1/4	25	150	040	2.09
435-101	3/4X1/2	50	400	040	1.51
435-102	3/4X1	50	0	040	2.01
435-130	1X1/2	50	0	040	2.01
435-131	1X3/4	50	0	040	2.01
435-133	1X1-1/2	25	0	040	4.03
435-168	1-1/4X1	25	0	040	5.18
435-247	2X1/2	25	0	040	6.96
435-460F <sup>1</sup>	4-1/2X4	1	8	047	67.96
435-532 <sup>1</sup>	6X4	4	0	040	89.09
435-578F <sup>1</sup>	8X2	1	8	047	178.66
435-582F <sup>1</sup>	8X4	1	8	047	206.02
435-628F	10X8	1	2	047	225.47

<sup>1</sup> Outlet sizes with Threaded Adapter

**Female Adapter - Special Reinforced**

**Socket x SR Fipt - Stainless Steel Collar**

435-002SR	1/4	25	450	046	6.52
435-003SR	3/8	25	300	046	6.52
435-005SR	1/2	25	150	046	3.62
435-007SR	3/4	25	300	046	5.27
435-010SR	1	25	200	046	7.83
435-012SR	1-1/4	10	60	046	12.66
435-015SR	1-1/2	10	80	046	15.59
435-020SR	2	10	0	046	27.20
435-025SR	2-1/2	5	0	046	42.92
435-030SR	3	15	0	046	48.35
435-040SR	4	5	0	046	83.09

**Female Adapter - Special Reinforced Reducing**

**Socket x SR Fipt - Stainless Steel Collar**

435-072SR	1/2X1/4	50	600	046	4.73
435-073SR	1/2X3/8	50	600	046	4.26
435-074SR	1/2X3/4	50	400	046	5.27
435-098SR	3/4X1/4	25	150	046	5.27
435-101SR	3/4X1/2	50	400	046	5.27
435-102SR	3/4X1	50	0	046	7.83
435-130SR	1X1/2	50	0	046	7.83
435-131SR	1X3/4	25	200	046	7.83
435-247SR	2X1/2	25	0	046	27.20

**Male Adapter**

**Mipt x Socket**

436-003	3/8	50	300	040	2.57
436-005	1/2	50	300	040	.67
436-007	3/4	50	400	040	.75
436-010	1	50	300	040	1.35