

**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**Crosses**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cross - Reducing (continued)**

**Socket x Socket x Socket x Socket**

420-668F	12X8	1	0	047	1006.19
420-670F	12X10	1	0	047	1146.61
420-691F	14X2	1	0	047	1090.52
420-693F	14X3	1	0	047	1169.09
420-694F	14X4	1	0	047	1194.47
420-696F	14X6	1	0	047	1401.85
420-698F	14X8	1	0	047	1561.00
420-700F	14X10	1	0	047	1774.15
420-702F	14X12	1	0	047	2015.22
420-751F	16X2	1	0	047	1332.61
420-753F	16X3	1	0	047	1433.29
420-754F	16X4	1	0	047	1481.29
420-756F	16X6	1	0	047	1602.32
420-758F	16X8	1	0	047	1876.86
420-760F	16X10	1	0	047	2022.68
420-762F	16X12	1	0	047	2282.51
420-764F	16X14	1	0	047	2525.54
420-781F	18X2	1	0	047	1498.31
420-783F	18X3	1	0	047	1588.42
420-784F	18X4	1	0	047	1604.65
420-786F	18X6	1	0	047	1714.67
420-788F	18X8	1	0	047	1989.88
420-790F	18X10	1	0	047	2530.46
420-792F	18X12	1	0	047	2717.45
420-794F	18X14	1	0	047	3143.92
420-796F	18X16	1	0	047	3238.66
420-811F	20X2	1	0	047	1585.18
420-813F	20X3	1	0	047	1692.06
420-814F	20X4	1	0	047	1791.55
420-816F	20X6	1	0	047	1917.57
420-818F	20X8	1	0	047	2099.55
420-820F	20X10	1	0	047	3576.78
420-822F	20X12	1	0	047	3787.34
420-824F	20X14	1	0	047	4015.64
420-826F	20X16	1	0	047	4685.22
420-828F	20X18	1	0	047	5225.28
420-901F	24X2	1	0	047	2641.06
420-903F	24X3	1	0	047	2719.72
420-904F	24X4	1	0	047	2811.58
420-906F	24X6	1	0	047	2972.20
420-908F	24X8	1	0	047	3199.71
420-910F	24X10	1	0	047	4593.69
420-912F	24X12	1	0	047	4683.91
420-914F	24X14	1	0	047	4847.04
420-916F	24X16	1	0	047	6006.31
420-918F	24X18	1	0	047	6604.59
420-920F	24X20	1	0	047	7678.47

<sup>1</sup> Outlet sized with Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cross**



**Socket x Mipt x Socket x Mipt**

421A-010	1	50	0	040	6.29
----------	---	----	---	-----	------

**Couplings**

**Coupling**



**Socket x Socket**

429-003	3/8	50	300	040	1.22
429-005	1/2	50	600	040	.44
429-005N	1/2	50	300	040	.44
429-007	3/4	50	400	040	.61
429-007N	3/4	50	400	040	.61
429-010	1	50	0	040	1.07
429-010N	1	50	0	040	1.07
429-012	1-1/4	25	150	040	1.48
429-015	1-1/2	25	0	040	1.59
429-020	2	25	0	040	2.41
429-025	2-1/2	12	0	040	5.35
429-030	3	20	0	040	8.38
429-040	4	6	0	040	12.13
429-045F	4-1/2	1	10	047	53.95
429-050	5	5	0	040	22.19
429-060	6	5	0	040	38.33
429-080	8	8	0	040	71.57
429-100	10	1	0	041	208.58
429-100F	10	1	0	047	130.52
429-120	12	1	0	041	415.57
429-120F	12	1	0	047	138.94
429-140	14	1	0	044	607.61
429-140F	14	1	0	047	225.65
429-160F	16	1	0	047	251.63
429-180F	18	1	0	047	429.12
429-200F	20	1	0	047	748.60
429-240F	24	1	0	047	1039.65

**Coupling - Reducer**



**Socket x Socket**

429-101	3/4X1/2	50	200	040	1.12
429-130 <sup>1</sup>	1X1/2	25	200	040	2.66
429-131	1X3/4	50	0	040	1.91
429-166 <sup>1</sup>	1-1/4X1/2	25	0	040	5.03
429-167	1-1/4X3/4	25	0	040	5.03
429-168	1-1/4X1	25	0	040	3.20
429-209 <sup>1</sup>	1-1/2X1/2	8	48	040	4.19
429-210	1-1/2X3/4	25	0	040	3.39
429-211 <sup>1</sup>	1-1/2X1	25	0	040	5.24
429-212	1-1/2X1-1/4	25	0	040	3.39



## Schedule 40 Fittings Product PVC Schedule 40 Fittings

### Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

#### Coupling - Reducer (continued)

##### Socket x Socket

429-247 <sup>1</sup>	2X1/2	10	0	040	7.39
429-248 <sup>1</sup>	2X3/4	10	0	040	7.39
429-249 <sup>1</sup>	2X1	25	0	040	7.78
429-250	2X1-1/4	10	40	040	7.39
429-251	2X1-1/2	10	40	040	5.41
429-291 <sup>1</sup>	2-1/2X1-1/2	10	0	040	14.45
429-292	2-1/2X2	10	0	040	11.13
429-335 <sup>1</sup>	3X1	10	0	040	32.76
429-337 <sup>1</sup>	3X1-1/2	8	0	040	32.76
429-338	3X2	10	0	040	29.07
429-339	3X2-1/2	10	0	040	24.67
429-340F	3X2-1/2	1	10	047	31.09
429-416 <sup>1</sup>	4X3/4	10	0	040	38.03
429-417 <sup>1</sup>	4X1	8	0	040	60.39
429-420	4X2	4	0	040	35.21
429-421 <sup>1</sup>	4X2-1/2	6	0	040	44.36
429-422	4X3	4	0	040	36.33
429-422F	4X3	1	10	047	39.54
429-460F	4-1/2X4	1	4	047	57.92
429-486F	5X2	1	4	047	128.40
429-487F	5X2-1/2	1	10	047	111.07
429-488F	5X3	1	6	047	98.83
429-490F	5X4	1	6	047	63.82
429-491F	5X4-1/2	1	15	047	61.24
429-528F	6X2	1	4	047	94.58
429-530F	6X3	1	15	047	82.93
429-532	6X4	4	0	040	47.94
429-532F	6X4	1	4	047	45.55
429-533F	6X5	1	15	047	73.12
429-534F	6X4-1/2	1	15	047	88.36
429-578F	8X2	1	4	047	210.55
429-580F	8X3	1	4	047	188.39
429-582	8X4	2	0	040	111.16
429-582F	8X4	1	8	047	139.22
429-583F	8X5	1	4	047	142.19
429-585	8X6	2	0	040	122.76
429-585F	8X6	1	4	047	84.93
429-621F	10X2	1	2	047	300.20
429-623F	10X3	1	2	047	266.72
429-624	10X4	1	2	041	588.78
429-624F	10X4	1	2	047	222.98
429-625F	10X5	1	2	047	221.20
429-626	10X6	1	0	041	588.78
429-626F	10X6	1	4	047	207.80
429-628	10X8	1	0	041	588.78
429-628F	10X8	1	2	047	145.44
429-661F	12X2	1	0	047	472.89
429-663F	12X3	1	0	047	430.09
429-664F	12X4	1	2	047	396.73
429-665F	12X5	1	2	047	303.77
429-666	12X6	1	0	041	670.38

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

#### Coupling - Reducer (continued)

##### Socket x Socket

429-666F	12X6	1	2	047	365.55
429-668	12X8	1	0	041	670.38
429-668F	12X8	1	0	047	354.45
429-670	12X10	1	0	041	670.38
429-670F	12X10	1	0	047	211.72
429-693F	14X3	1	0	047	754.17
429-694F	14X4	1	0	047	661.02
429-696F	14X6	1	0	047	600.44
429-698F	14X8	1	0	047	595.02
429-700F	14X10	1	0	047	470.85
429-702F	14X12	1	0	047	354.62
429-751F	16X2	1	0	047	833.83
429-754F	16X4	1	0	047	773.67
429-756F	16X6	1	0	047	766.05
429-758F	16X8	1	0	047	588.41
429-760F	16X10	1	0	047	545.65
429-762F	16X12	1	0	047	446.34
429-764F	16X14	1	0	047	425.60
429-786F	18X6	1	0	047	1123.56
429-788F	18X8	1	0	047	1052.81
429-790F	18X10	1	0	047	941.52
429-792F	18X12	1	0	047	749.00
429-794F	18X14	1	0	047	695.16
429-796F	18X16	1	0	047	629.34
429-814F	20X4	1	0	047	1809.01
429-816F	20X6	1	0	047	1505.63
429-818F	20X8	1	0	047	1478.86
429-820F	20X10	1	0	047	1422.01
429-822F	20X12	1	0	047	1367.61
429-824F	20X14	1	0	047	1281.84
429-826F	20X16	1	0	047	1174.76
429-828F	20X18	1	0	047	1068.18
429-906F	24X6	1	0	047	2680.77
429-908F	24X8	1	0	047	2466.51
429-910F	24X10	1	0	047	2249.80
429-912F	24X12	1	0	047	2214.35
429-914F	24X14	1	0	047	2129.06
429-916F	24X16	1	0	047	2047.57
429-918F	24X18	1	0	047	1813.13
429-920F	24X20	1	0	047	1630.97

<sup>1</sup> Outlet sized with Bushing

#### Coupling - Eccentric Reducer

##### Socket x Socket

429-131FE	1X3/4	1	15	047	31.09
429-168FE	1-1/4X1	1	12	047	28.22
429-211FE	1-1/2X1	1	25	047	32.72
429-212FE	1-1/2X1-1/4	1	25	047	29.24
429-249FE	2X1	1	25	047	45.86
429-250FE	2X1-1/4	1	25	047	40.19
429-251FE	2X1-1/2	1	20	047	38.83



**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Coupling - Eccentric Reducer (continued)</b>					
<b>Socket x Socket</b>					
429-290FE <sup>2</sup>	2-1/2X1-1/4	1	25	047	59.17
429-291FE <sup>2</sup>	2-1/2X1-1/2	1	10	047	59.09
429-292FE	2-1/2X2	1	10	047	45.92
429-335FE <sup>3</sup>	3X1	1	10	047	63.98
429-336FE <sup>2</sup>	3X1-1/4	1	10	047	62.53
429-337FE <sup>2</sup>	3X1-1/2	1	20	047	57.74
429-338E	3X2	20	0	040	36.89
429-338FE	3X2	1	20	047	35.40
429-339FE	3X2-1/2	1	24	047	33.64
429-417FE <sup>3</sup>	4X1	1	10	047	96.94
429-418FE <sup>3</sup>	4X1-1/4	1	12	047	93.64
429-419FE <sup>3</sup>	4X1-1/2	1	10	047	89.39
429-420E	4X2	15	0	040	53.51
429-420FE <sup>2</sup>	4X2	1	6	047	48.07
429-421FE <sup>2</sup>	4X2-1/2	1	5	047	47.29
429-422FE	4X3	1	10	047	44.43
429-490FE	5X4	1	6	047	71.85
429-527FE <sup>4</sup>	6X1-1/2	1	6	047	159.63
429-528FE <sup>2</sup>	6X2	1	4	047	156.35
429-529FE <sup>3</sup>	6X2-1/2	1	4	047	142.72
429-530FE <sup>2</sup>	6X3	1	6	047	99.96
429-532E	6X4	10	0	040	63.72
429-532FE	6X4	1	6	047	49.98
429-533FE	6X5	1	10	047	49.54
429-578FE <sup>4</sup>	8X2	1	3	047	218.89
429-580FE <sup>3</sup>	8X3	1	2	047	206.17
429-582FE <sup>2</sup>	8X4	1	2	047	102.95
429-583FE <sup>2</sup>	8X5	1	2	047	97.53
429-585FE	8X6	1	4	047	83.22
429-624FE <sup>2</sup>	10X4	1	2	047	235.40
429-625FE	10X5	1	0	047	222.98
429-626FE	10X6	1	2	047	216.44
429-628FE	10X8	1	2	047	204.06
429-664FE <sup>3</sup>	12X4	1	0	047	439.20
429-666FE <sup>2</sup>	12X6	1	0	047	360.88
429-668FE <sup>2</sup>	12X8	1	0	047	239.32
429-670FE	12X10	1	0	047	207.49
429-696FE <sup>2</sup>	14X6	1	0	047	733.12
429-698FE <sup>2</sup>	14X8	1	0	047	600.55
429-700FE	14X10	1	0	047	545.17
429-702FE	14X12	1	0	047	300.49
429-756FE <sup>3</sup>	16X6	1	0	047	715.13
429-758FE <sup>3</sup>	16X8	1	0	047	596.80
429-760FE <sup>2</sup>	16X10	1	0	047	536.97
429-762FE <sup>1</sup>	16X12	1	0	047	503.60
429-764FE	16X14	1	0	047	472.24
429-786FE <sup>4</sup>	18X6	1	0	047	1130.62
429-788FE <sup>4</sup>	18X8	1	0	047	1114.52
429-790FE <sup>3</sup>	18X10	1	0	047	995.91
429-792FE <sup>2</sup>	18X12	1	0	047	898.79
429-794FE <sup>2</sup>	18X14	1	0	047	794.66

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Eccentric Reducer (continued)**


**Socket x Socket**

429-796FE	18X16	1	0	047	641.03
-----------	-------	---	---	-----	--------

**Eccentric Reducer Coupling Footnotes**

**Multi-Step Configurations**

The number after the part number denotes steps listed below.



Example: 429-582 FE<sup>2</sup> (2= 2 Step)

**Coupling**

**Fipt x Fipt**



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
430-005	1/2	50	600	040	.85
430-007	3/4	50	400	040	1.59
430-010	1	50	0	040	2.08
430-012	1-1/4	10	120	040	7.01

**Coupling - Special Reinforced**

**SR Fipt x SR Fipt - Stainless Steel Collar**



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
430-005SR	1/2	25	300	046	3.88
430-007SR	3/4	25	150	046	5.53
430-010SR	1	25	200	046	5.91
430-012SR	1-1/4	10	120	046	7.36
430-015SR	1-1/2	10	60	046	16.28
430-020SR	2	10	0	046	17.07

**Coupling - Reducer**

**Fipt x Fipt**



430-101	3/4X1/2	50	200	040	2.05
---------	---------	----	-----	-----	------

**Coupling - Special Reinforced Reducer**

**SR Fipt x SR Fipt - Stainless Steel Collar**



430-101SR	3/4X1/2	50	200	046	8.38
-----------	---------	----	-----	-----	------

**Coupling - Deep Socket**

**Socket x Socket**



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
479-005N	1/2	50	400	040	.86
479-007	3/4	50	0	040	2.09
479-010	1	50	0	040	2.99



## Schedule 40 Fittings Product PVC Schedule 40 Fittings

### Couplings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Coupling - Deep Socket (continued)</b>					
<b>Socket x Socket</b>					
479-012	1-1/4	18	0	040	3.65
479-015	1-1/2	50	0	040	4.14
479-020	2	60	0	040	6.85
479-025	2-1/2	25	0	040	8.81
479-030	3	15	0	040	13.27
479-040	4	8	0	040	26.66
479-045F	4-1/2	1	10	047	71.60
479-050F	5	1	4	047	90.06
479-060F	6	1	10	048	102.35

### Adapters

#### IPS to PIP Adapter

##### Spigot x Socket

431-060	6	5	0	040	29.13
431-080	8	10	0	040	35.88
431-100F	10	10	0	047	49.02
431-120F	12	8	0	047	74.85

#### Female Adapter

##### Socket x Fipt

435-003	3/8	50	600	040	2.48
435-005	1/2	50	600	040	.76
D435-005	1/2	50	400	040	1.11
435-007	3/4	50	400	040	.97
D435-007	3/4	50	400	040	1.48
435-010	1	50	0	040	1.12
435-012	1-1/4	25	0	040	1.73
435-015	1-1/2	25	0	040	1.98
435-020	2	10	80	040	2.66
435-025	2-1/2	10	0	040	6.73
435-030	3	5	0	040	9.05
435-040	4	6	0	040	15.00
435-050	5	5	0	040	38.85
435-060	6	5	0	040	55.20
435-080	8	2	0	040	104.08
435-100F	10	1	2	047	195.53
435-120F	12	1	0	047	291.34

"D" prefix indicates Deep Socket Adapter

#### Female Adapter - Reducing

##### Socket x Fipt

435-072	1/2X1/4	50	300	040	1.36
435-073	1/2X3/8	50	300	040	1.36
435-074	1/2X3/4	50	400	040	1.36

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

#### Female Adapter - Reducing (continued)

##### Socket x Fipt

435-098	3/4X1/4	25	150	040	1.89
435-101	3/4X1/2	50	400	040	1.36
435-102	3/4X1	50	0	040	1.81
435-130	1X1/2	50	0	040	1.81
435-131	1X3/4	50	0	040	1.81
435-133	1X1-1/2	25	0	040	3.64
435-168	1-1/4X1	25	0	040	4.67
435-247	2X1/2	25	0	040	6.28
435-460F <sup>1</sup>	4-1/2X4	1	8	047	61.33
435-532 <sup>1</sup>	6X4	4	0	040	80.41
435-578F <sup>1</sup>	8X2	1	8	047	161.24
435-582F <sup>1</sup>	8X4	1	8	047	185.93
435-628F	10X8	1	2	047	203.49

<sup>1</sup> Outlet sizes with Threaded Adapter

#### Female Adapter - Special Reinforced

##### Socket x SR Fipt - Stainless Steel Collar

435-002SR	1/4	25	450	046	5.88
435-003SR	3/8	25	300	046	5.88
435-005SR	1/2	25	150	046	3.27
435-007SR	3/4	25	300	046	4.76
435-010SR	1	25	200	046	7.07
435-012SR	1-1/4	10	60	046	11.43
435-015SR	1-1/2	10	80	046	14.07
435-020SR	2	10	0	046	24.55
435-025SR	2-1/2	5	0	046	38.73
435-030SR	3	15	0	046	43.63
435-040SR	4	5	0	046	74.99

#### Female Adapter - Special Reinforced Reducing

##### Socket x SR Fipt - Stainless Steel Collar

435-072SR	1/2X1/4	50	600	046	4.27
435-073SR	1/2X3/8	50	600	046	3.85
435-074SR	1/2X3/4	50	400	046	4.76
435-098SR	3/4X1/4	25	150	046	4.76
435-101SR	3/4X1/2	50	400	046	4.76
435-102SR	3/4X1	50	0	046	7.07
435-130SR	1X1/2	50	0	046	7.07
435-131SR	1X3/4	25	200	046	7.07
435-247SR	2X1/2	25	0	046	24.55

#### Female Adapter - Reducing

##### Socket x Fipt

435-072	1/2X1/4	50	300	040	1.36
435-073	1/2X3/8	50	300	040	1.36
435-074	1/2X3/4	50	400	040	1.36

#### Male Adapter

##### Mipt x Socket

436-003	3/8	50	300	040	2.32
436-005	1/2	50	300	040	.61
436-007	3/4	50	400	040	.67
436-010	1	50	300	040	1.22