



Schedule 40 Fittings Product
PVC Schedule 40 Fittings

Tees

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Special Reinforced Reducing (continued)
Socket x SR Fipt - Stainless Steel Collar

402-289SR	2-1/2X1	10	0	046	27.84
402-290SR	2-1/2X1-1/4	10	0	046	27.41
402-291SR	2-1/2X1-1/2	10	0	046	28.49
402-292SR	2-1/2X2	10	0	046	28.73
402-333SR	3X1/2	10	0	046	34.79
402-334SR	3X3/4	10	0	046	34.79
402-335SR	3X1	10	0	046	35.49
402-336SR	3X1-1/4	10	0	046	36.33
402-337SR	3X1-1/2	10	0	046	36.00
402-338SR	3X2	6	0	046	38.14
402-417SR	4X1	6	0	046	46.08
402-419SR	4X1-1/2	10	0	046	50.61
402-420SR	4X2	10	0	046	52.26
402-422SR	4X3	6	0	046	82.12

Tee

Socket x Mipt

402B-010	1	50	0	040	3.83
----------	---	----	---	-----	------

Tee

Socket x Fipt x Socket

403-007	3/4	50	0	040	1.99
---------	-----	----	---	-----	------

Tee - Reducing

Socket x Fipt x Socket

403-095	3/4X1/2X3/4	50	0	040	4.78
---------	-------------	----	---	-----	------

Tee - Special Reinforced Reducing

Socket x SR Fipt-Stainless Steel Collar x Socket

403-095SR	3/4X1/2X3/4	50	0	046	3.02
-----------	-------------	----	---	-----	------

Tee

Fipt x Fipt x Fipt

405-005	1/2	50	0	040	3.25
405-007	3/4	50	0	040	5.11
405-010	1	50	0	040	7.07
405-012	1-1/4	25	0	040	9.78
405-015	1-1/2	25	0	040	10.09
405-020	2	10	0	040	13.36
405-025 ¹	2-1/2	5	0	040	47.58

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee (continued)

Fipt x Fipt x Fipt

¹ Outlet sized with Bushing

Tee - Street

Spigot x Socket x Socket

444-005	1/2	25	200	040	4.59
444-007	3/4	15	120	040	6.12
444-010	1	15	0	040	7.91
444-012	1-1/4	10	0	040	12.69
444-015	1-1/2	10	0	040	17.54
444-020	2	10	0	040	30.52

Manifold Tee - O-ring Sealed

O-ring Sealed Mipt x Fipt x Mipt

EPDM O-ring Seal on Tee run

451A-010	1	50	0	019	4.98
----------	---	----	---	-----	------

O-ring end MIPT is designed to assemble to corresponding Manifold Tee FIPT Only. Multiple Manifold Tee-to-Manifold Tee assemblies can be made with NO Thread Sealant required. Branch MIPT and Terminal MIPT in Manifold assembly can be joined without O-ring to standard FIPT using thread sealant.

Manifold Tee

Spigot x Socket x Mipt

476-010	1	20	0	020	6.62
---------	---	----	---	-----	------

Manifold Tee

Spigot x Socket x Fipt

477-010	1	25	0	020	6.62
---------	---	----	---	-----	------

Transition Tee for P.E. Hose Laterals

Socket x Insert (.580 I.D.)

1102-007	3/4	50	0	040	3.57
1102-130	1X1/2	200	0	040	4.00
1102-248	2X2X3/4	10	0	040	5.63
1102-250	2X1-1/4	10	0	040	5.63

90° Ells

90° Ell

Socket x Socket

406-003	3/8	50	600	040	3.58
406-005	1/2	50	400	040	.71

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
90° Ell (continued)					
Socket x Socket					
406-007	3/4	50	300	040	.80
406-010	1	50	0	040	1.43
406-012	1-1/4	25	0	040	2.53
406-015	1-1/2	25	0	040	2.73
406-020	2	25	0	040	4.26
406-025	2-1/2	10	0	040	13.00
406-030	3	10	0	040	15.55
406-040	4	8	0	040	27.80
406-045F	4-1/2	1	5	047	197.83
406-050	5	4	0	040	71.84
406-060	6	4	0	040	88.42
406-080	8	2	0	040	227.66
406-100	10	1	0	041	857.53
406-100F	10	1	0	047	457.47
406-120	12	1	0	041	1150.11
406-120F	12	1	0	047	747.71
406-140	14	1	0	044	1530.47
406-140F	14	1	0	047	1077.68
406-160F	16	1	0	047	1542.12
406-180F	18	1	0	047	1655.44
406-200F	20	1	0	047	2504.20
406-240F	24	1	0	047	3752.77

90° Ell - Reducing

Socket x Socket

406-053	3/8X1/2	50	0	040	2.08
406-101	3/4X1/2	50	0	040	1.43
D406-101	3/4X1/2	50	0	040	1.74
406-130	1X1/2	50	0	040	2.14
D406-130	1X1/2	50	0	040	3.06
406-131	1X3/4	50	0	040	2.54
406-166	1-1/4X1/2	25	0	040	4.06
D406-166	1-1/4X1/2	25	0	040	4.66
406-167	1-1/4X3/4	25	0	040	4.06
406-168	1-1/4X1	25	0	040	4.06
406-209	1-1/2X1/2	25	0	040	6.43
406-211	1-1/2X1	25	0	040	6.43
406-212	1-1/2X1-1/4	25	0	040	6.43
406-249	2X1	10	0	040	7.93
406-250	2X1-1/4	10	0	040	7.93
406-251	2X1-1/2	10	0	040	10.96
406-251N	2X1-1/2	10	0	015	10.96
406-292	2-1/2X2	10	0	040	12.84
406-292N	2-1/2X2 (2-1/2 Spigot)	10	0	040	12.84



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Sweep

Socket x Socket

406-005S	1/2	25	300	040	5.45
406-007S	3/4	25	100	040	6.24
406-010S	1	20	0	040	9.71
406-012S	1-1/4	25	0	040	13.47
406-015S	1-1/2	25	0	040	15.49
406-020S	2	25	0	040	17.55
406-025S	2-1/2	20	0	040	21.27
406-030S	3	10	0	040	24.21



90° Ell - Long Sweep

Socket x Socket

406-025LSF	2-1/2	1	7	047	59.02
406-030LSF	3	1	5	047	83.14
406-040LSF	4	1	4	047	108.23
406-060LSF	6	1	2	047	167.36
406-080LSF	8	1	0	047	333.20
406-100LSF	10	1	0	047	452.04



90° Ell

Socket x Fipt

407-005	1/2	50	400	040	.88
407-007	3/4	50	300	040	1.02
407-010	1	50	0	040	1.91
407-012	1-1/4	25	0	040	3.18
407-015	1-1/2	25	0	040	3.54
407-020	2	10	0	040	9.13
407-025	2-1/2	10	0	040	22.57
407-030	3	8	0	040	33.84
407-040	4	8	0	040	51.29



90° Ell - Reducing

Socket x Fipt

407-053	3/8X1/2	50	600	040	2.44
407-074	1/2X3/4	50	0	040	1.91
407-101	3/4X1/2	50	300	040	1.05
407-130	1X1/2	50	0	040	2.93
407-131	1X3/4	50	0	040	2.93
407-168	1-1/4X1	25	0	040	4.26
407-211	1-1/2X1	25	0	040	7.08
407-212	1-1/2X1-1/4	20	0	040	7.37
407-249	2X1	10	0	040	12.25
407-250	2X1-1/4	10	0	040	12.25
407-251	2X1-1/2	10	0	040	12.25





Schedule 40 Fittings Product
PVC Schedule 40 Fittings

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Special Reinforced & Reducing 90° Ell

Socket x SR Fipt - Stainless Steel Collar



407-005SR	1/2	50	400	046	7.93
407-007SR	3/4	75	0	046	10.17
407-010SR	1	50	0	046	10.28
407-012SR	1-1/4	25	0	046	12.43
407-131SR	1X3/4	50	0	046	9.83
407-168SR ¹	1-1/4X1	25	0	046	17.23
407-211SR	1-1/2X1	25	0	046	19.20
407-249SR	2X1	10	0	046	19.59
407-251SR	2X1-1/2	10	0	046	20.66

¹ Sized with SR Adapter

90° Ell

Fipt x Fipt



408-005	1/2	50	400	040	1.72
408-007	3/4	50	0	040	2.54
408-010	1	50	0	040	5.44
408-012	1-1/4	25	0	040	5.82
408-015	1-1/2	25	0	040	7.36
408-020	2	10	0	040	11.16

90° Street Ell

Spigot x Socket



409-005	1/2	50	400	040	2.01
409-007	3/4	50	0	040	2.47
409-010	1	50	0	040	4.26
409-012	1-1/4	25	0	040	5.11
409-015	1-1/2	25	0	040	5.63
409-020	2	10	0	040	10.87
409-025	2-1/2	10	0	040	19.49
409-030	3	5	0	040	24.06
409-040	4	6	0	040	44.76
409-050	5	2	0	040	107.06
409-060	6	2	0	040	135.28
409-080	8	2	0	040	346.05
409-100	10	1	0	041	1277.71
409-100F	10	1	0	047	759.71
409-120	12	1	0	041	1414.95
409-140F	14	1	0	047	1488.43
409-160F	16	1	0	047	1563.60
409-180F	18	1	0	047	1955.99
409-200F	20	1	0	047	2782.07
409-240F	24	1	0	047	4302.01

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Street Ell - Sweep

Socket x Spigot



409-020S	2	25	0	040	25.90
409-025S	2-1/2	20	0	040	39.60
409-030S	3	10	0	040	50.45

90° Street Ell

Mipt x Socket



410-005	1/2	50	750	040	1.56
410-007	3/4	50	0	040	1.82
410-010	1	50	0	040	3.06
410-012	1-1/4	25	0	040	4.26
410-015	1-1/2	25	0	040	4.46
410-020	2	10	0	040	10.98
410-030	3	10	0	040	39.22
410-101	3/4X1/2	50	400	040	2.23
410-102	3/4X1	50	0	040	3.78

90° Street Ell

Mipt x Fipt



412-005	1/2	50	600	040	2.08
412-007	3/4	50	0	040	2.54
412-010	1	50	0	040	4.39
412-012	1-1/4	25	0	040	5.44
412-015	1-1/2	25	0	040	5.91
412-020	2	10	0	040	11.25
412-030	3	8	0	040	40.21

HDPE 90° Street Ell

Mipt x Fipt



M412-005	1/2	50	450	040	1.94
M412-007	3/4	50	0	040	2.35
M412-010	1	50	0	040	4.08
M412-012	1-1/4	25	0	040	5.40
M412-015	1-1/2	25	0	040	6.12

High Density Polyethylene - Not NSF-listed - Not pressure rated.

HDPE 90° Street Ell

Mipt x Fipt (Short Pattern)



MS412-005	1/2	50	700	040	1.74
MS412-007	3/4	50	400	040	2.09
MS412-010	1	50	0	040	3.67

High Density Polyethylene - Not NSF-listed - Not pressure rated.

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

HDPE Reducing 90° Street Ell

Mipt x Fipt (Short Pattern)

MS412-101	3/4X1/2	50	400	040	2.81
High Density Polyethylene - Not NSF-listed - Not pressure rated.					

Side Outlet Ell

Socket x Socket x Socket

413-005	1/2	50	0	040	3.86
413-007	3/4	50	0	040	5.26
413-010	1	25	0	040	6.74
413-015	1-1/2	10	0	040	7.39
413-020	2	10	0	040	10.26

Side Outlet Ell

Socket x Socket x Fipt

414-005	1/2	50	0	040	3.77
414-007	3/4	50	0	040	5.78
414-101	3/4X1/2	50	0	040	4.87
414-130	1X1/2	50	0	040	6.39

Non 90° Ells

11-1/4° Ell

Socket x Socket

411-005F	1/2	52	0	047	23.93
411-007F	3/4	52	0	047	24.07
411-010F	1	1	52	047	26.35
411-012F	1-1/4	25	0	047	28.52
411-015	1-1/2	25	0	040	6.17
411-015F	1-1/2	25	0	047	28.93
411-020	2	10	0	040	7.15
411-025F	2-1/2	1	25	047	35.38
411-030	3	10	0	040	28.82
411-040	4	4	0	040	51.77
411-045F	4-1/2	1	15	047	72.09
411-050F	5	1	15	047	63.19
411-060F	6	1	10	047	73.21
411-080F	8	1	4	047	123.76
411-100F	10	1	2	047	186.75
411-120F	12	1	2	047	295.42
411-140F	14	1	0	047	464.45
411-160F	16	1	0	047	633.13
411-180F	18	1	0	047	760.35

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

11-1/4° Ell (continued)

Socket x Socket

411-200F	20	1	0	047	939.88
411-240F	24	1	0	047	1872.07

30° Ell

Socket x Socket

415-005F	1/2	1	25	047	23.93
415-007F	3/4	25	0	047	24.07
415-010F	1	1	25	047	26.35
415-012F	1-1/4	1	15	047	28.52
415-015F	1-1/2	1	25	047	28.93
415-020F	2	25	0	047	29.99
415-025F	2-1/2	25	0	047	35.38
415-030F	3	1	20	047	37.84
415-040F	4	1	6	047	45.57
415-045F	4-1/2	1	15	047	72.09
415-050F	5	1	6	047	63.19
415-060F	6	1	10	047	73.21
415-080F	8	1	4	047	123.76
415-100F	10	1	2	047	186.75
415-120F	12	1	0	047	295.42
415-140F	14	1	0	047	464.45
415-160F	16	1	0	047	633.13
415-180F	18	1	0	047	760.35
415-200F	20	1	0	047	939.88
415-240F	24	1	0	047	1872.07

22-1/2° Ell

Socket x Socket

416-005	1/2	20	240	040	1.67
416-007	3/4	20	240	040	2.60
416-010	1	20	160	040	3.12
416-012	1-1/4	20	0	040	4.36
416-015	1-1/2	20	0	040	5.46
416-015F	1-1/2	25	25	047	28.93
416-020	2	20	0	040	7.15
416-025	2-1/2	5	0	040	18.58
416-025F	2-1/2	25	0	047	35.38
416-030	3	5	0	040	28.82
416-040	4	4	0	040	51.77
416-045F	4-1/2	1	15	047	72.09
416-050F	5	1	10	047	63.19
416-060	6	4	0	040	127.80
416-060F	6	1	5	047	73.21
416-080	8	4	0	040	307.43
416-080F	8	1	4	047	123.76
416-100F	10	1	0	047	186.75
416-120F	12	1	0	047	295.42
416-140F	14	1	0	047	464.45
416-160F	16	1	0	047	633.13