

**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**Tees**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Tee - Special Reinforced Reducing (continued)**

**Socket x SR Fipt - Stainless Steel Collar**

402-289SR	2-1/2X1	10	0	046	26.45
402-290SR	2-1/2X1-1/4	10	0	046	26.04
402-291SR	2-1/2X1-1/2	10	0	046	27.07
402-292SR	2-1/2X2	10	0	046	27.29
402-333SR	3X1/2	10	0	046	33.05
402-334SR	3X3/4	10	0	046	33.05
402-335SR	3X1	10	0	046	33.72
402-336SR	3X1-1/4	10	0	046	34.51
402-337SR	3X1-1/2	10	0	046	34.20
402-338SR	3X2	6	0	046	36.23
402-417SR	4X1	6	0	046	43.78
402-419SR	4X1-1/2	10	0	046	48.08
402-420SR	4X2	10	0	046	49.65
402-422SR	4X3	6	0	046	78.01

**Tee**

**Socket x Mipt**

402B-010	1	50	0	040	3.64
----------	---	----	---	-----	------

**Tee**

**Socket x Fipt x Socket**

403-007	3/4	50	0	040	1.89
---------	-----	----	---	-----	------

**Tee - Reducing**

**Socket x Fipt x Socket**

403-095	3/4X1/2X3/4	50	0	040	4.54
---------	-------------	----	---	-----	------

**Tee - Special Reinforced Reducing**

**Socket x SR Fipt-Stainless Steel Collar x Socket**

403-095SR	3/4X1/2X3/4	50	0	046	2.87
-----------	-------------	----	---	-----	------

**Tee**

**Fipt x Fipt x Fipt**

405-005	1/2	50	0	040	3.09
405-007	3/4	50	0	040	4.85
405-010	1	50	0	040	6.72
405-012	1-1/4	25	0	040	9.29
405-015	1-1/2	25	0	040	9.59
405-020	2	10	0	040	12.69
405-025 <sup>1</sup>	2-1/2	5	0	040	45.20

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Tee (continued)**

**Fipt x Fipt x Fipt**

<sup>1</sup> Outlet sized with Bushing

**Tee - Street**

**Spigot x Socket x Socket**

444-005	1/2	25	200	040	4.36
444-007	3/4	15	120	040	5.81
444-010	1	15	0	040	7.51
444-012	1-1/4	10	0	040	12.06
444-015	1-1/2	10	0	040	16.66
444-020	2	10	0	040	28.99

**Manifold Tee - O-ring Sealed**

**O-ring Sealed Mipt x Fipt x Mipt**

EPDM O-ring Seal on Tee run

451A-010	1	50	0	019	4.73
----------	---	----	---	-----	------

O-ring end MIPT is designed to assemble to corresponding Manifold Tee FIPT Only. Multiple Manifold Tee-to-Manifold Tee assemblies can be made with NO Thread Sealant required. Branch MIPT and Terminal MIPT in Manifold assembly can be joined without O-ring to standard FIPT using thread sealant.

**Manifold Tee**

**Spigot x Socket x Mipt**

476-010	1	20	0	020	6.29
---------	---	----	---	-----	------

**Manifold Tee**

**Spigot x Socket x Fipt**

477-010	1	25	0	020	6.29
---------	---	----	---	-----	------

**Transition Tee for P.E. Hose Laterals**

**Socket x Insert (.580 I.D.)**

1102-007	3/4	50	0	040	3.39
1102-130	1X1/2	200	0	040	3.80
1102-248	2X2X3/4	10	0	040	5.35
1102-250	2X1-1/4	10	0	040	5.35

**90° Ells**

**90° Ell**

**Socket x Socket**

406-003	3/8	50	600	040	3.40
406-005	1/2	50	400	040	.67



## Schedule 40 Fittings Product PVC Schedule 40 Fittings

### 90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

#### 90° Ell (continued)

#### Socket x Socket

406-007	3/4	50	300	040	.76
406-010	1	50	0	040	1.36
406-012	1-1/4	25	0	040	2.40
406-015	1-1/2	25	0	040	2.59
406-020	2	25	0	040	4.05
406-025	2-1/2	10	0	040	12.35
406-030	3	10	0	040	14.77
406-040	4	8	0	040	26.41
406-045F	4-1/2	1	5	047	187.94
406-050	5	4	0	040	68.25
406-060	6	4	0	040	84.00
406-080	8	2	0	040	216.28
406-100	10	1	0	041	814.65
406-100F	10	1	0	047	434.60
406-120	12	1	0	041	1092.60
406-120F	12	1	0	047	710.32
406-140	14	1	0	044	1453.95
406-140F	14	1	0	047	1023.80
406-160F	16	1	0	047	1465.01
406-180F	18	1	0	047	1572.67
406-200F	20	1	0	047	2378.99
406-240F	24	1	0	047	3565.13



#### 90° Ell - Reducing

#### Socket x Socket

406-053	3/8X1/2	50	0	040	1.98
406-101	3/4X1/2	50	0	040	1.36
D406-101	3/4X1/2	50	0	040	1.65
406-130	1X1/2	50	0	040	2.03
D406-130	1X1/2	50	0	040	2.91
406-131	1X3/4	50	0	040	2.41
406-166	1-1/4X1/2	25	0	040	3.86
D406-166	1-1/4X1/2	25	0	040	4.43
406-167	1-1/4X3/4	25	0	040	3.86
406-168	1-1/4X1	25	0	040	3.86
406-209	1-1/2X1/2	25	0	040	6.11
406-211	1-1/2X1	25	0	040	6.11
406-212	1-1/2X1-1/4	25	0	040	6.11
406-249	2X1	10	0	040	7.53
406-250	2X1-1/4	10	0	040	7.53
406-251	2X1-1/2	10	0	040	10.41
406-251N	2X1-1/2	10	0	015	10.41
406-292	2-1/2X2	10	0	040	12.20
406-292N	2-1/2X2 (2-1/2 Spigot)	10	0	040	12.20

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

#### 90° Ell - Sweep

#### Socket x Socket

406-005S	1/2	25	300	040	5.18
406-007S	3/4	25	100	040	5.93
406-010S	1	20	0	040	9.71
406-012S	1-1/4	25	0	040	12.80
406-015S	1-1/2	25	0	040	13.83
406-020S	2	25	0	040	16.67
406-025S	2-1/2	20	0	040	19.51
406-030S	3	10	0	040	23.00



#### 90° Ell - Long Sweep

#### Socket x Socket

406-025LSF	2-1/2	1	7	047	56.07
406-030LSF	3	1	5	047	78.98
406-040LSF	4	1	4	047	102.82
406-060LSF	6	1	2	047	158.99
406-080LSF	8	1	0	047	316.54
406-100LSF	10	1	0	047	429.44



#### 90° Ell

#### Socket x Fipt

407-005	1/2	50	400	040	.84
407-007	3/4	50	300	040	.97
407-010	1	50	0	040	1.81
407-012	1-1/4	25	0	040	3.02
407-015	1-1/2	25	0	040	3.36
407-020	2	10	0	040	8.67
407-025	2-1/2	10	0	040	21.44
407-030	3	8	0	040	32.15
407-040	4	8	0	040	48.73



#### 90° Ell - Reducing

#### Socket x Fipt

407-053	3/8X1/2	50	600	040	2.32
407-074	1/2X3/4	50	0	040	1.81
407-101	3/4X1/2	50	300	040	1.00
407-130	1X1/2	50	0	040	2.78
407-131	1X3/4	50	0	040	2.78
407-168	1-1/4X1	25	0	040	4.05
407-211	1-1/2X1	25	0	040	6.73
407-212	1-1/2X1-1/4	20	0	040	7.00
407-249	2X1	10	0	040	11.64
407-250	2X1-1/4	10	0	040	11.64
407-251	2X1-1/2	10	0	040	11.64



**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**90° Ells**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**90° Ell - Special Reinforced & Reducing 90° Ell**

**Socket x SR Fipt - Stainless Steel Collar**



407-005SR	1/2	50	400	046	7.53
407-007SR	3/4	75	0	046	9.66
407-010SR	1	50	0	046	9.77
407-012SR	1-1/4	25	0	046	11.81
407-131SR	1X3/4	50	0	046	9.34
407-168SR <sup>1</sup>	1-1/4X1	25	0	046	16.37
407-211SR	1-1/2X1	25	0	046	18.24
407-249SR	2X1	10	0	046	18.61
407-251SR	2X1-1/2	10	0	046	19.63

<sup>1</sup> Sized with SR Adapter

**90° Ell**

**Fipt x Fipt**



408-005	1/2	50	400	040	1.63
408-007	3/4	50	0	040	2.41
408-010	1	50	0	040	5.17
408-012	1-1/4	25	0	040	5.53
408-015	1-1/2	25	0	040	6.99
408-020	2	10	0	040	10.60

**90° Street Ell**

**Spigot x Socket**



409-005	1/2	50	400	040	1.91
409-007	3/4	50	0	040	2.35
409-010	1	50	0	040	4.05
409-012	1-1/4	25	0	040	4.85
409-015	1-1/2	25	0	040	5.35
409-020	2	10	0	040	10.33
409-025	2-1/2	10	0	040	18.52
409-030	3	5	0	040	22.86
409-040	4	6	0	040	42.52
409-050	5	2	0	040	101.71
409-060	6	2	0	040	128.52
409-080	8	2	0	040	328.75
409-100	10	1	0	041	1213.82
409-100F	10	1	0	047	721.72
409-120	12	1	0	041	1344.20
409-140F	14	1	0	047	1414.01
409-160F	16	1	0	047	1485.42
409-180F	18	1	0	047	1858.19
409-200F	20	1	0	047	2642.97
409-240F	24	1	0	047	4086.91

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**90° Street Ell**

**Mipt x Socket**



410-005	1/2	50	750	040	1.48
410-007	3/4	50	0	040	1.73
410-010	1	50	0	040	2.91
410-012	1-1/4	25	0	040	4.05
410-015	1-1/2	25	0	040	4.24
410-020	2	10	0	040	10.43
410-030	3	10	0	040	37.26
410-101	3/4X1/2	50	400	040	2.12
410-102	3/4X1	50	0	040	3.59

**90° Street Ell**

**Mipt x Fipt**



412-005	1/2	50	600	040	1.98
412-007	3/4	50	0	040	2.41
412-010	1	50	0	040	4.17
412-012	1-1/4	25	0	040	5.17
412-015	1-1/2	25	0	040	5.61
412-020	2	10	0	040	10.69
412-030	3	8	0	040	38.20

**HDPE 90° Street Ell**

**Mipt x Fipt**



M412-005	1/2	50	450	040	1.84
M412-007	3/4	50	0	040	2.23
M412-010	1	50	0	040	3.88
M412-012	1-1/4	25	0	040	5.13
M412-015	1-1/2	25	0	040	5.81

High Density Polyethylene - Not NSF-listed - Not pressure rated.

**HDPE 90° Street Ell**

**Mipt x Fipt (Short Pattern)**



MS412-005	1/2	50	700	040	1.65
MS412-007	3/4	50	400	040	1.99
MS412-010	1	50	0	040	3.49

High Density Polyethylene - Not NSF-listed - Not pressure rated.

**HDPE Reducing 90° Street Ell**

**Mipt x Fipt (Short Pattern)**



MS412-101	3/4X1/2	50	400	040	2.67
-----------	---------	----	-----	-----	------

High Density Polyethylene - Not NSF-listed - Not pressure rated.



**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**

**90° Ells**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Side Outlet Ell**

**Socket x Socket x Socket**

413-005	1/2	50	0	040	3.67
413-007	3/4	50	0	040	5.00
413-010	1	25	0	040	6.40
413-015	1-1/2	10	0	040	7.02
413-020	2	10	0	040	9.75



**Side Outlet Ell**

**Socket x Socket x Fipt**

414-005	1/2	50	0	040	3.58
414-007	3/4	50	0	040	5.49
414-101	3/4X1/2	50	0	040	4.63
414-130	1X1/2	50	0	040	6.07



**Non 90° Ells**

**11-1/4° Ell**

**Socket x Socket**

411-005F	1/2	52	0	047	22.73
411-007F	3/4	52	0	047	22.87
411-010F	1	1	52	047	25.03
411-012F	1-1/4	25	0	047	27.09
411-015	1-1/2	25	0	040	5.86
411-015F	1-1/2	25	0	047	27.48
411-020	2	10	0	040	6.79
411-025F	2-1/2	1	25	047	33.61
411-030	3	10	0	040	27.38
411-040	4	4	0	040	49.18
411-045F	4-1/2	1	15	047	68.49
411-050F	5	1	15	047	60.03
411-060F	6	1	10	047	69.55
411-080F	8	1	4	047	117.57
411-100F	10	1	2	047	177.41
411-120F	12	1	2	047	280.65
411-140F	14	1	0	047	441.23
411-160F	16	1	0	047	601.47
411-180F	18	1	0	047	722.33
411-200F	20	1	0	047	892.89
411-240F	24	1	0	047	1778.47



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**30° Ell**

**Socket x Socket**

415-005F	1/2	1	25	047	22.73
415-007F	3/4	25	0	047	22.87
415-010F	1	1	25	047	25.03
415-012F	1-1/4	1	15	047	27.09
415-015F	1-1/2	1	25	047	27.48
415-020F	2	1	25	047	28.49
415-025F	2-1/2	25	0	047	33.61
415-030F	3	1	20	047	35.95
415-040F	4	1	6	047	43.29
415-045F	4-1/2	1	15	047	68.49
415-050F	5	1	6	047	60.03
415-060F	6	1	10	047	69.55
415-080F	8	1	4	047	117.57
415-100F	10	1	2	047	177.41
415-120F	12	1	0	047	280.65
415-140F	14	1	0	047	441.23
415-160F	16	1	0	047	601.47
415-180F	18	1	0	047	722.33
415-200F	20	1	0	047	892.89
415-240F	24	1	0	047	1778.47



**22-1/2° Ell**

**Socket x Socket**

416-005	1/2	20	240	040	1.59
416-007	3/4	20	240	040	2.47
416-010	1	20	160	040	2.96
416-012	1-1/4	20	0	040	4.14
416-015	1-1/2	20	0	040	5.19
416-015F	1-1/2	1	25	047	27.48
416-020	2	20	0	040	6.79
416-025	2-1/2	5	0	040	17.65
416-025F	2-1/2	25	0	047	33.61
416-030	3	5	0	040	27.38
416-040	4	4	0	040	49.18
416-045F	4-1/2	1	15	047	68.49
416-050F	5	1	10	047	60.03
416-060	6	4	0	040	121.41
416-060F	6	1	5	047	69.55
416-080	8	4	0	040	292.06
416-080F	8	1	4	047	117.57
416-100F	10	1	0	047	177.41
416-120F	12	1	0	047	280.65
416-140F	14	1	0	047	441.23
416-160F	16	1	0	047	601.47
416-180F	18	1	0	047	722.33
416-200F	20	1	0	047	892.89
416-240F	24	1	0	047	1778.47

