



Schedule 40 Fittings Product
PVC Schedule 40 Fittings

Tees

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Special Reinforced Reducing (continued)
Socket x SR Fipt - Stainless Steel Collar

402-289SR	2-1/2X1	10	0	046	29.31
402-290SR	2-1/2X1-1/4	10	0	046	28.85
402-291SR	2-1/2X1-1/2	10	0	046	29.99
402-292SR	2-1/2X2	10	0	046	30.24
402-333SR	3X1/2	10	0	046	36.62
402-334SR	3X3/4	10	0	046	36.62
402-335SR	3X1	10	0	046	37.36
402-336SR	3X1-1/4	10	0	046	38.24
402-337SR	3X1-1/2	10	0	046	37.89
402-338SR	3X2	6	0	046	40.15
402-417SR	4X1	6	0	046	48.51
402-419SR	4X1-1/2	10	0	046	53.27
402-420SR	4X2	10	0	046	55.01
402-422SR	4X3	6	0	046	86.44

Tee

Socket x Mipt

402B-010	1	50	0	040	4.03
----------	---	----	---	-----	------

Tee

Socket x Fipt x Socket

403-007	3/4	50	0	040	2.09
---------	-----	----	---	-----	------

Tee - Reducing

Socket x Fipt x Socket

403-095	3/4X1/2X3/4	50	0	040	5.03
---------	-------------	----	---	-----	------

Tee - Special Reinforced Reducing

Socket x SR Fipt-Stainless Steel Collar x Socket

403-095SR	3/4X1/2X3/4	50	0	046	3.18
-----------	-------------	----	---	-----	------

Tee

Fipt x Fipt x Fipt

405-005	1/2	50	0	040	3.42
405-007	3/4	50	0	040	5.38
405-010	1	50	0	040	7.44
405-012	1-1/4	25	0	040	10.29
405-015	1-1/2	25	0	040	10.62
405-020	2	10	0	040	14.06
405-025 ¹	2-1/2	5	0	040	50.08

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee (continued)

Fipt x Fipt x Fipt

¹ Outlet sized with Bushing

Tee - Street

Spigot x Socket x Socket

444-005	1/2	25	200	040	4.83
444-007	3/4	15	120	040	6.44
444-010	1	15	0	040	8.33
444-012	1-1/4	10	0	040	13.36
444-015	1-1/2	10	0	040	18.46
444-020	2	10	0	040	32.13

Manifold Tee - O-ring Sealed

O-ring Sealed Mipt x Fipt x Mipt

EPDM O-ring Seal on Tee run

451A-010	1	50	0	019	5.24
----------	---	----	---	-----	------

O-ring end MIPT is designed to assemble to corresponding Manifold Tee FIPT Only. Multiple Manifold Tee-to-Manifold Tee assemblies can be made with NO Thread Sealant required. Branch MIPT and Terminal MIPT in Manifold assembly can be joined without O-ring to standard FIPT using thread sealant.

Manifold Tee

Spigot x Socket x Mipt

476-010	1	20	0	020	6.97
---------	---	----	---	-----	------

Manifold Tee

Spigot x Socket x Fipt

477-010	1	25	0	020	6.97
---------	---	----	---	-----	------

Transition Tee for P.E. Hose Laterals

Socket x Insert (.580 I.D.)

1102-007	3/4	50	0	040	3.76
1102-130	1X1/2	200	0	040	4.21
1102-248	2X2X3/4	10	0	040	5.93
1102-250	2X1-1/4	10	0	040	5.93

90° Ells

90° Ell

Socket x Socket

406-003	3/8	50	600	040	3.77
406-005	1/2	50	400	040	.75

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
90° Ell (continued)					
Socket x Socket					
406-007	3/4	50	300	040	.84
406-010	1	50	0	040	1.51
406-012	1-1/4	25	0	040	2.66
406-015	1-1/2	25	0	040	2.87
406-020	2	25	0	040	4.48
406-025	2-1/2	10	0	040	13.68
406-030	3	10	0	040	16.37
406-040	4	8	0	040	29.26
406-045F	4-1/2	1	5	047	208.24
406-050	5	4	0	040	75.62
406-060	6	4	0	040	93.07
406-080	8	2	0	040	239.64
406-100	10	1	0	041	902.66
406-100F	10	1	0	047	481.55
406-120	12	1	0	041	1210.64
406-120F	12	1	0	047	787.06
406-140	14	1	0	044	1611.02
406-140F	14	1	0	047	1134.40
406-160F	16	1	0	047	1623.28
406-180F	18	1	0	047	1742.57
406-200F	20	1	0	047	2636.00
406-240F	24	1	0	047	3950.28

90° Ell - Reducing

Socket x Socket

406-053	3/8X1/2	50	0	040	2.19
406-101	3/4X1/2	50	0	040	1.51
D406-101	3/4X1/2	50	0	040	1.83
406-130	1X1/2	50	0	040	2.25
D406-130	1X1/2	50	0	040	3.22
406-131	1X3/4	50	0	040	2.67
406-166	1-1/4X1/2	25	0	040	4.27
D406-166	1-1/4X1/2	25	0	040	4.91
406-167	1-1/4X3/4	25	0	040	4.27
406-168	1-1/4X1	25	0	040	4.27
406-209	1-1/2X1/2	25	0	040	6.77
406-211	1-1/2X1	25	0	040	6.77
406-212	1-1/2X1-1/4	25	0	040	6.77
406-249	2X1	10	0	040	8.35
406-250	2X1-1/4	10	0	040	8.35
406-251	2X1-1/2	10	0	040	11.54
406-251N	2X1-1/2	10	0	015	11.54
406-292	2-1/2X2	10	0	040	13.52
406-292N	2-1/2X2 (2-1/2 Spigot)	10	0	040	13.52

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Sweep

Socket x Socket

406-005S	1/2	25	300	040	5.74
406-007S	3/4	25	100	040	6.57
406-010S	1	20	0	040	10.22
406-012S	1-1/4	25	0	040	14.18
406-015S	1-1/2	25	0	040	16.31
406-020S	2	25	0	040	18.47
406-025S	2-1/2	20	0	040	22.39
406-030S	3	10	0	040	25.48

90° Ell - Long Sweep

Socket x Socket

406-025LSF	2-1/2	1	7	047	62.13
406-030LSF	3	1	5	047	87.52
406-040LSF	4	1	4	047	113.93
406-060LSF	6	1	2	047	176.17
406-080LSF	8	1	0	047	350.74
406-100LSF	10	1	0	047	475.83

90° Ell

Socket x Fipt

407-005	1/2	50	400	040	.93
407-007	3/4	50	300	040	1.07
407-010	1	50	0	040	2.01
407-012	1-1/4	25	0	040	3.35
407-015	1-1/2	25	0	040	3.73
407-020	2	10	0	040	9.61
407-025	2-1/2	10	0	040	23.76
407-030	3	8	0	040	35.62
407-040	4	8	0	040	53.99

90° Ell - Reducing

Socket x Fipt

407-053	3/8X1/2	50	600	040	2.57
407-074	1/2X3/4	50	0	040	2.01
407-101	3/4X1/2	50	300	040	1.11
407-130	1X1/2	50	0	040	3.08
407-131	1X3/4	50	0	040	3.08
407-168	1-1/4X1	25	0	040	4.48
407-211	1-1/2X1	25	0	040	7.45
407-212	1-1/2X1-1/4	20	0	040	7.76
407-249	2X1	10	0	040	12.89
407-250	2X1-1/4	10	0	040	12.89
407-251	2X1-1/2	10	0	040	12.89



Schedule 40 Fittings Product
PVC Schedule 40 Fittings

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Special Reinforced & Reducing 90° Ell

Socket x SR Fipt - Stainless Steel Collar



407-005SR	1/2	50	400	046	8.35
407-007SR	3/4	75	0	046	10.71
407-010SR	1	50	0	046	10.82
407-012SR	1-1/4	25	0	046	13.08
407-131SR	1X3/4	50	0	046	10.35
407-168SR ¹	1-1/4X1	25	0	046	18.14
407-211SR	1-1/2X1	25	0	046	20.21
407-249SR	2X1	10	0	046	20.62
407-251SR	2X1-1/2	10	0	046	21.75

¹ Sized with SR Adapter

90° Ell

Fipt x Fipt



408-005	1/2	50	400	040	1.81
408-007	3/4	50	0	040	2.67
408-010	1	50	0	040	5.73
408-012	1-1/4	25	0	040	6.13
408-015	1-1/2	25	0	040	7.75
408-020	2	10	0	040	11.75

90° Street Ell

Spigot x Socket



409-005	1/2	50	400	040	2.12
409-007	3/4	50	0	040	2.60
409-010	1	50	0	040	4.48
409-012	1-1/4	25	0	040	5.38
409-015	1-1/2	25	0	040	5.93
409-020	2	10	0	040	11.44
409-025	2-1/2	10	0	040	20.52
409-030	3	5	0	040	25.33
409-040	4	6	0	040	47.12
409-050	5	2	0	040	112.69
409-060	6	2	0	040	142.40
409-080	8	2	0	040	364.26
409-100	10	1	0	041	1344.96
409-100F	10	1	0	047	799.69
409-120	12	1	0	041	1489.42
409-140F	14	1	0	047	1566.77
409-160F	16	1	0	047	1645.89
409-180F	18	1	0	047	2058.94
409-200F	20	1	0	047	2928.49
409-240F	24	1	0	047	4528.43

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Street Ell - Sweep

Socket x Spigot



409-015S	1-1/2	25	0	040	20.60
409-020S	2	25	0	040	27.26
409-025S	2-1/2	20	0	040	41.68
409-030S	3	10	0	040	53.11

90° Street Ell

Mipt x Socket



410-005	1/2	50	750	040	1.64
410-007	3/4	50	0	040	1.92
410-010	1	50	0	040	3.22
410-012	1-1/4	25	0	040	4.48
410-015	1-1/2	25	0	040	4.69
410-020	2	10	0	040	11.56
410-030	3	10	0	040	41.28
410-101	3/4X1/2	50	400	040	2.35
410-102	3/4X1	50	0	040	3.98

90° Street Ell

Mipt x Fipt



412-005	1/2	50	600	040	2.19
412-007	3/4	50	0	040	2.67
412-010	1	50	0	040	4.62
412-012	1-1/4	25	0	040	5.73
412-015	1-1/2	25	0	040	6.22
412-020	2	10	0	040	11.84
412-030	3	8	0	040	42.33

HDPE 90° Street Ell

Mipt x Fipt



M412-005	1/2	50	450	040	2.04
M412-007	3/4	50	0	040	2.47
M412-010	1	50	0	040	4.29
M412-012	1-1/4	25	0	040	5.68
M412-015	1-1/2	25	0	040	6.44

High Density Polyethylene - Not NSF-listed - Not pressure rated.

HDPE 90° Street Ell

Mipt x Fipt (Short Pattern)



MS412-005	1/2	50	700	040	1.83
MS412-007	3/4	50	400	040	2.20
MS412-010	1	50	0	040	3.86

High Density Polyethylene - Not NSF-listed - Not pressure rated.

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

HDPE Reducing 90° Street Ell

Mipt x Fipt (Short Pattern)

MS412-101	3/4X1/2	50	400	040	2.96
High Density Polyethylene - Not NSF-listed - Not pressure rated.					

Side Outlet Ell

Socket x Socket x Socket

413-005	1/2	50	0	040	4.06
413-007	3/4	50	0	040	5.54
413-010	1	25	0	040	7.09
413-015	1-1/2	10	0	040	7.78
413-020	2	10	0	040	10.80

Side Outlet Ell

Socket x Socket x Fipt

414-005	1/2	50	0	040	3.97
414-007	3/4	50	0	040	6.08
414-101	3/4X1/2	50	0	040	5.13
414-130	1X1/2	50	0	040	6.73

Non 90° Ells

11-1/4° Ell

Socket x Socket

411-005F	1/2	52	0	047	25.19
411-007F	3/4	52	0	047	25.34
411-010F	1	52	0	047	27.74
411-012F	1-1/4	25	0	047	30.02
411-015	1-1/2	25	0	040	6.49
411-015F	1-1/2	25	0	047	30.45
411-020	2	10	0	040	7.53
411-025F	2-1/2	1	25	047	37.24
411-030	3	10	0	040	30.34
411-040	4	4	0	040	54.49
411-045F	4-1/2	1	15	047	75.88
411-050F	5	1	15	047	66.52
411-060F	6	1	10	047	77.06
411-080F	8	1	4	047	130.27
411-100F	10	1	2	047	196.58
411-120F	12	1	2	047	310.97
411-140F	14	1	0	047	488.89
411-160F	16	1	0	047	666.45
411-180F	18	1	0	047	800.37

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

11-1/4° Ell (continued)

Socket x Socket

411-200F	20	1	0	047	989.35
411-240F	24	1	0	047	1970.60

30° Ell

Socket x Socket

415-005F	1/2	1	25	047	25.19
415-007F	3/4	25	0	047	25.34
415-010F	1	1	25	047	27.74
415-012F	1-1/4	1	15	047	30.02
415-015F	1-1/2	1	25	047	30.45
415-020F	2	25	0	047	31.57
415-025F	2-1/2	25	0	047	37.24
415-030F	3	1	20	047	39.83
415-040F	4	1	6	047	47.97
415-045F	4-1/2	1	15	047	75.88
415-050F	5	1	6	047	66.52
415-060F	6	1	10	047	77.06
415-080F	8	1	4	047	130.27
415-100F	10	1	2	047	196.58
415-120F	12	1	0	047	310.97
415-140F	14	1	0	047	488.89
415-160F	16	1	0	047	666.45
415-180F	18	1	0	047	800.37
415-200F	20	1	0	047	989.35
415-240F	24	1	0	047	1970.60

22-1/2° Ell

Socket x Socket

416-005	1/2	20	240	040	1.76
416-007	3/4	20	240	040	2.74
416-010	1	20	160	040	3.28
416-012	1-1/4	20	0	040	4.59
416-015	1-1/2	20	0	040	5.75
416-015F	1-1/2	25	25	047	30.45
416-020	2	20	0	040	7.53
416-025	2-1/2	5	0	040	19.56
416-025F	2-1/2	25	0	047	37.24
416-030	3	5	0	040	30.34
416-040	4	4	0	040	54.49
416-045F	4-1/2	1	15	047	75.88
416-050F	5	1	10	047	66.52
416-060	6	4	0	040	134.53
416-060F	6	1	5	047	77.06
416-080	8	4	0	040	323.61
416-080F	8	1	4	047	130.27
416-100F	10	1	0	047	196.58
416-120F	12	1	0	047	310.97
416-140F	14	1	0	047	488.89
416-160F	16	1	0	047	666.45