

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

HDPE Reducing 90° Street Ell

Mipt x Fipt (Short Pattern)

MS412-101	3/4X1/2	50	400	040	2.81
High Density Polyethylene - Not NSF-listed - Not pressure rated.					

Side Outlet Ell

Socket x Socket x Socket

413-005	1/2	50	0	040	3.86
413-007	3/4	50	0	040	5.26
413-010	1	25	0	040	6.74
413-015	1-1/2	10	0	040	7.39
413-020	2	10	0	040	10.26

Side Outlet Ell

Socket x Socket x Fipt

414-005	1/2	50	0	040	3.77
414-007	3/4	50	0	040	5.78
414-101	3/4X1/2	50	0	040	4.87
414-130	1X1/2	50	0	040	6.39

Non 90° Ells

11-1/4° Ell

Socket x Socket

411-005F	1/2	52	0	047	23.93
411-007F	3/4	52	0	047	24.07
411-010F	1	52	0	047	26.35
411-012F	1-1/4	25	0	047	28.52
411-015	1-1/2	25	0	040	6.17
411-015F	1-1/2	25	0	047	28.93
411-020	2	10	0	040	7.15
411-025F	2-1/2	1	25	047	35.38
411-030	3	10	0	040	28.82
411-040	4	4	0	040	51.77
411-045F	4-1/2	1	15	047	72.09
411-050F	5	1	15	047	63.19
411-060F	6	1	10	047	73.21
411-080F	8	1	4	047	123.76
411-100F	10	1	2	047	186.75
411-120F	12	1	2	047	295.42
411-140F	14	1	0	047	464.45
411-160F	16	1	0	047	633.13
411-180F	18	1	0	047	760.35

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

11-1/4° Ell (continued)

Socket x Socket

411-200F	20	1	0	047	939.88
411-240F	24	1	0	047	1872.07

30° Ell

Socket x Socket

415-005F	1/2	1	25	047	23.93
415-007F	3/4	25	0	047	24.07
415-010F	1	1	25	047	26.35
415-012F	1-1/4	1	15	047	28.52
415-015F	1-1/2	1	25	047	28.93
415-020F	2	25	0	047	29.99
415-025F	2-1/2	25	0	047	35.38
415-030F	3	1	20	047	37.84
415-040F	4	1	6	047	45.57
415-045F	4-1/2	1	15	047	72.09
415-050F	5	1	6	047	63.19
415-060F	6	1	10	047	73.21
415-080F	8	1	4	047	123.76
415-100F	10	1	2	047	186.75
415-120F	12	1	0	047	295.42
415-140F	14	1	0	047	464.45
415-160F	16	1	0	047	633.13
415-180F	18	1	0	047	760.35
415-200F	20	1	0	047	939.88
415-240F	24	1	0	047	1872.07

22-1/2° Ell

Socket x Socket

416-005	1/2	20	240	040	1.67
416-007	3/4	20	240	040	2.60
416-010	1	20	160	040	3.12
416-012	1-1/4	20	0	040	4.36
416-015	1-1/2	20	0	040	5.46
416-015F	1-1/2	25	25	047	28.93
416-020	2	20	0	040	7.15
416-025	2-1/2	5	0	040	18.58
416-025F	2-1/2	25	0	047	35.38
416-030	3	5	0	040	28.82
416-040	4	4	0	040	51.77
416-045F	4-1/2	1	15	047	72.09
416-050F	5	1	10	047	63.19
416-060	6	4	0	040	127.80
416-060F	6	1	5	047	73.21
416-080	8	4	0	040	307.43
416-080F	8	1	4	047	123.76
416-100F	10	1	0	047	186.75
416-120F	12	1	0	047	295.42
416-140F	14	1	0	047	464.45
416-160F	16	1	0	047	633.13



Schedule 40 Fittings Product
PVC Schedule 40 Fittings

Non 90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
22-1/2° Ell (continued)					
Socket x Socket					
416-180F	18	1	0	047	760.35
416-200F	20	1	0	047	939.88
416-240F	24	1	0	047	1872.07

45° Ell

Socket x Socket

417-005	1/2	50	600	040	1.18
417-007	3/4	50	300	040	1.82
417-010	1	50	0	040	2.19
417-012	1-1/4	25	0	040	3.06
417-015	1-1/2	25	0	040	3.83
417-020	2	25	0	040	5.00
417-025	2-1/2	10	0	040	13.02
417-030	3	10	0	040	20.20
417-040	4	5	0	040	36.21
417-045F	4-1/2	1	15	047	74.40
417-050	5	5	0	040	71.84
417-050F	5	1	4	047	96.40
417-060	6	8	0	040	89.48
417-080	8	3	0	040	215.20
417-080F	8	1	4	047	203.66
417-100	10	1	0	041	560.22
417-100F	10	1	2	047	321.76
417-120	12	1	0	041	830.18
417-120F	12	1	2	047	341.26
417-140	14	1	0	044	1110.40
417-140F	14	1	0	047	715.86
417-160F	16	1	0	047	946.09
417-180F	18	1	0	047	1000.34
417-200F	20	1	0	047	1295.81
417-240F	24	1	0	047	2085.04

15° Ell

Socket x Socket

418-005F	1/2	1	25	047	23.93
418-007F	3/4	23	0	047	24.07
418-010F	1	20	0	047	26.35
418-012F	1-1/4	15	0	047	28.52
418-015F	1-1/2	25	0	047	28.93
418-020F	2	1	25	047	29.99
418-025F	2-1/2	18	0	047	35.38
418-030F	3	1	35	047	37.84
418-040F	4	1	20	047	45.57
418-045F	4-1/2	1	15	047	72.09
418-050F	5	1	15	047	63.19
418-060F	6	1	10	047	73.21
418-080F	8	1	4	047	123.76

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

15° Ell (continued)

Socket x Socket

418-100F	10	1	2	047	186.75
418-120F	12	1	2	047	295.42
418-140F	14	1	0	047	464.45
418-160F	16	1	0	047	633.13
418-180F	18	1	0	047	760.35
418-200F	20	1	0	047	939.88
418-240F	24	1	0	047	1872.07

60° Ell

Socket x Socket

424-005F	1/2	7	0	047	77.42
424-007F	3/4	6	0	047	86.07
424-010F	1	1	15	047	87.41
424-012F	1-1/4	16	0	047	93.21
424-015F	1-1/2	1	16	047	107.55
424-020F	2	1	16	047	141.32
424-025F	2-1/2	10	0	047	154.92
424-030F	3	8	0	047	176.62
424-040F	4	1	4	047	207.37
424-045F	4-1/2	1	4	047	232.28
424-050F	5	1	4	047	238.79
424-060F	6	1	4	047	290.35
424-080F	8	1	2	047	386.11
424-100F	10	1	2	047	792.98
424-120F	12	1	0	047	1009.44
424-140F	14	1	0	047	1066.80
424-160F	16	1	0	047	1283.80
424-180F	18	1	0	047	1903.61
424-200F	20	1	0	047	2575.94
424-240F	24	1	0	047	3208.62

45° Street Ell

Spigot x Socket

427-005	1/2	50	400	040	1.18
427-007	3/4	50	0	040	1.82
427-010	1	50	0	040	2.19
427-012	1-1/4	25	0	040	3.06
427-015	1-1/2	25	0	040	3.83
427-020	2	25	0	040	5.00
427-025	2-1/2	10	0	040	16.26
427-030	3	10	0	040	20.20
427-040	4	5	0	040	36.21
427-050	5	4	0	040	108.88
427-060	6	4	0	040	111.84
427-080	8	2	0	040	269.01
427-100	10	1	0	041	707.83
427-120	12	1	0	041	1037.75
427-140F	14	1	0	047	773.40
427-160F	16	1	0	047	1051.22

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Non 90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
45° Street Ell (continued)					
Spigot x Socket					
427-180F	18	1	0	047	1147.51
427-200F	20	1	0	047	1456.54
427-240F	24	1	0	047	2294.32

22-1/2° Street Ell

Spigot x Socket

442-005	1/2	50	400	040	1.67
442-007	3/4	50	0	040	2.60
442-010	1	50	0	040	3.12
442-012	1-1/4	20	0	040	4.36
442-015	1-1/2	25	0	040	5.46
442-020	2	20	0	040	7.15
442-025	2-1/2	5	0	040	26.98
442-025F	2-1/2	1	18	047	40.47
442-030	3	5	0	040	41.75
442-040	4	4	0	040	64.43
442-060	6	4	0	040	159.07
442-060F	6	1	5	047	93.87
442-080	8	1	4	040	382.61
442-080F	8	1	4	047	141.39
442-100F	10	1	0	047	218.80
442-120F	12	1	0	047	328.43

Crosses

Cross

Socket x Socket x Socket x Socket

420-005	1/2	50	0	040	2.73
420-007	3/4	50	0	040	4.52
420-010	1	50	0	040	5.63
420-012	1-1/4	25	0	040	7.44
420-015	1-1/2	25	0	040	8.44
420-020	2	10	0	040	12.44
420-025	2-1/2	10	0	040	26.39
420-030	3	5	0	040	32.38
420-040	4	4	0	040	47.96
420-050F	5	1	3	047	685.08
420-060F	6	1	0	047	675.37
420-080F	8	1	0	047	869.94
420-100F	10	1	0	047	1052.89
420-120F	12	1	0	047	1483.80
420-140F	14	1	0	047	2638.45
420-160F	16	1	0	047	3344.83
420-180F	18	1	0	047	3806.26
420-200F	20	1	0	047	5677.41
420-240F	24	1	0	047	8280.58

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cross - Reducing

Socket x Socket x Socket x Socket



420-101 ¹	3/4X1/2	50	0	040	10.51
420-130 ¹	1X1/2	25	0	040	12.34
420-131	1X3/4	20	0	040	12.34
420-166 ¹	1-1/4X1/2	4	0	040	15.11
420-167 ¹	1-1/4X3/4	25	0	040	15.11
420-168 ¹	1-1/4X1	4	32	040	15.11
420-209 ¹	1-1/2X1/2	20	0	040	16.35
420-210 ¹	1-1/2X3/4	15	0	040	16.35
420-211 ¹	1-1/2X1	4	0	040	16.35
420-212 ¹	1-1/2X1-1/4	4	0	040	16.35
420-247 ¹	2X1/2	4	0	040	19.20
420-248 ¹	2X3/4	10	0	040	19.20
420-249	2X1	25	0	040	19.20
420-250 ¹	2X1-1/4	10	0	040	19.20
420-251 ¹	2X1-1/2	10	0	040	19.20
420-287 ¹	2-1/2X1/2	4	0	040	37.26
420-288 ¹	2-1/2X3/4	4	0	040	37.26
420-289 ¹	2-1/2X1	15	0	040	37.26
420-290	2-1/2X1-1/4	5	0	040	37.26
420-291 ¹	2-1/2X1-1/2	10	0	040	37.26
420-292 ¹	2-1/2X2	10	0	040	37.26
420-334 ¹	3X3/4	5	0	040	48.43
420-335 ¹	3X1	5	0	040	48.43
420-336 ¹	3X1-1/4	4	0	040	48.43
420-337 ¹	3X1-1/2	5	0	040	48.43
420-338 ¹	3X2	5	0	040	48.43
420-339 ¹	3X2-1/2	4	0	040	48.43
420-420 ¹	4X2	3	0	040	83.35
420-421 ¹	4X2-1/2	3	0	040	83.35
420-422 ¹	4X3	3	0	040	83.35
420-528F	6X2	1	2	047	446.25
420-529F	6X2 1/2	1	2	047	456.33
420-530F	6X3	1	2	047	464.14
420-532F	6X4	1	2	047	532.89
420-578F	8X2	1	2	047	584.62
420-579F	8X2 1/2	1	0	047	600.99
420-580F	8X3	1	0	047	609.00
420-582F	8X4	1	0	047	639.97
420-585F	8X6	1	0	047	728.57
420-621F	10X2	1	0	047	738.78
420-622F	10X2-1/2	1	0	047	756.65
420-623F	10X3	1	0	047	796.34
420-624F	10X4	1	0	047	825.24
420-626F	10X6	1	0	047	884.56
420-628F	10X8	1	0	047	939.85
420-661F	12X2	1	0	047	830.41
420-662F	12X2-1/2	1	0	047	860.66
420-663F	12X3	1	0	047	891.14
420-664F	12X4	1	0	047	933.51
420-666F	12X6	1	0	047	981.76