



Schedule 40 Fittings Product PVC Schedule 40 Fittings

90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Special Reinforced & Reducing 90° Ell

Socket x SR Fipt - Stainless Steel Collar



407-005SR	1/2	50	400	046	7.53
407-007SR	3/4	75	0	046	9.66
407-010SR	1	50	0	046	9.77
407-012SR	1-1/4	25	0	046	11.81
407-131SR	1X3/4	50	0	046	9.34
407-168SR ¹	1-1/4X1	25	0	046	16.37
407-211SR	1-1/2X1	25	0	046	18.24
407-249SR	2X1	10	0	046	18.61
407-251SR	2X1-1/2	10	0	046	19.63

¹ Sized with SR Adapter

90° Ell

Fipt x Fipt



408-005	1/2	50	400	040	1.63
408-007	3/4	50	0	040	2.41
408-010	1	50	0	040	5.17
408-012	1-1/4	25	0	040	5.53
408-015	1-1/2	25	0	040	6.99
408-020	2	10	0	040	10.60

90° Street Ell

Spigot x Socket



409-005	1/2	50	400	040	1.91
409-007	3/4	50	0	040	2.35
409-010	1	50	0	040	4.05
409-012	1-1/4	25	0	040	4.85
409-015	1-1/2	25	0	040	5.35
409-020	2	10	0	040	10.33
409-025	2-1/2	10	0	040	18.52
409-030	3	5	0	040	22.86
409-040	4	6	0	040	42.52
409-050	5	2	0	040	101.71
409-060	6	2	0	040	128.52
409-080	8	2	0	040	328.75
409-100	10	1	0	041	1213.82
409-100F	10	1	0	047	721.72
409-120	12	1	0	041	1344.20
409-140F	14	1	0	047	1414.01
409-160F	16	1	0	047	1485.42
409-180F	18	1	0	047	1858.19
409-200F	20	1	0	047	2642.97
409-240F	24	1	0	047	4086.91

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Street Ell

Mipt x Socket



410-005	1/2	50	750	040	1.48
410-007	3/4	50	0	040	1.73
410-010	1	50	0	040	2.91
410-012	1-1/4	25	0	040	4.05
410-015	1-1/2	25	0	040	4.24
410-020	2	10	0	040	10.43
410-030	3	10	0	040	37.26
410-101	3/4X1/2	50	400	040	2.12
410-102	3/4X1	50	0	040	3.59

90° Street Ell

Mipt x Fipt



412-005	1/2	50	600	040	1.98
412-007	3/4	50	0	040	2.41
412-010	1	50	0	040	4.17
412-012	1-1/4	25	0	040	5.17
412-015	1-1/2	25	0	040	5.61
412-020	2	10	0	040	10.69
412-030	3	8	0	040	38.20

HDPE 90° Street Ell

Mipt x Fipt



M412-005	1/2	50	450	040	1.84
M412-007	3/4	50	0	040	2.23
M412-010	1	50	0	040	3.88
M412-012	1-1/4	25	0	040	5.13
M412-015	1-1/2	25	0	040	5.81

High Density Polyethylene - Not NSF-listed - Not pressure rated.

HDPE 90° Street Ell

Mipt x Fipt (Short Pattern)



MS412-005	1/2	50	700	040	1.65
MS412-007	3/4	50	400	040	1.99
MS412-010	1	50	0	040	3.49

High Density Polyethylene - Not NSF-listed - Not pressure rated.

HDPE Reducing 90° Street Ell

Mipt x Fipt (Short Pattern)



MS412-101	3/4X1/2	50	400	040	2.67
-----------	---------	----	-----	-----	------

High Density Polyethylene - Not NSF-listed - Not pressure rated.

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Side Outlet Ell

Socket x Socket x Socket

413-005	1/2	50	0	040	3.67
413-007	3/4	50	0	040	5.00
413-010	1	25	0	040	6.40
413-015	1-1/2	10	0	040	7.02
413-020	2	10	0	040	9.75



Side Outlet Ell

Socket x Socket x Fipt

414-005	1/2	50	0	040	3.58
414-007	3/4	50	0	040	5.49
414-101	3/4X1/2	50	0	040	4.63
414-130	1X1/2	50	0	040	6.07



Non 90° Ells

11-1/4° Ell

Socket x Socket

411-005F	1/2	52	0	047	22.73
411-007F	3/4	52	0	047	22.87
411-010F	1	1	52	047	25.03
411-012F	1-1/4	25	0	047	27.09
411-015	1-1/2	25	0	040	5.86
411-015F	1-1/2	25	0	047	27.48
411-020	2	10	0	040	6.79
411-025F	2-1/2	1	25	047	33.61
411-030	3	10	0	040	27.38
411-040	4	4	0	040	49.18
411-045F	4-1/2	1	15	047	68.49
411-050F	5	1	15	047	60.03
411-060F	6	1	10	047	69.55
411-080F	8	1	4	047	117.57
411-100F	10	1	2	047	177.41
411-120F	12	1	2	047	280.65
411-140F	14	1	0	047	441.23
411-160F	16	1	0	047	601.47
411-180F	18	1	0	047	722.33
411-200F	20	1	0	047	892.89
411-240F	24	1	0	047	1778.47



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

30° Ell

Socket x Socket

415-005F	1/2	1	25	047	22.73
415-007F	3/4	25	0	047	22.87
415-010F	1	1	25	047	25.03
415-012F	1-1/4	1	15	047	27.09
415-015F	1-1/2	1	25	047	27.48
415-020F	2	1	25	047	28.49
415-025F	2-1/2	25	0	047	33.61
415-030F	3	1	20	047	35.95
415-040F	4	1	6	047	43.29
415-045F	4-1/2	1	15	047	68.49
415-050F	5	1	6	047	60.03
415-060F	6	1	10	047	69.55
415-080F	8	1	4	047	117.57
415-100F	10	1	2	047	177.41
415-120F	12	1	0	047	280.65
415-140F	14	1	0	047	441.23
415-160F	16	1	0	047	601.47
415-180F	18	1	0	047	722.33
415-200F	20	1	0	047	892.89
415-240F	24	1	0	047	1778.47



22-1/2° Ell

Socket x Socket

416-005	1/2	20	240	040	1.59
416-007	3/4	20	240	040	2.47
416-010	1	20	160	040	2.96
416-012	1-1/4	20	0	040	4.14
416-015	1-1/2	20	0	040	5.19
416-015F	1-1/2	1	25	047	27.48
416-020	2	20	0	040	6.79
416-025	2-1/2	5	0	040	17.65
416-025F	2-1/2	25	0	047	33.61
416-030	3	5	0	040	27.38
416-040	4	4	0	040	49.18
416-045F	4-1/2	1	15	047	68.49
416-050F	5	1	10	047	60.03
416-060	6	4	0	040	121.41
416-060F	6	1	5	047	69.55
416-080	8	4	0	040	292.06
416-080F	8	1	4	047	117.57
416-100F	10	1	0	047	177.41
416-120F	12	1	0	047	280.65
416-140F	14	1	0	047	441.23
416-160F	16	1	0	047	601.47
416-180F	18	1	0	047	722.33
416-200F	20	1	0	047	892.89
416-240F	24	1	0	047	1778.47





Schedule 40 Fittings Product PVC Schedule 40 Fittings

Non 90° Ells

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

45° Ell

Socket x Socket

417-005	1/2	50	600	040	1.12
417-007	3/4	50	300	040	1.73
417-010	1	50	0	040	2.08
417-012	1-1/4	25	0	040	2.91
417-015	1-1/2	25	0	040	3.64
417-020	2	25	0	040	4.75
417-025	2-1/2	10	0	040	12.37
417-030	3	10	0	040	19.19
417-040	4	5	0	040	34.40
417-045F	4-1/2	1	15	047	70.68
417-050	5	5	0	040	68.25
417-050F	5	1	4	047	91.58
417-060	6	8	0	040	85.01
417-080	8	3	0	040	204.44
417-080F	8	1	4	047	193.48
417-100	10	1	0	041	532.21
417-100F	10	1	2	047	305.67
417-120	12	1	0	041	788.67
417-120F	12	1	2	047	324.20
417-140	14	1	0	044	1054.88
417-140F	14	1	0	047	680.07
417-160F	16	1	0	047	898.79
417-180F	18	1	0	047	950.32
417-200F	20	1	0	047	1231.02
417-240F	24	1	0	047	1980.79



15° Ell

Socket x Socket

418-005F	1/2	1	25	047	22.73
418-007F	3/4	23	0	047	22.87
418-010F	1	20	0	047	25.03
418-012F	1-1/4	15	0	047	27.09
418-015F	1-1/2	25	0	047	27.48
418-020F	2	1	25	047	28.49
418-025F	2-1/2	18	0	047	33.61
418-030F	3	1	35	047	35.95
418-040F	4	1	20	047	43.29
418-045F	4-1/2	1	15	047	68.49
418-050F	5	1	15	047	60.03
418-060F	6	1	10	047	69.55
418-080F	8	1	4	047	117.57
418-100F	10	1	2	047	177.41
418-120F	12	1	2	047	280.65
418-140F	14	1	0	047	441.23
418-160F	16	1	0	047	601.47
418-180F	18	1	0	047	722.33



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

15° Ell (continued) Socket x Socket

418-200F	20	1	0	047	892.89
418-240F	24	1	0	047	1778.47

60° Ell

Socket x Socket

424-005F	1/2	7	0	047	73.55
424-007F	3/4	6	0	047	81.77
424-010F	1	1	15	047	83.04
424-012F	1-1/4	16	0	047	88.55
424-015F	1-1/2	1	16	047	102.17
424-020F	2	1	16	047	134.25
424-025F	2-1/2	10	0	047	147.17
424-030F	3	8	0	047	167.79
424-040F	4	1	4	047	197.00
424-045F	4-1/2	1	4	047	220.67
424-050F	5	1	4	047	226.85
424-060F	6	1	4	047	275.83
424-080F	8	1	2	047	366.80
424-100F	10	1	2	047	753.33
424-120F	12	1	0	047	958.97
424-140F	14	1	0	047	1013.46
424-160F	16	1	0	047	1219.61
424-180F	18	1	0	047	1808.43
424-200F	20	1	0	047	2447.14
424-240F	24	1	0	047	3048.19



45° Street Ell

Spigot x Socket

427-005	1/2	50	400	040	1.12
427-007	3/4	50	0	040	1.73
427-010	1	50	0	040	2.08
427-012	1-1/4	25	0	040	2.91
427-015	1-1/2	25	0	040	3.64
427-020	2	25	0	040	4.75
427-025	2-1/2	10	0	040	15.45
427-030	3	10	0	040	19.19
427-040	4	5	0	040	34.40
427-050	5	4	0	040	103.44
427-060	6	4	0	040	106.25
427-080	8	2	0	040	255.56
427-100	10	1	0	041	672.44
427-120	12	1	0	041	985.86
427-140F	14	1	0	047	734.73
427-160F	16	1	0	047	998.66
427-180F	18	1	0	047	1090.13
427-200F	20	1	0	047	1383.71
427-240F	24	1	0	047	2179.60

