

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Adapters

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Female Spigot Adapter

Spigot x Fipt



| | | | | | |
|---------|-------|----|-----|-----|-------|
| 478-005 | 1/2 | 50 | 600 | 040 | .94 |
| 478-007 | 3/4 | 25 | 300 | 040 | 1.11 |
| 478-010 | 1 | 50 | 0 | 040 | 1.77 |
| 478-012 | 1-1/4 | 25 | 0 | 040 | 2.47 |
| 478-015 | 1-1/2 | 20 | 0 | 040 | 3.06 |
| 478-020 | 2 | 20 | 0 | 040 | 4.48 |
| 478-030 | 3 | 10 | 0 | 040 | 15.22 |
| 478-040 | 4 | 5 | 0 | 040 | 25.27 |

Female Spigot Adapter - Special Reinforced

Spigot x SR Fipt - Stainless Steel Collar



| | | | | | |
|-----------|-------|----|-----|-----|-------|
| 478-005SR | 1/2 | 50 | 600 | 046 | 4.76 |
| 478-007SR | 3/4 | 25 | 300 | 046 | 5.61 |
| 478-010SR | 1 | 50 | 0 | 046 | 8.64 |
| 478-012SR | 1-1/4 | 25 | 0 | 046 | 13.76 |
| 478-015SR | 1-1/2 | 25 | 0 | 046 | 16.49 |
| 478-020SR | 2 | 15 | 0 | 046 | 27.46 |
| 478-030SR | 3 | 5 | 0 | 046 | 50.48 |
| 478-040SR | 4 | 5 | 0 | 046 | 77.97 |

Female Spigot Adapter - Special Reinforced Reducing

Spigot x SR Fipt - Stainless Steel Collar



| | | | | | |
|-----------|---------|----|-----|-----|-------|
| 478-072SR | 1/2X1/4 | 25 | 450 | 046 | 13.24 |
| 478-098SR | 3/4X1/4 | 50 | 300 | 046 | 19.28 |
| 478-128SR | 1X1/4 | 50 | 400 | 046 | 19.87 |

Spears® SR Series reinforced spigot adapters can be user-installed in a variety of socket type tees, elbows and reducer bushings for superior thread reinforcement demanding applications.

Riser Extensions

Riser Extension

Fipt x Mipt



(See also Polyethylene Cut-Off Riser Extensions in this catalog)

| | | | | | |
|---------|-----|----|-----|-----|------|
| 434-005 | 1/2 | 50 | 300 | 040 | 1.38 |
| 434-007 | 3/4 | 50 | 300 | 040 | 2.31 |
| 434-010 | 1 | 50 | 0 | 040 | 2.88 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Riser Extension - Polyethylene Cut-Off

Fipt x Mipt



(1/2" = 3-Section Cut-Off; 3/4" = 4-Section Cut-Off)

| | | | | | |
|------------|-------|----|-----|-----|------|
| M434-005-3 | 1/2X3 | 50 | 600 | 120 | 1.65 |
| M434-007-4 | 3/4X4 | 50 | 0 | 120 | 2.19 |

High Density Polyethylene - Not NSF-listed - Not pressure rated. For use on open ended irrigation systems.

Reducer Bushing

Reducer Bushing Flush Style

Spigot x Socket



| | | | | | |
|----------------------|-------------|----|-----|-----|-------|
| 437-052 | 3/8X1/4 | 50 | 450 | 040 | 1.38 |
| 437-072 | 1/2X1/4 | 50 | 300 | 040 | 1.42 |
| 437-073 | 1/2X3/8 | 50 | 300 | 040 | 1.42 |
| 437-101 | 3/4X1/2 | 50 | 300 | 040 | .79 |
| 437-130 | 1X1/2 | 50 | 300 | 040 | 1.42 |
| 437-131 | 1X3/4 | 50 | 300 | 040 | 1.42 |
| 437-166 | 1-1/4X1/2 | 25 | 300 | 040 | 1.92 |
| 437-167 | 1-1/4X3/4 | 25 | 300 | 040 | 1.92 |
| 437-168 | 1-1/4X1 | 25 | 300 | 040 | 1.92 |
| 437-209 | 1-1/2X1/2 | 25 | 200 | 040 | 2.03 |
| 437-210 | 1-1/2X3/4 | 25 | 200 | 040 | 2.03 |
| 437-211 | 1-1/2X1 | 25 | 200 | 040 | 2.03 |
| 437-212 | 1-1/2X1-1/4 | 25 | 200 | 040 | 2.03 |
| 437-247 | 2X1/2 | 10 | 120 | 040 | 3.35 |
| 437-248 | 2X3/4 | 10 | 60 | 040 | 3.35 |
| 437-249 | 2X1 | 10 | 60 | 040 | 3.35 |
| 437-250 | 2X1-1/4 | 10 | 120 | 040 | 3.35 |
| 437-251 | 2X1-1/2 | 25 | 0 | 040 | 3.35 |
| 437-287 | 2-1/2X1/2 | 10 | 80 | 040 | 5.39 |
| 437-288 | 2-1/2X3/4 | 10 | 40 | 040 | 5.39 |
| 437-289 | 2-1/2X1 | 10 | 40 | 040 | 5.39 |
| 437-290 | 2-1/2X1-1/4 | 10 | 40 | 040 | 5.39 |
| 437-291 | 2-1/2X1-1/2 | 10 | 40 | 040 | 5.39 |
| 437-292 | 2-1/2X2 | 10 | 80 | 040 | 5.39 |
| 437-333 | 3X1/2 | 10 | 0 | 040 | 10.60 |
| 437-334 | 3X3/4 | 10 | 0 | 040 | 7.94 |
| 437-335 | 3X1 | 10 | 0 | 040 | 7.94 |
| 437-336 | 3X1-1/4 | 10 | 0 | 040 | 7.94 |
| 437-337 | 3X1-1/2 | 10 | 0 | 040 | 7.94 |
| 437-338 | 3X2 | 10 | 0 | 040 | 7.94 |
| 437-339 | 3X2-1/2 | 15 | 0 | 040 | 7.94 |
| 437-417 ¹ | 4X1 | 6 | 0 | 040 | 21.54 |
| 437-418 ¹ | 4X1-1/4 | 6 | 0 | 040 | 21.76 |
| 437-419 | 4X1-1/2 | 6 | 0 | 040 | 21.76 |
| 437-420 | 4X2 | 6 | 0 | 040 | 17.76 |
| 437-421 | 4X2-1/2 | 6 | 0 | 040 | 17.76 |
| 437-422 | 4X3 | 6 | 0 | 040 | 17.76 |
| 437-486 | 5X2 | 5 | 0 | 040 | 24.98 |



Schedule 40 Fittings Product
PVC Schedule 40 Fittings

Reducer Bushing

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Reducer Bushing Flush Style (continued)

Spigot x Socket

| | | | | | |
|----------------------|-------|---|---|-----|---------|
| 437-488 | 5X3 | 5 | 0 | 040 | 24.98 |
| 437-490 | 5X4 | 4 | 0 | 040 | 24.98 |
| 437-528 | 6X2 | 5 | 0 | 040 | 44.00 |
| 437-530 | 6X3 | 5 | 0 | 040 | 44.00 |
| 437-532 | 6X4 | 5 | 0 | 040 | 44.00 |
| 437-534 | 6X5 | 5 | 0 | 040 | 44.00 |
| 437-578 ¹ | 8X2 | 4 | 0 | 040 | 173.49 |
| 437-580 ¹ | 8X3 | 4 | 0 | 040 | 173.49 |
| 437-582 | 8X4 | 4 | 0 | 040 | 153.34 |
| 437-583 ¹ | 8X5 | 4 | 0 | 040 | 200.37 |
| 437-585 | 8X6 | 4 | 0 | 040 | 153.34 |
| 437-621 ¹ | 10X2 | 2 | 0 | 041 | 483.85 |
| 437-623 ¹ | 10X3 | 2 | 0 | 041 | 460.20 |
| 437-624 ¹ | 10X4 | 2 | 0 | 041 | 460.20 |
| 437-626 | 10X6 | 3 | 0 | 041 | 417.43 |
| 437-628 | 10X8 | 3 | 0 | 041 | 417.43 |
| 437-664 ¹ | 12X4 | 2 | 0 | 041 | 621.60 |
| 437-666 ¹ | 12X6 | 2 | 0 | 041 | 621.60 |
| 437-666F | 12X6 | 1 | 2 | 047 | 458.97 |
| 437-668 | 12X8 | 2 | 0 | 041 | 464.23 |
| 437-670 | 12X10 | 2 | 0 | 041 | 464.23 |
| 437-670F | 12X10 | 1 | 3 | 047 | 298.03 |
| 437-696F | 14X6 | 1 | 3 | 047 | 1126.44 |
| 437-698F | 14X8 | 1 | 3 | 047 | 807.06 |
| 437-700F | 14X10 | 1 | 3 | 047 | 538.38 |
| 437-702F | 14X12 | 1 | 3 | 047 | 187.92 |
| 437-756F | 16X6 | 1 | 0 | 047 | 1342.05 |
| 437-758F | 16X8 | 1 | 0 | 047 | 1058.36 |
| 437-760F | 16X10 | 1 | 0 | 047 | 760.41 |
| 437-762F | 16X12 | 1 | 0 | 047 | 439.27 |
| 437-764F | 16X14 | 1 | 2 | 047 | 459.75 |
| 437-786F | 18X6 | 1 | 0 | 047 | 2253.34 |
| 437-788F | 18X8 | 1 | 0 | 047 | 2069.98 |
| 437-790F | 18X10 | 1 | 0 | 047 | 1693.00 |
| 437-792F | 18X12 | 1 | 0 | 047 | 1089.78 |
| 437-794F | 18X14 | 1 | 0 | 047 | 1061.86 |
| 437-796F | 18X16 | 1 | 0 | 047 | 526.98 |
| 437-816F | 20X6 | 1 | 0 | 047 | 3119.54 |
| 437-818F | 20X8 | 1 | 0 | 047 | 2931.91 |
| 437-820F | 20X10 | 1 | 0 | 047 | 2717.19 |
| 437-822F | 20X12 | 1 | 0 | 047 | 2373.23 |
| 437-824F | 20X14 | 1 | 0 | 047 | 1944.96 |
| 437-826F | 20X16 | 1 | 0 | 047 | 1554.56 |
| 437-828F | 20X18 | 1 | 0 | 047 | 775.18 |
| 437-906F | 24X6 | 1 | 0 | 047 | 4968.02 |
| 437-908F | 24X8 | 1 | 0 | 047 | 4761.74 |
| 437-910F | 24X10 | 1 | 0 | 047 | 4191.99 |
| 437-912F | 24X12 | 1 | 0 | 047 | 3831.32 |
| 437-914F | 24X14 | 1 | 0 | 047 | 3533.83 |
| 437-916F | 24X16 | 1 | 0 | 047 | 2958.40 |
| 437-918F | 24X18 | 1 | 0 | 047 | 2942.17 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Reducer Bushing Flush Style (continued)

Spigot x Socket

| | | | | | |
|----------|-------|---|---|-----|---------|
| 437-920F | 24X20 | 1 | 0 | 047 | 2395.19 |
|----------|-------|---|---|-----|---------|

¹ Sized with Bushing



Reducer Bushing Flush Style

Spigot x Fipt

| | | | | | |
|---------|-------------|----|-----|-----|-------|
| 438-052 | 3/8X1/4 | 50 | 450 | 040 | 1.64 |
| 438-071 | 1/2X1/8 | 50 | 400 | 040 | 1.64 |
| 438-072 | 1/2X1/4 | 50 | 350 | 040 | 1.64 |
| 438-073 | 1/2X3/8 | 50 | 350 | 040 | 1.64 |
| 438-098 | 3/4X1/4 | 50 | 300 | 040 | 1.64 |
| 438-101 | 3/4X1/2 | 50 | 300 | 040 | 1.24 |
| 438-127 | 1X1/8 | 25 | 150 | 040 | 2.01 |
| 438-128 | 1X1/4 | 50 | 200 | 040 | 2.01 |
| 438-129 | 1X3/8 | 50 | 200 | 040 | 2.01 |
| 438-130 | 1X1/2 | 50 | 300 | 040 | 2.01 |
| 438-131 | 1X3/4 | 50 | 300 | 040 | 2.01 |
| 438-166 | 1-1/4X1/2 | 25 | 150 | 040 | 3.08 |
| 438-167 | 1-1/4X3/4 | 25 | 150 | 040 | 3.08 |
| 438-168 | 1-1/4X1 | 25 | 100 | 040 | 3.08 |
| 438-206 | 1-1/2X1/8 | 25 | 100 | 040 | 3.55 |
| 438-207 | 1-1/2X1/4 | 25 | 200 | 040 | 3.55 |
| 438-209 | 1-1/2X1/2 | 25 | 100 | 040 | 3.55 |
| 438-210 | 1-1/2X3/4 | 25 | 100 | 040 | 3.55 |
| 438-211 | 1-1/2X1 | 25 | 100 | 040 | 3.55 |
| 438-212 | 1-1/2X1-1/4 | 25 | 100 | 040 | 3.55 |
| 438-245 | 2X1/4 | 10 | 60 | 040 | 4.76 |
| 438-247 | 2X1/2 | 10 | 60 | 040 | 4.76 |
| 438-248 | 2X3/4 | 10 | 60 | 040 | 4.76 |
| 438-249 | 2X1 | 10 | 120 | 040 | 4.76 |
| 438-250 | 2X1-1/4 | 10 | 120 | 040 | 4.76 |
| 438-251 | 2X1-1/2 | 10 | 120 | 040 | 4.76 |
| 438-287 | 2-1/2X1/2 | 10 | 0 | 040 | 6.91 |
| 438-288 | 2-1/2X3/4 | 10 | 40 | 040 | 6.91 |
| 438-289 | 2-1/2X1 | 10 | 40 | 040 | 6.91 |
| 438-290 | 2-1/2X1-1/4 | 10 | 40 | 040 | 6.91 |
| 438-291 | 2-1/2X1-1/2 | 10 | 40 | 040 | 6.91 |
| 438-292 | 2-1/2X2 | 10 | 40 | 040 | 6.91 |
| 438-334 | 3X3/4 | 10 | 0 | 040 | 7.94 |
| 438-335 | 3X1 | 10 | 0 | 040 | 7.94 |
| 438-336 | 3X1-1/4 | 10 | 0 | 040 | 7.94 |
| 438-337 | 3X1-1/2 | 10 | 0 | 040 | 7.94 |
| 438-338 | 3X2 | 10 | 0 | 040 | 7.94 |
| 438-339 | 3X2-1/2 | 10 | 0 | 040 | 7.94 |
| 438-420 | 4X2 | 6 | 0 | 040 | 17.73 |
| 438-421 | 4X2-1/2 | 6 | 0 | 040 | 17.73 |
| 438-422 | 4X3 | 6 | 0 | 040 | 17.73 |
| 438-488 | 5X3 | 5 | 0 | 040 | 34.57 |
| 438-490 | 5X4 | 6 | 0 | 040 | 34.57 |
| 438-528 | 6X2 | 5 | 0 | 040 | 64.88 |
| 438-530 | 6X3 | 5 | 0 | 040 | 64.88 |
| 438-532 | 6X4 | 5 | 0 | 040 | 64.88 |

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Reducer Bushing

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Reducer Bushing Flush Style (continued)

Spigot x Fipt

| | | | | | |
|---------|-----|---|---|-----|-------|
| 438-534 | 6X5 | 5 | 0 | 040 | 64.88 |
|---------|-----|---|---|-----|-------|

Reducer Bushing - Special Reinforced Flush Style



Spigot x SR Fipt - Stainless Steel Collar

| | | | | | |
|-----------|-----------|----|-----|-----|-------|
| 438-128SR | 1X1/4 | 25 | 150 | 046 | 3.85 |
| 438-166SR | 1-1/4X1/2 | 25 | 100 | 046 | 7.04 |
| 438-207SR | 1-1/2X1/4 | 25 | 100 | 046 | 9.83 |
| 438-209SR | 1-1/2X1/2 | 25 | 100 | 046 | 9.83 |
| 438-210SR | 1-1/2X3/4 | 25 | 100 | 046 | 9.83 |
| 438-247SR | 2X1/2 | 10 | 80 | 046 | 12.03 |
| 438-248SR | 2X3/4 | 10 | 80 | 046 | 12.03 |
| 438-249SR | 2X1 | 10 | 120 | 046 | 12.03 |
| 438-334SR | 3X3/4 | 10 | 0 | 046 | 47.11 |
| 438-335SR | 3X1 | 10 | 0 | 046 | 47.11 |
| 438-336SR | 3X1-1/4 | 10 | 0 | 046 | 47.11 |
| 438-337SR | 3X1-1/2 | 10 | 0 | 046 | 47.11 |
| 438-420SR | 4X2 | 6 | 0 | 046 | 72.40 |
| 438-421SR | 4X2-1/2 | 6 | 0 | 046 | 81.48 |
| 438-528SR | 6X2 | 5 | 0 | 046 | 83.37 |
| 438-530SR | 6X3 | 5 | 0 | 046 | 75.06 |
| 438-532SR | 6X4 | 5 | 0 | 046 | 83.37 |

Reducer (T.T.) Bushing



Mipt x Fipt

| | | | | | |
|---------|-------------|----|-----|-----|-------|
| 439-052 | 3/8X1/4 | 50 | 450 | 040 | 3.55 |
| 439-071 | 1/2X1/8 | 50 | 300 | 040 | 3.55 |
| 439-072 | 1/2X1/4 | 50 | 300 | 040 | 3.55 |
| 439-073 | 1/2X3/8 | 50 | 300 | 040 | 3.55 |
| 439-098 | 3/4X1/4 | 50 | 300 | 040 | 2.19 |
| 439-099 | 3/4X3/8 | 50 | 300 | 040 | 2.19 |
| 439-101 | 3/4X1/2 | 50 | 300 | 040 | 2.19 |
| 439-128 | 1X1/4 | 25 | 150 | 040 | 3.08 |
| 439-130 | 1X1/2 | 50 | 300 | 040 | 3.08 |
| 439-131 | 1X3/4 | 50 | 800 | 040 | 3.08 |
| 439-166 | 1-1/4X1/2 | 25 | 150 | 040 | 4.59 |
| 439-167 | 1-1/4X3/4 | 25 | 150 | 040 | 4.59 |
| 439-168 | 1-1/4X1 | 25 | 150 | 040 | 4.59 |
| 439-209 | 1-1/2X1/2 | 25 | 300 | 040 | 5.54 |
| 439-210 | 1-1/2X3/4 | 25 | 300 | 040 | 5.54 |
| 439-211 | 1-1/2X1 | 25 | 300 | 040 | 5.54 |
| 439-212 | 1-1/2X1-1/4 | 25 | 300 | 040 | 5.54 |
| 439-247 | 2X1/2 | 10 | 60 | 040 | 5.93 |
| 439-248 | 2X3/4 | 10 | 60 | 040 | 5.93 |
| 439-249 | 2X1 | 10 | 60 | 040 | 5.93 |
| 439-250 | 2X1-1/4 | 10 | 60 | 040 | 5.93 |
| 439-251 | 2X1-1/2 | 10 | 60 | 040 | 5.93 |
| 439-292 | 2-1/2X2 | 10 | 80 | 040 | 20.73 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Reducer (T.T.) Bushing (continued)

Mipt x Fipt

| | | | | | |
|---------|---------|----|---|-----|-------|
| 439-337 | 3X1-1/2 | 10 | 0 | 040 | 24.52 |
| 439-338 | 3X2 | 10 | 0 | 040 | 24.52 |
| 439-339 | 3X2-1/2 | 10 | 0 | 040 | 24.52 |
| 439-420 | 4X2 | 6 | 0 | 040 | 73.28 |
| 439-422 | 4X3 | 6 | 0 | 040 | 56.67 |

Reducer Bushing - Special Reinforced Flush Style



Mipt X SR Fipt - Stainless Steel Collar

| | | | | | |
|-----------|-----------|----|-----|-----|-------|
| 439-209SR | 1-1/2X1/2 | 25 | 300 | 046 | 10.19 |
| 439-210SR | 1-1/2X3/4 | 25 | 300 | 046 | 10.19 |
| 439-247SR | 2X1/2 | 10 | 60 | 046 | 5.93 |
| 439-248SR | 2X3/4 | 10 | 60 | 046 | 9.23 |
| 439-249SR | 2X1 | 10 | 120 | 046 | 14.97 |
| 439-420SR | 4X2 | 6 | 0 | 046 | 56.67 |

Caps



Cap

Socket

| | | | | | |
|----------|-------|----|------|-----|---------|
| 447-003 | 3/8 | 50 | 1000 | 040 | 1.92 |
| 447-005 | 1/2 | 50 | 300 | 040 | .67 |
| 447-007 | 3/4 | 50 | 300 | 040 | .79 |
| 447-010 | 1 | 50 | 200 | 040 | 1.24 |
| 447-012 | 1-1/4 | 25 | 100 | 040 | 1.76 |
| 447-015 | 1-1/2 | 25 | 0 | 040 | 1.92 |
| 447-020 | 2 | 25 | 0 | 040 | 2.31 |
| 447-025 | 2-1/2 | 10 | 0 | 040 | 7.36 |
| 447-030 | 3 | 10 | 0 | 040 | 8.03 |
| 447-040 | 4 | 6 | 0 | 040 | 18.27 |
| 447-045F | 4-1/2 | 10 | 0 | 047 | 58.75 |
| 447-050 | 5 | 5 | 0 | 040 | 30.71 |
| 447-060 | 6 | 4 | 0 | 040 | 43.82 |
| 447-080 | 8 | 3 | 0 | 040 | 110.08 |
| 447-100F | 10 | 1 | 5 | 047 | 245.39 |
| 447-120F | 12 | 1 | 5 | 047 | 356.51 |
| 447-140F | 14 | 1 | 2 | 047 | 447.42 |
| 447-160F | 16 | 1 | 2 | 047 | 534.03 |
| 447-180F | 18 | 1 | 2 | 047 | 941.01 |
| 447-200F | 20 | 1 | 0 | 047 | 1428.91 |
| 447-240F | 24 | 1 | 0 | 047 | 2274.28 |

Cap

Fipt



| | | | | | |
|---------|-----|----|------|-----|------|
| 448-003 | 3/8 | 50 | 1000 | 040 | 2.58 |
| 448-005 | 1/2 | 50 | 300 | 040 | 1.42 |
| 448-007 | 3/4 | 50 | 300 | 040 | 1.64 |
| 448-010 | 1 | 50 | 200 | 040 | 2.48 |