

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Spigot Adapter

Spigot x Fipt

478-005	1/2	50	600	040	.85
478-007	3/4	25	300	040	1.00
478-010	1	50	0	040	1.60
478-012	1-1/4	25	0	040	2.23
478-015	1-1/2	20	0	040	2.76
478-020	2	20	0	040	4.05
478-030	3	10	0	040	13.74
478-040	4	5	0	040	22.81



Female Spigot Adapter - Special Reinforced

Spigot x SR Fipt - Stainless Steel Collar

478-005SR	1/2	50	600	046	4.29
478-007SR	3/4	25	300	046	5.06
478-010SR	1	50	0	046	7.80
478-012SR	1-1/4	25	0	046	12.42
478-015SR	1-1/2	25	0	046	14.89
478-020SR	2	15	0	046	24.79
478-030SR	3	5	0	046	45.56
478-040SR	4	5	0	046	70.37



Female Spigot Adapter - Special Reinforced Reducing

Spigot x SR Fipt - Stainless Steel Collar

478-072SR	1/2X1/4	25	450	046	11.95
478-098SR	3/4X1/4	50	300	046	17.40
478-128SR	1X1/4	50	400	046	17.94

Spears® SR Series reinforced spigot adapters can be user-installed in a variety of socket type tees, elbows and reducer bushings for superior thread reinforcement demanding applications.



Riser Extensions

Riser Extension

Fipt x Mipt

(See also Polyethylene Cut-Off Riser Extensions in this catalog)

434-005	1/2	50	300	040	1.24
434-007	3/4	50	300	040	2.08
434-010	1	50	0	040	2.60



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Riser Extension - Polyethylene Cut-Off

Fipt x Mipt

(1/2" = 3-Section Cut-Off; 3/4" = 4-Section Cut-Off)

M434-005-3	1/2X3	50	600	120	1.49
M434-007-4	3/4X4	50	0	120	1.98

High Density Polyethylene - Not NSF-listed - Not pressure rated. For use on open ended irrigation systems.



Reducer Bushing

Reducer Bushing Flush Style

Spigot x Socket

437-052	3/8X1/4	50	450	040	1.24
437-072	1/2X1/4	50	300	040	1.28
437-073	1/2X3/8	50	300	040	1.28
437-101	3/4X1/2	50	300	040	.71
437-130	1X1/2	50	300	040	1.28
437-131	1X3/4	50	300	040	1.28
437-166	1-1/4X1/2	25	300	040	1.73
437-167	1-1/4X3/4	25	300	040	1.73
437-168	1-1/4X1	25	300	040	1.73
437-209	1-1/2X1/2	25	200	040	1.83
437-210	1-1/2X3/4	25	200	040	1.83
437-211	1-1/2X1	25	200	040	1.83
437-212	1-1/2X1-1/4	25	200	040	1.83
437-247	2X1/2	10	120	040	3.02
437-248	2X3/4	10	60	040	3.02
437-249	2X1	10	60	040	3.02
437-250	2X1-1/4	10	120	040	3.02
437-251	2X1-1/2	25	0	040	3.02
437-287	2-1/2X1/2	10	80	040	4.86
437-288	2-1/2X3/4	10	0	040	4.86
437-289	2-1/2X1	10	40	040	4.86
437-290	2-1/2X1-1/4	10	40	040	4.86
437-291	2-1/2X1-1/2	10	40	040	4.86
437-292	2-1/2X2	10	80	040	4.86
437-333	3X1/2	10	0	040	9.57
437-334	3X3/4	10	0	040	7.16
437-335	3X1	10	0	040	7.16
437-336	3X1-1/4	10	0	040	7.16
437-337	3X1-1/2	10	0	040	7.16
437-338	3X2	10	0	040	7.16
437-339	3X2-1/2	15	0	040	7.16
437-417 ¹	4X1	6	0	040	19.44
437-418 ¹	4X1-1/4	6	0	040	19.64
437-419	4X1-1/2	6	0	040	19.64
437-420	4X2	6	0	040	16.03
437-421	4X2-1/2	6	0	040	16.03
437-422	4X3	6	0	040	16.03
437-486	5X2	5	0	040	22.54





Schedule 40 Fittings Product
PVC Schedule 40 Fittings

Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Socket

437-488	5X3	5	0	040	22.54
437-490	5X4	4	0	040	22.54
437-528	6X2	5	0	040	39.71
437-530	6X3	5	0	040	39.71
437-532	6X4	5	0	040	39.71
437-534	6X5	5	0	040	39.71
437-578 ¹	8X2	4	0	040	156.58
437-580 ¹	8X3	4	0	040	156.58
437-582	8X4	4	0	040	138.39
437-583 ¹	8X5	4	0	040	180.83
437-585	8X6	4	0	040	138.39
437-621 ¹	10X2	2	0	041	436.68
437-623 ¹	10X3	2	0	041	415.33
437-624 ¹	10X4	2	0	041	415.33
437-626	10X6	3	0	041	376.73
437-628	10X8	3	0	041	376.73
437-664 ¹	12X4	2	0	041	560.99
437-666 ¹	12X6	2	0	041	560.99
437-666F	12X6	1	2	047	414.22
437-668	12X8	2	0	041	418.97
437-670	12X10	2	0	041	418.97
437-670F	12X10	1	3	047	268.97
437-696F	14X6	1	3	047	1016.61
437-698F	14X8	1	3	047	728.37
437-700F	14X10	1	3	047	485.89
437-702F	14X12	1	3	047	169.59
437-756F	16X6	1	0	047	1211.20
437-758F	16X8	1	0	047	955.17
437-760F	16X10	1	0	047	686.27
437-762F	16X12	1	2	047	396.44
437-764F	16X14	1	2	047	414.92
437-786F	18X6	1	0	047	2033.64
437-788F	18X8	1	0	047	1868.16
437-790F	18X10	1	0	047	1527.93
437-792F	18X12	1	0	047	983.53
437-794F	18X14	1	0	047	958.33
437-796F	18X16	1	0	047	475.60
437-816F	20X6	1	0	047	2815.38
437-818F	20X8	1	0	047	2646.04
437-820F	20X10	1	0	047	2452.26
437-822F	20X12	1	0	047	2141.84
437-824F	20X14	1	0	047	1755.32
437-826F	20X16	1	0	047	1402.99
437-828F	20X18	1	0	047	699.60
437-906F	24X6	1	0	047	4483.64
437-908F	24X8	1	0	047	4297.47
437-910F	24X10	1	0	047	3783.27
437-912F	24X12	1	0	047	3457.76
437-914F	24X14	1	0	047	3189.28
437-916F	24X16	1	0	047	2669.96
437-918F	24X18	1	0	047	2655.31

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Socket

437-920F	24X20	1	0	047	2161.66
----------	-------	---	---	-----	---------

¹ Sized with Bushing



Reducer Bushing Flush Style

Spigot x Fipt

438-052	3/8X1/4	50	450	040	1.48
438-071	1/2X1/8	50	400	040	1.48
438-072	1/2X1/4	50	350	040	1.48
438-073	1/2X3/8	50	350	040	1.48
438-098	3/4X1/4	50	300	040	1.48
438-101	3/4X1/2	50	300	040	1.12
438-127	1X1/8	25	150	040	1.81
438-128	1X1/4	50	200	040	1.81
438-129	1X3/8	50	200	040	1.81
438-130	1X1/2	50	300	040	1.81
438-131	1X3/4	50	300	040	1.81
438-166	1-1/4X1/2	25	150	040	2.78
438-167	1-1/4X3/4	25	150	040	2.78
438-168	1-1/4X1	25	100	040	2.78
438-206	1-1/2X1/8	25	100	040	3.20
438-207	1-1/2X1/4	25	200	040	3.20
438-209	1-1/2X1/2	25	100	040	3.20
438-210	1-1/2X3/4	25	100	040	3.20
438-211	1-1/2X1	25	100	040	3.20
438-212	1-1/2X1-1/4	25	100	040	3.20
438-245	2X1/4	10	60	040	4.29
438-247	2X1/2	10	60	040	4.29
438-248	2X3/4	10	60	040	4.29
438-249	2X1	10	120	040	4.29
438-250	2X1-1/4	10	120	040	4.29
438-251	2X1-1/2	10	120	040	4.29
438-287	2-1/2X1/2	10	0	040	6.23
438-288	2-1/2X3/4	10	40	040	6.23
438-289	2-1/2X1	10	40	040	6.23
438-290	2-1/2X1-1/4	10	40	040	6.23
438-291	2-1/2X1-1/2	10	40	040	6.23
438-292	2-1/2X2	10	40	040	6.23
438-334	3X3/4	10	0	040	7.16
438-335	3X1	10	0	040	7.16
438-336	3X1-1/4	10	0	040	7.16
438-337	3X1-1/2	10	0	040	7.16
438-338	3X2	10	0	040	7.16
438-339	3X2-1/2	10	0	040	7.16
438-420	4X2	6	0	040	16.00
438-421	4X2-1/2	6	0	040	16.00
438-422	4X3	6	0	040	16.00
438-488	5X3	5	0	040	31.20
438-490	5X4	6	0	040	31.20
438-528	6X2	5	0	040	58.56
438-530	6X3	5	0	040	58.56
438-532	6X4	5	0	040	58.56

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Fipt

438-534	6X5	5	0	040	58.56
---------	-----	---	---	-----	-------

Reducer Bushing - Special Reinforced Flush Style

Spigot x SR Fipt - Stainless Steel Collar

438-128SR	1X1/4	25	150	046	3.48
438-166SR	1-1/4X1/2	25	100	046	6.36
438-207SR	1-1/2X1/4	25	100	046	8.87
438-209SR	1-1/2X1/2	25	100	046	8.87
438-210SR	1-1/2X3/4	25	100	046	8.87
438-247SR	2X1/2	10	80	046	10.86
438-248SR	2X3/4	10	80	046	10.86
438-249SR	2X1	10	120	046	10.86
438-334SR	3X3/4	10	0	046	42.51
438-335SR	3X1	10	0	046	42.51
438-336SR	3X1-1/4	10	0	046	42.51
438-337SR	3X1-1/2	10	0	046	42.51
438-420SR	4X2	6	0	046	65.34
438-421SR	4X2-1/2	6	0	046	73.54
438-528SR	6X2	5	0	046	75.24
438-530SR	6X3	5	0	046	67.74
438-532SR	6X4	5	0	046	75.24



Reducer (T.T.) Bushing

Mipt x Fipt

439-052	3/8X1/4	50	450	040	3.20
439-071	1/2X1/8	50	300	040	3.20
439-072	1/2X1/4	50	300	040	3.20
439-073	1/2X3/8	50	300	040	3.20
439-098	3/4X1/4	50	300	040	1.98
439-099	3/4X3/8	50	300	040	1.98
439-101	3/4X1/2	50	300	040	1.98
439-128	1X1/4	25	150	040	2.78
439-130	1X1/2	50	300	040	2.78
439-131	1X3/4	50	800	040	2.78
439-166	1-1/4X1/2	25	150	040	4.14
439-167	1-1/4X3/4	25	150	040	4.14
439-168	1-1/4X1	25	150	040	4.14
439-209	1-1/2X1/2	25	300	040	5.00
439-210	1-1/2X3/4	25	300	040	5.00
439-211	1-1/2X1	25	300	040	5.00
439-212	1-1/2X1-1/4	25	300	040	5.00
439-247	2X1/2	10	60	040	5.35
439-248	2X3/4	10	60	040	5.35
439-249	2X1	10	60	040	5.35
439-250	2X1-1/4	10	60	040	5.35
439-251	2X1-1/2	10	60	040	5.35
439-292	2-1/2X2	10	80	040	18.71



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer (T.T.) Bushing (continued)

Mipt x Fipt

439-337	3X1-1/2	10	0	040	22.13
439-338	3X2	10	0	040	22.13
439-339	3X2-1/2	10	0	040	22.13
439-420	4X2	6	0	040	66.14
439-422	4X3	6	0	040	51.15

Reducer Bushing - Special Reinforced Flush Style

Mipt X SR Fipt - Stainless Steel Collar

439-209SR	1-1/2X1/2	25	300	046	9.20
439-210SR	1-1/2X3/4	25	300	046	9.20
439-247SR	2X1/2	10	60	046	5.35
439-248SR	2X3/4	10	60	046	8.33
439-249SR	2X1	10	120	046	13.51
439-420SR	4X2	6	0	046	51.15



Caps

Cap

Socket

447-003	3/8	50	1000	040	1.73
447-005	1/2	50	300	040	.61
447-007	3/4	50	300	040	.71
447-010	1	50	200	040	1.12
447-012	1-1/4	25	100	040	1.59
447-015	1-1/2	25	0	040	1.73
447-020	2	25	0	040	2.08
447-025	2-1/2	10	0	040	6.64
447-030	3	10	0	040	7.25
447-040	4	6	0	040	16.49
447-045F	4-1/2	10	0	047	53.02
447-050	5	5	0	040	27.71
447-060	6	4	0	040	39.55
447-080	8	3	0	040	99.35
447-100F	10	1	5	047	221.46
447-120F	12	1	5	047	321.75
447-140F	14	1	2	047	403.80
447-160F	16	1	2	047	481.96
447-180F	18	1	2	047	849.26
447-200F	20	1	0	047	1289.59
447-240F	24	1	0	047	2052.54



Cap

Fipt

448-003	3/8	50	1000	040	2.33
448-005	1/2	50	300	040	1.28
448-007	3/4	50	300	040	1.48
448-010	1	50	200	040	2.24

