

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Spigot Adapter

Spigot x Fipt



478-005	1/2	50	600	040	.89
478-007	3/4	25	300	040	1.05
478-010	1	50	0	040	1.68
478-012	1-1/4	25	0	040	2.35
478-015	1-1/2	20	0	040	2.91
478-020	2	20	0	040	4.26
478-030	3	10	0	040	14.46
478-040	4	5	0	040	24.01

Female Spigot Adapter - Special Reinforced

Spigot x SR Fipt - Stainless Steel Collar



478-005SR	1/2	50	600	046	4.52
478-007SR	3/4	25	300	046	5.33
478-010SR	1	50	0	046	8.21
478-012SR	1-1/4	25	0	046	13.07
478-015SR	1-1/2	25	0	046	15.67
478-020SR	2	15	0	046	26.09
478-030SR	3	5	0	046	47.96
478-040SR	4	5	0	046	74.07

Female Spigot Adapter - Special Reinforced Reducing

Spigot x SR Fipt - Stainless Steel Collar



478-072SR	1/2X1/4	25	450	046	12.58
478-098SR	3/4X1/4	50	300	046	18.32
478-128SR	1X1/4	50	400	046	18.88

Spears® SR Series reinforced spigot adapters can be user-installed in a variety of socket type tees, elbows and reducer bushings for superior thread reinforcement demanding applications.

Riser Extensions

Riser Extension

Fipt x Mipt



(See also Polyethylene Cut-Off Riser Extensions in this catalog)

434-005	1/2	50	300	040	1.31
434-007	3/4	50	300	040	2.19
434-010	1	50	0	040	2.74

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Riser Extension - Polyethylene Cut-Off

Fipt x Mipt



(1/2" = 3-Section Cut-Off; 3/4" = 4-Section Cut-Off)

M434-005-3	1/2X3	50	600	120	1.57
M434-007-4	3/4X4	50	0	120	2.08

High Density Polyethylene - Not NSF-listed - Not pressure rated. For use on open ended irrigation systems.

Reducer Bushing

Reducer Bushing Flush Style

Spigot x Socket



437-052	3/8X1/4	50	450	040	1.31
437-072	1/2X1/4	50	300	040	1.35
437-073	1/2X3/8	50	300	040	1.35
437-101	3/4X1/2	50	300	040	.75
437-130	1X1/2	50	300	040	1.35
437-131	1X3/4	50	300	040	1.35
437-166	1-1/4X1/2	25	300	040	1.82
437-167	1-1/4X3/4	25	300	040	1.82
437-168	1-1/4X1	25	300	040	1.82
437-209	1-1/2X1/2	25	200	040	1.93
437-210	1-1/2X3/4	25	200	040	1.93
437-211	1-1/2X1	25	200	040	1.93
437-212	1-1/2X1-1/4	25	200	040	1.93
437-247	2X1/2	10	120	040	3.18
437-248	2X3/4	10	60	040	3.18
437-249	2X1	10	60	040	3.18
437-250	2X1-1/4	10	120	040	3.18
437-251	2X1-1/2	25	0	040	3.18
437-287	2-1/2X1/2	10	80	040	5.12
437-288	2-1/2X3/4	10	40	040	5.12
437-289	2-1/2X1	10	40	040	5.12
437-290	2-1/2X1-1/4	10	40	040	5.12
437-291	2-1/2X1-1/2	10	40	040	5.12
437-292	2-1/2X2	10	80	040	5.12
437-333	3X1/2	10	0	040	10.07
437-334	3X3/4	10	0	040	7.54
437-335	3X1	10	0	040	7.54
437-336	3X1-1/4	10	0	040	7.54
437-337	3X1-1/2	10	0	040	7.54
437-338	3X2	10	0	040	7.54
437-339	3X2-1/2	15	0	040	7.54
437-417 ¹	4X1	6	0	040	20.46
437-418 ¹	4X1-1/4	6	0	040	20.67
437-419	4X1-1/2	6	0	040	20.67
437-420	4X2	6	0	040	16.87
437-421	4X2-1/2	6	0	040	16.87
437-422	4X3	6	0	040	16.87
437-486	5X2	5	0	040	23.73



Schedule 40 Fittings Product
PVC Schedule 40 Fittings

Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Socket

437-488	5X3	5	0	040	23.73
437-490	5X4	4	0	040	23.73
437-528	6X2	5	0	040	41.80
437-530	6X3	5	0	040	41.80
437-532	6X4	5	0	040	41.80
437-534	6X5	5	0	040	41.80
437-578 ¹	8X2	4	0	040	164.82
437-580 ¹	8X3	4	0	040	164.82
437-582	8X4	4	0	040	145.67
437-583 ¹	8X5	4	0	040	190.35
437-585	8X6	4	0	040	145.67
437-621 ¹	10X2	2	0	041	459.66
437-623 ¹	10X3	2	0	041	437.19
437-624 ¹	10X4	2	0	041	437.19
437-626	10X6	3	0	041	396.56
437-628	10X8	3	0	041	396.56
437-664 ¹	12X4	2	0	041	590.52
437-666 ¹	12X6	2	0	041	590.52
437-666F	12X6	1	2	047	436.02
437-668	12X8	2	0	041	441.02
437-670	12X10	2	0	041	441.02
437-670F	12X10	1	3	047	283.13
437-696F	14X6	1	3	047	1070.12
437-698F	14X8	1	3	047	766.71
437-700F	14X10	1	3	047	511.46
437-702F	14X12	1	3	047	178.52
437-756F	16X6	1	0	047	1274.95
437-758F	16X8	1	0	047	1005.44
437-760F	16X10	1	0	047	722.39
437-762F	16X12	1	0	047	417.31
437-764F	16X14	1	2	047	436.76
437-786F	18X6	1	0	047	2140.67
437-788F	18X8	1	0	047	1966.48
437-790F	18X10	1	0	047	1608.35
437-792F	18X12	1	0	047	1035.29
437-794F	18X14	1	0	047	1008.77
437-796F	18X16	1	0	047	500.63
437-816F	20X6	1	0	047	2963.56
437-818F	20X8	1	0	047	2785.31
437-820F	20X10	1	0	047	2581.33
437-822F	20X12	1	0	047	2254.57
437-824F	20X14	1	0	047	1847.71
437-826F	20X16	1	0	047	1476.83
437-828F	20X18	1	0	047	736.42
437-906F	24X6	1	0	047	4719.62
437-908F	24X8	1	0	047	4523.65
437-910F	24X10	1	0	047	3982.39
437-912F	24X12	1	0	047	3639.75
437-914F	24X14	1	0	047	3357.14
437-916F	24X16	1	0	047	2810.48
437-918F	24X18	1	0	047	2795.06

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

Spigot x Socket

437-920F	24X20	1	0	047	2275.43
----------	-------	---	---	-----	---------

¹ Sized with Bushing



Reducer Bushing Flush Style

Spigot x Fipt

438-052	3/8X1/4	50	450	040	1.56
438-071	1/2X1/8	50	400	040	1.56
438-072	1/2X1/4	50	350	040	1.56
438-073	1/2X3/8	50	350	040	1.56
438-098	3/4X1/4	50	300	040	1.56
438-101	3/4X1/2	50	300	040	1.18
438-127	1X1/8	25	150	040	1.91
438-128	1X1/4	50	200	040	1.91
438-129	1X3/8	50	200	040	1.91
438-130	1X1/2	50	300	040	1.91
438-131	1X3/4	50	300	040	1.91
438-166	1-1/4X1/2	25	150	040	2.93
438-167	1-1/4X3/4	25	150	040	2.93
438-168	1-1/4X1	25	100	040	2.93
438-206	1-1/2X1/8	25	100	040	3.37
438-207	1-1/2X1/4	25	200	040	3.37
438-209	1-1/2X1/2	25	100	040	3.37
438-210	1-1/2X3/4	25	100	040	3.37
438-211	1-1/2X1	25	100	040	3.37
438-212	1-1/2X1-1/4	25	100	040	3.37
438-245	2X1/4	10	60	040	4.52
438-247	2X1/2	10	60	040	4.52
438-248	2X3/4	10	60	040	4.52
438-249	2X1	10	120	040	4.52
438-250	2X1-1/4	10	120	040	4.52
438-251	2X1-1/2	10	120	040	4.52
438-287	2-1/2X1/2	10	0	040	6.56
438-288	2-1/2X3/4	10	40	040	6.56
438-289	2-1/2X1	10	40	040	6.56
438-290	2-1/2X1-1/4	10	40	040	6.56
438-291	2-1/2X1-1/2	10	40	040	6.56
438-292	2-1/2X2	10	40	040	6.56
438-334	3X3/4	10	0	040	7.54
438-335	3X1	10	0	040	7.54
438-336	3X1-1/4	10	0	040	7.54
438-337	3X1-1/2	10	0	040	7.54
438-338	3X2	10	0	040	7.54
438-339	3X2-1/2	10	0	040	7.54
438-420	4X2	6	0	040	16.84
438-421	4X2-1/2	6	0	040	16.84
438-422	4X3	6	0	040	16.84
438-488	5X3	5	0	040	32.84
438-490	5X4	6	0	040	32.84
438-528	6X2	5	0	040	61.64
438-530	6X3	5	0	040	61.64
438-532	6X4	5	0	040	61.64

Schedule 40 Fittings Product
PVC Schedule 40 Fittings



Reducer Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
Reducer Bushing Flush Style (continued)					
Spigot x Fipt					
438-534	6X5	5	0	040	61.64

Reducer Bushing - Special Reinforced Flush Style

Spigot x SR Fipt - Stainless Steel Collar



438-128SR	1X1/4	25	150	046	3.66
438-166SR	1-1/4X1/2	25	100	046	6.69
438-207SR	1-1/2X1/4	25	100	046	9.34
438-209SR	1-1/2X1/2	25	100	046	9.34
438-210SR	1-1/2X3/4	25	100	046	9.34
438-247SR	2X1/2	10	80	046	11.43
438-248SR	2X3/4	10	80	046	11.43
438-249SR	2X1	10	120	046	11.43
438-334SR	3X3/4	10	0	046	44.75
438-335SR	3X1	10	0	046	44.75
438-336SR	3X1-1/4	10	0	046	44.75
438-337SR	3X1-1/2	10	0	046	44.75
438-420SR	4X2	6	0	046	68.78
438-421SR	4X2-1/2	6	0	046	77.41
438-528SR	6X2	5	0	046	79.20
438-530SR	6X3	5	0	046	71.31
438-532SR	6X4	5	0	046	79.20

Reducer (T.T.) Bushing

Mipt x Fipt



439-052	3/8X1/4	50	450	040	3.37
439-071	1/2X1/8	50	300	040	3.37
439-072	1/2X1/4	50	300	040	3.37
439-073	1/2X3/8	50	300	040	3.37
439-098	3/4X1/4	50	300	040	2.08
439-099	3/4X3/8	50	300	040	2.08
439-101	3/4X1/2	50	300	040	2.08
439-128	1X1/4	25	150	040	2.93
439-130	1X1/2	50	300	040	2.93
439-131	1X3/4	50	800	040	2.93
439-166	1-1/4X1/2	25	150	040	4.36
439-167	1-1/4X3/4	25	150	040	4.36
439-168	1-1/4X1	25	150	040	4.36
439-209	1-1/2X1/2	25	300	040	5.26
439-210	1-1/2X3/4	25	300	040	5.26
439-211	1-1/2X1	25	300	040	5.26
439-212	1-1/2X1-1/4	25	300	040	5.26
439-247	2X1/2	10	60	040	5.63
439-248	2X3/4	10	60	040	5.63
439-249	2X1	10	60	040	5.63
439-250	2X1-1/4	10	60	040	5.63
439-251	2X1-1/2	10	60	040	5.63
439-292	2-1/2X2	10	80	040	19.69

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer (T.T.) Bushing (continued)

Mipt x Fipt

439-337	3X1-1/2	10	0	040	23.29
439-338	3X2	10	0	040	23.29
439-339	3X2-1/2	10	0	040	23.29
439-420	4X2	6	0	040	69.62
439-422	4X3	6	0	040	53.84

Reducer Bushing - Special Reinforced Flush Style

Mipt X SR Fipt - Stainless Steel Collar



439-209SR	1-1/2X1/2	25	300	046	9.68
439-210SR	1-1/2X3/4	25	300	046	9.68
439-247SR	2X1/2	10	60	046	5.63
439-248SR	2X3/4	10	60	046	8.77
439-249SR	2X1	10	120	046	14.22
439-420SR	4X2	6	0	046	53.84

Caps

Cap

Socket



447-003	3/8	50	1000	040	1.82
447-005	1/2	50	300	040	.64
447-007	3/4	50	300	040	.75
447-010	1	50	200	040	1.18
447-012	1-1/4	25	100	040	1.67
447-015	1-1/2	25	0	040	1.82
447-020	2	25	0	040	2.19
447-025	2-1/2	10	0	040	6.99
447-030	3	10	0	040	7.63
447-040	4	6	0	040	17.36
447-045F	4-1/2	10	0	047	55.81
447-050	5	5	0	040	29.17
447-060	6	4	0	040	41.63
447-080	8	3	0	040	104.58
447-100F	10	1	5	047	233.12
447-120F	12	1	5	047	338.68
447-140F	14	1	2	047	425.05
447-160F	16	1	2	047	507.33
447-180F	18	1	2	047	893.96
447-200F	20	1	0	047	1357.46
447-240F	24	1	0	047	2160.57

Cap

Fipt



448-003	3/8	50	1000	040	2.45
448-005	1/2	50	300	040	1.35
448-007	3/4	50	300	040	1.56
448-010	1	50	200	040	2.36